

RECEIVED

DEC 2 1971

Department of Water Administration
Eastern District Office

NOTICE OF APPLICATION
FOR WATER PERMIT

Notice is hereby given that Thomas Second Ward, Church of Jesus Christ of Latter-day Saints, care of Arnold J. Dance, Bishop, Route 5, Box 79, Blackfoot, Idaho, has on 10-21-71 submitted Application No. 35-7190 for a permit to appropriate 0.78 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 5, T. 3S, R. 34E, B.M., Bingham County; to be used from April 1 to Sept. 15 for the irrigation of 39 acres within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 5, T. 3S, R. 34E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Dept. of Water Administration, 240 So. Holmes, Idaho Falls, Idaho, 83401, on or before Nov. 29, 1971.

R. KEITH HIGGINSON
Director

(2869)
Pub.: 11-11, 18

AFFIDAVIT of PUBLICATION

County of Bingham
State of Idaho

} ss.

I, Drury R. Brown do solemnly

swear that I am the publisher of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Friday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive weeks, the first publication having been made on the 11th day of November, 1971, and the last publication having been made on the 18th day of November, 1971; that said notice was published in the regular and entire issue of every number of the paper aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 23rd day of November, 1971

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Nov. 10, 1972

35 7190

December 7, 1973

Re: Permit No. 35-7190

Thomas 2nd Ward
c/o Arnold J. Dance, Bishop
Route 5, Box 79
Blackfoot, Idaho 83221

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7190 and has found the following:

Quantity of water diverted: 0.63 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.63 cfs

The maximum quantity diverted shall not exceed 136.5 acre feet per year.

Beneficial use: For irrigation of 30 acres within the SE 1/4, Sec. 5, Twp. 3 S, Rge. 34 E

Point of diversion: SE 1/4, Sec. 5, Twp. 3 S, Rge. 34 E, B.M.

Priority date established: October 24, 1971

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

35 7190

T.
3
S





Diagram of System


84



84

35-7190

N-14



35 7190

PUMPS • IRRIGATION EQUIPMENT • FERTILIZERS

PHONE 785-1717

AGRICULTURAL SERVICES, INC.

P. O. BOX 627
BLACKFOOT, IDAHO

Customer's

Order No.

Date

19

Name

Address

SOLD BY

CASH

C. O. D.

CHARGE

ON ACCT.

MDSE. RETD.

PAID OUT

QUAN.

DESCRIPTION

PRICE

AMOUNT

I certify the property I have here purchased
will be used.☐ In the process of producing tangible
personal property by farming.

Name

TERMS

\$

Down and \$

on the

Day of Each Month Beginning

19

Without grace for value received, I promise to pay to the order of the Seller the above mentioned amounts, payable as hereinabove set forth. I agree that title to the merchandise hereinabove set forth shall at all times remain in the Seller's name, until this note is fully paid, and if the same be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. If not paid at maturity, this note shall thereafter draw interest at the rate of 1% which is an ANNUAL PERCENTAGE RATE of 12% per annum until paid. Upon failure on the part of the purchaser to make payments, as herein specified, the Seller may repossess said property wherever found. Property shall not be moved from premises without consent of Seller.

No.

8977

Rec'd by

Thank You

35 7190


BADGER, MAGNETIC DRIVE IRRIGATION METER

A Low-Cost Water Meter for Farms and Ranches


The MDIM meter fills the need of farmers and ranchers for an economical, but reasonably accurate, method of measuring large-volume water consumption. Constructed with a magnetic drive, the meter requires little maintenance because there are no gears in the water and the register is sealed against moisture and corrosion.

In operating principle, the MDIM is a relatively new type of radial rotor meter. It is designed for wells and irrigation projects where remote instrumentation is not used with the meter.

For about half the cost of other irrigation meters, the MDIM helps growers to apply the right amount of water when it will prove most beneficial to crops. It also will keep close watch on the amount of water being withdrawn from underground supplies.



Sealed Totalizer
With Sweep
Pointer



MODEL MDIM 4"-12"

FEATURES AND SPECIFICATIONS

APPLICATIONS: For wells, pump discharges and gravity irrigation systems where water is relatively free of debris. Pipe must be full when meter is operating.

ACCURACY: Plus or minus 2 per cent of actual flow over the range shown in tables on page 2. For accurate totalization, the flow range should correspond with specified meter size. However, for intermittent usage, the maximum flow range may be exceeded by 50 per cent without damaging meter. Accuracy not affected by pressure changes.

OPERATING CONDITIONS: Pressures up to 100 psi and temperatures to 150°F.

HEAD LOSS: Under 1 psi at maximum rated flow.

INSTALLATION: Simply cut hole in pipe, insert meter and clamp onto pipe with two U-bolts. Rubber gasket provided as seal. (Meter also available with tube at additional cost.)

TOTALIZER: Six-digit, straight-reading totalizer is hermetically sealed against moisture. Can be calibrated in gallons, acre feet, cubic feet or cubic meters. Sweep test hand provided for timing rate of flow. Totalizer's hood has locking hasp and seal screw to prevent tampering.

MATERIALS: Meter saddle constructed of cast iron. Shaft, bearings and magnets are ceramic. Radial rotor and rotor housing are molded of durable plastic which does not corrode. Drop pipe and other parts that come in contact with fluid are stainless steel, bronze or brass.

35 7190

Intermountain Water Service, Inc.
5700 Emerald
Boise, Idaho 83704

BADGER METER, INC.

4545 WEST BROWN DEER ROAD, MILWAUKEE, WISCONSIN 53223

INSTRUMENTS DIVISION

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 35-7190 Priority Oct. 24, 1971 Amount 0.63 cfs

THIS IS TO CERTIFY, that Thomas Second Ward,
Church of Jesus Christ of Latter-Day Saints
of Blackfoot, Idaho, has complied with the terms and conditions of Permit
No. 35-7190 issued pursuant to Application for Permit dated October 10, 1971,
and has submitted proof to the Department of Water Administration on January 5, 1973,
(late proof)
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 0.63 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 0.63 cfs for Irrigation from April 1 to Sept. 15 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 0.63 cfs of water be diverted at
any one time, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 5,

Twp. 3 S, Rge. 34 E, B.M.

in the county of Bingham; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 136.5 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 S	34 E	5				39													39

Total number of acres irrigated 39

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17th day of
December, 19 73.


Deputy Director

35 7190

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

In the Matter of Permit No. 35-7190 in the)
name of Thomas Second Ward, Church of)
Jesus Christ of Latter-Day Saints)

ORDER OF REINSTATEMENT

WHEREAS, on October 20, 1971, the Thomas Second Ward, Church of Jesus Christ of Latter-Day Saints filed with the Department of Water Administration an application for permit to appropriate 0.78 cfs of water from a ground water source within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 5, Twp. 3 S, Rge. 34 E, B.M., Bingham County, to be used for irrigation purposes; and,

WHEREAS, on December 22, 1971, the Department approved said application and issued Permit No. 35-7190 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before January 1, 1973; and,

WHEREAS, on October 31, 1972, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on January 5, 1973, the Department notified the permit holder that Permit No. 35-7190 had lapsed for failure to submit the required proof of beneficial use; and,


WHEREAS, on January 5, 1973, the Department received the required proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 35-7190 be REINSTATED and the priority advanced to October 24, 1971.

Dated this 12 day of January, 1973.


R. KEITH HIGGINSON
Director

35 7190

Identification No. 35-7190

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

LICENSE ISSUED FOR 63 SEC. 1
LICENSE PAGE NO. _____

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Thomas Second Ward, Church of Jesus Christ of Latter-Day
post office address % Arnold J. Dance, Bishop Saints
Route 5, Box 79, Blackfoot, Idaho 83221
2. Source of water supply Underground which is a tributary of: _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 5 Township 3 So.
Range 34 E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes: Sprinkler Irrigation of Cropland
Amount 0.78 for irrigation purpose from April 1 to Sep. 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 360 GPM 0.78 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. _____
1 Turbine pump, 40' (360 gpm-155' head) 20 HP-220v-3Ø VHS Motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 159 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 1 years.
b. Estimated construction cost is \$ 7,495.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

35 7190

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 39

c. Describe any other water rights used for the same purposes_____


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing_____

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Arnold J Dance, Bishop
(Applicant)

THOMAS SECOND WARD

35 7190

Received by CL Date 10-20-71 Time 2:30 PM.
 Preliminary check by DL Fee \$ 2.50
 Receipted by CL Date 10-21-71
 Publication prepared by bj Date 11-1-71
 Published in The Blackfoot News
 Publication dates 11-11 & 11-18-1971
 Publication approved CL Date 12-8-71
 Priority ~~reduced to~~ 10-20-71 Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature] BDF ep

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7190, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1,, 19 73.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 22 day of December, 19 71.

[Signature]
 Director

[Signature]
 State Reclamation Engineer

RECEIVED

DEC 2 1971

Department of Water Administration
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham }
State of Idaho } ss.

I, Drury R. Brown do solemnly

swear that I am the publisher of
The Blackfoot News which is a daily newspaper of general
circulation published each day except Sunday at Blackfoot,
Bingham County, Idaho, said newspaper having been so
published at Blackfoot, aforesaid for more than one year
past; that said newspaper heretofore complied with all the
provisions of Chapter 154 of the Sessions Laws of Idaho of
1933, approved March 11, 1933, and duly designated,
pursuant to law, a particular day of the week as the day on
which legal notices required by law or by the order of any
Court of competent jurisdiction within the State of Idaho
shall be published to-wit: Friday of each week; that the
notice attached hereto and which is a part of this affidavit
and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive
weeks, the first publication having been made on
the 11th day of ... November, 19... 71....

and the last publication having been made on the
... 18th day of ... November, 19... 71...; that said
notice was published in the regular and entire issue of every
number of the paper aforesaid during the period and time
of publication, and that notice was published in the
newspaper and not in a supplement.

Subscribed and sworn to before me this 23rd
day of ... November, 19... 71

Ray R. Rayburn
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Nov. 10, 1972

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 18, 1973

Re: Permit No. 35-7190

Thomas Second Ward
Church of Jesus Christ of Latter-Day Saints
c/o Arnold J. Dance, Bishop
Route 5, Box 79
Blackfoot, Idaho 83221

Gentlemen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

35 7190

December 7, 1973

Re: Permit No. 35-7190

Thomas 2nd Ward
c/o Arnold J. Dance, Bishop
Route 5, Box 79
Blackfoot, Idaho 83221

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7190 and has found the following:

Quantity of water diverted: 0.63 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 0.63 cfs

The maximum quantity diverted shall not exceed 16.5 acre feet per year.

Beneficial use: for irrigation of 40 acres within the SE 1/4, Sec. 5, Twp. 3 S, Rge. 34 E

Point of diversion: Gravel: Sec. 5, Twp. 3 S, Rge. 34 E, B.M.

Priority date established: October 24, 1971

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEMING
Assistant Director

jlr

35 7190

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Thomas 2nd Ward, Church of Jesus Christ of Latter-Day Saints
Post office address c/o Arnold J. Dance, Route 5 - Box 79, Blackfoot, ID Phone _____
Person to contact _____

RECEIVED

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Department of Water Administration
Eastern District Office

Amount 0.78 c.f.s. for Irrigation
_____ AF/Annum (nature of use)

Period of Use: from April 1 to Sept. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 35-7190
b/u
Examination for _____

4. Total amount to be appropriated:

Max Rate of Diversion 0.78 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3 S N/S, Range 34 E E/W, B.M., Section 5, Subdivision SE $\frac{1}{4}$ NE $\frac{1}{4}$, Bingham
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works: well, pump, motor, Badger Meter

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3S	34E	5				39													39

35 7190

TOTAL ACREAGE

39

T.
3
S






Diagram of System

84



84



DATE OF EXAM May 21, 1973

ACREAGE
Found 39
Recommended 39

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = .63 c.f.s. V = 136.5 AF/Ann. from April 1 to Sept 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no N/A

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no N/A

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured .63 C.F.S. Method of measurement Petrot MR-111

Total Q recommended .63 CFS Meter No. M0559005 Type Badger Condition good

Total V recommended 136.5 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:
2-1/4 mile lines of 9/16" orifice Rainbird Model 3045 sprinkler heads
at 32 nozzles per line = 64 nozzles + additional 3 nozzles on lawn
and small pasture. Average pressure = 55 psi equiv to 422 gpm / head
67 heads = 282.7 gpm ÷ 448.8 = 0.63 C.F.S.
V = (39)(35) = 136.5 AF/Ann

SYSTEM DESCRIPTION:
20HP U.S. Motor Serial # 792596 w/ Layne pump serial #
36516 8" discharge to north 2 1/2' into buried main line west.
1 1/2" line is valved off to divert water in discharge pipe for
use on lawn & small pasture.

REMARKS:

Could locate no representative of church on the farm.
No evidence of installation of measuring device.

Meter installation confirmed 7/27/73 J. Feribaauer


Examiner's Signature John Feribaauer Date May 21, 1973

Checked by Norman C. Young PE Date May 30, 1973

Approved by _____ Date _____

9
~~21~~
64

Model 30 WS



N

35 7190

INTER-DEPARTMENT MEMO — 1

FROM DARLENE REICH

DATE July 20, 1973

TO JOHN FEREBAUER

SUBJECT Permit No. 35-7190

On June 11, 1973 sent order to show cause regarding no measuring device. On July 10, 1973 was advised by permit holder that said device is now installed. Therefore, returning field exam in order that you may verify installation.

35 7190

SIGNATURE

PHONE 785-1717

P. O. BOX 627

BLACKFOOT, IDAHO

Customer's

Order No.

Date 7-5-

1925

Name Arnold Dance

Address Blackfoot R-5-Box-74

SOLD BY	CASH	C.O.D.	CHARGE	ON ACCT.	MDSE. RETD.	PAID OUT
---------	------	--------	--------	----------	-------------	----------

QUAN.

DESCRIPTION

PRICE

AMOUNT

I certify the property I have here purchased
will be used.

☐ In the process of producing tangible personal property by farming.

Name _____

TERMS

\$ Down and \$ on the

Day of Each Month Beginning

19

Without grace for value received, I promise to pay to the order of the Seller the above mentioned amounts, payable as hereinabove set forth. I agree that title to the merchandise hereinabove set forth shall at all times remain in the Seller's name, until this note is fully paid, and if the same be placed with an attorney for collection or suit, I agree to pay a reasonable attorney's fee. If not paid at maturity, this note shall thereupon draw interest at the rate of 1% which is an ANNUAL PERCENTAGE RATE of 12% per annum until paid. Upon failure on the part of the purchaser to make payments, as herein specified, the Seller may repossess said property wherever found. Property shall not be moved from premises without consent of Seller.

Rec'd by

No. 8977

35 7190

Thank You

July 9, 1973

RECEIVED
JUL 10 1973
Department of Water Administration

Re: Permit No. 35-7190

The measuring device in question
finally arrived and was installed
July 7, 1973.

Enclosed is a copy of the invoice
showing purchase. Also a copy of
your orders dated June 11, 1973.

Arnold J. Dancer

35 7190

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

June 11, 1973

CERTIFIED MAIL

Re: Permit No. 35-7190

Thomas 2nd Ward
Church of Jesus Christ of Latter-Day Saints
c/o Arnold J. Dance, Bishop
Route #5, Box 79
Blackfoot, Idaho 83221

Gentlemen:

On May 21, 1973, this office inspected the water diversion works and place of use as described in Permit No. 35-7190. Our examiner found no measuring device of a type approved by the Department installed as part of your diverting works. Such a measuring device is an express condition which must be met prior to approval of a license for your permit.

As you may be aware, your water right cannot be confirmed by the issuance of a license unless all of the conditions of approval are met. In the event that a license is not issued and the permit lapses, further diversion of water under the permit would be illegal.

You are, therefore, hereby ordered to show cause, if any there be, before the Director of the Department of Water Administration, 614 State Street, Boise, Idaho, on or before July 11, 1973, as to why Permit No. 35-7190 should not be lapsed for failure to complete the requirements under said permit.

If you have any questions, please feel free to contact this office.

Very truly yours,


A. KENNETH DUNN
Deputy Director

35 7190

AKD:jc

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

①

[Handwritten Signature]

24583

②

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

③

6-12-73

**U.S. POSTAL SERVICE
OFFICIAL BUSINESS**



Postmark of Delivering Office

**PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE, \$300**



SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.



- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.



**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE • ANNEX #2

7190 BOISE, IDAHO 83707

June 11, 1973

CERTIFIED MAIL

Re: Permit No. 35-7190

#24583

Thomas 2nd Ward
Church of Jesus Christ of Latter-Day Saints
c/o Arnold J. Dance, Bishop
Route #5, Box 79
Blackfoot, Idaho 83221

Gentlemen:

On May 21, 1973, this office inspected the water diversion works and place of use as described in Permit No. 35-7190. Our examiner found no measuring device of a type approved by the Department installed as part of your diverting works. Such a measuring device is an express condition which must be met prior to approval of a license for your permit.

As you may be aware, your water right cannot be confirmed by the issuance of a license unless all of the conditions of approval are met. In the event that a license is not issued and the permit lapses, further diversion of water under the permit would be illegal.

You are, therefore, hereby ordered to show cause, if any there be, before the Director of the Department of Water Administration, 614 State Street, Boise, Idaho, on or before July 11, 1973, as to why Permit No. 35-7190 should not be lapsed for failure to complete the requirements under said permit.

If you have any questions, please feel free to contact this office.

Very truly yours,



A. KENNETH DUNN
Deputy Director

AKD:jc

35 7190

January 15, 1973

Re: Permit No. 35-7190

Thomas 2nd Ward,
Church of Jesus Christ of Latter-Day Saints
c/o Arnold J. Dance, Bishop
Route 5 - Box 79
Blackfoot, Idaho 83221

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit. Enclosed you will find an Order of Reinstatement; please note that the priority has been advanced to October 24, 1971.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may arrange to have someone show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office at 240 South Holmes, Idaho Falls, Idaho.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

bc: Eastern District Office
Enc: Field exam report

35 7190

Identification No. _____

Permit No. 35-7190

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
JAN 5 1973
Department of Water Administration

1. a) Name of Permit Holder Thomas 2nd Ward, Church of Jesus Christ of Latter-Day Saints
b) Post Office Address c/o Arnold J Dance, Rt 5, Box 79, Blackfoot, Ida 83221
2. Permit Number 35-7190
3. Date of Priority that you are prepared to establish 10-20-71
4. a) Source from which water was appropriated Underground
b) Location of the point of diversion: SE 1/4 NE 1/4, Section 5
Township 3 So, Range 34 E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount .78 cfs for IRRIGATION purposes from APRIL 1 to SEP. 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated .78 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: BADGER MAGNETIC DRIVE IRRIGATION METER -
by AGRICULTURAL SERVICES INC. - BLACKFOOT, IDAHO 83221
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 1 TURBINE PUMP, 40' (360 gpm - 155' HEAD) 20 HP - 220V - 3P
WELL DEPTH 159' - CASING 48" 16", 60" 12", 75" 10" (VHS MOTOR)
b) Describe the type and size of measuring device which you have installed at your point of diversion: BADGER MAGNETIC DRIVE IRRIGATION METER - 6 INCH.
c) Give well drillers name and address and date the well was completed JACK CUSHMAN
1405 So. BROADWAY, BLACKFOOT, IDAHO 83221
APRIL 27, 1971

Exam typed 1-15-73 by dw

35 7190

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: 40 ACRES

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 So.	34 EBM	5				40													40

Total number of acres irrigated 40

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-28-72
(Date)

Arnold J Dance, Bishop, Thomas 2nd Ward
(Signature)

State of Idaho)
County of Bingham ss.

On this 12-28 day of December, 1972, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Thos J. Dance
Notary Public residing at K.H. 5
Blackfoot, Ida.

My commission expires Feb 1 1974


BADGER, MAGNETIC DRIVE IRRIGATION METER

A Low-Cost Water Meter for Farms and Ranches

The MDIM meter fills the need of farmers and ranchers for an economical, but reasonably accurate method of measuring large volume water applications. Constructed with a rugged design, the meter requires little maintenance because there are no moving parts, and the register is sealed against moisture.

In operation, the MDIM is a true radial rotor type of radial rotor meter. It is designed for irrigation projects where remote installation is not used with the meter.

For about half the cost of other irrigation meters, the MDIM helps growers to control the amount of water when it will prove most beneficial. The meter will keep close watch on the amount of water being withdrawn from underground sources.



MODEL MDIM-50

FEATURES AND SPECIFICATIONS

APPLICATIONS: For wells, pump discharges and gravity irrigation systems where water is relatively free of debris. Pipe must be full when meter is operating.

ACCURACY: Plus or minus 2 per cent of actual flow over the range shown in tables on page 2. For accurate totalization, the flow range should correspond with specified meter size. However, for intermittent usage, the maximum flow range may be exceeded by 50 per cent without damaging meter. Accuracy not affected by pressure changes.

OPERATING CONDITIONS: Pressures up to 100 psi and temperatures to 150°F.

HEAD LOSS: Under 1 psi at maximum rated flow.

INSTALLATION: Simply cut hole in pipe, insert meter and clamp onto pipe with two U-bolts. Rubber gasket provided as seal. (Meter also available with tube at additional cost.)

TOTALIZER: Six-digit, straight-reading totalizer is hermetically sealed against moisture. Can be calibrated in gallons, acre feet, cubic feet or cubic meters. Sweep test hand provided for timing rate of flow. Totalizer's hood has locking hasp and seal screw to prevent tampering.

MATERIALS: Meter saddle constructed of cast iron. Shaft, bearings and magnets are ceramic. Radial rotor and rotor housing are molded of durable plastic which does not corrode. Drop pipe and other parts that come in contact with fluid are stainless steel, bronze or brass.

35 7190

BADGER METER, INC.

4545 WEST BROWN DEER ROAD, MILWAUKEE, WISCONSIN 53122

INSTRUMENTS DIVISION

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 5, 1973

Thomas 2nd Ward,
Church of Jesus Christ of Latter-Day Saints
c/o Arnold J. Dance, Bishop
Route 5 - Box 79
Blackfoot, Idaho 83221

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit 35-7190 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.



R. KEITH HIGGINSON
Director

RKH:DR

35 7190

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show to whom, date and address
where delivered

☐

Deliver **ONLY**
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

24087

①

M. Dance

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

②

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

③

11-1-72

35-7190

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**

**DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83702**

35-7190

October 31, 1972 CERTIFIED MAIL

24087

Re: Permit No. 35-7190

Thomas 2nd Ward, Church of Jesus Christ of Latter-Day Saints
% Arnold J. Dance, Bishop
Route 5 - Box 79
Blackfoot, Idaho 83221

Gentlemen:

One of the conditions of approval of your water Permit No. 35-7190 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before January 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

35 7190

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration

JUN 17 1971

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

Department of Water Administration

1. WELL OWNER

Name LDS Church.
Address B. Hoopes 2nd Ward.
Owner's Permit No. APR 35-7190 FOR.

7. WATER LEVEL

Static water level 22' feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow
Temperature 51 ° F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

UNKNOWN.
No test.

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16" inches Total depth 159' feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>16"</u> inches	<u>0</u> feet	<u>48</u> feet
<u>2.50</u> inches	<u>12"</u> inches	<u>0</u> feet	<u>60</u> feet
<u>2.50</u> inches	<u>10"</u> inches	<u>55</u> feet	<u>130</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet


Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 48' feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Bingham
SE 1/4 36 1/4 Sec. 32 T. 2 S. R. 34 E. 1

10.

Work started APRIL 10-71 finished APRIL 2-71

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Jack Summer
Driller's or Firm's Name Number
1405-050-Boodine
Address
Jack Summer MAY 10-71
Signed By Date

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 35-7190 Name Church of Jesus Christ of Latter-Day Saints

Source ground water

Point of Diversion SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 5, T. 3S, R. 34E, B.M, Bingham County

Quantity 0.78 cfs Use Irrigation Period April 1 to Sept. 15

Quantity Use Period

Quantity Use Period

Well Size Diameter Proposed Depth Feet

Use The irrigation of 39 acres.

Date Forwarded 12/2/71 Date Returned Received by

COMMENTS: Significant water level declines have not been noted in this area (W.B. #18)

This well has been drilled and a log filed by Cushman (April, 1971). Aquifer is
Snake River Basalt. Yields are normally good with little drawdown (few pump tests
are ever made). Static depth to water is 22 ft. Only a few large irrigation wells in
the area. Mainly surface irrigation from Aberdeen-Springfield Canal Co.

RECOMMENDED:

Applied: Qty. 0.78 cfs Use Irrig Period 4/1 to 9/12 AF/A 3.5 AF 137

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

Maximum: Qty. 0.78 cfs Use Irrig. Period 4/1 to 11/1 AF/A 3.5 AF 137

Qty. Use Period AF/A AF

Qty. Use Period AF/A AF

ACTION: Approved X Denied

Conditions of approval or reason for denial: Applicant may be abandoning an Aberdeen-
Springfield surface right. Should be advised that combined diversion from all sources
cannot exceed 0.02 cfs @ acre at any one time.

By Norman C. Young Title District Engineer
 NORMAN C. YOUNG Date 11/3/71

35 7190

January 3, 1972

Re: Permit No. 21-7017 - North PineHaven Development Corp.
" " 35-7190 - Thomas Second Ward, Church of Jesus Christ
of L.D.S.

Norman C. Young
District Engineer
DEPT. OF WATER ADMINISTRATION
240 South Holmes
Idaho Falls, Idaho 83401

Dear Norm:

Please find enclosed copies of the above referenced permits which have been approved by this office.

If you have any questions, please contact us.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:CR

Enc: copies

35 7190

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 29, 1971

**Re: Permit No. 35-7190 - Thomas Second Ward,
Church of Jesus Christ of Latter-Day Saints**

**Thomas Second Ward
Church of Jesus Christ of L.D.S.
c/o Arnold J. Dance, Bishop
Route 5, Box 79
Blackfoot, Idaho 83221**

Dear Mr. Dance:

Enclosed is a copy of your approved Application for Permit No. 35-7190. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

35 7190

November 1, 1971

Re: Claim No. 25-4008 - Maudean E. Bernstrom
Application No. 35-7190 - The Church of Jesus Christ of Latter-Day Saints

The Blackfoot News
P.O. Box 70
Blackfoot, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

Bill submitted to Boise Office 12-8-71 by CK

NCY:BJ
Enc: Legal notices (2)

35 7190

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Thomas Second Ward, Church of Jesus Christ of Latter-
Day Saints, % Arnold J. Dance, Bishop, Route 5, Box 79, Blackfoot, Idaho
has on 10-21-71 submitted Application No. 35-7190
for a permit to appropriate 0.78 cubic feet per second ~~XXXXXXXXXXXX~~
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 5, T. 3S, R. 34E, B.M., Bingham County;

to be used from April 1 to Sept. 15
for the irrigation of 39 acres

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 5, T. 3S, R. 34E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Dept. of Water Ad-
ministration, 240 So. Holmes, Idaho Falls, Idaho, 83401, on or before Nov. 29, 1971

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho
on November 11 and November 18, 1971.

November 1, 1971

Re: Application No. 35-7190

The Church of Jesus Christ of Latter Day Saints
Thomas Second Ward
% Arnold J. Dance, Bishop
Route 5, Box 79
Blackfoot, Idaho 83221

Dear Bishop Dance:

The application that you submitted in behalf of the Church of Jesus Christ of Latter Day Saints has been forwarded to this office for processing.

I note that you have filed for 0.8 cubic feet per second (c.f.s.) for 39 acres. State law limits the diversion rate to .02 c.f.s. per acre, unless adequate justification for a greater diversion rate is provided.

So that we may be able to continue processing, I have taken the liberty of reducing the amount required to 0.78 c.f.s. This is the amount that will appear in the advertisement. Because of the small change, I do not believe that you will have any objections to this.

If you have any questions, please do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:bj

35 7190

October 27, 1971

Thomas Second Ward
Church of Jesus Christ of Latter-Day Saints
% Arnold J. Dance, Bishop
Route #5, Box 79
Blackfoot, Idaho 83221

Dear Mr. Dance:

Attached herewith is your receipt No. 8399 in the amount of \$ 25.00
for your application for permit
which was received in this office.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:ejw

Enclosure

35 7100

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

October 7, 1971

Church of Jesus Christ of Latter-Day Saints
Thomas Second Ward
% Arnold J. Dance, Bishop
Route #5
~~Post Office~~ Box #79
Blackfoot, Idaho 83221

Dear Bishop Dance:

We are returning the permit application that you have submitted in the behalf of the Church of Jesus Christ of Latter-Day Saints. In reviewing this application, we find several questions that need clarification before we could process it.

Item #3a lists the location of your well as being in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 5, Township 3 S, Range 34 E. However, the map on page three of your application shows the well to be in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of the same Section, Township and Range. Item #4 should list a specific rate of diversion, nature and period of use for the water. Item #8b lists your 39 acres as being in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 5. The map again, shows it to be in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of the same Section. The filing fee for 360 gallons/minute, or 0.8 cubic feet per second will be \$25.00.

As soon as we are in receipt of your corrected application, with the proper fee, we shall begin its processing.

If you should have any questions in reference to this matter, please do not hesitate to contact this Department.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cs

Enclosure

Sorry - I can't read legal descriptions - Hope this is better -

35 7190

Thank you

October 7, 1971

Church of Jesus Christ of Latter-Day Saints
Thomas Second Ward
% Arnold J. Dance, Bishop
Route #5
Post Office Box #79
Blackfoot, Idaho 83221

Dear Bishop Dance:

We are returning the permit application that you have submitted in the behalf of the Church of Jesus Christ of Latter-Day Saints. In reviewing this application, we find several questions that need clarification before we could process it.

Item #3a lists the location of your well as being in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 5, Township 3 S, Range 34 E. However, the map on page three of your application shows the well to be in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of the same Section, Township and Range.

Item #4 should list a specific rate of diversion, nature and period of use for the water. Item #8b lists your 39 acres as being in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 5. The map again, shows it to be in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of the same Section. The filing fee for 360 gallons/minute, or 0.8 cubic feet per second will be \$25.00..

As soon as we are in receipt of your corrected application, with the proper fee, we shall begin its processing.

If you should have any questions in reference to this matter, please do not hesitate to contact this Department.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cs

Enclosure

35 7190