

TWP. 55 RANGE 30E COUNTY Bingham SCALE: 1" = 1 MILE

LEGEND

Applicant's well

IRRIGATION

DOMESTIC

36 31 32 33 34 35 36 31

1 6 5 4 3 2 1 6

12 7 8 9 10 11 12 7

13 18 17 16 15 14 13 18

24 19 20 21 22 23 24 19

25 30 29 28 27 26 25 30

36 31 32 33 34 35 36 31

1 6 5 4 3 2 1 6

35-7135

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF BINGHAM

ss.

...Virginia E. Anderson being first duly sworn
on oath, states:

That she is the chief clerk of the printer
of The Aberdeen Times, a newspaper of general circulation
in Bingham County, Idaho, published weekly at Aberdeen
in said County; that said newspaper has been published in
said County uninterruptedly and continuously for over
seventy-eight consecutive weeks, prior to the first publica-
tion of the annexed notice or advertisement:

That the annexed notice or advertisement was publish-
ed as per clipping attached in the regular and entire edition
of said newspaper and not in any supplement thereof for
...2... successive weekly issues thereof, the date of the first
publication being the ...16 day of ...April..., 19...70
the date of last publication being the
...23... day of April..., 19...70

(Signed *Virginia E. Anderson*)

Subscribed and sworn to before me this

...42... day of ...May..., 19...70

Notary Public, residing at Aberdeen, Idaho.

My Commission expires the

(SEAL) ...8... day of ...December..., 19...70

RECEIVED

MAY 5 1970

LEGAL NOTICE

Published in The Aberdeen
Times April 16 and 23, 1970.

NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO

Notice is hereby given that
Clarence T. Fehringer, Aber-
deen, Idaho, has on March 26,
1970, submitted Application No.
35-7135 to appropriate the pub-
lic waters of a groundwater
source.

The application proposes a
maximum diversion and appro-
priation of 4.8 cubic feet per
second of water to be diverted
by well, pump, motor and sprin-
kler system within the SE1/4
SW1/4, Sec. 23, T. 5S, R. 30
E, B.M., Bingham County, and
is to be used within the SW1/4,
W1/2SE1/4, Sec. 23, T. 5S, R.
30E, B.M. from April 1 to Nov-
ember 1 for the irrigation of
240 acres.


Any permit issued pursuant
to this application will be sub-
ject to ALL PRIOR WATER
RIGHTS and subject to the
CONTROL OF A STATE
WATERMASTER. Any protest
against this application must be
filed with the Idaho Department
of Reclamation on or before
May 4, 1970.


R. KEITH HIGGINSON
State Reclamation Engineer

35-7135

23

39	40	40
37	36 x P.D.	40





State of Idaho
Department of Reclamation

1. WELL OWNER

Name Clarence Fehringel
Address Aberdeen Idaho
Owner's Permit No. 35-7135

2. NATURE OF WORK

☐ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test

☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole		<u>16</u> inches	Total depth		<u>245</u> feet
Casing schedule:		☒ Steel			☐ Concrete
Thickness	Diameter	From	To		
<u>250</u> inches	<u>16</u> inches	<u>+1</u> feet	<u>20</u> feet		
_____ inches	_____ inches	_____ feet	_____ feet		
_____ inches	_____ inches	_____ feet	_____ feet		
_____ inches	_____ inches	_____ feet	_____ feet		
_____ inches	_____ inches	_____ feet	_____ feet		

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 19 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



County Bingham
SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 23, T. 5 N/S, R. 30 E/W

7. WATER LEVEL

Static water level 143 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped
------------------	-----------	--------------

9. LITHOLÓGIC LOG

[illegible]

10.

0. Work started Mar 17, 1970 finished April 15, 1970

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name	Number
Box 176 Aberdeen Idaho	4-16-70
Signed By	Date

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 35-7135 Priority April 29, 1970 Amount 3.90 cfs
(late proof)

THIS IS TO CERTIFY, that CLARENCE T. FEHRINGER
of Aberdeen, Idaho, has complied with the terms and conditions of Permit
No. 35-7135 issued pursuant to Application for Permit dated March 26, 1970,
and has submitted proof to the Department of Water Administration on July 5, 1972,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 3.90 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 3.90 cfs for Irrigation from April 1 to Nov. 1 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 3.90 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 23, Twp. 5 S, Rge. 30 E, B.M.

in the county of Bingham; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 812 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5 S	30 E	23									40	39	37	36		40	40		232

Total number of acres irrigated 232

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9 day of
August, 19 73.


Director

35 7135

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-7135)
in the name of CLARENCE T. FEHRINGER)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on March 26, 1970, Clarence T. Fehringer applied to the Department of Water Administration (formerly the Department of Reclamation) for a permit to appropriate 4.8 cubic feet per second of water from a ground water source within the SE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 23, Twp. 5 S, Rge. 30 E, B.M., Bingham County, to be used for irrigation purposes; and,

WHEREAS, on May 11, 1970, the Department approved said application and issued Permit No. 35-7135 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before June 1, 1972, and that the permit holder permanently install and maintain a measuring device of a type approved by the Department as part of the diverting works; and,

WHEREAS, on March 31, 1972, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on June 5, 1972, the Department received the required proof of beneficial use; and,

WHEREAS, on June 5, 1972, the Department notified the permit holder that his proof affidavit was not acceptable for failure to indicate that a measuring device was installed; and,

WHEREAS, on July 5, 1972, the permit holder submitted evidence that the measuring device requirement had been met; and,


WHEREAS, Permit No. 35-7135 had automatically lapsed on June 2, 1972; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 35-7135 be REINSTATED and the priority advanced to April 29, 1970.

Dated this 2 day of August, 1972.


R. KEITH HIGGINSON
Director

35 7135

Identification No. 35-7135

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

LICENSE ISSUED FOR 3.09 SEC. FT.
LICENSE PAGE NO. _____

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant CLARENCE T. FEHRINGER
post office address ABERDEEN IDAHO 83210

2. Source of water supply UNDERGROUND WATER which is a tributary of _____

3. a. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 23 Township 5 S Range 30 E B.M. BURGHAM County; additional points of diversion if any: ef

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 4.8 for irrigation purpose from April 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4.8 cubic feet per second and/or
b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Deep well Turbine Pump
150 H.P. electric motor for sprinkler irrigation

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 270 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.

b. Estimated construction cost is \$ 25,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
55	30E	23									40	40	40	40		40	40		240
f																			


Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes none

9. a. Who owns the property at the point of diversion Clarence Finner
- b. Who owns the land to be irrigated or place of use Clarence Finner
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clarence T. Fehring
(Applicant)

3-26-70 9:00 a.m.
Received by ij Date 3-26-70 Time 9:00am
Preliminary check by Dehl Fee \$ 40⁰⁰
Receipted by ij Date 3-27-60
Publication prepared by ds Date 4-8-70
Published in Blunden Times
Publication dates 4-16+23-70
Publication approved ds Date 5-5-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Dehl ds

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7135, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 72.
- c. Other: The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 11th day of May 19 70.

P. Keith Higgins
State Reclamation Engineer

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No. 35-7135 Name Clarence T. Fehringer

Source groundwater

Point of Diversion SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23, T. 5S, R. 30E, B.M., Bingham County

Quantity 4.8 Use irrigation Period April 1 - Nov. 1

Quantity Use Period

Quantity Use Period

Well Size 16 Diameter Proposed Depth 270 Feet

Use irrigation of 240 acres

Date Forwarded 4-6-70 Date Returned 4-6-70 Received by Skiff

RECOMMENDATIONS: Water table is stable or rising
(Water Bulletin # 11). IRRIGATION DEVELOPMENT
OF GROUNDWATER IS MODERATELY INTENSE IN THE
LOCAL AREA.

ALLOWED Qty. 4.8 Use IRRIGATION Period 4-1 to 11-1 AF 4 890 AFA 3.5

MAXIMUM Qty. 4.8 Use IRRIGATION Period 3-15 to 11-15 AF 4 890 AFA 3.5

Qty. Use Period AF AFA

ACTION: Approved X Denied

Conditions of approval or reason for denial:

Investigation By Norman C. Young Title W.R.T. II
 Date April 9, 1970

TWP. 35 RANGE 30E COUNTY Bingham SCALE: 1" = 1 MILE

36 31 32 33 34 35 36 31

LEGEND

● - Applicant's well
○ - DOMESTIC

1 6 5 4 3 2 1 6

12 7 8 9 10 11 12 7

13 18 17 16 15 14 13 18

24 19 20 21 22 23 24 19

25 30 29 28 27 26 25 30

36 31 32 33 34 35 36 31

1 6 5 4 3 2 1 6

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF BINGHAM

SS.

...Virginia E. Anderson being first duly sworn
on oath, states:

That she is the chief clerk of the printer

of The Aberdeen Times, a newspaper of general circulation
in Bingham County, Idaho, published weekly at Aberdeen
in said County; that said newspaper has been published in
said County uninterruptedly and continuously for over
seventy-eight consecutive weeks, prior to the first publica-
tion of the annexed notice or advertisement:

That the annexed notice or advertisement was publish-
ed as per clipping attached in the regular and entire edition
of said newspaper and not in any supplement thereof for

...2... successive weekly issues thereof, the date of the first
publication being the...16... day of ...April..., 19...70

the date of last publication being the

...23... day of ...April..., 19...70

(Signed *Virginia E. Anderson*)

Subscribed and sworn to before me this

...4th... day of ...May..., 19...70

.....*Blair D. Smith*.....

Notary Public, residing at Aberdeen, Idaho.

My Commission expires the

(SEAL) ...8th... day of ...December..., 19...70

NOTICE OF APPLICATION
FOR PERMIT TO
APPROPRIATE THE PUBLIC
WATERS OF THE
STATE OF IDAHO

Notice is hereby
given that Clarence
Fehring, of Aber-
deen, Idaho, has on
April 1, 1970, submitted
Application No. 35-7135 for appropri-
ation of a general
source of water

The application
provides for a
maximum diversion
of 4.8 cubic feet
per second of water to
be used by well, pump, motor,
or other power-driven
water system, with
SW1/4, Sec. 23, T. 30
E, B.M. Bingham and
is to be used within
SW1/4, Sec. 23, T. 30
E, B.M. from April 1, 1970
to November 1, 1970 for the irrigation of
240 acres.

Any permit issued pursuant
to this application will be sub-
ject to ALL PROPOSED WATER
RIGHTS and to the
CONTROL OF THE STATE
WATERMASTER. Any protest
against this application must be
filed with the Idaho Department
of Reclamation on or before
May 4, 1970.

R. KEITH FROST
State Reclamation Engineer

August 10, 1973

Re: Permit No. 35-7135

**Mr. Clarence T. Fehringer
Aberdeen,
Idaho 83210**

Dear Mr. Fehringer:

**Enclosed please find a copy of the Water License issued on the
above referenced permit.**

Sincerely,

**BOBBY D. FLEENOR
Assistant Director**

bjg

Enclosure

35 7135

July 25, 1973

Mr. Clarence T. Fehringer
Aberdeen,
Idaho 83210

Dear Mr. Fehringer:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7135 and has found the following:

Quantity of water diverted: 3.90 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 3.90 cfs

The maximum quantity diverted shall not exceed 812 acre feet per year.

Beneficial use: Irrigation of 232 acres within the
SW1/4, W1/2SE1/4 Sec. 23, Twp. 5S, Rge. 30 E, B.M.

Point of diversion: SE1/4SW1/4 Sec. 23, Twp. 5 S, Rge.
30 E, B.M.

Priority date established: April 29, 1970 (late proof)

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

35 7135

Exp. Gross From
Top of Hill
Call 8 am 2 mi N Aberdeen Left (w)
Duffin (oil) end left 1 mi S $\frac{1}{4}$ E

Post office address Aberdeen, Idaho Phone

Phone 397-4266

Tributary to _____

Other uses: _____

Permit No. 35-7135

Examination for b/u

Max Rate of Diversion 4.8 cubic feet per second and annual volume _____ AF/Annum.

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____ County

Other Points of Diversions: _____


© 2008 Pearson Education, Inc. All rights reserved. Printed in the United States of America. This publication is protected by copyright. Any unauthorized distribution or reproduction without written permission from Pearson Education, Inc., may cause severe and possibly permanent damage to your computer system. Some rights are reserved under copyright laws. All other rights reserved.

6. Lands to be irrigated or place of use.


TOTAL ACREAGE _____ **240**

[illegible]

N



Top View



3/16

13.8

E 33.1

I 3.4

3.0

24.5

22

22

23

G 4.1
H 23.8

F 5.92

J 3.7
K 3.7

L 3.7
M 3.7

OUT

40

40

DATE OF EXAM Aug 31, 1972

ACREAGE
Found 232
Recommended 232

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 3.9 c.f.s. V = 812 AF/Ann. from April 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge N.A. E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge N.A. E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 3.9 cfs Method of measurement McCrometer

Total Q recommended 3.9 cfs Meter No 72-10338 Type MCO100 Condition New

Total V recommended 812 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
☒ None

MEASUREMENT CALCULATION:

$$\frac{1750 \text{ gpm}}{448.8 \text{ gpm/cfs}} = 3.9 \text{ cfs}$$

$$3.9 \times 426 = 1661 \text{ A-F/Ann.} > 812$$

SYSTEM DESCRIPTION:

GE TRI-CLAD Pump Motor 150Hp Ser#CFJ325137
Layne & Bowler Verti-Liue 1650gpm 310' @ 1770rpm
Set # D26F2K

Sprinkler System

REMARKS:

System & land shown by Mr Fehringer

Examiner's Signature William Rhoads Date Sept. 5, 1972

Checked by Norman C. Young, P.E. Date 12-9-72

Approved by _____ Date _____

August 2, 1972

Re: Permit No. 35-7135

C Mr. Clarence T. Fehringer
Aberdeen,
Idaho 83210

O Dear Mr. Fehringer:

O Pursuant to your letter of July 1, 1972, the Department has accepted your proof affidavit previously submitted in connection with the above referenced permit. Enclosed you will find an Order of Reinstatement, please note that the priority has been advanced.

P Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If someone other than you should be contacted by the examiner, please advise our District Office at 240 South Holmes, Idaho Falls, Idaho,

Y Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Order

bc: Eastern District Office
Enc: Field exam report

35 7135

RECEIVED

JUL 5 1972

Department of Water Administration

July 1, 1972

Dear Sir:

In regards to your letter dated June 5, 1972 in reference to permit no. 35-7135; I am sending you the sales slip showing we have had the meter installed which was required.

Yours truly,
Mrs. Clarence Fehringer

35 7135

MEL BROWN COMPANY

Phone 522-7001

So. Utah Ave.

Idaho Falls, Idaho

P.O. Box 1181

IRRIGATION PUMPS AND SPRINKLERS

STEEL, ALUMINUM AND PLASTIC PIPE

DELIVERY TICKET

NAME

DATE June 30 19 72

ADDRESS

1-397-4266

JOB NO.		ORDER NO.	INVOICE NO.	INVOICE DATE	SHIPPING DATE	VIA	
QUAN.	SIZE	DESCRIPTION			PRICE	AMOUNT	
1	10"	Mc Crometer water meter w/couplings					
Installed June 30/72 by Richard Klingenberg							

No. 11992 REC'D BY

~~35 7135~~

UARCO INC.

June 5, 1972

Re: Permit No. 35-7135

Mr. Clarence T. Fehringer
Aberdeen,
Idaho 83210

Dear Mr. Fehringer:

We are in receipt of your affidavit submitted as proof of beneficial use for Permit No. 35-7135. However, in reviewing that affidavit, it appears that you have failed to install the measuring device as required by the conditions of approval of your permit and be Section 42-701 of the Idaho Code.

We cannot accept your proof and issue a license unless you have installed a measuring device of a type approved by the Department. We will hold your affidavit until you can supply us with information as to the type of measuring device installed. You should be aware that failure to install the device and supply information as to the type of device installed may result in the loss of your permit. We will withhold action regarding your permit until July 5, 1972.

We are enclosing a list of the types of measuring devices accepted by this Department. If you have any questions, please contact us.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

35 7135

Identification No. 35-7135

Permit No. 35-7135

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED
Department of Water Administration
late

1. a) Name of Permit Holder Lawrence T. Lehninger
b) Post Office Address Aberdeen Idaho
2. Permit Number 35-7135
3. Date of Priority that you are prepared to establish March 26, 1970
4. a) Source from which water was appropriated underground
b) Location of the point of diversion: SE 1/4 SW 1/4, Section 23
Township 5 South, Range 30 E. Boise Meridian, Other points of diversion: —

5. a) The amount of water and use to which the water has been applied:
amount ~~3.7 cfs~~ 3.7 cfs for irrigation purposes from April 1 to Nov. 1 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Design of pump and
amount of lines running from it.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: —
b) Describe the agreement or understanding by which you take water from the works: —

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Pump size - 1650 G.P.M. Motor
Size - 150 h.p. - well casing - 16 inches - depth of well - 245 ft.
Water level is 143 feet
b) Describe the type and size of measuring device which you have installed at your point of diversion: None - water diverts into sprinkler system - can be calibrated by number
of sprinkler lines in operation
c) Give well drillers name and address and date the well was completed
Paul Bollmer & Son - Aberdeen, Idaho

Exam typed 8-2-72 by ds

35-7135

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

23491

1

Clarence T. Fehring

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Mrs. Clarence T. Fehring

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

4-5-72

3

35 7135

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



ENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

RETURN
TO



DEFER

35

35 7133

March 31, 1972 CERTIFIED MAIL

#23491

Re: Permit No. 35-7135

Clarence T. Fehringer
Aberdeen,
Idaho 83210

Dear Mr. Fehringer:

One of the conditions of approval of your water Permit No. 35-7135 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1972. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

35 7135

State of Idaho
Department of Reclamation

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

May 13, 1970

Re: Permit No. 35-7135

Mr. Clarence T. Fehringer
Aberdeen,
Idaho 83210

Dear Mr. Fehringer:

We enclose a copy of your approved application for permit 35-7135 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~Assistant~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4367 for \$40
2 informational letters

P.S. Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

35-7135

April 8, 1970

Re: Application for Permit No. 35-7135 - Clarence T. Fehringer

Aberdeen Times
Aberdeen
Idaho 83210

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enc: Legal notice

Bill submitted
5-5-70
de

35-7135

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Clarence T. Fehringer, Aberdeen, Idaho,

has on March 26, 1970,

submitted Application No. 35-7135 to appropriate the public waters of
a groundwater source

~~/The/proposed/uses/are~~ _____

The application proposes a maximum diversion and appropriation of 4.8
cubic feet per second ~~/acre/feet~~ of water to be diverted by well, pump, motor
and sprinkler system within the SE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 23,
T. 5S, R. 30E, B.M., Bingham County,

and is to be used within the SW $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 23, T. 5S, R. 30E, B.M. from April 1
to November 1 for the irrigation of 240 acres

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before ~~April 27, 1970~~ May 1, 1970

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Aberdeen Times, Aberdeen, Idaho.

on April 16 and April 23, 1970

K.H.

35-7135

February 24, 1970

Mr. Clarence T. Fehringer
Aberdeen,
Idaho 83210

Dear Mr. Fehringer:

We have reviewed your application for permit and find the application to be in order. Before we can process your application there is a filing fee required. The fee for 4.8 cubic feet per second of water is \$40.

If we can be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:kh

35-7135