

TWP.

RANGE

COUNTY

SCALE: 1" = 1 MILE

36 31 32 33 34 35 36 31

1 6 5 4 3 2 1 6

12 7 8 9 10 11 12 7

13 18 17 16 15 14 13 18

24 19 20 21 22 23 24 19

25 30 29 28 27 26 25 30

36 31 32 33 34 35 36 31

1 6 5 4 3 2 1 6

35-7129

Affidavit of Publication

STATE OF IDAHO, }
COUNTY OF POWER. } ss.

Phyllis Ringe being first duly sworn

on oath, states:

That she is the principle clerk of the printer

of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2 successive weekly issues thereof, the date of the first publica-

tion being the 19th day of March, 1970

the date of last publication being the

26th day of March, 1970

(Signed)

Subscribed and sworn to before me this

20 day of March, 1970

Notary Public, residing at American Falls, Idaho.

My Commission expires the

(SEAL) day of March, 1973
Notary Public
Residing at Am. Falls, Idaho
My Commission Expires
Aug. 20, 1973

Published in The Power County Press, March 19 and 26, 1970.

NOTICE OF APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO:

Notice is hereby given that Emil E. Bauer, 433 Taylor Street, American Falls, Idaho, has on March 2, 1970, submitted Application No. 35-7129 to appropriate the public waters of a groundwater source.

The application proposes a maximum diversion and appropriation of 3.2 cubic feet per second of water to be diverted by well, pump and motor within the SE1/4NE1/4, Sec. 17, T. 7S, R. 30 E, B.M., Power County and is to be used within the NE 1/4, Sec. 17, T. 7S, R. 30E, B.M. for the irrigation of 160 acres from April 1 to October 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before April 6, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer

35-7129





Diagram of System



Rg-30

County Rd

7 8
18 17

A
78.7

Bauer

39

39

8 9
17

B
114.8

C
119.1

A-161

B
48

Pump

40

35-2477

A-206

D
41.5

18 17
19 20

F
79.9

A-181

75.6

A-56

16

TWP-7S-

C
116.4

A-161

E
119.2

G
152.6

B
195.1

45.3

A
116.5

19 20
20 29

20 21
29 28

A-305

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR TRANSFER OF WATER RIGHT

To Change the Point of Diversion and/or the Place of Use

APPROVED

Name of applicant Emil Bauer &/or John Bauer Phone 226-2656

Post office address 434 Taylor, American Falls, ID 83211

A. DESCRIPTION OF RIGHT AS RECORDED

1. Right evidenced by:
- a. Decree to _____ (Name)
in case of _____ vs _____
dated _____ in _____ county of _____
(Name of court)
- b. License No. 35-7129 issued by the Idaho Department of Water Resources
- c. Claim No. _____ on file with the Idaho Department of Water Resources

2. If applicant is not the original holder of this right, explain how it was acquired and attach a copy of the deed or other evidence of ownership of the land to which the right is appurtenant _____
Applicant is original holder.

3. Source of water groundwater tributary to _____

4. Date of priority 3/2/1970

5. Water is used for the following purposes:
amount 2.63 cfs for irrigation purposes from April 1 to Nov. 1
amount _____ for _____ purposes from _____ to _____
amount _____ for _____ purposes from _____ to _____
(month/day – both dates inclusive)

6. Total amount of water under right: a. 2.63 cubic feet per second
&/or
b. _____ acre feet per annum

7. Location of original point of diversion is SE ¼ of NE ¼ of Section 17
Township 7S Range 30E, B.M., in Power County
Additional points of diversion, if any _____

8. Lands irrigated or place of use:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	30E	17	39	39	40	40													158

Total number of acres to be irrigated 158

9. Describe any other water rights used for the same purposes as described above License
35-2477 is appurtenant to SE¼NE¼, Sec. 17, Twp. 7S, Rge. 30E

applicant, omit part B).

1. Amount of water: a. _____ cubic feet per second

b. _____
acre feet per annum

2. Point of diversion	$\frac{1}{4}$	$\frac{1}{4}$, Section	Township
-----------------------	---------------	-------------------------	----------

Range _____, B.M., _____ County _____

Additional points

	7/10	7/10	7/10	7/10			
--	------	------	------	------	--	--	--

C.	DESCRIPTION OF RIGHT OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

a.	Amount of water to be diverted	2.63	c.f.s. &/or	acre feet
----	--------------------------------	------	-------------	-----------

b. Point(s) of diversion SE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 17 Township 7S

Range	JOE	'B.M.	LOWE	Country
-------	-----	-------	------	---------

mainline.


d. Describe the reasons for applying for a change in the point(s) of diversion Since the license

was issued I have installed a common mainline connecting all

a. Describe the lands or place of use to which the right will be transferred:

Total number of acres to be irrigated

3. Draw a map indicating the new point(s) of diversion and/or the new land to be irrigated. Show clearly the land involved by section, township and range number.



SCALE: 2 inches equal 1 mile. Draw plan in ink.

I hereby assert that no one will be injured by such change and the change does not constitute an enlargement in use of the original right. The information contained in this application is true to the best of my knowledge.

Subscribed and sworn to before me this 24 day of March, 19 81.
Emil E. Bauer
(Signature of applicant)
Just F. Glemm
(Notary public)
My commission expires April 1984

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Transfer of Water Rights No. 35-7129

and said application is hereby approved, subject to the following limitations and conditions:

Witness my hand this 7th day of May, 19 81.

Norman C. Young
NORMAN C. YOUNG
Administrator, Resources Admin. Div.

FOR DEPARTMENT USE ONLY

Received by EMC Date 3/25/81 Prelim. check by EMC Date 3/20/81 Fee 50.00
Received by EMC Date 3/20/81 # 17116
Published in Power Co. Record Pub. dates 4/02 & 4/09/81
Watermaster recommendation requested on _____
rec'd. _____
Recommended for _____ by Just F. Glemm
approval _____ denial _____
Hearing held by _____ Date _____
Copies of protest forwarded by _____

RECEIVED

APR 14 1981

Department of Water Resources
Eastern District Office

Affidavit of Publication

STATE OF IDAHO

COUNTY OF POWER

} S.S.

.....Brett Crompton..... being first duly sworn

on oath, states:

Thathe..... is theEditor/Manager.....
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for2.....
successive weekly issues thereof, the date of the first publica-

tion being theApril.... day of1....., 19...81

the date of last publication being the

.....9..... day ofApril....., 19...81

(Signed) *Brett Crompton*

Subscribed and sworn to before me this

.....2..... day ofApril....., 19...81

Kris Foster
.....
Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL)

Life..... day of19.....

Legal Notice

Published in the Power County
Press April 1, 1981 and April 8, 1981.
NOTICE OF PROPOSED
CHANGE OF WATER RIGHT
NO. 35-7129

Notice is hereby given that Emil
Bauer &/or John Bauer, American
Falls, Idaho, have applied to the
Department of Water Resources for
a change in the point of diversion of
the water of groundwater sources.
The right sought to be changed is
evidenced by License No. 35-7129
and is recorded as follows:
AMOUNT: 2.63 cfs PRIORITY:
March 2, 1970
POINT OF DIVERSION:
SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 7S, R. 30E,
Power County.

The water is used to irrigate 158
acres from April 1 to November 1
within the NE $\frac{1}{4}$, Sec. 17, T. 7S, R.
30E.

TO BE CHANGED AS FOLLOWS

The water will be diverted within
the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17; NW $\frac{1}{4}$ NE $\frac{1}{4}$,
NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20; T. 7S, R. 30E,
Power County.

Any protest against approval of
the above proposed change of water
right must be filed with the Idaho
Department of Water Resources, 150
Shoup Ave., Idaho Falls, Idaho
83401, on or before April 20, 1981.

C. STEPHEN ALLRED
Director

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7129 Priority March 2, 1970 Amount 2.63 cfs

THIS IS TO CERTIFY, that EMIL E. BAUER
of American Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7129 issued pursuant to Application for Permit dated March 2, 1970,
and has submitted proof to the Department of Water Resources on February 12, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.18 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 31</u>	at <u>2.63</u> cfs and	<u>553 acre feet or</u> <u>*3.5 af per acre</u>
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.63 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
553 acre feet per year, said waters to be diverted within the SE¹/₄NE¹/₄ of Sec. 17,
Twp. 7 S, Rge. 30 E, B. M. in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
7 S	30 E	17	39	39	40	40													158

Total number of acres irrigated 158

* Subject to the condition that the maximum volume per year shall not exceed
3.5 acre feet per acre when combined with License No. 26567/35-2477.

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9 day of
October, 19 76.

Director

Identification No. 35-7129
Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant EMIL E. BAUER
post office address 434 Taylor Street American Falls, Idaho 83211
2. Source of water supply groundwater which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 17 Township 7 South
Range 30 E. B.M. Power County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.2 for irrigation purpose from April 1 to October 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump, 20" diameter hole,
150 horse electric motor, appx 225 well depth

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 225 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 30,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____


[illegible]

c. Describe any other water rights used for the same purposes. None

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

[illegible]

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Emil E. Bauer
(Applicant)

Received by 21 Date 3-2-70 Time 2:30 pm
Preliminary check by DW Fee \$ 35.00
Receipted by 21 Date 3-4-70
Publication prepared by de Date 3-11-70
Published in Power County Press
Publication dates 3-19 + 26 - 70
Publication approved de Date 3-30-70
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DW


ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7129, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 75.

c. Other:  The permit holder shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 10th day of April 19 70.


State Reclamation Engineer

DEPARTMENT OF RECLAMATION

STAFF ANALYSIS

Application No. 35-7129 Name Emil E. Bauer

Source groundwater

Point of Diversion SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 7S, R. 30E, B.M., Power County

Quantity 3.2 Use irrigation Period April 1 - Oct. 31

Quantity Use Period

Quantity Use Period

Well Size 20 Diameter Proposed Depth 225 Feet

Use irrigation of 160 acres

Date Forwarded 3-10-70 Date Returned 4-3-70 Received by Day

RECOMMENDATIONS: LOCATED @ 4 MILES WEST AND 3 MILES
NORTH OF AMERICAN FALLS - AQUIFER BASALT WATER
LEVEL @ 150' NO WELL LOGS @ 1 MILE DISTANCE
NO DECLINES NOTED IN AREA - DIFFERENT AQUIFER
SYSTEM IF WELL DRILLED @ 350-400' BUT NO
PROBLEMS EXPECTED


APPROVED Qty. 3.2 Use IRR Period 4-1 TO 10-31 AF 4.0 AFA 860 215

MAX Qty. 3.2 Use IRR Period 4-1 TO 11-1 AF 4.0 AFA 860 215

Qty. Use Period AF AFA

ACTION: Approved X Denied

Conditions of approval or reason for denial:

INVESTIGATION By  Title


Date

TWP.

RANGE

COUNTY

SCALE: 1" = 1 MILE



Affidavit of Publication

STATE OF IDAHO, }
COUNTY OF POWER. } ss.

Phyllis Ringe being first duly sworn
on oath, states:

That she is the principle clerk of the printer

of the Power County Press, a newspaper of general circulation in Power County, Idaho, published weekly at American Falls in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2
successive weekly issues thereof, the date of the first publica-

tion being the 19th day of March, 1970

the date of last publication being the

26th day of March, 1970

(Signed) Phyllis Ringe

Subscribed and sworn to before me this

20 day of March, 1970

Robert J. Ewing
Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL) Residing at Am. Falls, Idaho, 1970
My Commission Expires
Aug. 20, 1973

1970.

NOTICE OF APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that
Emil E. Bauer, 433 Taylor St-
reet, American Falls, Idaho,
has on March 2, 1970, sub-
mitted Application No. 35-7129
to appropriate the public waters
of a groundwater source.

The application proposes a
maximum diversion and approp-
riation of 3.2 cubic feet per
second of water to be diverted
by well, pump and motor within
the SE1/4NE1/4, Sec. 17, T. 7N,
R. 30E, E.M., Power County,
and is to be used within the NE
1/4, Sec. 17, T. 7N, R. 30E.

Any permit issued pursuant
to this application will be sub-
ject to ALL PRIOR WATER
RIGHTS and subject to the
CONTROL OF A STATE
WATERMASTER. Any protest
against this application must be
filed with the Idaho Department
of Reclamation on or before
April 6, 1970.

R. KEITH HIGGINSON

35-7129

May 12, 1981

Emil or John Bauer
434 Taylor
American Falls, Idaho 83211

Dear Sirs,

RE: Transfer of Water Right No. 35-7129

Enclosed is a copy of your approved Application for Transfer of the above referenced water right (Transfer No. 2536). Be sure to note the conditions of approval as listed on the fourth page.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:mr
Enclosure

RECEIVED
MAY 15 1981
BUREAU OF RECLAMATION
WASHINGTON, D.C.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
TRANSFER ANALYSIS SHEET

INITIAL REVIEW BY: SK

1. Right number 35-7129 Applicant Bauer, Emil &/or John
2. Type of right: ☐ Decree ☒ License ☐ Claim
3. Purpose of transfer: ☐ Change point of diversion ☒ Add diversion point(s) ☐ Change place of use
☐ Other _____

4. Check:

- (a) ☒ Source ☒ Priority ☒ Amount ☒ Purpose ☒ Period of use
- (b) ☒ Description of original point of diversion.
- (c) ☒ Description of original place of use.

copy to
SO 3/31

5. Amount of land &/or water transferred:

- (a) ☒ All of right.
- b. ☐ Part of right (NOTE! Part B should be filled in only if part of the right is owned by the applicant).
- (c) ☒ Check description of point(s) of diversion.
- (d) ☒ Check description of place of use. No change
- (e) ☒ Check map (shows p.d. and p.u. after transfer).

4/20

f. ☒ Check for correct signature, notarization, and fee.

app. for transfer mailed to Bauer
for signature

g. ☒ Check proof of ownership of right &/or land from which water is transferred.

h. ☒ Check for expansion in use of right. Comments OK

i. ☒ Check for existing water rights from same source, on land water is being transferred to.

Right number(s) _____

j. ☒ Is use within a Watermaster District? ☐ Yes ☒ No

If yes, what district? _____

FINAL PROCESSING REVIEW BY: Ernest

1. Watermaster recommendation requested on N/A Received on _____
2. Is transfer published correctly? ☒ Yes ☐ No
3. Protest received? ☐ Yes ☒ No

RECOMMENDED ACTION

1. ☒ Approve
2. ☐ Deny
3. Conditions* _____

4. By Ernest Carlson Date April 22, 1981

* All uses within Watermaster Districts require special conditions.

Department of Water Resources

MICROFILMED

NOTICE OF PROPOSED CHANGE OF WATER RIGHT

NO. 35-7129

Notice is hereby given that Emil Bauer &/or John Bauer, American Falls, Idaho, have applied to the Department of Water Resources for a change in the point of diversion of the water of groundwater sources. The right sought to be changed is evidenced by License No. 35-7129 and is recorded as follows:

AMOUNT: 2.63 cfs

PRIORITY: March 2, 1970

POINT OF DIVERSION: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, T. 7S, R. 30E, Power County.

The water is used to irrigate 158 acres from April 1 to November 1 within the NE $\frac{1}{4}$, Sec. 17, T. 7S, R. 30E.

TO BE CHANGED AS FOLLOWS

The water will be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17; NW $\frac{1}{4}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 20; T. 7S, R. 30E, Power County.

Any protest against approval of the above proposed change of water right must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho, 83401, on or April 20, 1981.

C. STEPHEN ALLRED

Director

Published in the Power County Press 4/02 and 4/09/81.

Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7129 Priority March 2, 1970 Amount 2.63 cfs

THIS IS TO CERTIFY, that EMIL E. BAUER
of American Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7129 issued pursuant to Application for Permit dated March 2, 1970,
and has submitted proof to the Department of Water Resources on February 12, 1975,
that he has applied water to a beneficial use. an examination by the Department indicates that the works have a
capacity for the diversion of 3.18 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>Oct. 31</u>	at <u>2.63</u> cfs and	<u>553 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>*3.5 af per acre</u>
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 2.63 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
553 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Sec. 17,
Twp. 7 S, Rge. 30 E, B.M. in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7 S	30 E	17	39	39	40	40													158

Total number of acres irrigated 158

* Subject to the condition that the maximum volume per year shall not exceed
3.5 acre feet per acre when combined with License No. 26567/35-2477.

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director of Water Resources at Boise, Idaho, this 7 day of
October 1975

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

150 Shoup Ave.

-- 1615 Lincoln Road --

Idaho Falls, Idaho 83401

(208) 342-7186

525-7161

March 20, 1981

Emil Bauer
434 Taylor
American Falls, ID 83211

Dear Mr. Bauer:

After your left our office today it was discovered that one of your applications for transfer was left unsigned. Enclosed you will find that application. As we have initiated the processing of the transfer, it is hoped that you can sign it in the presence of a notary and return it to this office as soon as possible. Enclosed for your use in this matter is a self-addressed pre-stamped envelope.

Thank you for your cooperation.

Sincerely,

KAY WALKER
Secretary

P.S. Also enclosed is Departmental Receipt No.17116 in the amount of \$275.00 for the applications you submitted.

October 12, 1976

Re: Permit No. 35-7129

Emil E. Bauer
433 Taylor Street
American Falls, ID 83211

Dear Mr. Bauer:

Enclosed herewith is a copy of the water right license issued on the above referenced permit.

Sincerely,

D. DARLENE REICH
Water Rights Supervisor

DDR:mef

Enc.

September 20, 1976

Mr. Emil E. Bauer
433 Taylor St.
American Falls, ID 83211

Dear Mr. Bauer:

In July, 1975, a representative of this Department made an examination of the works covered by your Permit No. 35-7129 and found the following:

Quantity of water diverted: 3.18 cfs Source: ground water

Amount of water that can be recognized as beneficially used under
Idaho law: 2.63 cfs

The maximum quantity diverted shall not exceed 553 acre feet, or
* 3.5 af per acre, per year.

Point of diversion: SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17, Twp. 7 S, Rge. 30 E, B.M.

Beneficial use: Irrigation of 158 acres within the NE $\frac{1}{4}$, Sec. 17,
Twp. 7 S, Rge. 30 E, B.M.

Priority date established: March 2, 1970

* Subject to the condition that the maximum volume per year shall not
exceed 3.5 acre feet per acre when combined with License No. 26567/
35-2477.

If you do not concur with these findings please contact us within 15 days, otherwise a
water license will be issued as set forth above.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Emil E. Bauer
Post office address 433 Taylor St., American Falls, ID Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(no use of surface water)
Tributary to _____

3. Water will be used for the following purposes:

Amount 3.2 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from Apr. 1 to Oct. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 3.2 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 7S N/S, Range 30E E/W, B.M., Section 17, Subdivision SE $\frac{1}{4}$ NE $\frac{1}{4}$, Power
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County _____

Other Points of Diversions: _____

Description of diverting works: 150 hp elec. motor, pump w/12" bowls & 10" column, well depth 277', 97' of 20" casing, & 68' of 16" casing, mainline & 7 lateral lines.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
7S	30E	17	40	40	40	40													160

TOTAL ACREAGE

160



RECEIVED

FEB 18 1975

Department of Water Resources
Eastern District Office

Permit No. 35-7129
b/u
Examination for _____

Diagram of System



Ry-30

County Rd

18
19

8 9
17

A
78.7

39

39

B
114.8

C
119.1

B
48

A-206

A-141

D
41.5

18 17
19 20

799
A-181

2
A-86

FWP-75

C
116.4

A
119.2

G
152.6

B
195.1

4
116.4

19 20

20 21
29 2

DATE OF EXAM June 27, 1975

ACREAGE
Found 158
Recommended 158

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q= 2.63 c.f.s. V= _____ AF/Ann. from Apr 1 to Oct 31
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒
Name source: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ☒
Name source exchanged with: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 3.17 cfs Method of measurement In Line Meters

Total Q recommended 2.63 cfs Meter No. N.A. Type Piro Condition Good

Total V recommended 553 ★ - combined with
Lic- 35-2477

Recommended Amendments:
P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:
900 gpm + 525 gpm = 1425 gpm / min = 3.17 cfs
3.16 cfs Allowed / 158 Ac. - .530 cfs = 2.63 cfs

SYSTEM DESCRIPTION: U.S. MOTORS 150 Hp Ser # C1004036
Johnston Pump Ser # GC14037
10" closed 15' To North South Burried MAIN

REMARKS: Previous lic # 35-2477 → 40 Ac SE NE Sec 17 T7S R30E
4.22 cfs / 318 Ac. = .530 cfs / 40 Ac.

Examiner's Signature Bill Rhoads Date July 6, 1975
Checked by Loren O Halmer Date Dec 12, 1975
Approved by _____ Date _____



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
EASTERN DISTRICT

IDAHO FALLS, IDAHO 83401

June 17, 1975

RE: Permit No. 35-7129

Mr. Emil E. Bauer
433 Taylor Street
American Falls, Idaho 83211

Dear Mr. Bauer:

On June 16, 1975 personnel from this office visited the well under your Permit No. 35-7129. This initial examination was to finalize the water permit and collect data required for the licensing of the well.

The examination indicated that the system is being operated as you stated in your proof of beneficial use except for the fact that a measuring device approved by this Department had not been installed at the point of diversion. Because of this non-compliance where the measuring device is concerned, the priority date that you have established for this ground-water source may be in jeopardy.

This office will hold the field report until June 30, 1975. At that time we will submit our findings to the State Office in Boise. Hopefully, before that time you will contact this office and indicate that the measuring device has been purchased and/or installed. We would then be willing to make a second examination and prepare a rough draft license to submit to the State Office.

Compliance with the conditions on your permit is the only way a license can be issued pursuant to the Idaho Code for your water right development and the land included under the above referenced permit.

If you have any questions concerning this matter, please do not hesitate to contact me.

Very truly yours,

Bill Rhoads
BILL RHOADS
Sr. Water Resource Agent

BR:cw

6/19/75
Mr. Bauer was in this afternoon and showed me the type of measuring devices he has installed in his system. They are a direct reading pitot tube instrument by the name of Piro Flow gage, distributed by Meter Components Co. of Arcadia Calif. They are located in the main line on each side of the "Y" under a blue barrel.

June 17, 1975

RE: Permit No. 35-7129

Mr. Emil E. Bauer
433 Taylor Street
American Falls, Idaho 83211

Dear Mr. Bauer:

On June 16, 1975 personnel from this office visited the well under your Permit No. 35-7129. This initial examination was to finalize the water permit and collect data required for the licensing of the well.

The examination indicated that the system is being operated as you stated in your proof of beneficial use except for the fact that a measuring device approved by this Department had not been installed at the point of diversion. Because of this non-compliance where the measuring device is concerned, the priority date that you have established for this ground-water source may be in jeopardy.

This office will hold the field report until June 30, 1975. At that time we will submit our findings to the State Office in Boise. Hopefully, before that time you will contact this office and indicate that the measuring device has been purchased and/or installed. We would then be willing to make a second examination and prepare a rough draft license to submit to the State Office.

Compliance with the conditions on your permit is the only way a license can be issued pursuant to the Idaho Code for your water right development and the land included under the above referenced permit.

If you have any questions concerning this matter, please do not hesitate to contact me.

Very truly yours,

BILL RHOADS
Sr. Water Resource Agent

BR:cw

February 13, 1975

Re: Permit No. 35-7129

**Emil E. Bauer
433 Taylor St.
American Falls, ID 83211**

Dear Mr. Bauer:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell during which part of the irrigation season this examination will be made, however, our examiner will try to contact you at the time he makes the exam so that you may show him the system.

If you have any questions concerning the field exam, please contact our District Office in **Idaho Falls.**

Sincerely,

**D. Darlene Reich
Water Rights Supervisor**

DDR:JG

MICROFILMED

Identification No. _____

Permit No. 35-7129

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Emil E. Bauer
b) Post Office Address 433 Taylor St. American Falls, Idaho 83211
2. Permit Number 35-7129
3. Date of Priority that you are prepared to establish March 2, 1970
4. a) Source from which water was appropriated Well
b) Location of the point of diversion: SE ¼ NE ¼, Section 17
Township 7 South, Range 30 Boise Meridian, Other points of diversion:
5. a) The amount of water and use to which the water has been applied:
Amount 3.02 cfs for agriculture purposes from 5-15-70 to 10-15-70 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 3.02 cfs for agriculture purposes from 5-15-71 to 10-15-71 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount 3.02 cfs for agriculture purposes from 5-15-72 to 10-15-72 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 3.02 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Dan Neu, Owner of sprinkler irrigation business, Measurement made by reference to standard tables concerning number & size of nozzles and pressure.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use:

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 150 H.P. electric motor, pump with 12" bowls and 10" column, well depth 277 feet, 97 feet of 20" casing and 68 feet of 16" casing, mainline and 7 lateral lines.

b) Describe the type and size of measuring device which you have installed at your point of diversion: venturi type meter, brand name Metroflex.

c) Give well driller's name and address and the date the well was completed: Paul Frandsem, Blackfoot, Idaho. April 1, 1970

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: _____

Exam typed 2/13/25 by JS

MICROFILMED

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: roughly level sandy loam

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
7S	30	17	40	40	40	40													160

Total number of acres irrigated 160

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

2-11-75
(Date)

Emit E. Bauer
(Signature)

State of IDAHO)
County of POWER) ss.

On this 11th day of February, 19 75, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Ilene Meadows
Notary Public residing at American Falls
Idaho

My commission expires Aug. 6 - 1978

● SENDER: Complete items 1 and 2. Add your address in the "RETURN TO" space on reverse.

1. The following service is requested (check one).

- ☐ Show to whom and date delivered..... 15¢
☐ Show to whom, date, & address of delivery.. 35¢
☐ DELIVER ONLY TO ADDRESSEE and show to whom and date delivered..... 65¢
☐ DELIVER TO ADDRESSEE and show to whom and address of delivery 85¢

WATERLOO

2. ARTICLE ADDRESSED TO:

3. ARTICLE DESCRIPTION:

REGISTERED NO. CERTIFIED NO. INSURED NO.

260460

(Always obtain signature of addressee or agent)

I have received the article described above.
SIGNATURE

Emil E. Bauer

4. DATE OF DELIVERY

POSTMARK

5. ADDRESS (Complete only if requested)

6. UNABLE TO DELIVER BECAUSE:

CLERK'S INITIALS

UNITED STATES POSTAL SERVICE

OFFICIAL BUSINESS


SENDER INSTRUCTIONS

Print your name, address, and ZIP Code in the space below.

- Complete Items 1 and 2 on reverse side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**

**DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**



PENALTY FOR PRIVATE
USE TO AVOID PAYMENT
OF POSTAGE \$300



January 31, 1975

CERTIFIED MAIL

#26460

Re: Permit No. 35-7129

Emil E. Bauer
433 Taylor St.
American Falls, ID 83211

Dear Mr. Bauer:

One of the conditions of approval of your water Permit No. 35-7129 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1975. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.


R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Emel Bauer

Address American Falls

Idaho

Owner's Permit No. 225

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: _____

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other _____

(explain)

CASING SCHEDULE: Threaded _____ Welded _____

20"Diam. from 1 ft. to 20 ft.

16"Diam. from 27 ft. to 165 ft.

"Diam. from _____ ft. to _____ ft.

"Diam. from _____ ft. to _____ ft.

Thickness of casing: 250 Material: _____

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☒ Type of

perforator used: _____

Size of perforations: _____" by _____"

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☐ size of gravel _____ Gravel

placed from _____ ft. to _____ ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

20 ft. Material used in seal: Bone & shell

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water: _____

Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☒ No ☐

Locate well in section

LOCATION OF WELL: County Power

NW NE SE SW Sec. 17 T. 2 N/S R. 30 E/W

Use other side for additional remarks

Size of drilled hole: 20" Total

depth of well: 277' Standing water

level below ground: 225' Temp. _____

Fahr. _____ ° Test delivery: _____ gpm

or _____ cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test: _____

Length of time of test: _____ Hrs. _____ Min.

Drawdown: _____ ft. Artesian pressure: ft. _____

above land surface _____ Give flow _____ cfs

or _____ gpm. Shutoff pressure: _____

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☒

DEPTH MATERIAL WATER

FROM TO YES OR NO

FEET FEET

1 17 Clay

17 30 Loose Gray Sand

30 68 Blue Sand

68 80 Loose Red Sand Broken

80 90 Red & gray Sand

90 105 Hard gray Sand

105 165 Red & Brown clay

165 195 Gray Sand

195 225 Broken Clay 225' first water

225 250 Hard gray Sand

250 265 Black Sand

265 277 BLACK Cement

April 16, 1970

Re: Permit No. 35-7129

Mr. Emil E. Bauer
433 Taylor Street
American Falls, Idaho 83211

Dear Mr. Bauer:

We enclose a copy of your approved application for permit 35-7129 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~ASSISTANT~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4279 for \$35
2 informational letters

P.S. Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed on your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

cc. Mr. Ben Cavaness
P.O. Box 38
American Falls, Idaho 83211

35-7129

March 11, 1970

Re: Application for Permit No. 35-7129 - Emil E. Bauer
35-7120 - Cecil A. Weisenburger

Power County Press
174 Idaho St.
American Falls, Idaho 83211

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Legal notices (2)

*Bill submitted
3-30-70
dw*

35-7129

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Emil E. Bauer, 433 Taylor Street,
American Falls, Idaho, has on March 2, 1970,
submitted Application No. 35-7129 to appropriate the public waters of
a groundwater source
~~The/proposed/uses/are~~

The application proposes a maximum diversion and appropriation of 3.2
cubic feet per second ~~gpm/194ft~~ of water to be diverted by well, pump and
motor within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 17,
T. 7S, R. 30E, E.M., Power County,

and is to be used within the NE $\frac{1}{4}$, Sec. 17, T. 7S, R. 30E, B.M. for the
irrigation of 160 acres from April 1 to October 31

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before April 6, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Power County Press, American Falls, Idaho,
on March 19 and March 26, 1970.

35-7129

SCHOU and CAVANESS

Attorneys-At-Law
P. O. Box 38
American Falls, Idaho 83211
February 27, 1970

L. R. Schou
Ben Cavaness

Telephone
Area Code 208
226-2562 or 226-2563

Idaho Department of Reclamation
Statehouse Annex #2
Boise, Idaho 83707
Attention: Mr. McEldowney

Re: Application for Permit

Dear Sir:

Enclosed please find the application for permit for
Mr. Emil E. Bauer of this City. If you find the same
to be in order please file.

Also enclosed is our check in the amount of \$35.00 to
cover the filing fee.

Please advise if further information or fees are required.

Very truly yours,

SCHOU & CAVANESS

Ben Cavaness
Ben Cavaness

BC:im
Encls.

35-7129