

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF BINGHAM

ss.

Virginia E. Anderson.. being first duly sworn
on oath, states:

That she is the chief clerk of the printer

of The Aberdeen Times, a newspaper of general circulation in Bingham County, Idaho, published weekly at Aberdeen in said County; that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice or advertisement was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for

2... successive weekly issues thereof, the date of the first

publication being the 5... day of March..., 1970

the date of last publication being the

12... day of March..., 1970

(Signed. *Virginia E. Anderson*)

Subscribed and sworn to before me this

17th... day of March..., 1970

Notary Public, residing at Aberdeen, Idaho.

My Commission expires the

(SEAL)

8th... day of December..., 1970

RECEIVED
FEB 18 1970
Department of Reclamation

LEGAL NOTICE

Published in The Aberdeen Times, March 5, and 12, 1970.

NOTICE OF APPLICATION
FOR PERMIT
TO APPROPRIATE THE
PUBLIC WATERS OF
THE STATE OF IDAHO

Notice is hereby given that Wallace W. Driscoll, Aberdeen, Idaho, has on February 16, 1970, submitted Application No. 35-7125 to appropriate the public waters of a groundwater source. The proposed use is irrigation from April 1 to October 15. The application proposes a maximum diversion and appropriation of 3.2 cubic feet per second of water to be diverted by well within the SE1/4 of Sec. 21, T. 6S, R. 30 E, B.M. Bingham County, and is to be used within the SE1/4, Sec. 21, T. 6S, R. 30 E, B.M. for the irrigation of 160 acres.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Reclamation on or before March 23, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer

35-7125

T.
6
S





Diagram of System



W. Driscoll - 35-7125



State of Idaho
Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 35-7125 Priority Feb. 16, 1970 Amount 3.0 cfs

THIS IS TO CERTIFY, that WALLACE W. DRISCOLL
of Aberdeen, Idaho , has complied with the terms and conditions of Permit
No. 35-7125 issued pursuant to Application for Permit dated February 16, 1970 ,
and has submitted proof to the Department of Water Administration on March 9, 1973 ,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 3.0 cfs of water from a ground water source ,
tributary to , and that the permit holder has applied to a beneficial use &
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from April 1 to Oct. 15	at 3.0 cfs and	553 acre feet or
	from to	at cfs and	3.5 af per acre
	from to	at cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 3.0 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
553 acre feet per year, said waters to be diverted within the SE¹/₄SE¹/₄ Sec. 21,
Twp. 6 S, Rge. 30 E, B.M. in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
6 S	30 E	21													39	40	40	39	158

Total number of acres irrigated 158


A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 17th day of
December , 19 73 .

35 7125

Deputy Director 

Identification No.

35-7125

Application No.

LICENSE ISSUED FOR 5.0 SEC. F.
LICENSE PAID

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Wallace Driscoll
post office address Aberdeen, Idaho 83210
2. Source of water supply Well which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 6S
Range 30 E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.2 for Irrigation purpose from 4-1 to 10-15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.2 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 15 years.
b. Estimated construction cost is \$ 20,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____


35-7125

[illegible]

9. a. Who owns the property at the point of diversion _____
b. Who owns the land to be irrigated or place of use _____
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wallace H. Prescott
(Applicant)

State Reclamation Engineer

Witness my hand this 25th day of March 19 70.

2. Denial of said application is for the following reasons:

of a type approved by the department as part of the diverting works.

c. Other: The permit holder shall permanently install and maintain a measuring device

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 75.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7125, and said application is hereby APPROVED.

ACTION OF STATE RECLAMATION ENGINEER

Hearing held by _____ Date _____
Recommended for approval by denial by DeWitt

Copies of protests forwarded by-

Protests filed by:

Priority reduced to _____ Reason _____

Publication approved _____ Date 3-27-70

Publication dates 3-5+12-78

Published in *Walter Truett*

Publication prepared by me Date 2-23-70

Received by JS Date 3-16-78

Preliminary check by Fee \$ 35-

Received by Date 16-10-18 Time

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF BINGHAM

ss.

Virginia T. Anderson.. being first duly sworn
on oath, states:

That she.. is the ..chief clerk of the printer

of The Aberdeen Times, a newspaper of general circulation
in Bingham County, Idaho, published weekly at Aberdeen
in said County; that said newspaper has been published in
said County uninterruptedly and continuously for over
seventy-eight consecutive weeks, prior to the first publica-
tion of the annexed notice or advertisement:

That the annexed notice or advertisement was publish-
ed as per clipping attached in the regular and entire edition
of said newspaper and not in any supplement thereof for

2.... successive weekly issues thereof, the date of the first

publication being the 5.....day of March....., 1970

the date of last publication being the

12.... day of March....., 1970

(Signed. *Virginia T. Anderson*)

Subscribed and sworn to before me this

17th.... day of March....., 1970

James D. Smith

Notary Public, residing at Aberdeen, Idaho.

My Commission expires the

(SEAL) 8th.... day of December....., 1970

LEGAL NOTICE

Published in The Aberdeen
Times, March 11 and 12, 1970.

NOTICE OF APPLICATION
FOR PERMIT
TO APPROPRIATE
PUBLIC WATERS
THE STATE OF IDAHO

Notice is hereby given that
Wallace W. Driscoll, Aberdeen,
Idaho, has on February 16, 1970,
submitted Application No. 35-
7125 to appropriate the public
waters of a groundwater source.

The proposed use is irrigation
from April 1 to October 15.

The application proposes a
maximum diversion and appro-
priation of 3.2 cubic feet per
second of water to be diverted
by well within the SE 1/4 of
Sec. 21, T. 36 N., R. 30 E., B.M.
Bingham County, and is to be
used within the SE 1/4, Sec. 21,
T. 36 N., R. 30 E., B.M. for the
irrigation of 60 acres.

Any permit issued pursuant
to this application will be sub-
ject to ALL PRIOR WATER
RIGHTS and subject to the
CONTROL OF A STATE
WATERMASTER. Any protest
against this application must
be filed with the Idaho Depart-
ment of Reclamation on or be-
fore March 23, 1970.

R. KEITH HIGGINSON
State Reclamation Engineer

35-7125

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse — Annex 2
Boise, Idaho 83720
(208) 384-2190



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

December 19, 1973

Re: Permit No. 35-7125

Wallace W. Driscoll
Aberdeen,
Idaho 83210

Dear Mr. Driscoll:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

Bobby D. Fleenor
Assistant Director

jfr

Enclosure

35 7125

December 7, 1973

Re: Permit No. 35-7125

Wallace W. Driscoll
Aberdeen,
Idaho 83210

Dear Mr. Driscoll:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7125 and has found the following:

Quantity of water diverted: 3.0 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 3.0 cfs

The maximum quantity diverted shall not exceed 553 acre feet per year.

Beneficial use: For irrigation of 158 acres within the SE $\frac{1}{4}$, Sec. 21, Twp. 6 S, Rge. 30 E

Point of diversion: SE $\frac{1}{4}$, Sec. 21, Twp. 6 S, Rge. 30 E, B.M.

Priority date established: February 16, 1970

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

35 7125

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

RECEIVED

MAR 21 1973

1. Name of permit holder Wallace W. Driscoll
Post office address Aberdeen, Idaho
Person to contact _____
Department of Water Administration
Eastern District Office
Phone _____
Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:
Amount 3.2 c.f.s. for Irrigation
_____ AF/Annum (nature of use)
Period of Use: from April 1 to Oct. 15
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)
Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)
Other uses: _____

Permit No. 35-7125
Examination for b/u

4. Total amount to be appropriated:
Max Rate of Diversion 3.2 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:
Township 6 S N/S, Range 30 E E/W, B.M., Section 21, Subdivision SE $\frac{1}{4}$ SE $\frac{1}{4}$, Bingham
County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County
Other Points of Diversions: _____

Description of diverting works: well, 150-hp motor & pump, 8" mainline

Measuring device required: yes ☒ no ☐


6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6 S	30 E	21													40	40	40	40	160

35 7125

TOTAL ACREAGE 160

Diagram of System



power

146.5

FL 34

14-2

R 30 E

F 443.12

77.5

TWP 6S

48F

40

37

40

39.5

39

. 25

COUNTRY

2

B
787

77.9

35 7125

DATE OF EXAM June 7, 1973

ACREAGE
Found 158.5
Recommended 158.5

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q= 3 c.f.s. V= 553 AF/Ann. from April 1 to Oct 15
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: N/A
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 3 CFS Method of measurement McCrometer Meter

Total Q recommended 3 CFS Meter No. 738139 Type Saddle Condition new

Total V recommended 553 AF/ANN

Recommended Amendments:
P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:
Test yielded 435.6 cubic feet of water in 145 seconds
 $435.6 \div 145 = 3 \text{ CFS}$
 $V = \left(\frac{158}{157.5}\right)(3.5) = 553 < (3)(1.983)(200) = 1189$

SYSTEM DESCRIPTION:
150 HP U.S. Holloshaft Motor Serial # C1005771 w/ Johnston
pump serial # 1265 8" discharge north 10 feet then 4' to buried main east & west.

REMARKS:
Contacted owner's wife prior to making exam

Examiner's Signature John Foreman Date June 7, 1973
Checked by W. R. Rhoads Date Nov 15, 1973
Approved by _____ Date _____

RECEIVED
APR 17 1973

Dear Sirs

Having the information on Well Permit No. 35-7125
I have order a measuring ~~device~~ device that will
be in stalled with in 30 to 60 days if any question
Please late me know

Thank you
Hallam H. Driscoll
Abundant Adabo
83210

Proof affidavit in file accepted on 3-19-73.

no

35 7125

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

March 2, 1973

check with Elmer.

3/9

Re: Permit No. 35-7125

Mr. Wallace W. Driscoll
Aberdeen,
Idaho 83210

Dear Mr. Driscoll:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit. However, in reviewing that affidavit, you do not indicate that you have installed a measuring device as required by the condition of approval of your permit.

We cannot accept your proof unless you have installed a measuring device of a type approved by this Department; therefore, we are herewith returning your proof affidavit.

We are enclosing a letter describing different types of measuring devices approved by the Department. If you have any questions, it may be more convenient for you to contact our Eastern District Office at 240 South Holmes, Idaho Falls, Idaho.

Very truly yours,

Bobby D. Fleenor

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosures

cc: Mr. Harry B. Gambles

35 7125

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

*Permits measure equipment
on Furb Place*

35-7125 Permit No.

Dear Wateruser:

The Department of Water Administration approves the use of any standard device for which information is readily available. The type selected will depend upon the particular conditions at your diversion point. Any of the following standard types may be used:

Weirs

- a. rectangular
- b. cipolletti
- c. v-notch

Orifices

Flumes

- a. parshall flume
- b. trapezoidal flume

Commercial Types

- a. displacement or propeller meter
- b. cox flow meter or collins flow meter
- c. venturi meter
- d. deflection meter
- e. meter gates

Regardless of the type used, the device must be properly installed to insure standard conditions. Other types may be approved upon written application to the Department stating the description of the device and how you intend to use it. If the device that you install is not a standard type, you should obtain an extra copy of the rating table for this office.

Very truly yours,

Bobby D. Fleenor

BOBBY D. FLEENOR
Assistant Director

35 7125

Identification No. _____

Permit No. _____

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Release

Apr

1. a) Name of Permit Holder Wallace W. Driscoll
b) Post Office Address Aberdeen Idaho 83210
2. Permit Number 35 7125
3. Date of Priority that you are prepared to establish 2/16/70
4. a) Source from which water was appropriated Under Ground Water
b) Location of the point of diversion: Se 1/4 SE 1/4, Section 21
Township 6S, Range 30E Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount 3.2 for Irrigation purposes from 4/1 to 10/15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated ~~3/2~~ 3.2 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: _____

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Moter H.P. 150 Well Casing 18 "
Pump Size 1200 Gallons Per Minute. Main Line Steel Wheel Line

b) Describe the type and size of measuring device which you have installed at your point of diversion: Micro-Meter

c) Give well drillers name and address and date the well was completed Douglas Cushman March 1970 is close
945 S Bowly
Box 445 Riverston Rd
Blackfoot, Idaho

35 7125

March 19, 1973

Re: Permit No. 35-7125

**Mr. Wallace W. Driscoll
Aberdeen,
Idaho 83210**

Dear Mr. Driscoll:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office at Idaho Falls, Idaho.

Sincerely,

**BOBBY D. FLEENOR
Assistant Director**

BDF:DR

35 7125

FEDERAL LAND BANK ASSOCIATION OF BLACKFOOT

P. O. BOX 72, 188 WEST JUDICIAL

BLACKFOOT, IDAHO 83221

TELEPHONE: 785-0820

Federal
LAND BANK
Association

RECEIVED

MAR 9 1973

BLAIR W. ARCHIBALD, MANAGER

Department of Water Administration
Eastern District Office

March 8, 1973

Mr. Norman Young
Department of Water Administration
Eastern District Office
240 S. Holmes Avenue
Idaho Falls, Idaho 83401

Re: 151192-9-Wallace W. Driscoll

Dear Mr. Young:

Wallace Driscoll has decided to install a Micro Meter measuring device on his pump in connection with Permit No. 35-7125. Therefore, we are enclosing Proof of Application of Water to Beneficial Use and request that you send us your usual form letter acknowledging receipt of this filing. Thank you.

Yours very truly,

3-9-73
Harry B. Gambles
Harry B. Gambles
Assistant Manager

HBG:jm

Enclosure



35 7125

RECEIVED

MAR 9 1973

Department of Water Administration
Eastern District Office

Identification No. _____

Permit No. 35-7125

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

RECEIVED

FEB 15 1973

Department of Water Administration
Eastern District Office

1. a) Name of Permit Holder Wallace W. Driscoll
b) Post Office Address Aberdeen, Idaho 83210
2. Permit Number 35-7125
3. Date of Priority that you are prepared to establish 2-16-70
4. a) Source from which water was appropriated Subterranean
b) Location of the point of diversion: SE 1/4 SE 1/4, Section 21
Township 6 S, Range 30 E Boise Meridian, Other points of diversion: None
5. a) The amount of water and use to which the water has been applied:
amount 3.2 C.F.S. for Irrigation purposes from April 15 to October 30 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 3.2 C.F.S. cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Based on system design by Funk Irrigation Co.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 150 H.P., U.S. Motor & Pump,
18" well casing, 335 feet deep - 2640' of 8" Steel Main Line.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Micro-meter
c) Give well drillers name and address and date the well was completed Doug Cushman Drilling Company
445 Riverton Road, Blackfoot, Idaho
March 19, 1970.

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE

Exam typed 3-19-73 by [Signature]

35 7125

8/14/75

Henry B. Lankford
Notary Public residing at *Blacksburg*

On this 14th day of February, 19 13, personally appeared before me the

State of Illinois)
County of De Kalb) ss.

2-14-73

James H. Warrick

The above information is a true statement of the extent to which the above numbered permit has been developed.

160 Total number of acres irrigated

[illegible]

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place

1514 58

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Wally Driscoll

Address Aberdeen, Idaho 83210

Owner's Permit No. 35-7125

2. NATURE OF WORK

☒ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☐ Domestic

☒ Irrigation

☐ Test

☐ Municipal

☐ Industrial

☐ Stock

4. METHOD DRILLED

☒ Cable

☐ Rotary

☐ Dug

☐ Other

5. WELL CONSTRUCTION

Diameter of hole 18 inches

Total depth 335 feet

Casing schedule: ☒ Steel

☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>18</u> inches	<u>+1</u> feet	<u>22</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No

Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No

To what depth 18 feet

Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

March 2, 1973

Re: Permit No. 35-7125

Mr. Wallace W. Driscoll
Aberdeen,
Idaho 83210

Dear Mr. Driscoll:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit. However, in reviewing that affidavit, you do not indicate that you have installed a measuring device as required by the condition of approval of your permit.

We cannot accept your proof unless you have installed a measuring device of a type approved by this Department; therefore, we are herewith returning your proof affidavit.

We are enclosing a letter describing different types of measuring devices approved by the Department. If you have any questions, it may be more convenient for you to contact our Eastern District Office at 240 South Holmes, Idaho Falls, Idaho.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosures

cc: Mr. Harry B. Gambles

35 7125

FEDERAL LAND BANK ASSOCIATION OF BLACKFOOT

P. O. BOX 72, 188 WEST JUDICIAL

BLACKFOOT, IDAHO 83221

TELEPHONE: 785-0820

Federal
LAND BANK
Association

RECEIVED

BLAIR W. ARCHIBALD, MANAGER

FEB 15 1973

Department of Water Administration
Eastern District Office

February 15, 1973

Mr. Norman Young
Idaho Department of Water Administration
Eastern District Office
240 S. Holmes
Idaho Falls, Idaho 83401

Re: Wallace Driscoll
Permit No. 3507125

Dear Mr. Young:

In accordance with my telephone conversation with you yesterday, I am enclosing a Proof of Application of Water to Beneficial Use for Wallace W. Driscoll of Aberdeen, Idaho. Will you please send us your usual form letter that the proof has been filed and that the license will be issued after an inspection has been made by the Department of Water Administration. Thank you.

Yours very truly,

Bob Fleming

Harry B. Gambles
Harry B. Gambles
Assistant Manager

Please send this letter if proof is acceptable. Note no
HBG:jm
Enclosure
M.D. listed

UCY



35 7125

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Wallace Driscoll
Address Aberdeen, Idaho
Owner's Permit No. 35-7125

7. WATER LEVEL

Static water level 209 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

NO Test☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 18 inches Total depth 335 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>1800</u> inches	<u>71</u> feet	<u>21</u> feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 21 feetMaterial used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.

County BinghamSE 1/4 SE 1/4 Sec. 21, T. 6 N. S. R. 30 E. N.

10.

Work started Jan 30-70 finished Mar. 19-70

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is
true to the best of my knowledge.Doug Cushman Drilling Co. (72)

Driller's or Firm's Name

Number

445 Riverton Rd - Blackfoot

Address

Doug Cushman Apr. 2-70

Signed By

Date

March 30, 1970

Re: Permit No. 35-7125

Mr. Wallace W. Driscoll
Aberdeen,
Idaho 83210

Dear Mr. Driscoll:

We enclose a copy of your approved application for permit 35-7125 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, ~~ASSISTANT~~ Deputy
State Reclamation Engineer

CSA:kh

Enclosures: Copy of permit
Receipt No. 4216 for \$35
2 informational letters

P.S. Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed on your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

35- 7125

February 23, 1970

Re: Application for Permit No. 35-7125 - Wallace W. Driscoll

Aberdeen Times
Aberdeen,
Idaho 83210

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid.

(Signature of the claimant)

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR
Enc: Legal notice

*Bill submitted
3-24-70
ds*

35-7125

NOTICE OF APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Wallace W. Driscoll, Aberdeen, Idaho,

has on February 16, 1970,
submitted Application No. 35-7125 to appropriate the public waters of
a groundwater source

The proposed ~~uses are~~ use is irrigation from April 1 to October 15

The application proposes a maximum diversion and appropriation of 3.2
cubic feet per second ~~Acres/feet~~ of water to be diverted by well
within the SE $\frac{1}{4}$ of Sec. 21,
T. 6S, R. 30E, B.M., Bingham County,

and is to be used within the SE $\frac{1}{4}$, Sec. 21, T. 6S, R. 30E, B.M. for the irrigation
of 160 acres

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Reclamation on
or before March 23, 1970.

R. KEITH HIGGINSON

State Reclamation Engineer

Published in the Aberdeen Times, Aberdeen, Idaho,
on March 5 and March 12, 1970.

LH.

35-7125