


TWP-7S



E
158.9

N

D
153.8

C
76.6

A-231

So. Pleasant
valley Road
F
236.4

22 23
27 26

Power
sub station

39

38

Farmstead

A
167.3

B
79.0

A
79.9

A-149

27
34

A-283

F
113.7

34

F
71.4

H
20.2

35 7071

Permit # 35-7071

State of Idaho

Department of Water Administration

WATER RIGHT LICENSE

License of Water Right No. 35-7071 Priority April 28, 1969 Amount 4.28 cfs

THIS IS TO CERTIFY, that ALVIN KRANZLER of American Falls, Idaho, has complied with the terms and conditions of Permit No. 35-7071 issued pursuant to Application for Permit dated April 28, 1969, and has submitted proof to the Department of Water Administration on May 17, 1973, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 4.28 cfs of water from a ground water source tributary to, and that the permit holder has applied to a beneficial use & established a right to use water as follows:

Beneficial Use	Period of Use		Rate of Diversion		Annual Volume
Irrigation	from	May 1 to Oct. 15	at	4.28 cfs and	1,088.5 acre feet or
	from	to	at	cfs and	3,5 af per acre
	from	to	at	cfs and	
(both dates inclusive)					

Subject, however, to the condition that no more than 4.28 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 1,088.5 acre feet per year, said waters to be diverted within the NE¹/₄SW¹/₄ of Sec. 27, Twp. 7 S, Rge. 29 E, B. M. in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
7 S	29 E	22											39	39					78
		27					39	39	39	39	38	39							233

Total number of acres irrigated 311

A measuring device of a type approved by this Department shall be permanently maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3rd day of January, 19 74.

Director [Signature] 35 7071

Identification No. 35-7071

Application No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Alvin Kranzler
post office address Rt 1, American Falls, Idaho 83211
2. Source of water supply subterranean well which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 27 Township 7 South
Range 29 E B.M. Power County; additional points of diversion if any: None
- b. If water is not consumed, it will be discharged into Not applicable at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 6.05 for irrigation purpose from May 1 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 6.05 6.10 cubic feet per second and/or
b. 975 acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well-pump-sprinkler system
- b. Height of storage dam NA feet, active reservoir capacity NA acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 20 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 75 years.
b. Estimated construction cost is \$ 60,000.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

35-7071

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated.

3/2

c. Describe any other water rights used for the same purposes.

9. a. Who owns the property at the point of diversion
Alvin Kean 2/07
b. Who owns the land to be irrigated or place of use
Alvin Kean 2/07


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing NA

67

10. Remarks The development consists of well, pump, permanent main line, 6 to 8 $\frac{1}{2}$ mile laterals. Well drilled - George Vollmer, Am. Falls, Ida. Ralph Klassen and ~~Richard Kress~~ Richard Kressbrecht, Aberdeen, Idaho, have leased, and will operate the farm.

11. Map of proposed project:

Twp 7 - R29



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Alvin Kramzer
(Applicant)

35-7071

Received by 4-28-69 Date 4-21-69 Time 9:00 AM
Preliminary check by OK Fee \$ 5.00 Date 4-29-69

Received by 4-29-69 Date 4-29-69
Publication prepared by OK Date 5-8-69
Published in Bozeman
Publication dates 5-15 + 5-22-69
Publication approved 70 Date 5-13-69
Priority reduced to _____ Reason _____

Protests filed by: 17000-25-29
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by OK

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7071, and said application is hereby APPROVED.
1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 74.
 - c. Other: The applicant shall permanently install and maintain a measuring device of a type approved by the department as part of the diverting works. Maximum rate of diversion shall not exceed 6.10 c.f.s.
2. Denial of said application is for the following reasons: _____

Witness my hand this 16th day of June, 19 69.

J. Kirk H.
State Reclamation Engineer

from the desk of...

Dep't. of Reclamation -

Gentlemen:

Thank you for your reminder
and for your patience. I
over-looked mailing the previous
applications you sent to me.
I'm not certain as to whether
I should return 2 completed
applications or not; I'll
send 1--if you need the
other, please let me know.

Thank you again

Alvin Kranzler

35-7071

Alvin Kranzler

April 21, 1969

Re: Application for Permit

Alvin Kranzler
Route 1
American Falls, Idaho

Dear Mr. Kranzler:

Please be advised that before the Department may begin to process your application for permit, we must be in receipt of an additional \$30.00. Please be advised that any permit proposing the diversion of six (6) to seven (7) cubic feet per second requires a filing fee of \$50.00. Your submission of the additional \$30.00 will thus total this sum.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:TG

35-7071

DON SAMUELSON
GOVERNOR



STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

R. KEITH HIGGINSON
State Reclamation Engineer

RECEIVED
APR 22 1969

Department of Reclamation

April 21, 1969

Re: Application for Permit

Alvin Kranzler
Route 1
American Falls, Idaho

Dear Mr. Kranzler:

Please be advised that before the Department may begin to process your application for permit, we must be in receipt of an additional \$30.00. Please be advised that any permit proposing the diversion of six (6) to seven (7) cubic feet per second requires a filing fee of \$50.00. Your submission of the additional \$30.00 will thus total this sum.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:TG

Gentlemen -

My apologies for mis-interpreting
the filing fee schedule. Thank you
for your patience.

Alvin Kranzler

35-7071

STATEMENT

THE POWER COUNTY PRESS

American Falls, Idaho

Sold To **State of Idaho**
Department of Reclamation
Address **Statehouse--Annex 2**
Boise, Idaho 83707

DATE	DESCRIPTION	RATE	CREDIT	AMOUNT
	Balance Forward			\$
5/22/69	Application for permit No. 35-7071 Alvin Kramler	.13-.10		6.67
I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.				
 Robert Crompton, Publisher				
submitted 8-29-69				
35-7071				

STATEMENT

THE POWER COUNTY PRESS

American Falls, Idaho

Sold To **State of Idaho**
Department of Reclamation
Address **Statehouse--Annex 2**
Boise, Idaho 83707

DATE	DESCRIPTION	RATE	CREDIT	AMOUNT
	Balance Forward			\$
5/22/69	Application for permit No. 35-7071 Alvin Kramler I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.  Robert Grompton, Publisher	.13-.10		6.67

35-7071

Affidavit of Publication

STATE OF IDAHO,
COUNTY OF POWER. } ss.

Bhyllis Ringe being first duly sworn
on oath, states:

That she is the principal clerk of the printer
of the Power County Press, a newspaper of general circulation
in Power County, Idaho, published weekly at American Falls
in said County; that said newspaper has been published in said
County uninterruptedly and continuously for over seventy-
eight consecutive weeks, prior to the first publication of the
annexed notice or advertisement:

That the annexed notice or advertisement was published as
per clipping attached in the regular and entire edition of said

newspaper and not in any supplement thereof for 2
successive weekly issues thereof, the date of the first publica-

tion being the 15th day of May, 1969
the date of last publication being the

22nd day of May, 1969

(Signed) Bhyllis Ringe

Subscribed and sworn to before me this

23 day of May, 1969

Notary Public, residing at American Falls,
Idaho.

My Commission expires the

(SEAL)

22 day of May, 1969.

Published in The Power
County Press May 15 and 22,
1969.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that
Alvin Kranzler, Route 1, Amer-
ican Falls, Idaho has on April
28, 1969 applied for permit un-
der application No. 35-7071 to
divert 6.10 cubic feet per second
of water from a ground water
source. Water will be diverted
by well, pump, and sprinklers
within the NE1/4SW1/4, Sec. 27,
T. 7 S., R. 29 E., B.M., Power
County and is to be used from
May 1 to October 15 for irriga-
tion in the S1/2SW1/4, Sec. 22;
NW1/4, N1/2SW1/4, Sec. 27, T.
7 S., R. 29 E., B.M.

Any protest against this app-
lication must be filed with the
Department of Reclamation
within ten days from the last
date of publication of this not-
ice.

KEITH HIGGINSON

35-7071

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

614 State Street
Statehouse -- Annex 2
Boise, Idaho 83720
(208) 384-2190

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

January 8, 1974

Re: Permit No. 35-7071

Alvin Kranzler
732 Bannock
American Falls, Idaho 83211

Dear Mr. Kranzler:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

Enclosure

35 7071

from the desk of...

RECEIVED

DEC 11 1973

Administration
Department of Water Administration

State Of Idaho

Dept. of Water

Gentlemen;

I received the enclosed notice
in Friday's mail. Therefore,
I am returning the notice
to you so that you may
forward it to Mr. Frandsen.

Thank you

Alvin Kranzler

P.S. My permit No. is 35-7071.

Also, please note that my
address is now:

732 Bannock Alvin Kranzler



35 7071 Am. Falls, Ida. 83211

December 12, 1973

Re: Permit No. 35-7071

Alvin Kranzler
732 Bannock
American Falls, Idaho 83211

Dear Mr. Kranzler:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7071 and has found the following:

Quantity of water diverted: 4.28 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 4.28 cfs

The maximum quantity diverted shall not exceed 1,088.5 acre feet per year.

Beneficial use: For irrigation of 311 acres within the S¹/₂SW¹/₄, Sec. 22; NW¹/₄, N¹/₂SW¹/₄, Sec. 27; Twp. 7 S, Rge. 29 E

Point of diversion: NE¹/₂SW¹/₄, Sec. 27, Twp. 7 S, Rge. 29 E, B.M.

Priority date established: April 28, 1969

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

jfr

35 7071

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Alvin Kranzler
Post office address new address 732 Bannock, Idaho 83211 Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 6.1 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from May 1 to Oct. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 35-7071
b/u Examination for _____

4. Total amount to be appropriated:

Max Rate of Diversion 6.1 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 7S N/S, Range 29E E/W, B.M., Section 27, Subdivision NE 1/4 SW 1/4, Power County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Other Points of Diversions: _____


Description of diverting works: Subterranean Well, 250 hp electric pump-20" well casing-240' depth of well.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7S	29E	22											39	39					78
		27					39	39	39	39	39	39							234
																			312

Diagram of System



E
1589

D
1538

C
766

39

39

22

27

39

39

39

39

39

38

Well
Pump

Armstead

Power
sub station

22

23

San Pleasant

27

26

F Valley Road
2364

B
790

A
799

A-169

27

34

A-183

113.7

77.4

H
20.2

35 2071

Permit # 35-7071

TWP 1 S

DATE OF EXAM July 6, 1973

ACREAGE
Found 311
Recommended 311

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 4.28 c.f.s. V = 1088 AF/Ann. from MAY 1 to OCT 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no X

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 4.28 cfs Method of measurement In Line Meter

Total Q recommended 4.28 cfs Meter No 7310119 Type McCrometer Condition Good

Total V recommended 1088 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:

$$\frac{1925 \text{ g/m}}{448.8 \text{ g/cfs}} = 4.28 \text{ cfs}$$
$$3.5 \text{ Af/Ac} \times 311 \text{ Ac} = 1088 \text{ AF/Ann}$$

SYSTEM DESCRIPTION:

U. S. Motors Holloshaft Motor 250 Hp Ser# HC1028562
Berkeley Pump Ser# 03443
4 1/2 mi Wheel moves

REMARKS:

Examiner's Signature William Rhoads Date July 10, 1973
Checked by Norman C. Young, P.E. Date 8/1/73
Approved by _____ Date _____

May 21, 1973

Re: Permit No. 35-7071

**Alvin Kranzler
Route #1
American Falls, Idaho 83211**

Dear Mr. Kranzler:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office.

Sincerely,

**D. Darlene Reich
Water Rights Supervisor**

DDR:je

35 7071

RECEIVED

MAY 17 1973

Identification No. 35-7071

Permit No. 35-7071

Department of Water Administration
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Alvin Kranzler
b) Post Office Address 732 Barnack Ave., Am. Falls, Ida. 83211
2. Permit Number 35-7071
3. Date of Priority that you are prepared to establish May 15, 1969
4. a) Source from which water was appropriated Subterranean Well
b) Location of the point of diversion: NE 1/4 SW 1/4, Section 27
Township 7 South, Range 29 East Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 6.1 cfs for cropland irrigation purposes from May 1 to Oct. 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated _____ cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: computation - maximum pressure and
maximum number of discharge nozzles with known capacity - by farm
operator -
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: Not applicable
b) Describe the agreement or understanding by which you take water from the works: Not applicable
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Subterranean Well, 250 HP electric
Pump - 20" Well casing - 240' depth of well
b) Describe the type and size of measuring device which you have installed at your point of diversion: Flow meter installed in 18" discharge pipe maximum distance
from pump discharge
c) Give well drillers name and address and date the well was completed _____
George Vollmer
RR#1
American Falls, Idaho 83211

Exam typed 5/17/73 by jce

35 7071

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Not applicable

Downloaded from <http://ajphaphysocpharm.sagepub.com/> at 11:51 11 November 2014

of use Not applicable

Total number of acres irrigated 312

Remarks:

Alvin Karpis
(Signature)

On this 16 day of March, 1975, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

My commission expires 4-3-10

1919, 1

Director
Missoula Power
R. 1
American Falls, Idaho

Gentlemen:

It has been brought to our attention that on or about
February 6, 1919, you had a well drilled.
The well is reported to be located at a point in the
NE 1/4, Sec. 2, T. 7, R.
1, B.M. for 1 use.

A search of our records has failed to find your application or approved permit. Under existing Idaho Statutes, Sections 42-226, 42-229, and 42-230 of the Idaho Code, you are required to file and obtain an approved permit before you divert waters from a subterranean source, with the exception of domestic wells which are defined under Section 42-111 of the Idaho Code.

If we have overlooked your permit, please advise the Department as to your permit number. However, if you have not yet filled out an application for permit, please use the instructions and the blank application form which we have enclosed.

We will be very happy to assist you with any questions you may have.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: Application for Permit
Instructions

5 2

35-7071

June 19, 1969

Re: Permit No. 35-7071

Mr. Alvin Kranzler
Route 1
American Falls, Idaho 83211

Dear Mr. Kranzler:

We enclose a copy of your approved application for permit 35-7071
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. 2968 for \$30.00
Receipt No. 2969 for \$20.00
2 informational letters

35-7071

Published in The Power
County Press May 15 and 22,
1969.

NOTICE OF APPLICATION
FOR WATER

Notice is hereby given that
Alvin Kranzler, Route 1, Amer-
ican Falls, Idaho has on April
28, 1969 applied for permit un-
der application No. 35,7071 to
divert 6.10 cubic feet per second
of water from a groundwater
source. Water will be diverted
by well, pump, and sprinklers
within the NE1/4SW1/4, Sec. 27,
T. 7 S., R. 29 E., B.M., Power
County and is to be used from
May 1 to October 15 for irriga-
tion in the S1/2SW1/4, Sec. 22;
NW1/4, N1/2SW1/4, Sec. 27, T.
7 S., R. 29 E., B.M.

Any protest against this app-
lication must be filed with the
Department of Reclamation
within ten days from the last
date of publication of this not-
ice.

R. KEITH HIGGINSON
State Reclamation Engineer

May 8, 1969

Re: Application for Permit No. 35-7071-Alvin Kranzler

Power County Press
American Falls, Idaho

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:tg
Enc: Legal notice (1)

35-7071

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Alvin Kranzler, Route 1, American Falls, Idaho

_____ has on _____ April 28, 1969
applied for permit under application No. _____ 35-7071 _____ to divert ~~store~~
_____ 6.10 _____ cubic feet per second ~~acre/feet~~ of water from _____
a groundwater source _____. Water will be diverted by _____
well, pump, and sprinklers _____ within the _____
NE 1/4 SW 1/4, Sec. 27, T. 7 S, R. 29 E, B. M., Power County
_____ and is to be used from _____
May 1 to October 15 for irrigation

in the S₁SW₄, Sec. 22; NW₄, N₁SW₄, Sec. 27, T. 7 S.R. 29 E. B. M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Power County Press, American Falls, Idaho,
on May 15 and May 22, 1969.

A. D.

35-7071