


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*David Gray*  
*David Gray*  
X (Applicant)

35-7062

|               |  |
|---------------|--|
| RECL. ENGR.   |  |
| DEPUTY        |  |
| WATER RIGHTS  |  |
| ✓ APPROP      |  |
| DIST          |  |
| ADJ           |  |
| INVESTIGATION |  |
| WELLS         |  |
| REWS          |  |
| ACCOUNTING    |  |
| FILE          |  |
| RETURN TO     |  |
| DISCARD       |  |

RECEIVED

DEC 17 1968

Department of Reclamation

# Proof of Publication

## The Post-Register

State of Idaho, }  
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 28th day of November, 1968, last publication having been made on the 5th day of December, 1968, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

*E. F. McDermott*

Subscribed and sworn to before me, this 6th day of December, 1968

*Karelsdelle*  
Notary Public


NOTICE OF APPLICATION FOR WATER  
Notice is hereby given that Laverl and Darrell Gray, Route 8, Idaho Falls, Idaho have on Nov. 5, 1968 applied for permit under application No. 35-7062 to divert 5.0 cubic feet per second acre feet of water from a ground water source. Water will be diverted by a well, pump, pipeline within the NE 1/4, sec. 10, T. 3 N. R. 36 E. B.M. Bonneville County and is to be used from May 1 to September 30 for irrigation in the E 1/4, sec. 10, T. 3 N. R. 36 E. B.M. Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.  
R. Keith Higginson  
State Reclamation Engineer  
Published in the Post Register, Idaho Falls, Idaho, on November 28 and December 5, 1968.

My commission expires April 5th, 1971

bill sub 12-30-68

35-7062

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*David Gray*  
X *Laverl Gray*  
(Applicant)

35-7062

Received by 4 Date 11-5-68 Time 1:00 p.m.  
Preliminary check by Adm Fee \$ 45.00 11-7-68  
Received by 11 Date 11/7/68  
Publication prepared by KS Date 11-21-68  
Published in East Oregonian  
Publication dates 11-28 and 12-5-68  
Publication approved KS Date Nov 12-30-68  
Priority reduced to \_\_\_\_\_ Reason \_\_\_\_\_

Protests filed by: None 12-30-68

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by JC 12

APPROVED

#### ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7062, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 71.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: \_\_\_\_\_

Witness my hand this 9th day of January, 19 69.

R. Keith Higgins  
State Reclamation Engineer




Diagram of System

8-2-A

215.4  
7.1

3N R. 36-E

670

D 18

D 17

4 3  
9 10

3 2  
10 11

D 17

40 acres

40 acres

⊙ PD

40 acres

40 acres

40 acres

40 acres

40 acres

40 acres

9 10

10 11

10 15

15 14

103.9

D 215

106.0

wpd 6/22/72  
Info obtained  
from County  
assessor.

D 247  
638.3

110.3

108.3

Gray

35 7062

REPORT OF WELL DRILLER  
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Laverl Gray & Darrel Gray

Address Route # 5

Idaho Falls, Idaho 83401

Owner's Permit No. \_\_\_\_\_

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Dug ☐ Other \_\_\_\_\_

(explain) \_\_\_\_\_

CASING SCHEDULE: Threaded \_\_\_\_\_ Welded ☒

20 "Diam. from + 2 ft. to 21 ft.

"Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

"Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

"Diam. from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Thickness of casing: .288 Material: \_\_\_\_\_

Steel ☒ concrete ☐ wood ☐ other ☐

(explain) \_\_\_\_\_

PERFORATED? Yes ☐ No ☒ Type of  
perforator used: \_\_\_\_\_

Size of perforations: \_\_\_\_\_ " by \_\_\_\_\_ "

perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name \_\_\_\_\_

Type \_\_\_\_\_ Model No. \_\_\_\_\_

Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

Diam. \_\_\_\_\_ Slot size \_\_\_\_\_ Set from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel \_\_\_\_\_ Gravel

placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

21 ft. Material used in seal: CEMENT

Did any strata contain unusable water? Yes ☐

No. ☒ Type of water: Cement

Depth of strata \_\_\_\_\_ ft. Method of sealing

strata off: \_\_\_\_\_

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Bonneville

N.E. ☒ N.E. ☒ Sec. 10 T. 3 N. ☒ R. 36 E. ☒ M.

Size of drilled hole: 20" Total  
depth of well: 715' Standing water  
level below ground: 528' Temp. \_\_\_\_\_  
Fahr. \_\_\_\_\_ Test delivery: \_\_\_\_\_ gpm  
or \_\_\_\_\_ cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test: \_\_\_\_\_

Length of time of test: \_\_\_\_\_ Hrs. \_\_\_\_\_ Min.

Drawdown: \_\_\_\_\_ ft. Artesian pressure: \_\_\_\_\_ ft.

above land surface \_\_\_\_\_ Give flow \_\_\_\_\_ cfs

or \_\_\_\_\_ gpm. Shutoff pressure: \_\_\_\_\_

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER  
FROM TO YES OR NO

| FEET | FEET |                              |     |
|------|------|------------------------------|-----|
| 0    | 8    | <del>xxxx</del> top soil     |     |
| 8    | 18   | Basalt                       |     |
| 18   | 50   | " broken                     |     |
| 50   | 63   | Cinders lost cuttings caving |     |
| 63   | 82   | Basalt                       |     |
| 82   | 95   | Basalt broken                |     |
| 95   | 111  | " fractured                  |     |
| 111  | 115  | Cinders                      |     |
| 115  | 123  | basalt fractured             |     |
| 123  | 130  | cinders                      |     |
| 130  | 140  | cinders broken basalt        |     |
| 140  | 162  | basalt fractured             |     |
| 162  | 169  | basalt broken                |     |
| 169  | 173  | basalt broken cinders        |     |
| 173  | 180  | " fractured hard             |     |
| 180  | 185  | basalt hard                  |     |
| 185  | 191  | basalt broken                |     |
| 191  | 212  | basalt broken cinders        |     |
| 212  | 225  | " very hard                  |     |
| 225  | 228  | " " " fractured              |     |
| 228  | 235  | cinders black caving         |     |
| 235  | 355  | cinders red caving           |     |
| 355  | 358  | cinders basalt broken        |     |
| 360  | 413  | basalt very hard             |     |
| 413  | 415  | " broken hard                |     |
| 415  | 420  | Cinders                      |     |
| 420  | 432  | "                            |     |
| 432  | 435  | basalt                       |     |
| 435  | 442  | basalt hard                  |     |
| 442  | 445  | cinders caving               |     |
| 445  | 454  | basalt hard                  |     |
| 454  | 458  | cinders                      |     |
| 458  | 485  | Basalt hard                  |     |
| 485  | 522  | Basalt firm                  |     |
| 522  | 533  | basalt broken lost cuttings  | yes |
| 533  | 540  | basalt fractured             |     |
| 540  | 582  | " firm                       |     |
| 582  | 590  | " hard fractured             | yes |

Work started: September 4, 1968

Work finished: January 29, 1969

Well Driller's Statement: This well was  
drilled under my supervision and this report  
is true to the best of my knowledge.

Name: Andrew Well Drilling Contractors

Address: 1268 E. 17th Street, Idaho Falls, Idaho

Signed by: Andrew Well Drilling Contractors

License No. 5 Date: Feb. 19, 1969

Use other side for additional remarks

35 7062

| <u>FROM</u> | <u>TO</u>      | <u>MATERIAL</u>       | <u>WATER</u> |
|-------------|----------------|-----------------------|--------------|
| Feet        | Feet           |                       | Yes Or No    |
| 590         | <del>603</del> | basalt firm           |              |
| 603         | 612            | basalt fractured      | yes          |
| 612         | 619            | basalt broken cinders | yes          |
| 619         | 628            | " firm                |              |
| 628         | 638            | cinders               | yes          |
| 638         | 642            | basalt hard           |              |
| 642         | 660            | " firm                |              |
| 660         | 668            | " hard                |              |
| 668         | 680            | basalt broken cinders | yes          |
| 680         | 700            | " firm                |              |
| 700         | 703            | " " hard              |              |
| 703         | 707            | basalt broken cinders | yes          |
| 707         | 711            | silt lt. brown        |              |
| 711         | 715            | basalt firm broken    | yes          |

State of Idaho  
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 35-7062 Priority Nov. 11, 1968 Amount 5.75 cfs  
(late proof)

THIS IS TO CERTIFY, that LAVERL & DARRELL GRAY  
of Idaho Falls, Idaho, have, ~~xxx~~ complied with the terms and conditions of Permit  
No. 35-7062 issued pursuant to Application for Permit dated November 5, 1968,  
and has submitted proof to the Department of Water Administration on February 8, 1971,  
that he has applied water to a beneficial use; an examination by the Department indicates that the  
works have a capacity of 5.75 cfs, and that the water has in fact been applied to a  
beneficial use; a right to the use of water from a ground water source  
tributary of \_\_\_\_\_, is hereby confirmed in the following amounts:

Amount 5.75 cfs for Irrigation from May 1 to Sept. 30 (both dates inclusive)

Amount \_\_\_\_\_ for \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)

Amount \_\_\_\_\_ for \_\_\_\_\_ from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)

Subject, however, to the condition that no more than 5.75 cfs of water be diverted at  
any one time, said waters to be diverted within the \_\_\_\_\_

NE $\frac{1}{4}$ NE $\frac{1}{4}$  Sec. 10, Twp. 3 N, Rge. 36 E, B.M.

in the county of Bonneville; and that the amount of water so diverted and to which such  
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can  
actually be beneficially used and shall not exceed 1,120 acre feet per year or \_\_\_\_\_  
3.5 acre feet per acre.

Description and location of place of use:


| TWP. | RANGE | SEC. | NE $\frac{1}{4}$ |                  |                  |                  | NW $\frac{1}{4}$ |                  |                  |                  | SW $\frac{1}{4}$ |                  |                  |                  | SE $\frac{1}{4}$ |                  |                  |                  | TOTALS |
|------|-------|------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------|
|      |       |      | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ |        |
| 3 N  | 36 E  | 10   | 40               | 40               | 40               | 40               |                  |                  |                  |                  |                  |                  |                  |                  | 40               | 40               | 40               | 40               | 320    |
|      |       |      |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |        |
|      |       |      |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |        |
|      |       |      |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |        |

Total number of acres irrigated 320

A measuring device of a type approved by this Department shall be permanently  
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands  
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9th day of  
July, 19 73.

  
Director

35 7062

BEFORE THE DIRECTOR OF THE DEPARTMENT OF WATER ADMINISTRATION  
OF THE  
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 35-7062 )  
in the name of Laverl & Darrell Gray )

ORDER OF REINSTATEMENT

WHEREAS, on November 5, 1968, Laverl and Darrell Gray applied to the Department of Water Administration (formerly the Department of Reclamation) for a permit to appropriate 6.0 cubic feet of water per second from a ground water source to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$  Section 10, T. 3N, R. 36E, B.M., Bonneville County, Idaho, to be used for the irrigation of 320 acres within the E $\frac{1}{2}$ , Section 10, T. 3N, R. 36E, B.M.; and,

WHEREAS, on January 9, 1969, the application was approved subject to the condition that proof of construction of works and application of water to beneficial use be submitted on or before February 1, 1971, and that the applicants permanently install a measuring device of a type approved by the Department as part of the diverting works; and,

WHEREAS, on December 1, 1970, the permit holders were notified by certified mail that they were required to submit proof of beneficial use and were instructed as to the steps to be taken to make that proof; and,

WHEREAS, the required proof of beneficial use was not received on February 1, 1971; and,

WHEREAS, on February 3, 1971, the permit holders were notified that Permit No. 35-7062 had lapsed for failure to submit proof of beneficial use of the water; and,

WHEREAS, the required proof of beneficial use was received by the Department on February 8, 1971, failing, however, to describe the type of measuring device installed; and,

WHEREAS, Section 42-218A of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty (60) days from the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable cause as to why the permit should be reinstated, conditioned upon the proper installation of an adequate measuring device as required by the conditions of Permit No. 35-7062; and,

35 7062

Identification No. 35-7062

Application No. \_\_\_\_\_

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION

APPROVED

LICENSE ISSUED FOR 5.75 SEC. FT.  
LICENSE PAGE NO. \_\_\_\_\_

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho  
(TYPE OR PRINT IN INK)

1. Name of applicant Laverne & Darrell Gray  
post office address Route 5 - Idaho Falls Idaho
2. Source of water supply well which is a tributary of \_\_\_\_\_
3. a. Location of point of diversion is NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of Section 10 Township 3-N  
Range 36E B.M. Bonnersville County; additional points of diversion if any: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
b. If water is not consumed, it will be discharged into Pipe Line at a point in NE  $\frac{1}{4}$   
of NE  $\frac{1}{4}$  of Section 10 Township 3N Range 36E B.M. \_\_\_\_\_
4. Water will be used for the following purposes:  
Amount 6.0 for Irrigation purpose from may 1st to Sept 30th (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purpose from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purpose from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:  
a. 6.0 cubic feet per second and/or  
b. \_\_\_\_\_ acre feet per annum.
6. Proposed diverting works:  
a. Description of ditches, flumes, pumps, headgates, etc. Pumping from well into  
Pipe line for Irrigation, From NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$  - Sec. 10 - T3N  
R36E 7. Deep Well Line Shaft Turbine Pump  
\_\_\_\_\_  
\_\_\_\_\_  
b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre feet; total reservoir  
capacity \_\_\_\_\_ acre feet, materials used in storage dam: \_\_\_\_\_  
Period of year during which storage will occur \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Mo. Day) (Mo. Day)  
c. Proposed well diameter is 20 inches; proposed depth of well is 650 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use  
is 2 years.  
b. Estimated construction cost is \$ 54000.00.
8. Description of proposed uses:  
a. If water is **not** for irrigation:  
(1) Give the place of use of water: \_\_\_\_\_  $\frac{1}{4}$  of \_\_\_\_\_  $\frac{1}{4}$  of Section \_\_\_\_\_ Township \_\_\_\_\_  
Range \_\_\_\_\_ B.M.  
(2) Amount of power to be generated: \_\_\_\_\_ hp under \_\_\_\_\_ feet of head.  
(3) List number of each kind of livestock to be watered \_\_\_\_\_  
\_\_\_\_\_  
(4) Name of municipality to be served \_\_\_\_\_, or number of families to be  
supplied with domestic water \_\_\_\_\_.  
(5) If water is to be used for other purposes describe: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

35-7062

[illegible]

053

c. Describe any other water rights used for the same purposes \_\_\_\_\_


9. a. Who owns the property at the point of diversion David & Darlene Arroy  
b. Who owns the land to be irrigated or place of use same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

10. Remarks  
The ground to be irrigated is on  
The Ogeed Desert and upon productive  
with art water.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*Samuel Gray*  
x *Laver Gray*  
(Applicant)

35-7062

Received by dj Date 11-5-68 Time 9:00am  
Preliminary check by Devi Fee \$ 45.00 11-7-68  
Receipted by 11 Date 11/7/68  
Publication prepared by 11 Date 11-21-68  
Published in East Register  
Publication dates 11-28 and 12-5-68  
Publication approved 11 Date Nov 19-30-68  
Priority reduced to \_\_\_\_\_ Reason \_\_\_\_\_

Protests filed by: None 12-30-68

Copies of protests forwarded by \_\_\_\_\_

Hearing held by \_\_\_\_\_ Date \_\_\_\_\_

Recommended for approval denial by JPC DRR

**APPROVED**

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7062, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT-TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 71.

c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: \_\_\_\_\_

Witness my hand this 9th day of January 19 69.

R. Keith Higgins  
State Reclamation Engineer

# Proof of Publication

## The Post-Register

State of Idaho, }  
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 28th day of November, 1968, last publication having been made on the 5th day of December, 1968, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 6th day of December, 1968

*E. F. McDermott*

*Karl Stale*  
Notary Public

My commission expires April 5th, 1971

NOTICE OF APPLICATION FOR WATER  
I hereby certify that Loren  
and Darrell Gray, of Idaho Falls,  
Idaho, have on Nov. 28, 1968, applied for  
water right under the 1962 to  
1963 appropriation, 100 acre feet  
of water from a known water source.  
Water will be diverted to a well pump,  
located within 1/4 sec. 10,  
T. 36 N., R. 35 E., Bonneville  
County and is to be used from May 1  
to September 30, 1969. Protest in the  
evening of 10, T. 36 N., R. 35 E. B.M.  
any protest against this application must  
be filed with the Department of Reclama-  
tion within ten days from the last date  
of publication of this notice.  
R. Keith, Engineer  
State Reclamation Engineer  
Published in the Post-Register, Idaho  
Falls, Idaho, on November 28 and  
December 5, 1968.

bill sub 12-30-68

35-7068

Identification No. 35-70620

Application No. \_\_\_\_\_

**STATE OF IDAHO**  
**DEPARTMENT OF RECLAMATION**  
**APPLICATION FOR PERMIT**

**To Appropriate the Public Waters of the State of Idaho**  
(TYPE OR PRINT IN INK)

1. Name of applicant Lewis & Darrell Group  
post office address Route 5 - Idaho Falls Idaho
2. Source of water supply well which is a tributary of \_\_\_\_\_
3. a. Location of point of diversion is NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of Section 10 Township 3-N  
Range 36E B.M. Bonanza County; additional points of diversion if any: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- b. If water is not consumed, it will be discharged into Pipe Line at a point in NE  $\frac{1}{4}$   
of NE  $\frac{1}{4}$  of Section 10 Township 3-N Range 36E B.M. \_\_\_\_\_
4. Water will be used for the following purposes:  
Amount 6.0 for Irrigation purpose from May 1st to Sept 30th (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purpose from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)  
Amount \_\_\_\_\_ for \_\_\_\_\_ purpose from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:  
a. 6.0 cubic feet per second and/or  
b. \_\_\_\_\_ acre feet per annum.
6. Proposed diverting works:  
a. Description of ditches, flumes, pumps, headgates, etc. Pumping from well into  
Pipe Line for Irrigation, From NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$  - Sec. 10 - T3N  
R36E - Deep Well Line Shaft Turbine Pump  
\_\_\_\_\_  
\_\_\_\_\_
- b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre feet; total reservoir  
capacity \_\_\_\_\_ acre feet, materials used in storage dam: \_\_\_\_\_  
Period of year during which storage will occur \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 20 inches; proposed depth of well is 650 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use  
is 2 years.  
b. Estimated construction cost is \$ 57000.00.
8. Description of proposed uses:  
a. If water is **not** for irrigation:  
(1) Give the place of use of water: \_\_\_\_\_  $\frac{1}{4}$  of \_\_\_\_\_  $\frac{1}{4}$  of Section \_\_\_\_\_ Township \_\_\_\_\_  
Range \_\_\_\_\_ B.M.  
(2) Amount of power to be generated: \_\_\_\_\_ hp under \_\_\_\_\_ feet of head.  
(3) List number of each kind of livestock to be watered \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
(4) Name of municipality to be served \_\_\_\_\_, or number of families to be  
supplied with domestic water \_\_\_\_\_.  
(5) If water is to be used for other purposes describe \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

35-70620

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated 320

c. Describe any other water rights used for the same purposes \_\_\_\_\_

9. a. Who owns the property at the point of diversion Samuel E. Darrell Gray  
b. Who owns the land to be irrigated or place of use same  
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing \_\_\_\_\_

10. Remarks The ground to be irrigated is on  
The Osgood tract and non productive  
without water.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

*James H. Gray*  
x *Laverne Gray*  
(Applicant)

35-7062

Received by        Date 11-21-68 Time         
Preliminary check by        Fee \$ 115.00 11-7-68  
Receipted by        Date 11/21/68  
Publication prepared by        Date 11-21-68  
Published in Post-Register  
Publication dates 11-28-68-12-5-68  
Publication approved        Date 12-11-68 12:30-68  
Priority reduced to        Reason         
        
        
        
Protests filed by:        12-30-68  
        
        
Copies of protests forwarded by         
Hearing held by        Date         
Recommended for approval denial by        22

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7062, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 71.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons:         
        
        
        
      

Witness my hand this 9th day of January 19 69.

R. Keith Higgins  
State Reclamation Engineer

July 10, 1973

Re: Permit No. 35-7062

Laverl & Darrell Gray  
Route #5  
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed please find a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR  
Assistant Director

bjg

Enclosure

35 7062

June 14, 1973

Laverl & Darrell Gray  
Route # 5  
Idaho Falls, Idaho 83401

Gentlemen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7062 and has found the following:

Quantity of water diverted: 5.75 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 5.75 cfs

The maximum quantity diverted shall not exceed 1,120 acre feet per year.

Beneficial use: Irrigation of 320 acres within the E $\frac{1}{2}$  of Sec. 10, Twp. 3N, Rge. 36E, B.M.

Point of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$  Sec. 10, Twp. 3N, Rge. 36E, B.M.

Priority date established: Nov. 11, 1968 (late proof)

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR  
Assistant Director

BDF:DR

35 7062

RECEIVED

INTER-DEPARTMENT MEMO — 1

FROM

~~Darlene~~ Bill

MAY 7 1973

DATE May 3, 1973

TO

~~Noah~~ Darlene


Department of Water Administration  
Eastern District Office

SUBJECT Permit #35-7062--Laverl & Darrell Gray

Am sure you will remember this one. Have attached copies of letters dated 2-7-73, 2-13-73 and 2-21-73.

Can you look at this one more time? The well is in the NENE of Sec. 10, Twp. 3N, Rge. 36E and covers the E<sup>2</sup> of 10. (6 cfs) If you need anything further from the file please advise.

You might invite me to go with you--I need a field trip. Ha--



12" Mcrometer Ser<sup>#</sup> 72 12169

SIGNATURE

35 7062

February 21, 1973

Re: Permit No. 35-7062

Laverl & Darrell Gray  
Route # 5  
Idaho Falls, Idaho 83401

Gentlemen:

Based upon Mr. Al Justin's, of Snake River Equipment Company, letter of February 13, 1973, to the effect that he has been retained to install a measuring device under Permit No. 35-7062, we are willing to extend our deadline under the show cause order until May 1, 1973. Advise this office or our Idaho Falls office as soon as the measuring device has been installed. Please contact our office at 240 South Holmes, Idaho Falls, Idaho, if they can be of any assistance to you.

You should be aware that failure to have the measuring device installed by the new date may cause you to forfeit your permit. We will work with you in everyway possible, however, we have extended the deadline for meeting that condition of your permit just about as far as possible without affecting your permit.

Very truly yours,



C. STEPHEN ALLRED  
Deputy Director

CSA:dr

cc: Mr. Al Justin  
Dept. of Water Adm., Idaho Falls

35 7062



PHONE: 523-0800

## SNAKE RIVER EQUIPMENT COMPANY

P. O. BOX 780

455 RIVER PARKWAY

IDAHO FALLS, IDAHO 83401

*P/14  
ef*

February 13, 1973

State of Idaho Dept. of Water  
Annex # 2  
State House  
Boise, Idaho

Gentlemen:

In reference to your letter of February 7, 1973 to Mr. Darrell and Laverl Gray regarding installation deadline of irrigation water meter, I want to advise that they have asked us to install said meter.

Because of snow conditions in the area it is virtually impossible to have it done by your specified date and I ask that you extend the deadline date to about May 1, 1973. At that time field conditions will be more favorable and we hope to have the installation complete.

Thanking you for your consideration, I remain

Yours truly,

Al Justin  
Irrigation Division Manager

AJ:mc

35 7060

**SENDER: Be sure to follow instructions on other side**

**PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)**

*(Additional charges required for these services)*

☐

Show to whom, date and address  
where delivered

☐

Deliver **ONLY**  
to addressee

**RECEIPT**

*Received the numbered article described below*

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

24327

①

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

②

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

③

35 7062

2-9-73

File # 35-7062

U.S. POSTAL SERVICE  
OFFICIAL BUSINESS



Postmark or Delivering Office

**SENDER INSTRUCTIONS**

- Print in the space below your name, address, including ZIP Code.
- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN  
TO**



**DEPARTMENT OF WATER ADMINISTRATION**

**STATEHOUSE - ANNEX #2**

**BOISE, IDAHO 83707**

**35 7062**

PERMIT FOR PRIVATE USE TO AVOID  
PAYMENT OF POSTAGE, \$3.00

STATE OF IDAHO  
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus  
Governor  
R. Keith Higginson  
Director

Statehouse — Annex 2  
Boise, Idaho 83707  
(208) 384-2215

Water Rights Administration  
Water Resource Investigations  
Dam and Reservoir Safety  
Water Well Drilling  
Waste Disposal Wells  
Stream Channel Protection

February 7, 1973

CERTIFIED MAIL

# 24327

Laverl & Darrell Gray  
Route # 5  
Idaho Falls, Idaho 83401

Gentlemen:

A representative of this Department made a field examination of the works covered by your Permit No. 35-7062 on June 1, 1972. That field report indicates that a measuring device has not been installed as required under the conditions of approval of the permit.

Therefore, you are hereby ordered to show cause on or before March 7, 1973, why Permit No. 35-7062 should not be cancelled and held null and void for failure to comply with the terms and conditions of its issuance. This order is sent under the provisions of Section 42-311, Idaho Code.

You should be advised that in the event the permit is cancelled, due to your failure to show reasonable cause on or before the above date, continued diversion of water would be without permit and subject to legal action.

C. STEPHEN ALLRED  
Deputy Director

CSA:DR

COPY

35 7062

Deane says  
2600 ft from

DEPARTMENT OF WATER ADMINISTRATION

La Verl (and) FIELD REPORT

Wednesday

1. Name of permit holder La Verl and Darrell Gray  
Post office address Route 5, Idaho Falls, Idaho Phone 522-9335  
Person to contact \_\_\_\_\_ Phone \_\_\_\_\_

2. Source of water supply: Groundwater ☒ Surface water ☐ \_\_\_\_\_  
(name spring, stream, etc.)  
Tributary to \_\_\_\_\_

3. Water will be used for the following purposes:  
Amount 6.0 c.f.s. for Irrigation  
\_\_\_\_\_ AF/Annum (nature of use)  
Period of Use: from May 1 to September 30  
(mo.-day) inclusive (mo.-day)  
Amount \_\_\_\_\_ c.f.s. for \_\_\_\_\_  
\_\_\_\_\_ AF/Annum (nature of use)  
Period of Use: from \_\_\_\_\_ to \_\_\_\_\_  
(mo.-day) inclusive (mo.-day)  
Amount \_\_\_\_\_ c.f.s. for \_\_\_\_\_  
\_\_\_\_\_ AF/Annum (nature of use)  
Period of Use: from \_\_\_\_\_ to \_\_\_\_\_  
(mo.-day) inclusive (mo.-day)  
Other uses: \_\_\_\_\_

Permit No. 35-7062  
Examination for B/U

4. Total amount to be appropriated:  
Max Rate of Diversion 6.0 cubic feet per second and annual volume \_\_\_\_\_ AF/Annum.

5. Location of Point(s) of Diversion:  
Township 3 N/S, Range 36 E/W, B.M., Section 10, Subdivision NE 1/4 NE 1/4 Bonneville  
County  
Township \_\_\_\_\_ N/S, Range \_\_\_\_\_ E/W, B.M., Section \_\_\_\_\_, Subdivision \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4, \_\_\_\_\_  
County  
Township \_\_\_\_\_ N/S, Range \_\_\_\_\_ E/W, B.M., Section \_\_\_\_\_, Subdivision \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4, \_\_\_\_\_  
County  
Other Points of Diversions: \_\_\_\_\_


Description of diverting works: Line shaft well, motors 400 h.p., with booster 125 h.p.  
2-1/2 second feet of water. Well is 530' more or less. Runs 14 - 4 inch 1/4 mile  
lines.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.


| TWP. | RANGE | SEC. | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | TOTALS |
|------|-------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|      |       |      | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |        |
| 3N   | 36E   | 10   | x      | x      | x      | x      |        |        |        |        |        |        |        |        | x      | x      | x      | x      | 320    |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |
|      |       |      |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |

Diagram of System



8-2-A

3N R. 36-E



info obtained  
from County  
assessor.

10/22/72

D 24  
6383

1083

DATE OF EXAM 31 May 1972

ACREAGE  
Found 320  
Recommended 320

Irrigation Requirement 3.5 Ac Ft/Ac / Season

USE  
Irrigation Q = 5.75 c.f.s. V = 1120.0 AF/Ann. from April 1 to November 1  
Domestic Q =        c.f.s. V =        AF/Ann. from        to         
Livestock Q =        c.f.s. V =        AF/Ann. from        to       

Is water co-mingled? yes        no ✓

Name source: Ground water  
twp. 3 N/S, Rge 36 E/W, B.M., Sec. 10, Sub. NE 1/4 NE 1/4 Bonneville County

Exchange? yes        no ✓

Name source exchanged with:         
twp.        N/S, Rge        E/W, B.M., Sec.       , Sub.        1/4        1/4        County

Point of injection:  
twp.        N/S, Rge        E/W, B.M., Sec.       , Sub.        1/4        1/4        County

Point of exchange:  
twp.        N/S, Rge        E/W, B.M., Sec.       , Sub.        1/4        1/4        County

Total Q measured 5.75 cfs Method of measurement Pressure Gage Pitot Gage

Total Q recommended 5.75 cfs Meter No.        Type        Condition       

Total V recommended 1120.00

Recommended Amendments:

P.D.         
Place of Use         
Other         
None ✓

MEASUREMENT CALCULATION:

gallons per minute for 16 lines = 2557 gpm  
leakage = 25 gpm (est)  
2582 / 448.8  
= 5.753119

SYSTEM DESCRIPTION:

Well pump, Booster pump, one mile of mainline, and 16  
1/4 mile lines.

REMARKS:

Well Pump US Electric 400 hp, 60 cycle SN J1424226  
Booster Pump GE 125 hp, 60 cycle SN 0100439  
No measuring Device installed 5/31/72

Examiner's Signature William G. Meyer Date June 1972

Checked by WGM 6/22/72 Date       

Approved by        Date

August 9, 1971

Re: Permit No. 35-7062

Laverl & Darrell Gray  
Route # 5  
Idaho Falls, Idaho 83401

Gentlemen:

Pursuant to the letter from Intermountain Water Service, Inc. dated July 26, 1971, the Department will accept your affidavit submitted as proof of beneficial use in connection with Permit No. 35-7062.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM:DR

35 7062

*Intermountain* WATER SERVICE, INC.

TELEPHONE (208) 375-9330  
6700 EMERALD  
BOISE, IDAHO 83704

July 26, 1971

Mr. Darrell Gray  
Route 5  
Idaho Falls, Idaho

Dear Mr. Gray:

We received your order through Snake River Equipment Company for one 12" MDIM Badger Flow meter to be used on your irrigation well at Idaho Falls, Idaho. With regret we are sorry to inform you that the meter you ordered is temporarily out of stock and cannot be delivered at this time. However, we do have a shipment of meters enroute from the factory and your meter should be delivered in about 2 weeks.

Thank you for your order and if we can be of further assistance to you please contact us.

Sincerely,

INTERMOUNTAIN WATER SERVICE, INC.

E. J. Kozak  
General Manager

EJK/cr

cc: Mr. Donald McEldowney  
Idaho Department of Water Administration

Snake River Equipment Co.

July 9, 1971

Re: Permit No. 35-7062 - Laverl & Darrell Gray

John M. Corless, Manager  
FEDERAL LAND BANK ASS'N OF IDAHO FALLS  
P. O. Box 30  
Idaho Falls, Idaho 83402

Dear Mr. Corless:

We are directed to submit a written response to your letter of May 21, 1971, concerning the above referenced parties.

We are enclosing a copy of Water License No. G-32382/35-2777 covering part of the grounds in question. We are also enclosing a copy of Permit No. 35-7062 covering the balance of the ground in question. In addition to the copy of the permit, we are also enclosing a copy of the reinstatement order, a copy of the beneficial use form submitted and our letter of March 16, 1971.

If we can be of further assistance to you, please contact us.

Very truly yours,

Donald W. McEldowney  
Appropriation Supervisor

DWM/bb

Enclosures

35 7062

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).  
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address  
where delivered

☐ Deliver ONLY  
to addressee

## RECEIPT

*Received the numbered article described below.*

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

22965

1

*Laurel Gray*

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

*Christine Gray*

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)


3

35

70625

-7062

POST OFFICE DEPARTMENT  
OFFICIAL BUSINESS



Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moistened gummed ends and attach this card to back of article.

RETURN  
TO



PENALTY FOR PRIVATE USE TO AVOID  
PAYMENT OF POSTAGE, \$300



DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2  
BOISE, IDAHO 83707

35 7062

July 19, 1971

Re: Permit No. 35-7062

Laverl & Darrell Gray  
Route # 5  
Idaho Falls, Idaho 83401


Gentlemen:

Our letter to you dated March 16, 1971, indicated that the proof of beneficial use which you submitted in connection with your Permit No. 35-7062 was unacceptable due to the fact that you had failed to indicate that you had installed a permanent water measurement device. Such device was required to be installed as a condition of the issuance of the permit pursuant to Sections 42-203, 42-701 and 42-237a of the Idaho Code.

You are, therefore, hereby ordered to show cause on or before August 19, 1971, why Permit No. 35-7062 should not be cancelled and held null and void for failure to comply with the terms and conditions of its issuance. This order is sent under the provisions of Section 42-311, Idaho Code.

You should be advised that in the event the permit is cancelled, due to your failure to show reasonable cause on or before the above date, continued diversion of water would be without permit and subject to legal action.

Very truly yours,

  
C. STEPHEN ALLRED  
Deputy Director

CSA:DR

Certified Mail #22965

35 7062

FEDERAL LAND BANK ASSOCIATION OF IDAHO FALLS

P. O. BOX 30 683 NORTH CAPITAL IDAHO FALLS, IDAHO 83402

TELEPHONE: 523-1785

*Federal*  
**LAND BANK**  
*Association*

JOHN M. CORLESS, MANAGER

May 21, 1971

Donald W. McEldowney  
Appropriation Supervisor  
Department of Water Administration  
State of Idaho  
Statehouse - Annex 2  
Boise, Idaho 83707

Dear Mr. McEldowney:

Laverl Gray and his son, Darrell, have applied for a Federal Land Bank loan on their two sprinkler irrigated farms West of Idaho Falls. They purchased both of the farms from Ivan Ashment.

One tract of land, the E $\frac{1}{2}$  of Section 14, Township 3 North, Range 36 East, has been under irrigation for several years from a deep well on which a license was reported to have been issued. 32382

Mr. Gray drilled a well himself on the other tract, the E $\frac{1}{2}$ E $\frac{1}{2}$  of Section 10, Township 3 North, Range 36 East, in 1968, but he informed us that he has not submitted an Affidavit of Beneficial Use so his license can be issued. 357062

Would you please furnish us with the present status of these two water rights? Attached are plats of the tracts showing the approximate position or location of the well and the land being irrigated.

Very truly yours,

*John M. Corless*  
John M. Corless  
Manager

JMC/mh  
Encls.



35 7062

APPLICATION NO. \_\_\_\_\_

PRIORITY \_\_\_\_\_

AMOUNT OF FLOW \_\_\_\_\_

LEGAL DESCRIPTION OF LAND UNDER PERMIT \_\_\_\_\_

LICENSE OR PERMIT + \_\_\_\_\_

Twp. 3N Range 76E

Name Miller Group

No. 3846 D

|    |    |    |    |    |    |         |    |
|----|----|----|----|----|----|---------|----|
| 36 | 31 | 32 | 33 | 34 | 35 | 36      | 31 |
| 1  | 6  | 5  | 4  | 3  | 2  | 1       | 6  |
| 12 | 7  | 8  | 9  | 10 | 11 | 12      | 7  |
| 13 | 18 | 17 | 16 | 15 | 14 | 13      | 18 |
| 24 | 19 | 20 | 21 | 22 | 23 | 24      | 19 |
| 25 | 30 | 29 | 28 | 27 | 26 | 25      | 30 |
| 36 | 31 | 32 | 33 | 34 | 35 | 36      | 31 |
| 1  | 6  | 5  | 4  | 3  | 2  | 35 7062 | 6  |

APPLICATION NO. \_\_\_\_\_

PRIORITY \_\_\_\_\_

AMOUNT OF FLOW \_\_\_\_\_

LEGAL DESCRIPTION OF LAND UNDER PERMIT \_\_\_\_\_

LICENSE OR PERMIT \_\_\_\_\_

Twp. 31 Range 36E

Name Lester Gray

No. 3846 D

|    |    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|----|
| 36 | 31 | 32 | 33 | 34 | 35 | 36 | 31 |
| 1  | 6  | 5  | 4  | 3  | 2  | 1  | 6  |
| 12 | 7  | 8  | 9  | 10 | 11 | 12 | 7  |
| 13 | 18 | 17 | 16 | 15 | 14 | 13 | 18 |
| 24 | 19 | 20 | 21 | 22 | 23 | 24 | 19 |
| 25 | 30 | 29 | 28 | 27 | 26 | 25 | 30 |
| 36 | 31 | 32 | 33 | 34 | 35 | 36 | 31 |
| 1  | 6  | 5  | 4  | 3  | 2  | 1  | 6  |

35 7062

March 16, 1971

Re: Permit No. 35-7062

LaVerl and Darrell Gray  
Route # 5  
Idaho Falls, Idaho 83401

Gentlemen:

We have received the affidavit you submitted as proof of beneficial use for Permit No. 35-7062, and have issued the enclosed order reinstating that permit. However, in reviewing that affidavit, you failed to indicate that you had installed a measuring device as required by the conditions of approval of your permit and by Section 42-701 of the Idaho Code.

We cannot issue a license unless a measuring device of a type approved by the Department is installed. We have reinstated your permit subject to the condition that a measuring device be installed and we will withhold further action until June 14, 1971, within which time you may supply us with information as to the type of measuring device you have installed.

You should be aware that failure to install the device and supply information as to the type of device installed may result in the loss of your permit.

If you have any questions in this matter, please feel free to contact this office.

Very truly yours,

C. Stephen Allred  
Deputy Director

CSA:cm

35 7062

Identification No. 35,7062

Permit No. \_\_\_\_\_  
 dg  
 CR  
 2-9-71  
 iate

STATE OF IDAHO  
 DEPARTMENT OF WATER ADMINISTRATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Laverf Gray, Derrell Gray  
 b) Post Office Address 197 D. 5, Idaho Falls Idaho
2. Permit Number 35,7062
3. Date of Priority that you are prepared to establish 11-5-68
4. a) Source from which water was appropriated Sprinkler arigiton ground water  
 b) Location of the point of diversion: NE 1/4 NE 1/4, Section 10, T. 3 N, R. 36 E, B. M.  
 Township 10-T. 3, Range 36 Boise Meridian, Other points of diversion: \_\_\_\_\_  
NE 1/2 NE 1/2 Sec 10 T. 3 N. R. 36 E B. M.
5. a) The amount of water and use to which the water has been applied:  
 amount 14. 1/2 mill for 2 irrigations purposes from June 1 to Sept 20, incl.  
 (cfs and/or acre feet per annum) 100 inch water (Month-Day) (Month-Day)  
 amount 6.0 for 2 irrigation purposes from May 1 to Sept. 30, incl.  
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)  
 amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ incl.  
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)  
 b) Total amount appropriated \_\_\_\_\_ cfs and/or acre feet per annum  
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Snake River Equipment Co.  
Karl Stanford.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:  
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: \_\_\_\_\_  
 b) Describe the agreement or understanding by which you take water from the works: Deep well  
under ground Reservoir water from 520 to 715 feet or more.  
Plenty water keeps Raising each year.
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) Line shaft well 269 meters  
400 Horse Power with B. meter 125 Horse Psh. 2 1/2 second feet of water  
Well is 530 more or less, 13 and 14 inch 4 mile Lines.  
 b) Describe the type and size of measuring device which you have installed at your point of diversion: \_\_\_\_\_
- c) Give well drillers name and address and date the well was completed  
Howard L. Andrew 1268. E. 17th Street Idaho Falls  
Work Started Sept 8, 1968.  
Work Finished Jan. 29 1969.

35 7062

exam typed 9-30-71  
 nyl

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use  
*For sprinkler culture, Buda, Noy, Ariz.*

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

| TWP. | RANGE | SEC. | NE 1/4 |        |        |        | NW 1/4 |        |        |        | SE 1/4 |        |        |        | SW 1/4 |        |        |        | SE 1/4 |        |        |        | TOTALS |
|------|-------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
|      |       |      | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 |        |
| 3    | 36    | 10   |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |        |

10. Remarks: *This Broom & late with this operation I forgot about it*  
*will be coming again, better to say. it is watered with*  
*there is a dead land on top of it, it is watered with*  
*water to irrigate it in spring or summer.*

The above information is a true statement of the extent to which the above numbered permit has been developed.

*David May* (Signature)  
*Feb 4, 1971* (Date)

State of Idaho  
County of Bonneville  
ss. )

On this 5th day of February, 19 71, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at Idaho Falls, Idaho

My commission expires 8-2-74

# REPORT OF WELL DRILLER State of Idaho

State law requires that this report shall be filed with the State Registration Engineer within 30 days after completion or abandonment of the well.

## WELL OWNER:

Laverl Gray & Darrel Gray

Route # 5

Idaho Falls, Idaho 83401

Water Permit No.

NATURE OF WORK (check): Repla

New well ☐ Deepened ☐

Water is to be used for

METHOD OF CONSTRUCTION:

Rotary ☐ Cable ☐

Other ☐ (explain)

CASING SCHEDULE: Threaded

20" diam. from + 2 ft. to ft.

"diam. from ft. to ft.

"diam. from ft. to ft.

"diam. from ft. to ft.

Thickness of casing: .288 Material: Steel

Steel ☐ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☒ Type of

perforator used:

Size of perforations:

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name

Type Model No.

Slot size Set from ft. to ft.

Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☒ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

ft. Material used in seal: CEMENT

Did any strata contain unusable water? Yes ☐

Type of water:

Depth of strata ft. Method of

tests off:

Is casing used? Yes ☐ No ☐

Set in place? Yes ☐ No ☐

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Locate well in section

Size of drilled hole: 20" Total

depth of well: 715' Standing water

level below ground: 524' Temp.

Fahr. Test delivery gpm

or cfs Pump? ☐ Well ☐

Size of pump and motor used to make test:

Len ft. Artesian pressure ft.

Drawdown: ft. Give flow cfs

above land surface Shutoff pressure:

or gpm. Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL

FROM TO

18 50 " broken

50 63 Cinders lost cut

63 82 Basalt 82

82 95 Basalt broken

95 111 " fractured

111 115 Cinders

115 123 basalt fractured

123 130 cinders

130 140 cinders broken basalt

140 162 basalt fractured

162 169 basalt broken

169 173 basalt broken cinders

173 180 " fractured hard

180 185 basalt

185 191 bag

191 212 bag

212 225 " very hard

225 233 " very hard

228 235 cinders black cavity

235 355 cinders red cavity

355 358 cind.

360 413 basalt very hard

413 415 " broken hard

415 420 Cinders

420 421 "

421 422 "

422 423 "

423 424 "

424 425 "

425 426 "

426 427 "

427 428 "

428 429 "

429 430 "

430 431 "

431 432 "

432 433 "

433 434 "

434 435 "

435 436 "

436 437 "

437 438 "

438 439 "

439 440 "

440 441 "

441 442 "

442 443 "

443 444 "

444 445 "

445 446 "

446 447 "

447 448 "

County

Section

Township

Range

Meridian

| Feet | Feet |
|------|------|
| 590  | 603  |
| 603  | 612  |
| 612  | 619  |
| 619  | 628  |
| 628  | 638  |
| 638  | 642  |
| 642  | 660  |
| 660  | 668  |
| 668  | 680  |
| 680  | 700  |
| 700  | 703  |
| 703  | 707  |
| 707  | 711  |
| 711  |      |

# MATERIAL

|         |           |         |
|---------|-----------|---------|
| basalt  | firm      |         |
| basalt  | fractured |         |
| basalt  | broken    | cinders |
| "       | firm      |         |
| cinders |           |         |
| basalt  | hard      |         |
| "       | firm      |         |
| "       | hard      |         |
| basalt  | broken    | cinders |
| "       | firm      |         |
| "       | "         | hard    |
| basalt  | broken    | cinders |
| silt    | lt. brown |         |
| basalt  | firm      | broken  |

# WATER

Yes Or No

yes  
yes  
yes

yes

yes

yes



R. Keith Higginson  
Director

Water Rights Administration  
Water Resource Investigations  
Dam and Reservoir Safety  
Water Well Drilling  
Flood Plain Management  
Irrigation and  
Flood Control Districts

**STATE OF IDAHO**  
**DEPARTMENT OF WATER ADMINISTRATION**

Statehouse — Annex 2  
Boise, Idaho 83707  
(208) 384-2215

February 3, 1971


Re: Permit No. 35-7062

Laverl & Darrell Gray  
Route 5  
Idaho Falls, Idaho 83401

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit 35-7062 has lapsed.

You are further advised that the Department cannot reinstate the permit except upon a showing of reasonable cause within sixty days from the date of this notice of lapsing.

  
R. KEITH HIGGINSON  
Director

RKH:DR

35 7062

# INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and  
address where delivered

☐ Deliver ONLY  
to addressee

*(Additional charges required for these services)*

## RECEIPT

*Received the numbered article described below.*

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

22377

INSURED NO.

DATE DELIVERED

SHOW WHERE DELIVERED *(only if requested)*

12-2-70

35-7062

POST OFFICE DEPARTMENT  
OFFICIAL BUSINESS



PERMIT FOR PRIVATE USE TO AVOID  
PAYMENT OF POSTAGE \$300

POSTMARK OF  
MAIL DELIVERING OFFICE



RETURN  
TO

INSTRUCTIONS: Show name and address below and  
complete instructions on other side, where applicable.  
Moisten gummed ends, attach and hold firmly to back  
of article. Print on front of article **RETURN**  
**RECEIPT REQUESTED.**

NAME OF SENDER

STREET AND NO. OR P.O. BOX

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83707

POST OFFICE, STATE, AND ZIP CODE

35 7062

December 1, 1970

Re: Permit No. 35-7062


Laverl & Darrell Gray  
Route 5  
Idaho Falls, Idaho 83401

Gentlemen:

One of the conditions of the approval of your Permit No. 35-7062 was that proof of application of the water to beneficial use be submitted to this office on or before February 1, 1971.

Enclosed is an affidavit form which must be used to submit proof of beneficial use. You may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended.

Either the proof affidavit or a request for extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

  
\_\_\_\_\_  
Director

Enc: Proof affidavit  
dr

CERTIFIED MAIL

#22377

35 7062

REPORT OF WELL DRILLER  
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name Laverl Gray & Darrel Gray

Address Route # 5  
Idaho Falls, Idaho 83401

Owner's Permit No.         

NATURE OF WORK (check): Replacement well ☐  
New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: Irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒  
Dug ☐ Other          (explain)

CASING SCHEDULE: Threaded ☐ Welded ☒  
20 "Diam. from          + 2 ft. to 21 ft.  
"Diam. from          ft. to          ft.  
"Diam. from          ft. to          ft.  
"Diam. from          ft. to          ft.  
Thickness of casing: .288 Material:  
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)  
PERFORATED? Yes ☐ No ☒ Type of  
perforator used:         

Size of perforations:          " by          "  
perforations from          ft. to          ft.  
perforations from          ft. to          ft.  
perforations from          ft. to          ft.  
perforations from          ft. to          ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒


Manufacturer's name           
Type          Model No.           
Diam.          Slot size          Set from          ft. to          ft.  
Diam.          Slot size          Set from          ft. to          ft.

CONSTRUCTION: Well gravel packed? Yes ☐  
No. ☒ size of gravel          Gravel  
placed from          ft. to          ft. Surface seal  
provided? Yes ☒ No ☐ To what depth?  
21 ft. Material used in seal: CEMENT

Did any strata contain unusable water? Yes ☐  
No. ☒ Type of water: Cement  
Depth of strata          ft. Method of sealing  
strata off:         

Surface casing used? Yes ☒ No. ☐  
Cemented in place? Yes ☒ No ☐

Locate well in section



LOCATION OF WELL: County Bonneville  
E. 1/4 N.E. 1/4 Sec. 10 T. 3 N. 4 S. R. 36 E. 1 B.M.

Size of drilled hole: 20" Total  
depth of well: 715' Standing water  
level below ground: 528' Temp.  
Fahr.          ° Test delivery:          gpm  
or          cfs Pump? ☐ Bail ☐  
Size of pump and motor used to make test:         

Length of time of test:          Hrs.          Min.  
Drawdown:          ft. Artesian pressure: ft.  
above land surface          Give flow          cfs  
or          gpm. Shutoff pressure:  
Controlled by: Valve ☐ Cap ☐ Plug ☐  
No control ☐ Does well leak around casing?  
Yes ☐ No ☐

| DEPTH |      | MATERIAL                     | WATER<br>YES OR NO |
|-------|------|------------------------------|--------------------|
| FROM  | TO   |                              |                    |
| FEET  | FEET |                              |                    |
| 0     | 8    | xxxxx top soil               |                    |
| 8     | 18   | Basalt                       |                    |
| 18    | 50   | " broken                     |                    |
| 50    | 63   | Cinders lost cuttings caving |                    |
| 63    | 82   | Basalt                       |                    |
| 82    | 95   | Basalt broken                |                    |
| 95    | 111  | " fractured                  |                    |
| 111   | 115  | Cinders                      |                    |
| 115   | 123  | basalt fractured             |                    |
| 123   | 130  | cinders                      |                    |
| 130   | 140  | cinders broken basalt        |                    |
| 140   | 162  | basalt fractured             |                    |
| 162   | 169  | basalt broken                |                    |
| 169   | 173  | basalt broken cinders        |                    |
| 173   | 180  | " fractured hard             |                    |
| 180   | 185  | basalt hard                  |                    |
| 185   | 191  | basalt broken                |                    |
| 191   | 212  | basalt broken cinders        |                    |
| 212   | 225  | " very hard                  |                    |
| 225   | 228  | " " " fractured              |                    |
| 228   | 235  | cinders black caving         |                    |
| 235   | 355  | cinders red caving           |                    |
| 355   | 358  | cinders basalt broken        |                    |
| 360   | 413  | basalt very hard             |                    |
| 413   | 415  | " broken hard                |                    |
| 415   | 420  | Cinders                      |                    |
| 420   | 432  | "                            |                    |
| 432   | 435  | basalt                       |                    |
| 435   | 442  | basalt hard                  |                    |
| 442   | 445  | cinders caving               |                    |
| 445   | 454  | basalt hard                  |                    |
| 454   | 458  | cinders                      |                    |
| 458   | 485  | Basalt hard                  |                    |
| 485   | 522  | Basalt firm                  |                    |
| 522   | 533  | basalt broken lost cuttings  | yes                |
| 533   | 540  | basalt fractured             | yes                |
| 540   | 582  | " firm                       |                    |
| 582   | 590  | " hard fractured             | yes                |

Work started: September 4, 1968

Work finished: January 29, 1969

Well Driller's Statement: This well was  
drilled under my supervision and this report  
is true to the best of my knowledge.

Name: Andrew Well Drilling Contractors

Address: 1268 E. 17th Street, Idaho Falls, Idaho

Signed by: Howard F. Andrews

License No. 5 Date: Feb. 19, 1969

Use other side for additional remarks

35

35-7062  
over

| <u>FROM</u> | <u>TO</u> | <u>MATERIAL</u>       | <u>WATER</u> |
|-------------|-----------|-----------------------|--------------|
| Feet        | Feet      |                       | Yes Or No    |
| 590         | 603       | basalt firm           |              |
| 603         | 612       | basalt fractured      | yes          |
| 612         | 619       | basalt broken cinders | yes          |
| 619         | 628       | " firm                |              |
| 628         | 638       | cinders               | yes          |
| 638         | 642       | basalt hard           |              |
| 642         | 660       | " firm                |              |
| 660         | 668       | " hard                |              |
| 668         | 680       | basalt broken cinders | yes          |
| 680         | 700       | " firm                |              |
| 700         | 703       | " " hard              |              |
| 703         | 707       | basalt broken cinders | yes          |
| 707         | 711       | silt lt. brown        |              |
| 711         | 715       | basalt firm broken    | yes          |

35-7062

**January 13, 1969**

**Re: Permit No. 35-7062**

**Laverl & Darrell Gray  
Route 5  
Idaho Falls, Idaho 83401**

**Dear Mr. & Mrs. Gray:**

We enclose a copy of your approved application for permit 35-7062  
in which we direct your attention to the limitations and conditions as given  
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant  
State Reclamation Engineer

**CSA:kh**

**Enclosures: Copy of application  
Receipt No. 2394 for \$45.  
2 informational letters**

*35-7062*

November 21, 1968

Re: Application No. 35-7062  
Laverl & Darrell Gray

Post Register  
Idaho Falls,  
Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

-----  
Signature of claimant

Very truly yours,

Donald W. McEldowney  
Appropriation Examiner

DWM:ks  
enclosure: legal notice

35-7062

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Laverl and Darrell Gray, Route #5, Idaho Falls, Idaho

have  
has on November 5, 1968

applied for permit under application No. 35-7062 to divert ~~1177~~

6.0 cubic feet per second ~~add test~~ of water from a ground  
water source

Water will be diverted by a well,  
pump, pipeline

within the NE 1/4,  
sec. 10, T. 3 N, R. 36 E, B.M., Bonneville County

and is to be used from May 1 to September 30 for  
irrigation

in the E 1/2, sec. 10, T. 3 N, R. 36 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON  
State Reclamation Engineer

Published in the Post Register, Idaho Falls, Idaho,

on November 28 and December 5, 1968.

35-7062