


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William Albert Ray.
(Applicant)

35-7037

RECEIVED

OCT 11 1968

Department of Reclamation

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss.


I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 26th day of September, 1968, last publication having been made on the 3rd day of October, 1968, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 10th day of October, 1968

E. F. McDermott
Karl S. Hale
Notary Public

My commission expires April 5th, 1971



35-7037

G-2



NOT TO SCALE

August 1, 1973

CERTIFIED MAIL

#24688

Re: Permit No. 35-7037


William Albert Ray
Route #5, Box 298
Idaho Falls, Idaho 83401

Dear Mr. Ray:

One of the conditions of approval of your water Permit No. 35-7037 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

35 7037



Snake River Equipment Company

Exhibit A

00698

of Idaho Falls, Idaho
McCormick Tractors and Machines • International Motor Trucks
IDAHO FALLS • RIRIE • TERRETON
IDAHO

RECEIVED

ACCOUNT OF:
Rm A. Fay
Route #3
Idaho Falls, Idaho

SHIP TO:
Same

SEP 3 1968

Department of Reclamation

HOW SHIP		WHEN SHIP	TERMS	DATE	
Deliver & install			Per contract	March 25, 1966	
QUANTITY	SHIPPED	B.O.	DESCRIPTION	CODE	AMOUNT
880'			12" heavy wall 8# wrap steel pipe.		
1760'			10" heavy wall 8# wrap steel pipe.		
3080'			8" heavy wall 2# wrap steel pipe.		
540'			6" heavy wall 6# wrap steel pipe.		
1			6" expansion joint.		
1			12x12x6 steel discharge eye.		
1			12x10 steel reducer.		
1			10x6 steel reducer.		
2			8x6 steel reducer.		
92			(ext) VR-4480 A&M riser valves w/ 18" stubs.		
12			4"x1200' A&M lateral lines complete w/ CH44347 couplers, center risers, bases, 1x18 risers, R.B. sprinklers, HP-40 end plugs and VO-4431 valve opener elbows.		
1			Pearlone deep well turbine pump complete to consist of:		
			10" cone strainer, bowl assembly, 440' of 10"x3"x1-15/16" oil lube column assembly (20' sec.) 12x12x20 cast iron discharge head w/ manual oiler and 400 HP 3/80/440/1800 BPH Code "D" V.H.S. motor.		
1			350 HP 440 volt panel w/ Westinghouse undervoltage relay, lightning arrester, time clock and H.O.A. selector.		
4			4"x52' offsets w/ elbows.		
1			10" swing check valve.		
			Install pump, wiring, trenching, welding, backfill		
				TOTAL	

35-7037

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7037 Priority Sept. 3, 1968 Amount 4.44 cfs

THIS IS TO CERTIFY, that WILLIAM ALBERT RAY
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7037 issued pursuant to Application for Permit dated September 3, 1968,
and has submitted proof to the Department of Water Resources on August 28, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.45 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>June 1</u> to <u>Sept. 10</u>	at <u>4.44</u> cfs and	<u>888 acre feet or</u> <u>3.5 af per acre</u>
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 4.44 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
888 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 18,
Twp. 3 N, Rge. 36 E, B.M. in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	36 E	7									39	39							78
		18					39	39	39	40	40	39							236

Total number of acres irrigated 314

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of
February, 19 75.

MIC

Director

Identification No. 35-7037
Application No. 42803

LICENSE ISSUED FOR 4.44 SEC. FT.
L.S.P.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant William Albert Ray
post office address Route #5, Box 298, Idaho Falls, Idaho
2. Source of water supply underground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 18 Township 3 North
Range 36 E. B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 4.44 ^{cfs} for irrigation purpose from June 1 to Sept. 10 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 4.44 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Pump and sprinkler irrigation.

b. Height of storage dam -- feet, active reservoir capacity -- acre feet; total reservoir
capacity -- acre feet, materials used in storage dam: --
Period of year during which storage will occur -- to -- inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 20 inches; proposed depth of well is 500 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
The well the subject of this application is completed and has been continually used
since June 1, 1966. 5 years
~~XXXXXX~~
b. Estimated construction cost is \$ 55,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

35-7037

[illegible]

c. Describe any other water rights used for the same purposes

a. Who owns the property at the point of diversion

b. Who owns the land to be irrigated or place of use

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing


a. Who owns the property at the point of diversion _____ Applicant

b. Who owns the land to be irrigated or place of use _____ Applicant

10. Remarks

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William Albert Ray
(Applicant)

35-7037

Received by df Date 9-3-68 Time 8:14
Preliminary check by Dell Fee \$ 400.00 9-3-68
Received by df Date 9-4-68
Publication prepared by SL Date 9-13-68
Published in East Register
Publication dates 9-26 & 10-3-68
Publication approved SL Date 9-13-68
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by SL Dell

ACTION OF STATE RECLAMATION ENGINEER

APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7037, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1973.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 23 rd day of October 19 68.

R. Keith Higgins
State Reclamation Engineer

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss.


I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 26th day of September, 1968, last publication having been made on the 3rd day of October, 1968, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 10th day of October, 1968

[Signature]
Notary Public

My commission expires April 5th, 1971



35-7037

The Post-Register

EAST IDAHO'S HOME PAPER

333 NORTHGATE MILE

IDAHO FALLS, IDAHO
83401

DIAL 522-1800

- State of Idaho
Department of Reclamation
Statehouse, Annex 2
Boise, Idaho 83707

TEAR OFF THIS SLIP AND ENCLOSE WITH CHECK TO ASSURE PROPER CREDIT BEING GIVEN.
YOUR CANCELLED CHECK WHEN RETURNED BY YOUR BANK IS A VALID RECEIPT.

\$ _____

DATE	INCHES - LINES	WORDS	DAYS	CHARGES	✓	CREDITS	BALANCE
				BALANCE FORWARD			
Sep 26, 68		Legal, Notice of Application for Water. Published September 26 and October 3, 1968.		5.50			5.50
I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid. THE POST-REGISTER <i>Karl G. Hale</i> Karl G. Hale, Accountant							
35-7037							

EXPLANATION OF SYMBOLS:

DS DISPLAY ADV.
EC ENGRAVED CUTS

CL CLASSIFIED ADV.
CS CASH

LG LEGAL ADV.
AJ ADJUSTMENT

SP SPECIAL ADV.
RE RE-ORDER (CLASSIFIED ADV.)

EAST IDAHO'S HOME PAPER

333 NORTHGATE MILE

IDAHO FALLS, IDAHO
83401

DIAL 522-1800

State of Idaho
Department of Reclamation
Statehouse, Annex 2
Boise, Idaho 83707

TEAR OFF THIS SLIP AND ENCLOSE WITH CHECK TO ASSURE PROPER CREDIT BEING GIVEN.
YOUR CANCELLED CHECK WHEN RETURNED BY YOUR BANK IS A VALID RECEIPT.

\$

DATE	INCHES - LINES	WORDS	DAYS	CHARGES	✓	CREDITS	BALANCE
				BALANCE FORWARD			
Sep 26, 68		Legal, Notice of Application for Water. Published September 26 and October 3, 1968.		5.50			5.50
I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid. THE POST-REGISTER <i>Karl G. Hale</i> Karl G. Hale, Accountant							
35-7037							

EXPLANATION OF SYMBOLS:

DS DISPLAY ADV.

EC ENGRAVED CUTS

CL CLASSIFIED ADV.

CS CASH

LG LEGAL ADV.

AJ ADJUSTMENT

SP SPECIAL ADV.

RE RE-ORDER (CLASSIFIED ADV.)

C February 25, 1975

O Re: Permit No. 35-7037

P William Albert Ray
Route 5, Box 111
Idaho Falls, Idaho 83401

Dear Mr. Ray:

Y Enclosed herewith is a copy of the water license issued on the above referenced permitt.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosure

MAILED

February 10, 1975

William Albert Ray
Route 5, Box 111
Idaho Falls, Idaho 83401

Dear Mr. Ray:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7037 and has found the following:

Quantity of water diverted: 4.45 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 4.44 cfs

The maximum quantity diverted shall not exceed 833 acre feet per year.

Beneficial use: For irrigation of 314 acres within the W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 7; NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 18;; All in Twp. 3N, Rge. 36E

Point of diversion: NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 18, Twp. 3N, Rge. 36E, B.M.

Priority date established: September 3, 1968

If you do not concur with these findings, please advise us within 10 days; otherwise a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jrr

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

RECEIVED

SEP 7 1973

1. Name of permit holder William Albert Ray

Post office address Route #5, Box 111, Idaho Falls, Idaho 83401

Person to contact _____

Department of Water Administration
Eastern District Office
Phone 523-0292

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 4.44 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from June 1 to Sept. 10
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 35-7037
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 4.44 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 3 N N/S, Range 36 E E/W, B.M., Section 18, Subdivision NE $\frac{1}{4}$ NW $\frac{1}{4}$, Bonneville
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: _____

Description of diverting works: Deep well turbine pump w/400 hp electric motor, 10" column pipe
size, 20" well.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	36 E	7									40	40							80
		18					40	40	40	40	40	40							240

MICROFILMED

TOTAL ACREAGE

320

39

39

39 D-Pump

39 39*

39 40

39 40

7

8

Hand-drawn map titled "Top View" showing a road intersection and property boundaries. A vertical road on the left is labeled "County Rd" and has section numbers "12" and "13" on its left side. A horizontal road crossing it is labeled "County Rd". A distance of "1320'" is marked between the vertical road and a vertical dashed line. To the right of the dashed line is an "FOF" (Farm Office Facility) area with a "Pump" indicated. Further right is an "NW 1/4 corner" marked with an "X". The map is labeled "R35E" on the left and "R36E" at the top. The title "Top View" is at the top right.

g-2

2 7

7 8

← County Rd. →

Well

7 8
18 17

2 7
18

County Rd

D21-
2
D22

Transferred To Jackson County

13 18
24 16

18 17

NOT TO SCALE

DATE OF EXAM June 24, 1974

ACREAGE
Found 314
Recommended 314

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 4.44 c.f.s. V = 1099 AF/Ann. from June 1 to Sept 10
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ☒

Name source exchanged with: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: N.A.
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 4.45 cfs Method of measurement In Line Meter

Total Q recommended 4.44 cfs Meter No. 73-12-140 Type McCrom Condition Good

Total V recommended 1099 Af/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:
 $Q = 12'' \text{ McCrometer Measured } 2000 \text{ g/min}$
 4.45 cfs
 $V = 3.5 \times 314 \text{ Ac} = 1099 \text{ Af/Ann}$

SYSTEM DESCRIPTION: 400 Hp U.S. MOTORS Ser #1280573
Peerless Pump Ser #210822
12" discharge West 20' To Burried MAIN Running N-S
12 1/4 mile Laterals 5/32" NOZ.

REMARKS: No rep. of permit Holder present during exam.

Examiner's Signature William Rhoads Date June 25, 1974
Checked by Loren O. Halver Date Jan 22, 1975
Approved by _____ Date _____

September 5, 1973

Re: Permit No. 35-7037

**William Albert Ray
Route #5, Box 111
Kiaho Falls, Kaho 83401**

Dear Mr. Ray:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office at 1515 Lincoln Road, Kiaho Falls, Kaho.

Sincerely,

**D. Darlene Reich
Water Rights Supervisor**

DDR:JC

35 7037

Identification No. 35-7037

Permit No. 35-7037

RECEIVED

AUG 28 1973

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder William Albert Ray
 b) Post Office Address Route 5 Box 111 Idaho Falls, Idaho 83401
2. Permit Number 35-7037
3. Date of Priority that you are prepared to establish June 1, 1966
4. a) Source from which water was appropriated Irrigation well
 b) Location of the point of diversion: NE 1/4 NW 1/4, Section 18
 Township 3 North, Range 36E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
 amount 4.44 cfs. for Irrigation purposes from June 1 to Sept 10 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated 4.44 cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Snake River Equipment Co.
- orifice on discharge pipe
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) deep well turbine pump 8/400 HP electric motor, 10" column pipe size, 20" well
 b) Describe the type and size of measuring device which you have installed at your point of diversion: 10" MCrometer magnetic drive meter
 c) Give well drillers name and address and date the well was completed Frandsen Bros.
Blackfoot, Idaho Route #4 June 1, 1966

Exam typed 9/4/73 by jo

35-7037

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	36E	7										X	X						
3N	36E	18					X	X	X	X	X	X							

Total number of acres irrigated _____

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

 (Date) William A. Ray
 (Signature)

State of Idaho
 County of Bannock

On this 12 day of August, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

[Signature]
 Notary Public residing at _____

My commission expires 7/1/76

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☒ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

INSURED NO.

DATE DELIVERED

1

2

3


Ingrid Ray
William Albert Ray

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

SHOW WHERE DELIVERED (*only if requested*)

35 7037

**POST OFFICE DEPARTMENT
OFFICIAL BUSINESS**



POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION

STATE OF IDAHO ANNEX #2

BOISE, IDAHO 83701

3.5 7037

35-10-71548-12

POD 7-27-73 3:21 PM 1969

August 1, 1973

CERTIFIED MAIL

#24688

Re: Permit No. 35-7037

William Albert Ray
Route #5, Box 298
Idaho Falls, Idaho 83401

Dear Mr. Ray:

One of the conditions of approval of your water Permit No. 35-7037 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before October 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

Enc: Proof affidavit

35 7037

October 28, 1968

Re: Permit No. 35-7037 - William Albert Ray

Mr. William Albert Ray
Route 5, Box 298
Idaho Falls, Idaho 83401

Dear Mr. Ray:

We enclose a copy of your approved application for permit 35-7037
in which we direct your attention to the limitations and conditions as given
on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

Enclosures: Copy of application
Receipt No. 2010 for \$40.00
2 informational letters

35-7037

October 14, 1968

Re: Application No. 35-7037

William Albert Ray
Route #5, Box 298
Idaho Falls, Idaho

Dear Mr. Ray:

Returned herewith is the claim to a water right you filed with your application for a permit. It is not necessary to file both forms so the Department has processed your application and is returning your claim.

At the present time the Department of Reclamation is reviewing your application for permit and you should be advised within the next few days as to the status of the application.

If you have further questions, contact us immediately.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: Claim

35-7037

September 13, 1968

Re: Application No. 35-7037 - William Albert Ray

The Post Register
Idaho Falls,
Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriations Examiner

DWM:kh

Enclosure

35-7037

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that William Albert Ray, Route 5 Box 298, Idaho
Falls, Idaho has on September 3, 1968
applied for permit under application No. 35-7037 to divert ~~store~~
4.44 cubic feet per second ~~acre feet~~ of water from a subterranean
source. Water will be diverted by well,
pump and sprinkler within the NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 18, Twp. 3 N., Rge. 36 E., B.M. in Bonneville County
and is to be used from June 1 to September 10 for
irrigation
in the W $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 7; NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$ Sec. 18, Twp. 3 N., Rge. 36 E., B.M.
.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the The Post Register
on September 26th and October 3rd
September 26th.

35-7037

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE - ANNEX 2
BOISE, IDAHO 83707

August 23, 1968

RECEIVED

SEP 3 1968

Re: Claim to a Water Right and Application for Permit
William Albert Ray

Department of Reclamation

George C. Petersen, Jr.
Petersen, Moss & Olsen, Attorney at Law
485 East Street
Idaho Falls, Idaho 83401

Dear Mr. Petersen:

We are returning Mr. Ray's application to appropriate the public waters of the State of Idaho and his claim to a water right. Also returned is your firm's check in the amount of \$20.00.

Before we accept and process the papers which you have submitted we feel that you should be aware of the Supreme Court Decision No. 10006 of the State of Idaho in the case of the State of Idaho ex rel Carl E. Tappan, State Reclamation Engineer, plaintiff vs Clyde E. Smith and Bonnie Smith, defendants, filed on July 23, 1968.


Among the many other extremely important points of water law established in this Supreme Court Decision was the fact that since March 25, 1963, the State of Idaho has been under a mandatory permit system. It further establishes that any ground water appropriation developed and used without the benefit of a State Water Permit are without priority until such time as an application for permit is filed with the Department of Reclamation.

With this decision it leaves little question as to the value of the claim to a water right on a subterranean source of June 1, 1966. Therefore, we are wondering if you still wish to file a claim to a water right. If not, you may return the application for permit with a check in the amount of \$40.00, the required filing fee for an application of 4.44 cubic feet per second.

As you can see, the Supreme Court Decision has drastically effected the concept of ground water appropriations in the State. We are now in the process of contacting every individual who has filed a claim to a water right in connection with ground water which was developed after March 25, 1963. We will advise the claimants as to the decision and insist that applications be filed in order to operate the wells.

If we may assist you in any manner in the future, please contact us.

Very truly yours,


Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: check for \$20.00
application for permit and claim to a water right
application for permit form

35-7037

August 23, 1968

Re: Claim to a Water Right and Application for Permit
William Albert Ray

George C. Petersen, Jr.
Petersen, Moss & Olsen, Attorney at Law
485 East Street
Idaho Falls, Idaho 83401

Dear Mr. Petersen:

We are returning Mr. Ray's application to appropriate the public waters of the State of Idaho and his claim to a water right. Also returned is your firm's check in the amount of \$20.00.

Before we accept and process the papers which you have submitted we feel that you should be aware of the Supreme Court Decision No. 10006 of the State of Idaho in the case of the State of Idaho ex rel Carl E. Tappan, State Reclamation Engineer, plaintiff vs Clyde E. Smith and Bonnie Smith, defendants, filed on July 23, 1968.

Among the many other extremely important points of water law established in this Supreme Court Decision was the fact that since March 25, 1963, the State of Idaho has been under a mandatory permit system. It further establishes that any ground water appropriation developed and used without the benefit of a State Water Permit ~~are~~ without priority until such time as an application for permit is filed with the Department of Reclamation.

With this decision it leaves little question as to the value of the claim to a water right on a subterranean source of June 1, 1966. Therefore, we are wondering if you still wish to file a claim to a water right. If not, you may return the application for permit with a check in the amount of \$40.00, the required filing fee for an application of 4.44 cubic feet per second.

As you can see, the Supreme Court Decision has drastically effected the concept of ground water appropriations in the State. We are now in the process of contacting every individual who has filed a claim to a water right in connection with ~~ground~~ water which was developed after March 25, 1963. We will advise the claimants as to the decision and insist that applications be filed in order to operate the wells.

If we may assist you in any manner in the future, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

enclosure: check for \$20.00

application for permit and claim to a water right
application for permit form

35-7037

RECEIVED RECEIVED
SEP 3 1968
AUG 15 1968
Department of Reclamation

REPORT OF WELL DRILLER

State of Idaho Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name William A. Ray

Address 2145 Blackfoot Idaho

Owner's Permit No. Idaho Falls Idaho

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: irrigation

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒

Aug ☐ Other ☐

(explain)

CASING SCHEDULE: Threaded ☐ Welded ☒

20 "Diam. from 1 ft. to 15 ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

"Diam. from ft. to ft.

Thickness of casing: 1/4" Material:

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☒ Type of

perforator used:

Size of perforations: " by "

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No. ☐ size of gravel Gravel

placed from ft. to ft. Surface seal

provided? Yes ☐ No ☐ To what depth?

 ft. Material used in seal:

Did any strata contain unusable water? Yes ☒

No. ☐ Type of water:

Depth of strata ft. Method of sealing

strata off:

Surface casing used? Yes ☒ No. ☐

Cemented in place? Yes ☐ No ☒

Locate well in section

LOCATION OF WELL: County

 Sec. T. N/S R. E/W

Use other side for additional remarks

please fill location of well in & permit no.

Size of drilled hole: 20" Total
depth of well: 500' Standing water
level below ground: 11.35' Temp.
Fahr. ° Test delivery: gpm
or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: Hrs. Min.

Drawdown: ft. Artesian pressure: ft.

above land surface Give flow cfs

or gpm. Shutoff pressure:

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
1	6	Clay	"
6	16	Black lava	"
16	35	Dark gray lava	"
35	46	Black lava	"
46	45	Dark gray lava	"
45	166	Dark gray lava	"
166	165	red lava & clay	"
165	126	red clay	"
126	136	gray clay	"
136	145	gray lava	"
145	186	red black gray lava	"
186	196	gray lava	"
196	210	red lava	"
210	256	Dark gray lava	"
256	255	gray lava	"
255	266	soft lava	"
266	265	clay	"
265	275	lava	"
275	310	gray lava hard	"
310	335	Black lava	"
335	346	Dark brown clay	"
346	385	Black lava	"
385	405	blue lava	"
405	475	Black lava 435 feet water	yes
475	475	soft black lava 7 feet water	"
475	500	" " " " " "	"

Work started: Aug. 9 1965

Work finished: Oct. 25 1965

Well Driller's Statement: This well was drilled under my supervision and this report is true to the best of my knowledge.

Name: Franklin Bros.

Address: 2145 Blackfoot Idaho

Signed by: Franklin Bros.

License No. 197 Date: Feb. Aug. 5 1965

35 7037

Snake River Equipment Company

of Idaho Falls, Idaho

McCormick Tractors and Machines • International Motor Trucks

IDAHO FALLS • RIRIE • TERRETON

IDAHO

ACCOUNT C/R:

Rt. A. 187

Route #3

Idaho Falls, Idaho

SHIP TO:

Same

3

HOW SHIP			WHEN SHIP	TERMS	DATE	
Deliver & install				Per contract	March 23, 1933	
QUANTITY	SHIPPED	B.O.	DESCRIPTION		CODE	AMOUNT
300'			12" heavy wall 8' wrap steel pipe.			
1700'			10" heavy wall 8' wrap steel pipe.			
3000'			8" heavy wall 8' wrap steel pipe.			
340'			6" heavy wall 8' wrap steel pipe.			
1			1" expansion joint.			
1			12x12x6 steel discharge eye.			
1			12x12 steel rollers.			
1			12x12 steel rollers.			
2			12x12 steel rollers.			
10			(300) W-4400 A-11 riser valves w/ 12" stems.			
12			4"x12"x30" A-11 lateral lines complete w/ W-4400 couplers, center risers, boxes, 12x12 risers, R.S. aprons, W-4400 end plugs and W-4401 valve opener offsets.			
1			Pearlman deep well turbine pump complete to consist of: 10" cone stirrer, bowl assembly, 440' of 10"x12"x1-15/16" oil line column assembly (20' max.) 12x12x30 cast iron discharge head w/ barrel oiler and 400 HP 3/60/440/1500 RPM 6040 "D" V.L.S. motor.			
1			300 HP 440 volt panel w/ testinghouse undervoltage relay, lightning arrester, time clock and H.O.A. collector.			
4			4"x12" offsets w/ offsets.			
1			10" swing check valve.			
			Install pump, wiring, trenching, welding, backfill			
					TOTAL	

35-7037

35-7037

PETERSEN, MOSS & OLSEN
ATTORNEYS AT LAW
485 "E" STREET
IDAHO FALLS, IDAHO 83401

GEORGE C. PETERSEN, JR.
REED L. MOSS
DENNIS M. OLSEN
WINSTON V. BEARD

August 14, 1968

TELEPHONE
RECEIVED
AUG 15 1968

Department of Reclamation
State House
Boise, Idaho 83701

Department of Reclamation

Re: William Albert Ray Application for Permit to
Appropriate the Public Waters of the State of
Idaho, and Claim to a Water Right

Gentlemen:

Enclosed herewith please find Application for Permit to
Appropriate the Public Waters of the State of Idaho, and a Claim
to a Water Right filed on behalf of William Albert Ray, together
with our check in the amount of \$20.00 representing the \$10 fee
for each of the filings enclosed herewith.

The enclosed documents appear to be self-explanatory, and
thus I see no need to comment further on the enclosed documents
at this time.

As soon as your office has had an opportunity to review
said documents, and provided they meet with your approval, would
you please make the appropriate filing and recording by your office,
and return said recording information to this office at your earliest
convenience.

Your cooperation is greatly appreciated.

Yours very truly,

PETERSEN, MOSS & OLSEN


George C. Petersen, Jr.

GCP:fjs

Encls.

35-7037