


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chester Ahlen
(Applicant)

35-2019

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF BINGHAM

ss.

Loren Larsen being first duly sworn
on oath, states:

That *she* is the *Chief clerk*
of The Aberdeen Times, a newspaper of general circulation
in Bingham County, Idaho, published weekly at Aberdeen
in said County; that said newspaper has been published in
said County uninterruptedly and continuously for over
seventy-eight consecutive weeks, prior to the first publica-
tion of the annexed notice or advertisement:

That the annexed notice or advertisement was publish-
ed as per clipping attached in the regular and entire edition
of said newspaper and not in any supplement thereof for
2 successive weekly issues thereof, the date of the first

publication being the *25* day of *April*, 19*68*.
the date of last publication being the
..... *2* day of *May*, 19*68*

(Signed. *Loren Larsen*

Subscribed and sworn to before me this

2nd day of *May*, 19*68*
.....
Oliver D. Smith

Notary Public, residing at Aberdeen, Idaho.

My Commission expires the

(SEAL) *8th* day of *December*, 19*70*

LEGAL NOTICE

Published in the Aberdeen Times,
Aberdeen, Idaho on April 25 and
May 2, 1968.

NOTICE OF APPLICATION FOR
WATER.

Notice is hereby given that
Chester Wahlen, Sterling, Idaho
has on April 2, 1968 applied for
permit to divert 2.56 cubic feet
per second of water from a sub-
terranean source under applica-
tion No. 35-7019. Water will
be diverted by a well, pump,
motor, and sprinklers within the
NW 1/4 SE 1/4, sec. 22, T. 4
S.R. 31 E.B.M., Bingham County
and is to be used from April
20 to November 1 for irrigation in
the NW 1/4 SE 1/4, S 1/2 SE
1/4, sec. 22, T. 4 S.R. 31 E.B.M.

Any protest against this ap-
plication must be filed with the
Department of Reclamation with-
in ten days from the last date

OF PUBLICATION OF THIS
NOTICE.

R. KEITH HIGGINSON
State Reclamation Engineer

RECEIVED

MAY 3 1968

Department of Reclamation

35-7019

bill submitted 5-6-68

R 31 E

35-7019

T
4/
10





Diagram of System



I-6

6 15

22

14

15

14

22

25

3

6.1

F

5.9

C

9.7

B

10.8

A

10.5

F.35

G

6.5

B

8.9

I

4.4

J

2.2

K

1.4

L

6.6

N

12.0

M

3.5

10.0

0

A

1.6

B

14.7

C

5.1

H

8.2

F

2.3

E

3.6

6.0

HTF

B

2.0

A

7.3

F

2.2

48F

H

3.6

F

3.3

C

2.0

D

3.1

F

8.0

E

10.1

B

4.6

A

5.6

F-47

G

7.3

H

9.9

F

6.4

22

25

27

26

35-7019

22

27

R. 31 E.

35-7019





Diagram of System



16 15
21 22 14

22
27

15 14
22 23

22 23
27 26



35-7019

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 35-7019 Priority April 2, 1968 Amount 2.22 cfs

THIS IS TO CERTIFY, that CHESTER WAHLEN
of Sterling, Idaho, has complied with the terms and conditions of Permit
No. 35-7019 issued pursuant to Application for Permit dated April 2, 1968,
and has submitted proof to the Department of Water Administration on May 19, 1971,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 2.22 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 2.22 cfs for Irrigation from April 20 to Nov. 1 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 2.22 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 22, Twp. 4 S, Rge. 31 E, B. M.

in the county of Bingham; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 388.5 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4 S	31 E	22														36	37	38	111

Total number of acres irrigated 111

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 27 day of
November, 19 72.


Director

35-7019

The Committee on Water Rights

Identification No. 35-7019
Application No. 42425

MESSAGE ISSUED FOR 2.22.2019
LICENSE PAGE NO. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Chester Wahlen
post office address Sterling, Idaho
2. Source of water supply Well which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 4 South
Range 31 E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 1150 Gallons per Min cubic feet per second and/or
(allow 2.32 c.f.s.)
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
irrigation purpose from April 20 to Nov 1 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Sprinkler Applied Turbine pump
Electric Motor


b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 14 inches; proposed depth of well is 51 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 10,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

35-7019

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chester Ahlen
(Applicant)

35-7019

Received by 4-2-68 Date 4-2-68 Time 9:00 a
Preliminary check by RW Fee \$ 30.00
Received by 4-11-68 Date 4-11-68
Publication prepared by 4-11-68 Date 4-11-68
Published in Alta
Publication dates 4-25 68-2-68
Publication approved 4-25 68 Date 4-25 68
Priority reduced to _____ Reason _____
Protests filed by: 4-25 68
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by 4-25 68

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7019, and said application is hereby **APPROVED**.

APPROVED

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 73.
 - c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works. This permit is supplemental to all prior rights. Maximum rate of diversion shall not exceed 2.32 c.f.s.

2. Denial of said application is for the following reasons: _____

Witness my hand this 29 day of May, 19 68.

John A. Gammell
Deputy
State Reclamation Engineer

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
COUNTY OF BINGHAM

ss.

Karen Larsen being first duly sworn
on oath, states:

That *she* is the *Chief Clerk*
of The Aberdeen Times, a newspaper of general circulation
in Bingham County, Idaho, published weekly at Aberdeen
in said County; that said newspaper has been published in
said County uninterruptedly and continuously for over
seventy-eight consecutive weeks, prior to the first publica-
tion of the annexed notice or advertisement:

That the annexed notice or advertisement was publish-
ed as per clipping attached in the regular and entire edition
of said newspaper and not in any supplement thereof for

2 successive weekly issues thereof, the date of the first
publication being the *25* day of *April*, 19*68*.

the date of last publication being the
..... *2* day of *May*, 19*68*

(Signed. *Karen Larsen*.....

Subscribed and sworn to before me this

..... *2nd* day of *May*, 19*68*
..... *John D. H.*

Notary Public, residing at Aberdeen, Idaho.

My Commission expires the

(SEAL) *8th* day of *December*, 19*70*

LEGAL NOTICE

Published in the Aberdeen Times,
Aberdeen, Idaho on April 23 and
May 2, 1968.

NOTICE OF APPLICATION FOR WATER.

Notice is hereby given that
Chester Wahlen, Sterling, Idaho
has on April 2, 1968 applied for
permit to divert 2.35 cubic feet
per second of water from a sub-
terranean source under applica-
tion No. 35-7019. Water will
be diverted by a well, pump,
motor, and sprinklers within the
NW 1/4 SE 1/4, sec. 22, T. 4
S, R. 31 E, B.M., Bingham County
and is to be used from April
20 to November 15 following in
the NW 1/4 SE 1/4, S 1/4 SE
1/4, sec. 22, T. 4 S, R. 31 E, B.M.

Any protest against this ap-
plication must be filed with the
Department of Reclamation with-
in ten days from the last date

OF PUBLICATION OF THIS NOTICE.

R. KEITH HIGGINSON
State Reclamation Engineer

bill submitted 5-6-68

35-7019

May 14, 1973

Re: License No. 35-7019

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

Enclosed is a set of application and instruction forms for your use in applying for a permit to divert water from your well to irrigate the land in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 22, Twp. 4S, Rge. 31E, B. M.

Please complete the application as soon as possible and send it to our District Office in Idaho Falls.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:JC
Enc: Application for permit
& Instructions

35-7019

RE

MAY 14 1973

Sterling, Idaho
Department of Water Administration
May 11, 1973

State of Idaho
Dept of Water Administration
Bobby D. Fleenor
Asst Director

Dear Mr. Fleenor

I am writing to you in regards to your letter of Nov 15, 1972 concerning Water license for my farm.

My problem: I have rented forty acres from my neighbor the past five years and have pumped it from my well since 1968. He may sell the farm to me this year because relocation of highway #39 will take his home. Could you issue me a permit to irrigate this forty acres either on temporary or permanent basis separate from my own water license until we settle something permanently. I am enclosing your letter.

Sincerely yours

Chester Wahlen
Sterling, Idaho

35-7619

November 29, 1972

Re: Permit No. 35-7019

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

35-7019

November 15, 1972

Re: Permit No. 35-7019

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

We received your reply to our August 24, 1972, letter concerning the proposed water license under Permit No. 35-7019. In reviewing the findings of the field examiner, we find that we could issue a water license for this permit as follows:

Quantity: 2.22 cfs

Priority: April 2, 1968

The maximum quantity diverted shall not exceed 388.5 acre feet per year.

Beneficial use: Irrigation of 111 acres within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ (36), SW $\frac{1}{4}$ SE $\frac{1}{4}$ (37), SE $\frac{1}{4}$ SE $\frac{1}{4}$ (38), Sec. 22, Twp. 4 S, Rge. 31 E, B.M.

Point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, Twp. 4 S, Rge. 31 E, B.M.

We are concerned about your irrigation of the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 22 without the required permit. In 1963, Idaho's Legislature made the diversion of ground water, for irrigation purposes, illegal without a valid water permit. If there is no permit to irrigate that ground, you must discontinue its use until a permit is obtained.

Unless we hear from you within 10 days, a water license will be issued as set forth in this letter. If you have any questions regarding the above matters, please contact me.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

35-7019

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

August 24, 1972

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7019 and has found the following:

Quantity of water diverted: 2.22 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 2.22 cfs

The maximum quantity diverted shall not exceed 395.5 acre feet per year.

Beneficial use: Irrigation of 113 acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ (38), SW $\frac{1}{4}$ SE $\frac{1}{4}$ (37), SE $\frac{1}{4}$ SE $\frac{1}{4}$ (38), Sec. 22, Twp. 4 S, Rge. 31 E, B.M.

Point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, Twp. 4 S, Rge. 31 E, B.M.

Priority date established: April 2, 1968

The lands found being irrigated by our field examiner differ from those lands listed under your permit, therefore, it will be necessary for you to amend your permit before a license can be issued. We have enclosed a partially completed application for amendment for your use. Please sign the application and return it to this office within 10 days with a \$10.00 filing fee.

If you do not concur with these findings or have any questions, please contact us immediately.

Sincerely,


BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Amendment app.

The land in NE $\frac{1}{4}$ does not belong to me, But I'm renting it and using my sprinkling system. I sprinkle NW $\frac{1}{4}$ which I own making a total of 116 acres less road. right of ways.

35-7019

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

Permit No. 35-7019

Comes now **Chester Wahlen**

of (address)_____

Sterling, Idaho, and represents to the State Reclamation
Engineer of the State of Idaho:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 35-7019, and requests that the permit and permit map be changed as follows:

1. Point of diversion: $\frac{1}{4}$ $\frac{1}{4}$, Sec. , T. ,

R. _____, B.M. Other points of diversion _____

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

mo. - day

mo. - day

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)

3. Place of use or land to be irrigated:

[illegible]

Total number of acres to be irrigated

113

35-709

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

6.106-55

A blank sheet of graph paper featuring a uniform grid of squares. The grid consists of 10 columns and 10 rows, creating a total of 100 small square units. The lines are thin and black, set against a white background. There are no margins, text, or other markings on the page.

Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at _____, this _____ day of _____, 19____.

(signature)

ACTION OF STATE RECLAMATION ENGINEER

_____, State Reclamation Engineer of the State of Idaho,

hereby

Witness my hand this _____ day of _____, 19____.

State Reclamation Engineer

August 24, 1972

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7019 and has found the following:

Quantity of water diverted: 2.22 cfs

Amount of water that can be recognized as beneficially used under Idaho law: cfs

The maximum quantity diverted shall not exceed 395.5 acre feet per year.

Beneficial use: Irrigation of 113 acres within the NE $\frac{1}{4}$ SE $\frac{1}{4}$ (38), SW $\frac{1}{4}$ SE $\frac{1}{4}$ (37), SE $\frac{1}{4}$ SE $\frac{1}{4}$ (38), Sec. 22, Twp. 4S, Rge. 31E, B.M.

Point of diversion: NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 22, Twp. 4S, Rge. 31E, B.M.

Priority date established: April 2, 1968

The lands found being irrigated by our field examiner differ from those lands listed under your permit, therefore, it will be necessary for you to amend your permit before a license can be issued. We have enclosed a partially completed application for amendment for your use. Please sign the application and return it to this office within 10 days with a \$10.00 filing fee.

If you do not concur with these findings or have any questions, please contact us immediately.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enc: Amendment app.

bc: Eastern District Office

35-7019

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder CHESTER WAHLEN
Post office address Sterling, Idaho Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 2.32 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from April 20 to Nov. 1
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 35-7019
Examination for _____

4. Total amount to be appropriated:

Max Rate of Diversion 2.32 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 4 W N/S, Range 31 E E/W, B.M., Section 22, Subdivision NW $\frac{1}{4}$ SE $\frac{1}{4}$, Bingham
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, _____
County

Other Points of Diversions: 3 stage 12 R.M. Layne & Border, 60 HP motor, 14" casing,
48' deep, water applied to ground through sprinkler system

Description of diverting works: _____

Measuring device required: yes ☒ no ☐


6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4 S	31E	22														36	40	40	116

TOTAL ACREAGE

116

U.S. 60 HP Hydroshaft Pump Motor
 Serial # Not stamped
 Thorm Prot HP419081








LAIN & BOULET PUMP
 1150 GPM, Model 12RM
 SERIAL - D19840

16 revs @ 1000 gal/rev

$$\frac{6000 \text{ gal}}{6' 36.45 \text{ sec}} = 989 \text{ gpm}, \quad \frac{989 \text{ gpm}}{450 \text{ cfs}} = 2.22 \text{ cfs}$$

233-5588
 Lynn Thompson
 (Ranch)





Ch. star w. h. b.

DATE OF EXAM 6/15/72

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement MDIM Badger Meter
(stopwatch)

Total Q recommended _____ Meter No. _____ Type MDIM Condition Seemed New

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION: Badger MDIM 8" meter
6 revs @ 1000 gal/rev, 6000 gal = 989 gpm
6.07 sec
989 gpm = 2.22 cfs
450

SYSTEM DESCRIPTION: 5-1/2 mile lines were sprinkling - one line not sprinkling
Pump Motor - 60 HP US Halls shaft - Serial # Not stamped - Therm. prot-
11P 4119080, Pump - LAYNE & BOWLER - 1150 gpm, Model 12 RMA
Serial # D 19840, Mainline runs E-W from pump - Two laterals
run N of mainline + fur run S of mainline.

REMARKS: This examination is for measuring device only -
Determining one has been installed and properly
maintained - make a measurement of discharge
through installed measuring device
Meter Reading

Examiner's Signature E. M. Ramsey Date 6/15/72

Checked by _____ Date _____

Approved by _____ Date _____

35-709

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Chester Wahlen
Post office address Sterling, Idaho Phone
Person to contact Phone

2. Source of water supply: Groundwater [X] Surface water [] Well
(name spring, stream, etc.)
Tributary to

3. Water will be used for the following purposes:
Amount 2.32 c.f.s. for Irrigation
AF/Annum (nature of use)
Period of Use: from April 20 to Nov. 1
(mo.-day) inclusive (mo.-day)
Amount c.f.s. for
AF/Annum (nature of use)
Period of Use: from to
(mo.-day) inclusive (mo.-day)
Amount c.f.s. for
AF/Annum (nature of use)
Period of Use: from to
(mo.-day) inclusive (mo.-day)
Other uses:

Permit No. 35-7019
Examination for B/U

4. Total amount to be appropriated:
Max Rate of Diversion 2.32 cubic feet per second and annual volume AF/Annum.

5. Location of Point(s) of Diversion:
Township 4 S N/S, Range 31 E E/W, B.M., Section 22, Subdivision NW 1/4 SE 1/4, Bingham
County
Township N/S, Range E/W, B.M., Section, Subdivision 1/4 1/4,
County
Township N/S, Range E/W, B.M., Section, Subdivision 1/4 1/4,
County
Other Points of Diversions:

Description of diverting works: 3 stage 12 R.M. Layne & Border, 60 h.p. motor, 14" casing,
48 ft. deep, Water applied to ground through sprinkler system.

Measuring device required: yes [X] no []

6. Lands to be irrigated or place of use.

Table with 18 columns: TWP, RANGE, SEC., NE 1/4, NW 1/4, SW 1/4, SE 1/4, and TOTALS. Row 1 contains data for Township 4 S, Range 31 E, Section 22, with a total of 116 acres.

7.
4
5






Diagram of System





STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

July 2, 1971

RECEIVED
JUL 13 1971

Department of Water Administration

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

We are once again in receipt of your application for permit. We find in reviewing this application that it would appear to be in order.

However, the filing fee is \$145.00. We are returning your personal check #92-145 in the amount of \$80.00, so that you may submit the proper fee.

If you should have any questions in reference to this matter, please feel free to contact this Department.

Very truly yours,

Dorian Clay
Dorian Clay
Appropriation Examiner

DC:cm

Enc: check #92-145

Enclosed find Check for 145⁰⁰

*Thanks
Chet Wahlen*

*Also Would you inform Mr Mc Eldowney
that Badger water meter has been installed
on sec 22, 4 S, R 31 E
Thank you 35-7019*

DATE OF EXAM 13 July 71

ACREAGE
Found 113
Recommended 113

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 1.9 c.f.s. V = 395.5 AF/Ann. from April 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: Groundwater
tpw. 4 N/S Rge 31 E/W, B.M., Sec. 22, Sub. NW 1/4 SE 1/4 Bingham County

Exchange? yes _____ no X

Name source exchanged with: _____
tpw. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of injection:
tpw. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Point of exchange:
tpw. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County

Total Q measured 1.9 cfs Method of measurement P gauge

Total Q recommended 1.9 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 395.5 Ac Ft/Ac

Recommended Amendments:

P.D. _____
Place of Use Should probably read NESE instead of NWSE Sec 22
Other _____
None No meter installed

MEASUREMENT CALCULATION:

4 lines 1/4 @ 60 psi

$$(4)(32)(6.56)/450 = 1.9 \text{ cfs}$$

$$V = (3.5)(113) = 395.5$$

SYSTEM DESCRIPTION:

AS Motors Hollowshaft pump motor 60 HP 3 phase 60 cycle
230/460 Volts Ser # HP 4119081 1770 RPM
Vertiline pump Ser # 19840 100 ft
8" discharge to E/W mainline

REMARKS:

No measuring device installed

I was unable to talk to the owner but I believe the
report should read the NESE instead of NWSE for irrigated
land. The NESE could be irrigated but is presently just pasture

Examiner's Signature James Booker Date 13 July 71

Checked by _____ Date _____

Approved by _____ Date _____

35-7019

June 2, 1971

Re: Permit No. 35-7019

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

We have received a copy of the letter from Eugene L. Morris of Mel Brown Company stating that a Badger Water Meter will be installed on your well and, therefore, we acknowledge receipt of your affidavit submitted as proof of beneficial use for permit 35-7019. Our acceptance of the affidavit is dependent upon the installation of the measuring device within thirty days after the date of this letter.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

cc: Federal Land Bank Assn. of Blackfoot

35-7019

FEDERAL LAND BANK ASSOCIATION OF BLACKFOOT

P. O. BOX 72, 188 WEST JUDICIAL

BLACKFOOT, IDAHO 83221

TELEPHONE: 785-0820

Federal
LAND BANK
Association

BLAIR W. ARCHIBALD, MANAGER

May 27, 1971

Mr. Donald W. McEldowney
Appropriation Supervisor
State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: 143508-Chester Wahlen

Dear Mr. McEldowney:

In accordance with our telephone conversation and pursuant to your letter of May 24, 1971, to Mr. Chester Wahlen, we enclose herewith CLAIM TO A WATER RIGHT which has been executed by Mr. Wahlen in regards to his underground water right which has been established by use in Section 29, Township 6 South, Range 30 E.B.M. We also enclose photocopies of two Affidavits regarding this water right in Section 29. Also enclosed is the \$10.00 fee to pay for the necessary advertising.

7019
Regarding Permit #35-~~7091~~ which well is located in Section 22, Township 4 South, Range 31 E.B.M., we are enclosing a photocopy of a statement signed by Eugene L. Morris of Mel Brown Company in which he verified that he is going to install a Badger Water Meter on this well as soon as a meter can be obtained. It has been ordered out of Boise and we expect it to arrive the first of the week.

Our purpose in writing this letter is to see if we can get you to sign and return the form letter which we need here in the Federal Land Bank as evidence that you have acknowledged receipt of the affidavit so that we can proceed to disburse our loan funds to Mr. Wahlen.

Yours truly,

Blair W. Archibald
Blair W. Archibald
Manager



BWA:jm

Enclosures

35-7019

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

Dear Wateruser:

The Department of Water Administration approves the use of any standard device for which information is readily available. The type selected will depend upon the particular conditions at your diversion point. Any of the following standard types may be used:

Weirs

- a. rectangular
- b. cipolletti
- c. v-notch

Orifices

Flumes

- a. parshall flume
- b. trapezoidal flume

Commercial Types

- a. displacement or propeller meter
- b. cox flow meter or collins flow meter
- c. venturi meter
- d. deflection meter
- e. meter gates

Regardless of the type used the device must be properly installed to insure standard conditions. Other types may be approved upon written application to the Department stating the description of the device and how you intend to use it. If the device that you install is not a standard type, you should obtain an extra copy of the rating table for this office.

Very truly yours,

Bobby D. Fleenor

BOBBY D. FLEENOR
Assistant Director

BDF:kh

*Bridger Water Meter
propeller meter*

5-27-71 This is to verify that Mel Brown Co.
is going to install a Bridger water meter
(propeller meter) on the well on section
22 & 4 south R 31 E T 34N

*Mel Brown Co. -
by Eugene J. Morris*

35-7019

May 24, 1971

Re: Permit No. 35-7019

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

We are in receipt of your affidavit submitted as proof of beneficial use for the above referenced permit. However, in reviewing that affidavit, it appears that you have failed to install the measuring device as required by the conditions of approval of your permit and by Section 42-701 of the Idaho Code.

We cannot accept your proof and issue a license unless you have installed a measuring device of a type approved by this Department. We will hold your affidavit until you can supply us with information as to the type of measuring device installed. You should be aware that failure to install the device and supply information as to the type of device installed, may result in the loss of your permit.

We will withhold action regarding this permit until June 15, 1971. We are enclosing a list of the types of measuring devices approved by this office. If you have any questions, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR
Enclosure
cc: Federal Land Bank Assn. of Blackfoot

35-7019

Identification No. _____

Permit No. 35-7019

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder Chester Wahlen
 b) Post Office Address Sterling, Idaho
 2. Permit Number 357019
 3. Date of Priority that you are prepared to establish June 1968
 4. a) Source from which water was appropriated Well
 b) Location of the point of diversion: NW 1/4 SE 1/4, Section 22
4S Township, 31E Range, Boise Meridian, Other points of diversion: _____

5. a) The amount of water and use to which the water has been applied:
 amount 2.32 for irrigation purposes from April 1 to Nov 15 incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 amount _____ for _____ purposes from _____ to _____ incl.
 (cfs and/or acre feet per annum) (Month-Day) (Month-Day)
 b) Total amount appropriated ~~3.00~~ 3 acre ft. cfs and/or acre feet per annum
 c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measurement thru sprinkler system

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
 a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
 b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 3 stage 12 R. McIntosh & Borden 60 H.P. motor
14" casing, 48 ft deep, water applied to ground thru sprinkler system
 b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

c) Give well drillers name and address and date the well was completed Paul Vollmer
& sons - Aberdeen, Idaho

Exam typed 6-16-71. (CR)
 Exam for measuring device only
 Typed Jan. 20, 72. J
 C.S. 35-7019

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place

of use.

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivi-

Sign:

TWP.	RANGE	SEC.	NE1/4				NW1/4				NE1/4				NW1/4				SE1/4				SW1/4				TOTALS
45	3/E	22	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	SE1/4				
						</																					

10. Remarks:

Total number of acres irrigated.

The above information is a true statement of the extent to which the above numbered permit has been developed.

(Date)

16/8/1971

(Signature)

Chote Staller

State of Idaho
County of Bingham ss.

County of Bingham ss.

On this 18th day of MAY, 1971, personally appeared before me the
signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

~~Notary Public residing at Blackfoot, Idaho~~

My commission expires _____

14/4/8

FEDERAL LAND BANK ASSOCIATION OF BLACKFOOT

P. O. BOX 72, 188 WEST JUDICIAL

BLACKFOOT, IDAHO 83221

TELEPHONE: 785-0820

Federal
LAND BANK
Association

BLAIR W. ARCHIBALD, MANAGER

Delivered
May 18, 1971

Mr. Donald W. McEldowney
Appropriations Supervisor
Department of Water Administration
State of Idaho
Statehouse, Annex 2
Boise, Idaho 83707

re: Permit #35-7019

Dear Mr. McEldowney:

Enclosed herewith you will find Proof of Application of Water to Beneficial Use signed by Mr. Chester Wahlen. We would appreciate your acknowledging receipt of this document by your signing and returning to us your form letter (yellow paper used to acknowledge receipt of each Proof of Application of Water to Beneficial Use). Mr. Wahlen is most anxious to receive his loan funds and would appreciate your early attention to this matter.

Yours very truly,

Harry B. Gambles
Harry B. Gambles
Assistant Manager

HBG:tb
enclosure

35-7019



"OWNED BY FARMERS : FOR FARMERS"

May 17, 1971

Re: Permit No. 35-7019

Mr. Chester Wahlen
Sterling,
Idaho 83279

Dear Mr. Wahlen:

Pursuant to your request, please find enclosed the Department's form for submitting proof of beneficial use of water. If we may be of any assistance in this matter, please feel free to contact us at any time.

Very truly yours,

Donald W. McElldowney
Appropriation Supervisor

DWM:DR
Enc: B/U form

35-7019

April 15, 1971

Re: Permit No. 42425/35-7019 } - Chester Wahlen
License No. G-29558/35-2650 }
License No. G-23257/35-2279 }
License No. G-25393/35-2286 }
License No. G-25910/35-2433 }
License No. G-26124/35-2446 }
License No. G-26103/35-2443 }
License No. G-25452/35-2402 }

Federal Land Bank Association of Blackfoot
Post Office Box # 72
188 West Judicial Street
Blackfoot, Idaho 83221

ATTENTION: Harry B. Gambles, Assistant Manager

Dear Mr. Gambles:

Pursuant to your letter request of April 6, 1971, we wish to advise you as to the status of the two water rights in the name of Chester Wahlen.

Permit No. 42425/35-7019 has been approved for 2.32 cubic feet per second. The source of water supply is ground water. The point of diversion is located in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 22, Township 4 S, Range 31 E, B.M., Bingham County. This permit has been approved for irrigational purposes from April 20 to November 1.

Permit No. 29558/35-2650 is licensed in the amount of 5.84 cubic feet per second, with a priority of March 10, 1961, from a ground water source. The point of diversion is in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 20, Township 6 S, Range 30 E, B.M., Bingham County.

Also, per your request, please be advised of the following:

Permit No. G-23257/35-2279, in the name of Kenneth W. Marshall, is licensed for the amount of 2.56 cubic feet per second, with a priority of November 21, 1952. The source is ground water, with the point of diversion being in the Center of the NE $\frac{1}{4}$ of Section 15, Township 5 S, Range 30 E, B.M., Bingham County.

35-7019

Permit No. G-25393/35-2286, in the name of John Lewis, is licensed in the amount of 1.34 cubic feet per second with a priority of January 24, 1955. The source is ground water, with the point of diversion being in the SE $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 25, Township 14 S, Range 35 E, B. M., Oneida County.

Permit No. G-25910/35-2433, in the name of Victor Fehringer, is licensed in the amount of 2.24 cubic feet per second, with a priority of August 29, 1955. The source of water supply is ground water, for the purpose of irrigation and domestic use. The point of diversion lies within the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 22, Township 5 S, Range 30 E, B.M., Bingham County.

Permit No. G-26124/35-2446, in the name of Victor Fehringer, is licensed in the amount of 2.28 cubic feet per second, with a priority of December 27, 1955. The source of water supply is ground water and the use is for irrigational purposes. The point of diversion lies within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 22, Township 5 S, Range 30 E, B.M., Bingham County.

Permit No. G-26103/35-2443, in the name of Joseph Fehringer, is licensed in the amount of 2.42 cubic feet per second, with a priority of December 6, 1955. The source of water supply is ground water for irrigational purposes. The point of diversion lies within the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 22, Township 5 S, Range 30 E, B.M., Bingham County.

Permit No. G-25452/35-2402, in the name of Leo F. Fehringer, is licensed in the amount of 5.36 cubic feet per second with a priority of February 14, 1955. The source of water supply is ground water, with the point of diversion being in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 22, and the SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 23, both of Township 5 S, Range 30 E, B.M., Bingham County.

We hope that this information will be of assistance to you.

In the future, if you should have projects of this nature, please platt them on a map showing the points of diversion and places of use. This would assist us greatly in complying with your request.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:CM

35-7019

June 3, 1968

Re: Permit 35-7019

Mr. Chester Wahlen
Sterling, Idaho

Dear Mr. Wahlen:

We enclose a copy of your approved application for permit 35-7019 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:mjl

Enclosure: Copy of Application
Receipt No. 758 for \$30.00

35-7019

May 17, 1968

C
O
P
Y

Bingham Title & Trust Company
P. O. Box 591
Blackfoot, Idaho 83221

Gentlemen:

As requested by your office, our records of Chester Wahlen, Permits G29558 and 35-7019 have been marked. No transfers or amendments of these permits will be made without first notifying the Connecticut Mutual Life Insurance Company.

Hope this is satisfactory.

Very truly yours,

M. RUSSELL BOSCH
Administrative Assistant

MRB:mjl

35-7019

April 16, 1968

Re: Application No. 35-7019
Chester Wahlen

Aberdeen Times
Aberdeen,
Idaho 83201

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign this letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Chester Mahlon, Sterling, Idaho
has on April 22, 1968
applied for permit to divert ~~store~~ 2.56 cubic feet per second ~~acre feet~~
of water from a subterranean source
under application No. 35-7019. Water will be diverted by a well,
~~pump, motor, and sprinklers~~ within the NE 1/4, sec. 22, T. 4 N., R. 31
W., B.M., Bingham County
and is to be used from April 20 to November 1 for irrigation
in the NE 1/4, sec. 22, T. 4 N., R. 31 W., B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Aberdeen Times, Aberdeen, Idaho
on April 25 and May 2.

35-7019

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

April 2, 1968

RECEIVED

APR 8 1968

Department of Reclamation

Chester Wahlen
Sterling, Idaho 83279

Dear Mr. Wahlen:

Please excuse us for forgetting to enclose instructions with our letter of April 1, 1968. Please find them enclosed.

An application for permit takes about 6 weeks to process. We will do everything we can to have your permit approved as soon as possible.

We are holding your application pending payment of fees.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:DJ

Enc: Instruction sheet

Thanks —
Enclosed — Check for \$30.00

35-7019

April 2, 1968

Chester Wahlen
Sterling, Idaho 83279

Dear Mr. Wahlen:

Please excuse us for forgetting to enclose instructions with our letter of April 1, 1968. Please find them enclosed.

An application for permit takes about 6 weeks to process. We will do everything we can to have your permit approved as soon as possible.

We are holding your application pending payment of fees.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DJ

Enc: Instruction sheet

35-7019

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

April 1, 1968

RECEIVED
APR 2 1968
Department of Reclamation

Chester Wahlen
Sterling, Idaho 83279

Dear Mr. Walm:

We are returning your application to appropriate the public waters of the State of Idaho and your personal check in the amount of \$5.50.

Please be advised that the form and fee submitted for your application are no longer acceptable as of May 31, 1967. We are enclosing a current set of application forms and instructions.

You will note the instructions contain a fee schedule for your use in determining a proper filing fee.

Please contact us if we can be of further assistance.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:dj

Enc: Return \$5.50 personal check
Original application
App. form & Instructions

I received the application forms but no instructions # so I do not know the filing fee. Would you send the amount I owe and I will send a check by return mail. My loan company ~~is~~ holding up funds pending approval of this permit. Anything you can do to hurry this up will be greatly appreciated. Thank you.

A handwritten signature in cursive script, reading "Chester Wahlen Sterling, Idaho".

35-2019

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

April 1, 1968

RECEIVED
APR 2 1968
Department of Reclamation

Chester Wahlen
Sterling, Idaho 83279

Dear Mr. Walm:

We are returning your application to appropriate the public waters of the State of Idaho and your personal check in the amount of \$5.50.

Please be advised that the form and fee submitted for your application are no longer acceptable as of May 31, 1967. We are enclosing a current set of application forms and instructions.

You will note the instructions contain a fee schedule for your use in determining a proper filing fee.

Please contact us if we can be of further assistance.

Very truly yours,

A handwritten signature in cursive script, reading "Donald W. McEldowney".

Donald W. McEldowney
Appropriation Examiner

DWM:dj

Enc: Return \$5.50 personal check
Original application
App. form & Instructions

I received the application forms but no instructions # so I do not know the filing fee. Would you send the amount I owe and I will send a check by return mail. My loan company ~~is~~ holding up funds pending approval of this permit. Anything you can do to hurry this up will be greatly appreciated. Thank you.

A handwritten signature in cursive script, reading "Chester Wahlen Sterling, Idaho".

35-2019