


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

TOWNSHIP - 2 NORTH - RANGE 36 EBM



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, Idaho, this 5th day of June, 1969.
Allen J. Thiel
By: [Signature]
His Attorney

ACTION OF STATE RECLAMATION ENGINEER

I, JACK A. BARNETT, Deputy, State Reclamation Engineer of the State of Idaho, hereby approve the above application for amendment for permit no. 35-7002.

Witness my hand this 12th day of June, 19 69.

[Signature]
Deputy State Reclamation Engineer

b) Describe the type and size of measuring device which you have installed at your point of diversion: NONE YET INSTALLED

c) Give well drillers name and address and date the well was completed OCT, 1963
ANDREWS WELL DRILLING, IDAHO FALLS, IDAHO

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use None

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	36E	18	40	40	40	40	40		40	40	40								320

Total number of acres irrigated 320

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

SEPT 25, 1968
(Date)

Allen Thiel
(Signature)


State of IDAHO)
County of BONNEVILLE) ss.

On this 25th day of SEPTEMBER 1968, personally appeared before me the signer (s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Thomas C. White
Notary Public residing at Idaho Falls, Idaho

My commission expires Jan 16, 1969

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Allen J Thiel ✓
(Applicant)

35-7002

PROOF OF PUBLICATION

STATE OF IDAHO

County of Bonneville

} ss.

I Aden Hyde, first being duly sworn, depose and say that I am the ~~Printer/Foreman~~ principal clerk of the Idaho Falls Publishing Company, an Idaho corporation, Bonneville County, Idaho, being publishers of the Eastern Idaho Farmer, legal newspaper of general circulation, published weekly at Idaho Falls, Idaho, having been published continuously and uninterruptedly in conformity with the provisions of Section 60-106, of Idaho Code, for more than seventy-eight (78) weeks prior to the first publication of the legal notice hereinafter referred to.

That the notice, of which copy is hereto attached and made a part of this affidavit, was published in the Eastern Idaho Farmer for 2 consecutive weeks, first publication having been made on the tenth day of August, 19 67, last publication having been made on the seventeenth day of August, 19 67, and that notice was published in regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 17th day of August, 19 67

Maurine D. Freeman

Notary Public

Residing at: Idaho Falls, Idaho

My Commission Expires

, 19

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Allen J. Thiel has on July 28, 1967 applied for permit to divert 3.28 cubic feet per second of water from a subterranean source under application No. 35-7002. Water will be diverted by well and pump within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 2N, R. 36E, B.M. Bonneville County, and is to be used from May 1 to October 31 for irrigation in NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 2N, R. 36E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in The Eastern Idaho Farmer, Idaho Falls, Idaho, on August 10 and August 17, 1967.

*amount changed to 3.29 after
permit was advertised*

RECEIVED
AUG 21 1967
Department of Reclamation

35-7002

22

R. 36 E

Handwritten multiplication problem on grid paper:

$$\begin{array}{r}
 408 \\
 \times 39 \\
 \hline
 3672 \\
 12240 \\
 \hline
 15912
 \end{array}$$

119

159

40

218

QDD


~~$Q = 4.09$ measured~~
 ~~$Q = 3.92$ recommended~~

$\Rightarrow A = 318$ acre

$\Rightarrow Q = \cancel{3.92} \text{ CFS } 3.29 \text{ CFS}$

$$V = (3, 5)(318)$$

$V = 1113.0 \text{ OCE/sec}$
Priority July 28, 1967



State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 35-7002 Priority July 28, 1967 Amount 3.29 cfs

THIS IS TO CERTIFY, that ALLEN J. THIEL
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 35-7002 issued pursuant to Application for Permit dated July 28, 1967,
and has submitted proof to the Department of Water Administration on September 27, 1968,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 5.86 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 3.29 cfs for Irrigation from May 1 to Oct. 31 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 3.29 cfs of water be diverted at
any one time, said waters to be diverted within the _____

SE¹/₄SW¹/₄ Sec. 18, Twp. 2 N, Rge. 36 E, B.M.

in the county of Bonneville; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1,113 acre feet per year or _____
3.5 acre feet per acre.

Description and location of place of use:


TWP.	RANGE	SEC.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	
2N	36E	18	39	40	40	39	40		40	40		40							318

Total number of acres irrigated 318

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
September, 19 73.


Director

35 7002

Department of Reclamation

APPLICATION FOR AMENDMENT

3. Place of use or land to be irrigated:


[illegible]

~~320~~

35-7002

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

TOWNSHIP - 2 NORTH - RANGE 36 EBM



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, Idaho, this 5th day of June, 1969.
Allen J Thiel
By: [Signature]
His Attorney

ACTION OF STATE RECLAMATION ENGINEER

I, JACK A. BARNETT, Deputy, State Reclamation Engineer of the State of Idaho, hereby approve the above application for amendment for permit no. 35-7002.

Witness my hand this 12th day of June, 19 69.

[Signature]
Deputy State Reclamation Engineer

Identification No. 35-7002

Permit No. _____

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

SEP 27 1968

1. a) Name of Permit Holder ALLEN J. THIEL Department of Reclamation
b) Post Office Address ROUTE 4, BOX 226, IDAHO FALLS, IDAHO.
2. Permit Number 35-7002
3. Date of Priority that you are prepared to establish 7-28-67
4. a) Source from which water was appropriated WELL NE 1/4 of SW 1/4 of SEC 18, T2N2N, R9-36 EBM
b) Location of the point of diversion: SE 1/4 SW 1/4, Section 18,
Township 2 N, Range 36 EBM Boise Meridian. Other points of
diversion: BONNEVILLE COUNTY
5. a) The amount of water and use to which the water has been applied:
amount 3.29 cfs for IRRIGATION purposes from MAY 1 to OCT 31 incl.
(cfs and/or acre feet per annum) (Mo-Day) (Mo-Day)
amount N/A for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Mo-Day) (Mo-Day)
amount N/A for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Mo-Day) (Mo-Day)
b) Total amount appropriated 3.29 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made
and the qualifications of the person making the measurement: State water
engineer.
6. If the means of diversion and conveyance are owned by someone other than the Permit
Holder: CO-OWNER EUGENE F. THIEL
a) Give the name or description of the canal, ditch or other works by which the water is
conducted to the place of use: DEEP WELL WITH TURBINE PUMP
AND SPRINKLER SYSTEM
b) Describe the agreement or understanding by which you take water from the works: WRITTEN AGREEMENT DATED 28 JUNE 1968 - AND PRIOR
AGREEMENT DATED 16 JAN 67 - Citing percentage of USE & COST ON
WELL / PIPE.
7. a) Briefly describe the works for diverting and conveying the water to the place of use,
(If from a subterranean source, give the pump size, motor size, size of well casing,
depth of well; if from surface water, give brief description of diversion structure and/or
canal or ditch) PEERLESS DEEP WELL TURBINE PUMP 400hp 3/60/440-1800 RPM
V6S(US) MOTOR - depth of well 400 ft, WELL
CASING SIZE 22 inch

b) Describe the type and size of measuring device which you have installed at your point of diversion: NONE YET INSTALLED

c) Give well driller's name and address and date the well was completed: OCT, 1963
ANDREWS WELL DRILLING, IDAHO FALLS, IDAHO

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use None

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTAL
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	36E	18	40	40	40	40	40		40	40	40								320

Total number of acres irrigated 320

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

SEPT 25, 1968
(Date)

Allen Thiel
(Signature)

State of IDAHO)
County of BONNEVILLE) SS.

On this 25th day of SEPTEMBER 1968, personally appeared before me the signer (s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Thomas C. Whipple
Notary Public residing at Idaho Falls, Idaho

My commission expires Jan 16, 1969

Identification No. 35-7002

Application No. 41976

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

APPROVED

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Allen J. Thiel
post office address Route 5, Box 226, Idaho Falls, Idaho 83401
2. Source of water supply subterranean which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 18 Township 2 N
Range 36 E B.M. Bonneville County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
3.2 3.25 3.2832 a. _____ cubic feet per second and/or
b. none acre feet per annum will be stored.
5. Water will be used for the following purposes:
irrigation purpose from May 1 to October 31 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. deep well turbine pump and sprinkler system (deep well pump already installed and in use)

 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____

 - c. ~~Proposed~~ well diameter is 22 inches; ~~proposed~~ depth of well is 400 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is none years.
b. Estimated construction cost is \$ 50,000.
8. Description of proposed uses:
 - a. If water is **not** for irrigation:
 - (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
 - (2) Amount of power to be generated: _____ hp under _____ feet of head.
 - (3) List number of each kind of livestock to be watered _____

 - (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
 - (5) If water is to be used for other purposes describe: _____

35-7002


nur

[illegible]

c. Describe any other water rights used for the same purposes to Eugene Francis Thiel - Idaho
Permit No. G29642

- [illegible]

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Allen J Thiel
(Applicant)

35-7002

LICENSE ISSUED FOR \$29 SEC. FT.
LICENSE PAID

Received by KD Date 7-28-67 Time 2:30 P.M.

Preliminary check by DWK Fee \$ 35.00

Receipted by KD Date 7-28-67

Publication prepared by KS Date 7-31-67

Published in The East. Idaho Freeman

Publication dates Aug. 10-17

Publication approved KS Date Aug 5

Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by CSJAB R.H.

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 35-7002, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 68.
- c. Other: This water is supplemental to Permit G-29642 and the applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 18th day of September 19 67.

R. Keith Higgins
State Reclamation Engineer

PROOF OF PUBLICATION

STATE OF IDAHO
County of Bonneville

} ss.

I Aden Hyde, first being duly sworn, depose and say that I am the ~~printer/publisher~~ principal clerk of the Idaho Falls Publishing Company, an Idaho corporation, Bonneville County, Idaho, being publishers of the Eastern Idaho Farmer, legal newspaper of general circulation, published weekly at Idaho Falls, Idaho, having been published continuously and uninterruptedly in conformity with the provisions of Section 60-106, of Idaho Code, for more than seventy-eight (78) weeks prior to the first publication of the legal notice hereinafter referred to.

That the notice, of which copy is hereto attached and made a part of this affidavit, was published in the Eastern Idaho Farmer for 2 consecutive weeks, first publication having been made on the tenth day of August, 19 67, last publication having been made on the seventeenth day of August, 19 67, and that notice was published in regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 17th day of August, 19 67

Maurine L. Freeman
Notary Public

Residing at: Idaho Falls, Idaho
My Commission Expires _____, 19____

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Allen J. Friel has on July 28, 1967 applied for permit to divert 3.33 cubic feet per second of water from the subterranean source of water in Section No. 35-7002. All be diverted by well in the NE 1/4 SW 1/4, Sec. 36E, B.M. Bonneville is to be used for irrigation. NE 1/4 NW 1/4, N. 36E, B.M. Any person is application must be Department of within ten days from of publication of this notice.

GINSON
State Engineer
Published in The Eastern Idaho Farmer, Idaho Falls, Idaho, on August 10 and August 17, 1967.

35-7002

STATEMENT



EASTERN IDAHO

FARMER

A Regional Farm Newspaper

IDAHO FALLS PUBLISHING COMPANY

LETTERPRESS & OFFSET PRINTING

P. O. BOX 778
PH. 523-1500 456 N. CAPITAL AVE.
IDAHO FALLS, IDAHO

August 1967

ANALYSIS
OF OPENING
BALANCE


JAN.	
FEB.	
MAR.	
APR.	
MAY	
JUNE	
JULY	
AUG.	
SEPT.	
OCT.	
NOV.	
DEC.	

TO

Department of Reclamation
107 State House
Boise, Idaho 83700

RECEIVED
AUG 21 1967
Department of Reclamation


TERMS: NET

DATE	DESCRIPTION						CHARGES	CREDITS	BALANCE
	TOTAL ACCOUNT FORWARDED								
	ADVERTISING—								
	Issue	1	2	3	4	5	Rate		
	Display								
	Classified								
	NOTICE OF APPLICATION FOR WATER for ALLEN J. THIEL								
	Publish: August 10, and 17, 1967						8.75		\$ 8.75
	COMMERCIAL PRINTING AND OTHER CHARGES:								
	NO.								
	State of Idaho County of Bonneville								
	The undersigned being duly sworn, says that the service has been performed or the material delivered and the amount claimed hereon is justly due								
	 Claimant's Signature								
	Subscribed and sworn to before me this 17 day of August 1967								
	ALL ACCOUNTS DUE AND PAYABLE 10TH OF MONTH FOLLOWING PURCHASE. A SERVICE CHARGE OF 1% PER MONTH WILL BE CHARGED ON ALL PAST DUE ACCOUNTS.								

Seal

Maurine D. Freeman
Notary Public
Idaho Falls, Idaho 35-7003

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
Statehouse - Annex 2
Boise, Idaho 83707



RECEIVED
SEP 27 1973

Department of Water Administration

Mr. Allen J. Thiel
Route 5, Box 226
Idaho Falls, Idaho 83401

resent to:
1517 Westland Ave.
Idaho Falls, Idaho
big



35 7002

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION



Cecil D. Andrus
Governor
R. Keith Higginson
Director

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection

September 25, 1973

Re: Permit No. 35-7002

Mr. Allen J. Thiel
Route 5, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

bjg

Enclosure

35 7002

August 18, 1973

Mr. Allen J. Thiel
Route 5, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

A representative of this Department has made an examination of the works covered by your Permit No. 35-7002 and has found the following:

Quantity of water diverted: 5.86 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 3.29 cfs

The maximum quantity diverted shall not exceed 1,113 acre feet per year.

Beneficial use: Irrigation of 318 acres within the NE1/4, NE1/4NW1/4, S1/2NW1/4, NW1/4SW1/4, Sec. 18, Twp. 2 N, Rge. 36 E, B.M.

Point of diversion: SE1/4SW1/4 Sec. 18, Twp. 2 N, Rge. 36 E, B.M.

Priority date established: July 28, 1967

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

35 7002

BDF/bjg

cc: Mr. Thomas C. Whyte
Attorney at Law
P.O. Box 1157
Idaho Falls, Idaho 83401

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

FEB 12 1973

1. Name of permit holder Allen J. Thiel
 Department of Water Administration
 Eastern District Office
 District Office Address Route 5 - Box 226, Idaho Falls, Idaho Phone 522 7439

Person to contact _____ Phone 523 0771

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 3.29 c.f.s. for Irrigation
 AF/Annum (nature of use)

Period of Use: from May 1 to Oct. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 35-7002

Examination for MEASURING DEVICE

PRIORITY

4. Total amount to be appropriated:

Max Rate of Diversion 3.29 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 2 N N/S, Range 36 E E/W, B.M., Section 18, Subdivision SE ¼ SW ¼, Bonneville County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ ¼ _____ ¼, _____ County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ ¼ _____ ¼, _____ County

Other Points of Diversions: _____

Description of diverting works: _____

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

TOTAL ACREAGE _____ **320**




Diagram of System

DATE OF EXAM Aug 16, 1973

ACREAGE
Found _____
Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE
Irrigation Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____
Domestic Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____
Livestock Q=_____ c.f.s. V=_____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no _____

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured _____ Method of measurement In Line Meter

Total Q recommended _____ Meter No. M0403622 Type Badger Condition New

Total V recommended _____

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION: 5.86 cfs

SYSTEM DESCRIPTION:

REMARKS:

Examiner's Signature William Rhoads Date Aug 16, 1973

Checked by _____ Date _____

Approved by _____ Date _____

$$\frac{1000}{\frac{29}{60}}$$

$$\frac{1000 \text{ gal}}{\frac{23 \text{ sec}}{60 \text{ gal/min}}} = \frac{1000}{.38} = \frac{2637 \text{ gal/min}}{448.8} = 5.86 \text{ CFS}$$

35 7002



April 6, 1973

RE: Permit No. 35-7002
Allen J. Thiel

Mr. Thomas C. Whyte
Attorney at Law
P. O. Box 1157
Idaho Falls, Idaho 83401

Dear Mr. Whyte:

In reviewing Mr. Thiel's file we find that before a license can be issued a representative of this agency must make an inspection of the project with the meter installed. An examination will be made upon receipt of information to the effect that the meter has been installed.

Very truly yours,

(Mrs. ELEANOR J. WOODS
Records Supervisor

EJW:e

35-7002

JOHN FEREBAUER
THOMAS C. WHYTE

LAW OFFICES
FEREBAUER & WHYTE
552 NORTH CAPITAL AVENUE
P. O. Box 1157
IDAHO FALLS, IDAHO 83401
March 30, 1973

RECEIVED
APR 2 1973
Department of Water Administration
TELEPHONE 522-6000
CODE 208

The Department of Reclamation
State of Idaho
State House
Boise, Idaho 83700

Re: Permit # 35-7002 - Mr. Allen J. Thiel


Dear Sirs:

Would you be kind enough to check the above water permit number and indicate whether anything else needs to be done to secure the appropriation of the water from the well involved in such permit number by Mr. Thiel?

A water measuring device will be emplaced prior to the use of the water for this year, if the same has not been done.

I am not certain whether this application is complete and would appreciate any help you can give me to make certain that it is completed and secured.

Very truly yours,


Thomas C. Whyte

TCW:bmh

cc: Mr. Allen J. Thiel
Route 5 Box 226
Idaho Falls, Idaho 83401

35 7002
35 7002
35 7002

December 14, 1970

Re: Permit No. 35-7002

C
Ferebauer & Whyte
P.O. Box 1157
Idaho Falls, Idaho 83401

O
Attn: Thomas C. Whyte

Dear Mr. Whyte:

P
We received your letter of December 7, 1970, regarding Mr. Thiels intention of installing a measuring device. We will extend the order to show cause until April 1, 1971 within which time Mr. Thiel will need to install the meter and so advise this Department. Before a license will be issued, a representative of this agency will make an inspection of your project with the meter installed. We will schedule that examination upon receipt of information to the effect that the meter has been installed.

If you have any questions, please feel free to contact us.

Very truly yours,

Y
C. STEPHEN ALLRED
Deputy Director

CSA:kh

35 7002

JOHN FEREBAUER
THOMAS C. WHYTE

LAW OFFICES
FEREBAUER & WHYTE
552 NORTH CAPITAL AVENUE
P. O. BOX 1157
IDAHO FALLS, IDAHO 83401

December 7, 1970

TELEPHONE 522-6630
AREA CODE 208

RECEIVED

DEC 13 1970

Department of Water Administration

Bobby D. Fleenor
Assistant Director
Department of Water Administration
State House - Annex Two
Boise, Idaho 83707

Re: Permit No. 35-7002, Allen J. Thiel

Dear Mr. Fleenor:

The carbon copy of your letter addressed to Robert St. Clair has been given to this office for handling.


Mr. Thiel has ordered a Badger type measuring device for the well in question which shall be attached as soon as it is delivered.

The water right from this well is subsequent to another right owned by Eugene Thiel and there was some confusion regarding who would attach the measuring device.

I presume the attachment of the device will suffice under your order to show cause set for December 30, 1970. If I am in error, please so notify me so that the above permit number will not lapse for failure to submit adequate proof of beneficial use.

If you require any further information, please contact me directly.

Very truly yours,


Thomas C. Whyte

TCW/lc

cc: Allen J. Thiel
Route #5 Box 226
Idaho Falls, Idaho 83401

35 7002

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

November 30, 1970

Re: Permit No. 35-7002 - Allen J. Thiel

St. Clair, St. Clair, Hiller, & Benjamin
Attorneys-at-Law
320 "A"
Idaho Falls, Idaho 83401

ATTENTION: Robert St. Clair

Dear Mr. St. Clair:

We find in reviewing permit no. 35-7002 that the Department has been prepared to issue a license. However, we have apparently overlooked a requirement placed on the permit at the time of approval. The requirement, as one of the conditions of approval, provides that "the applicant shall permanently install a measuring device of a type approved by the Department as part of the diverting works". The report of the field examiner, dated June 23, 1970, fails to indicate any type of measuring device having been installed.

The applicant is hereby ordered to show cause on or before December 30, 1970, as to why permit no. 35-7002 should not be lapsed for failure to submit adequate proof of beneficial use.

Very truly yours,

Bobby D. Fleenor
Assistant Director

BDF/dg

cc: Allen J. Thiel
Box 226
Idaho Falls, Idaho

35 7002

October 15, 1970

Re: Permit No. 35-7002

Mr. Allen J. Thiel
Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

A representative of this department has made an examination of the works covered by your Permit No. 35-7002 and has found the following:

Quantity of water diverted: 4.09 c.f.s.

Amount of water that can be recognized as beneficially used under Idaho law: 3.29 c.f.s.

The maximum quantity diverted shall not exceed 1113 acre feet per season.

Beneficial Use: Irrigation of 318 acres within the NE $\frac{1}{4}$, E $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$ Sec. 18, T. 2 N., R. 36 E., B.M.

The priority date established is : July 28, 1967

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:kh

35 7002

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE

REPORT OF EXAMINER


PERMIT NO. 35-7002

REPORT ON PROOF OF Allen J. Thiel

*RE-
Exam typed 2-7-73 by ds
for measuring device!*

53.5 CO
U.S. CO

R-36E



119

159

40

318

PD

PD

~~Q = 4.69 measured~~
~~Q = 3.90 recommended~~

→ A = 318 acre

→ Q = ~~5.92~~ CFS 3,29 CFS

$V = (3.5)(318)$

→ V = 1113.0 CFS/Sec

Priority July 28, 1967

46.3

276.2

267.4

Permit No.
35-7002

D 256 D
85.3

PD

29.8

55.1

108.1

94.3

18 17
17 20

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF EXAMINER

Permit No. 35-7002 ✓

This proof is for 3.29 cfs ✓ In Water District No. _____

1. Name of applicant Allen J. Thiel, Rt. 4, Box 226, Idaho Falls, Idaho

2. Source of water supply: ground-water ✓

3. Location of point of diversion: Is in the SESW ✓ of Section 18 ✓

T. 2 N ✓ R. 36 E ✓ County of Bonneville ✓

4. Describe works as they exist, giving dimensions and capacities of same: _____

deep well turbine pump, and sprinkler system ✓

PROOF - Peerless deep well turbine pump & 400 HP 3/60/440 - 1800 RPM VSS (US) motor;

depth of well 400', well casing size 22" ✓ US Motors 400 H.P. 440 Volts

Serial # 1338892 1800 RPM Peerless Pump Serial # 204818 (Gastine)

Well pump 200 H.P. 440 Volts 1770 RPM Serial # 1549109

5. Water is used for: Johnston Pump Irrigation (May 1 - Oct. 31) 150 HP Boost pump

6. State whether or not water has been turned into works of diversion: Yes P.D. is in

SE SW Sec 18 2 N 36 E

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

2 N-36 E, Sec. 18 NE 1/4, E 1/2 NW 1/4, SW 1/4 NW 1/4, NW 1/4 SW 1/4 320 acres

16" discharge with gate valves

3 1/2 acres irrigated 10 lines 32 heads each @ 2

@ 60 psi 320 heads @ 5.44 gpm ea

$(320)(5.44) = 1.841 \frac{1.841}{4.50} = 4.09 \text{ CFS}$

allow 3.72 cfs 3.29 cfs

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? _____

Remarks: G-29642 - Eugene F. Thiel ✓

Buried mainlines Potatoes & Grain (most) 12" mainlines running East & West

This examination was made on the 23 day of June, 1970

(Signed) *Jim Bush* Examiner.

RD 7/9/70

Plot 27

INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
 2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
 3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
 4. If any unusual conditions are discovered, make plain statement of them under remarks.
 5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
 6. Give general characteristics of soils, topography, and crops raised.
-

35 7002

Permit No. 35-7002 ✓

Examination for Allen J. Thiel ✓

County Bonneville ✓

Quantity: 3.92 cfs Sec. 18 T. 2 N. R. 36 E ✓

Source: ground-water

P.D.: SESW ✓

Use: IRRIGATION ✓

~~Extension:~~

~~Protest:~~

~~Completion of Works:~~

~~Interests:~~

Filed: 7-28-67 ✓ Made: 9-27-68 ✓
Due: 10-1-68 ✓ Priority: 7-28-67 ✓

Due:

CHKD JMS
BB

June 13, 1969

Re: Permit No. 35-7002

Mr. Allen J. Thiel
Box 226
Idaho Falls, Idaho

Dear Mr. Thiel:

Please find enclosed a copy of the APPROVED application for amendment to the above referenced permit. We have enclosed also Departmental receipt no. 3158 in the amount of \$5 covering the filing fee. If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DRR:TG

Enc: copy of application
for amendment
Receipt no. 3158

cc: Thomas C. Whyte

exam made
6-23-70
KRL

35-7002

Date	Description	Gross Amount	Deductions	Net Amount
6/6/69	Fee for Application for Amendment			5.00

DETACH BEFORE PRESENTING FOR PAYMENT

JOHN FEREBAUER
THOMAS C. WHYTE

LAW OFFICES
FEREBAUER & WHYTE
552 NORTH CAPITAL AVENUE
P. O. Box 1157
IDAHO FALLS, IDAHO 83401

TELEPHONE 522-6630
AREA CODE 208

June 5, 1969

RECEIVED
JUN 6 1969
Department of Reclamation

Mr. Dean R. Reynolds
Field Examiner
State of Idaho
Department of Reclamation
State House - Annex 2
Boise, Idaho 83707

Re: Permit No. 35-7002
Allen J. Thiel


Dear Mr. Reynolds:

Enclosed is an Application for Amendment and my accompanying firm check in the sum of \$5.

I have experienced difficulty in obtaining the original Application for Permit under Permit No. G29642, which covers the same area, so that I could ascertain the true point of diversion.

I would appreciate it if you would process this Application at your earliest convenience.

Very truly yours,


Thomas C. Whyte

TCW/pn

Enc.

*any - no check
rec'd
ej*

35-7002

JOHN FEREBAUER
THOMAS C. WHYTE

LAW OFFICES
FEREBAUER & WHYTE
552 NORTH CAPITAL AVENUE
P. O. Box 1157
IDAHO FALLS, IDAHO 83401

TELEPHONE 522-6630
AREA CODE 208

June 6, 1969

RECEIVED

JUN 9 1969

Department of Reclamation

Mr. Gary Page
Department of Reclamation
State of Idaho
State House - Annex 2
Boise, Idaho 83707


Re: Permit No. 35-7002
Allen J. Thiel

Dear Mr. Page:

Enclosed is my firm check in the sum of \$5.00 in the
above captioned matter.

I am sorry we neglected to enclose it in the Application
for Amendment.

Very truly yours,


Thomas C. Whyte

TCW/pn

Enc.

35-7002

April 10, 1969

Re: Permit No. 35-7002

Mr. Thomas C. Whyte
552 North Capital Avenue
P. O. Box 1157
Idaho Falls, Idaho 83401

Dear Mr. Whyte:

In reference to your letter of March 28, 1969 concerning Permit No. 35-7002, please be informed that the point of diversion location on this permit states the NE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 18, T. 2 N, R. 36 E, B.M. The notice of application for water was published in the Eastern Idaho Farmer, Idaho Falls, Idaho on August 10 and 17, 1969 indicates the point of diversion to be located in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 18, T. 2 N, R. 36 E, B.M.

Enclosed is an application for amendment for your use in changing the location of the point of diversion. This amendment must be signed by the permit holder and submitted with a \$5.00 application fee.

Please contact us if we may be of further assistance,

Very truly yours,

Dean R. Reynolds
Field Examiner

DWR:ks

enclosure: Amendment form

35-7002

JOHN FEREBAUER
THOMAS C. WHYTE

LAW OFFICES
FEREBAUER & WHYTE
552 NORTH CAPITAL AVENUE
P. O. Box 1157
IDAHO FALLS, IDAHO 83401

TELEPHONE 522-6630
AREA CODE 208

March 28, 1969

RECEIVED

APR 1 1969

Mr. Dean R. Reynolds
Field Examiner
State of Idaho
Department of Reclamation
Statehouse--Annex 2
Boise, Idaho 83707

Department of Reclamation

Re: Permit No. 35-7002
Allen J. Thiel

Dear Mr. Reynolds:


Inadvertently, a letter which you wrote to Mr. Allen J. Thiel of October 3, 1968, was misfiled in this office and has just been discovered.

If you would be kind enough to refer to the copy which I have made of your letter, in paragraph two you indicate that a permit and proof form designation of the point of diversion are different.

Everything which I have in my file indicates that the point of diversion is the Southeast quarter of the Southwest quarter of Section 18, Township 2 North, Range 36, EBM. I do not understand to which document you refer when you talk about the permit showing a different designation. Is it possible that this is the permit issued to Mr. Eugene Thiel under permit no. G29642. This is the prior permit number relating to precisely the same point of diversion, and my records indicate that that was shown as the Southeast quarter of the Southwest quarter of Section 18.

Would you be kind enough to check permit no. G29642 and write to me indicating what location is shown therein for a point of diversion. At that time I will be able to make proper amendments if necessary.

Very truly yours,


Thomas C. Whyte

TCW/pn

35-7002

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
STATEHOUSE — ANNEX 2
BOISE, IDAHO 83707

October 3, 1968

RE: Permit No. 35-7002

Allen J. Thiel
Route #4, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

The Department of Reclamation has received your affidavit submitted as proof of beneficial use for the above referenced permit. However, before the affidavit is acceptable as adequate proof, the Department needs additional information.

Under Item 4a of the affidavit, you are asked to describe the point of diversion. The proof form listed the point of diversion as being in the SE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 18, T. 2 N, R. 36 E, B.M. Your permit, however, lists the point of diversion as being in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 18, T. 2 N, R. 36 E, B.M. It is necessary that the form submitted as beneficial use correspond with the permit. Please advise the Department as to the correct point of diversion so that the incorrect form may be corrected.

If a correction of the permit is necessary, this may be done by amending the permit with the enclosed application for amendment. If necessary, complete the amendment form and return to this Department with a \$5.00 application fee. However, if the affidavit of proof is incorrect, direct the Department of Reclamation to change the point of diversion to agree with the permit.

Under Item 7b of the affidavit, you are requested to list the type and size of measuring device which you have installed at your point of diversion. This measuring device was required as a condition of your permit and must be installed before your proof is acceptable, before a field examination of your permit may be made, and before a license may be issued. Please bear in mind that proof was to be submitted on or before October 1, 1968.

Please contact us if we may be of further assistance.

Very truly yours,

A handwritten signature in dark ink, reading "Dean R. Reynolds".

Dean R. Reynolds
Field Examiner

DRR:KS

enclosure: Copy of affidavit
Amendment form

35-7002

December 4, 1968

Re: Permit No. 35-7002

Mr. Allen J. Thiel
Route #4, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

This office is in receipt of your affidavit setting forth proof of application of water to beneficial use under permit 35-7002. You have stated that you have not installed a measuring device as required under your permit. As you may be aware, before we can issue a license we are required by law to conduct an inspection to determine the amount of beneficial use that has been made under the permit. To accomplish this we would require the use of the measuring device set forth under the terms of your permit.

I would appreciate hearing from you, as soon as possible, as to your intentions regarding the installation of a measuring device. Please indicate what type and when you intend to install that device.

In the event that we were to make the inspection, and the measuring device was not installed, our probable course would be to deny the proof of application of water to beneficial use and hold your permit for cancellation.

If you have any questions, please contact this office.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kh

35-7002

October 3, 1968

RE: Permit No. 35-7002

Allen J. Thiel
Route #4, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

The Department of Reclamation has received your affidavit submitted as proof of beneficial use for the above referenced permit. However, before the affidavit is acceptable as adequate proof, the Department needs additional information.

Under Item 4a of the affidavit, you are asked to describe the point of diversion. The proof form listed the point of diversion as being in the SE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 18, T. 2 N, R. 36 E, B.M. Your permit, however, lists the point of diversion as being in the NE $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 18, T. 2 N, R. 36 E, B.M. It is necessary that the form submitted as beneficial use correspond with the permit. Please advise the Department as to the correct point of diversion so that the incorrect form may be corrected.

If a correction of the permit is necessary, this may be done by amending the permit with the enclosed application for amendment. If necessary, complete the amendment form and return to this Department with a \$5.00 application fee. However, if the affidavit of proof is incorrect, direct the Department of Reclamation to change the point of diversion to agree with the permit.

Under Item 7b of the affidavit, you are requested to list the type and size of measuring device which you have installed at your point of diversion. This measuring device was required as a condition of your permit and must be installed before your proof is acceptable, before a field examination of your permit may be made, and before a license may be issued. Please bear in mind that proof was to be submitted on or before October 1, 1968.

Please contact us if we may be of further assistance.

Very truly yours,

Dean R. Reynolds
Field Examiner

DRR:KS
enclosure: Copy of affidavit
Amendment form

35-7002

September 6, 1968

Re: Permit No. 35-7002

Allen J. Thiel
Route #4, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

Thank you for your note of September 5, 1968. Enclosed you will find the affidavit to submit as proof of your beneficial use of the waters under your permit. We are also enclosing instructions for completing the affidavit.

The Department has also corrected the address on our forms. There must have been an error when the forms were filled out at our office.

If we may be of further assistance, please contact us.

Very truly yours,

Donald W. McKidowney
Appropriation Examiner

DWM:ks
enclosure: affidavit
instructions
out letter dated August 5, 1968

35-7002

DON SAMUELSON
GOVERNOR



R. KEITH HIGGINSON
State Reclamation Engineer

STATE OF IDAHO

DEPARTMENT OF RECLAMATION
107 STATE HOUSE
BOISE, IDAHO 83701

August 5, 1968

RECEIVED

SEP 6 1968

Department of Reclamation

Re: Permit No. 35-7002

Allen J. Thiel
Route #5, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

One of the conditions of the approval of your permit 35-7002 was that proof of application of the water to beneficial use be submitted to this office on or before October 1, 19 68.

Enclosed is an affidavit form which must be used to submit this proof. You may also request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, ICA. *did not receive this.*

Either the proof or a request for extension must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. Keith Higginson

State Reclamation Engineer

RKH:ks

Enclosure: Proof form

cc: Thomas C. Whyte
Attorney at Law
598 North Capital - P. O. Box 597
Idaho Falls, Idaho

mail was sent to wrong address, opened by mistake. Correct address is Allen Thiel Rt #4, Box 226 Idaho Falls, Ida.

Form 5

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300



POSTMARK OF
DELIVERING OFFICE



INSTRUCTIONS: Show name and address below and complete instructions on other side, where applicable. Moisten gummed ends, attach and hold firmly to back of article. Print on front of article **RETURN RECEIPT REQUESTED**.

NAME OF SENDER

STREET AND NO. OR P.O. BOX

POST OFFICE, STATE, AND ZIP CODE

Dept. of Communications
State House - Annex 2
Boise, Idaho

INSTRUCTIONS TO DELIVERING EMPLOYEE

☐ Show to whom, date, and
address where delivered

☐ Deliver ONLY
to addressee

(Additional charges required for these services)

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(must always be filled in)*

CERTIFIED NO.

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DATE DELIVERED

SHOW WHERE DELIVERED *(only if requested)*

3

c55-16-71548-10 GPO

35-7002

NAME AND ADDRESS OF SENDER

Dept of Reclamation

Indicate type of mail

☐ INSURED

☐ C. O. D.

☒ CERTIFIED

Affix stamp here if issued as certificate of mailing or for additional copies of this bill.

POSTMARK AND DATE OF RECEIPT

NUMBER OF ARTICLE	NAME OF ADDRESSEE, STREET, AND POST-OFFICE ADDRESS	POSTAGE	FEE	DUE SENDER IF C. O. D.	ENDORSEMENT ¹	R. R. FEE	S. D. FEE	S. H. FEE ²	RESTRICTED DELIVERY FEE	REMARKS
1	20182 James L. Thompson, Rt. #1,									95-7001
2	Box 250, Post Falls, Ida	.06	30			10				
3	20183 F.W. Hardin Co, 565 Main									47-7005
4	Watahup, Twin Falls, Ida									
5	20184 Pacific Supply Corporation,									47-7004
6	Box 3588, Portland, Oregon									
7	20185 Amos A. Clark, Jr., Box									36-7002
8	67 Paul, Idaho									
9	20186 Norman William, Box									21-7001
10	156 Ashton Idaho									
11	20187 George H. Hunsley, Weston,									13-7000
12	Idaho									
13	20188 Cassin A. & Zella Z. Orick									11-7000
14	Route #1, Montpelier, Ida									
15	20189 Wood Run Ranch Co, Inc									37-7002
16	Bellevue, Idaho									
17	20190 Allen J. Thiel, Route									35-7002
18	#5 Box 226, Ida Falls, Ida									
19	20191 Oscar W. Peterson, Route									63-7017
20	#1 Boise, Idaho									
TOTAL NUMBER OF PIECES LISTED BY SENDER		10		TOTAL NUMBER OF PIECES RECEIVED AT POST OFFICE		10		POSTMASTER, PER (Name of receiving employee)		

¹ Mark "F" if "Fragile," "P" if "Perishable," "E" if "Eggs," "EH" if "Eggs for Hatching," "B" if "Butter," "FL" if "Fragile-Liquid," and "FLU" if "Fragile-Liquid-This Side Up."
² Special-handling charges apply only to fourth-class parcels. Special-delivery service also includes special-handling service.

35-7002

August 5, 1968

Re: Permit No. 35-7002

Allen J. Thiel
Route #5, Box 226
Idaho Falls, Idaho 83401

Dear Mr. Thiel:

One of the conditions of the approval of your permit 35-7002 was that proof of application of the water to beneficial use be submitted to this office on or before October 1, 19 68.

Enclosed is an affidavit form which must be used to submit this proof. You may also request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, ICA.

Either the proof or a request for extension must be received by this department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



State Reclamation Engineer

RKH:ks

Enclosure: Proof form

cc: Thomas C. Whyte
Attorney at Law
598 North Capital - P. O. Box 597
Idaho Falls, Idaho

35-7002

Form 5

September 18, 1967

Re: Permit 35-7002

**Allen J. Thiel
Route 5, Box 226
Idaho Falls, Idaho 83401**

Dear Mr. Thiel:

We enclose a copy of your approved application for permit 35-7002 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

**Donald W. McEldowney
Water Rights Clerk**

DWM:nw

**Enclosure: Copy of application
Receipt No. G-11701 for \$35.00**

35-7002

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Allen J. Thiel has on July 26, 1967 applied for permit to divert 2.28 cubic feet per second of water from a subterranean source under application No. 35-7002. Water will be diverted by well and pump within the NE¹/₄ SW¹/₄, Sec. 18, T. 2N, R. 36E, B.M. Bonneville County, and is to be used from May 1 to October 31 for irrigation in NE¹/₄, S¹/₂ NW¹/₄, NE¹/₄ NW¹/₄, NW¹/₄ SW¹/₄, Sec. 18, T. 2N, R. 36E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer
Published in The Eastern Idaho Farmer, Idaho Falls, Idaho, on August 10 and August 17, 1967

CR

35-7002

July 31, 1967

Re: Permit 35-7002

The Eastern Idaho Farmer
Box 778, 456 N. Capital Av.
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for proofing before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

The expense of this publication is to be paid by the Department of Reclamation to whom you must furnish an affidavit of publication with the bill as soon as the publication is completed.

Very truly yours,

Donald W. McEldowney
Water Right Clerk

DW:ks

Enclosure: legal notice

P.S. Please send a certified bill in order to receive prompt payment.

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Allen J. Thiel
has on July 28, 1967 applied for permit to (divert) store
3.23 (cubic feet per second) acre feet of water from a sub-
terranean source under application No. 35-7002. Water will be
diverted by well and pump within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 2N,
R. 36E, B.M. Bonneville County, and is to be used from May 1
to October 31 for irrigation
in NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 18, T. 2N, R. 36E, B.M.

Any protest against this application must be filed with the Department
of Reclamation within ten days from the last date of publication of this
notice.

R. KEITH HIGGINSON

State Reclamation Engineer

The Eastern Idaho Farmer Idaho Falls
Published in the August 10 August 17,
Idaho, on _____ and _____.

TELEPHONE 523-1718

THOMAS C. WHYTE
ATTORNEY AT LAW
598 NORTH CAPITAL - P.O. BOX 597
IDAHO FALLS, IDAHO

RECEIVED
JUL 28 1967
Department of Reclamation

July 27, 1967

State of Idaho - Department of Reclamation
107 State House
Boise, Idaho 83701

Attn: Donald W. McEldowney

Re: Application to appropriate
subterranean water
Allen J. Thiel, Applicant

Dear Mr. McEldowney:

With the additional fee enclosed and completed Application,
we would hope that this matter can now be concluded.

If, however, there is need of additional information,
please advise.

Very truly yours,

Thomas C. Whyte
Thomas C. Whyte

TCW:js
enc

29-216
100

35-7002

June 8, 1967

Re: Allen J. Thiel

Thomas C. Whyte
Attorney at Law
598 North Capital
P. O. Box 597
Idaho Falls, Idaho

Dear Mr. Whyte:

Returned herewith is the application of Allen J. Thiel and check No. 579 for \$5.75, filed to appropriate the subterranean waters of the State of Idaho.

Please be advised as of May 30, 1967, this application form and fee is no longer acceptable as there are new laws governing this State Department of Reclamation. We are forwarding acceptable application forms and instructions for your use in this purpose. Please accept our oversight in not mentioning this problem in our earlier correspondence; however, forms were not available until May 31, for the new filings.

Please contact us if we may be of further assistance.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk


DWM:nw

Enclosure: Sub. App. & Check No. 579
App. & Inst.

35-7002

THOMAS C. WHYTE
ATTORNEY AT LAW
598 NORTH CAPITAL - P.O. BOX 597
IDAHO FALLS, IDAHO

June 5, 1967



State of Idaho-Department of Reclamation
107 State House
Boise, Idaho 83701

Attn: Donald W. McEldowney

Re: Application to appropriate
subterranean water
Allen J. Thiel, Applicant

Dear Mr. McEldowney:

In response to your letter of May 22, 1967, I am forwarding to you Mr. Thiel's application and my trust account check in the amount of \$5.75 to cover the statutory filing fees.

I would appreciate it if you would now file the application and proceed toward completion.

Very truly yours,

A handwritten signature in cursive script, reading "Thomas C. Whyte". The signature is written in dark ink and is positioned above the printed name "Thomas C. Whyte".

Thomas C. Whyte

TCW:js

enc

35-7002