


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

Rge 36 E



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, Idaho, this 27th day of October, 19 69.

Aldon Craft
(signature)

ACTION OF STATE RECLAMATION ENGINEER

I, C. STEPHEN ALLRED, Deputy, State Reclamation Engineer of the State of Idaho, hereby approve the above application for amendment for Permit No. G-32901.

Witness my hand this 6 th day of November, 19 69.

Stephen Allred
State Reclamation Engineer

ok above
500
sent

Proof of Publication
The Post-Register

RECEIVED

OCT 12 1970

Department of Water Administration

State of Idaho, }
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the
Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily,
except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls
Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho
Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931,
and each of said newspapers having been published continuously and uninterruptedly, prior to consoli-
dation, for more than seventy-eighty (78) weeks and said Post-Register having been published contin-
uously and uninterruptedly from the date of such consolidation, up to and including the last publica-
tion of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was pub-
lished in said Post-Register for two consecutive weeks, first publication having been made
on the 3rd day of Sept., 1970, last publication
having been made on the 10th day of Sept., 1970, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of
publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 11th day of Sept., 1970

Karl S. Hale
Notary Public

My commission expires April 5, 1971

B10, 1M

NOTICE OF EXISTING WATER
PERMIT

Notice is hereby given that Eldon Croft, Route No. 1, Idaho Falls, Idaho, has received an approved Permit No. G-32901/35-2828 issued by the Idaho Department of Water Administration authorizing the diversion of 6.4 cubic feet per second of water from a ground water source. The priority to be established under this permit is May 31, 1966 and the permit was approved June 1, 1966.

Water is to be diverted by well, pump, motor, and sprinkler from a point within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 3 N, R. 36 E. B. M., Bonneville County, to be used for irrigation in the W $\frac{1}{2}$, Sec. 14, T. 3 N, R. 36 E. B. M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before June 1, 1971. Any protests against the issuance of the license for the above referenced permit should be filed with the Idaho Department of Water Administration within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON, Director
Idaho Dept. of Water Administration
Pub: Sept 3, 10, 1970

dg
OK
10-12-70

35-2828
32901

D183

472.2


10 11
15 14

11 12
14 13

81.3

D79

77.3



81.3

15 14
22 23

14 13
23 24

D90

35 2828

REPORT OF WELL DRILLER
State of Idaho

RECEIVED
JUL 29 1969
Department of Reclamation

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER: Eldon Craft
Name Idaho Falls, Idaho
Address 35-2828

Owner's Permit No. APP-Exp-32901
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: Irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☒
20 "Diam. from 0 ft. to 31 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: .250 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☒ Type of
perforator used:


Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☒ No ☐ To what depth?
25 ft. Material used in seal: Bentonite

Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☐ No ☒



LOCATION OF WELL: County Bonanza
NW NW NW Sec. 14 T. 3 N/R. 36 E/W

Size of drilled hole: 20" Total
depth of well: 535' Standing water
level below ground: 438' Temp.
Fahr. ° Test delivery: gpm
or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	14	clay	no
14	24	clay & loose basalt	no
24	29	fine gray basalt	no
29	36	loose gray sandstone	no
36	40	fine gray basalt	no
40	76	fine brown sandstone	no
76	126	broken gray basalt	no
126	144	" " " "	no
144	156	gray basalt	no
156	185	gray & brown basalt	no
185	204	gray basalt	no
204	219	broken sandstone & clay	no
219	225	gray basalt	no
225	242	broken & gray sandstone	no
242	247	broken basalt	no
247	280	broken & gray basalt	no
280	302	gray basalt	no
302	309	broken	no
309	345	broken & gray sandstone	no
345	354	hard gray basalt	no
354	444	broken & gray basalt sandstone	no
444	446	broken	yes
446	453	broken & gray sandstone	yes
453	476	gray basalt	yes
476	481	hard gray basalt	no
481	508	broken	yes
508	520	hard gray basalt	no
520	532	broken	yes
532	535	hard gray basalt	no


Work started: March 3, 1969
Work finished: April 30, 1969
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Jack Cichonay
Address: 1405 So. 10th
Signed by: Jack Cichonay
License No. 804 Date: July 21, 1969

Use other side for additional remarks
35-2828 St Clair to command PO lab 7/15/69
USGS 32901 35-2828

Eldon Croft

Page 36 E.

Twp. 3N.



Office Copy

JUN 1 1966
Permit Map No. *32901*
As Approved
CARL E. TAPPAN
State Reclamation Engineer

32901

State of Idaho
Department of Water Administration

LICENSE OF WATER RIGHT

License of Water Right No. 32901/35-2828 Priority May 31, 1966 Amount 5.06 cfs

THIS IS TO CERTIFY, that ELDON CROFT
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 32901/35-2828 issued pursuant to Application for Permit dated May 31, 1966,
and has submitted proof to the Department of Water Administration on May 6, 1971,
that he has applied water to a beneficial use; an examination by the Department indicates that the
works have a capacity of 5.06 cfs, and that the water has in fact been applied to a
beneficial use; a right to the use of water from a ground water source
tributary of _____, is hereby confirmed in the following amounts:

Amount 5.06 cfs for Irrigation from April 1 to Nov. 1 (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Amount _____ for _____ from _____ to _____ (both dates inclusive)

Subject, however, to the condition that no more than 5.06 cfs of water be diverted at
any one time, said waters to be diverted within the _____

NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 14, Twp. 3 N, Rge. 36 E, B.M.

in the county of Bonneville; and that the amount of water so diverted and to which such
right is entitled and confirmed is for the purposes aforesaid and is limited to the amount which can
actually be beneficially used and shall not exceed 1,099 acre feet per year or _____
3.5 acre feet per acre.


Description and location of place of use:

TWP.	RANGE	SEC.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
3 N	36 E	14					39	38	39	40	40	39	39	40					314

Total number of acres irrigated 314

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands
or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23 day of
February, 19 73.


Director

35 2828

1000

2)

Eldon Croft

Idaho Falls, Idaho

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho

1. Point of diversion: NW 1/4 NW 1/4, Sec. 14, T. 3 N,

mo. - day mo. - day

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)

For _____ purposes from _____ to _____ (both dates incl.)


[illegible]

320

32901
35-2828 Receipt No. 3881

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.

Ag-36E



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, Idaho, this 27th day of October, 19 69

(signature)

ACTION OF STATE RECLAMATION ENGINEER

I, C. STEPHEN ALLRED, Deputy State Reclamation Engineer of the State of Idaho, hereby approve the above application for amendment for Permit No. G-32901.

Witness my hand this 6th day of November, 19 69

State Reclamation Engineer

APPLICATION FOR PERMIT *35-128*
To Appropriate the Subterranean Waters of The State of Idaho

1176: John Hancock Soc. -

Application No. G- 41078
Permit No. G- 32901
District No.

1. Name of Applicant: Eldon Croft
Postoffice address: Route #1, Idaho Falls County: Bonneville State: Idaho
2. Quantity of water claimed:
(a) Rate of withdrawal in cubic feet per second 6.4 or Idaho
Miners' inches 320 or gallons per minute
(b) Annual withdrawal in acre feet per annum
3. Source of water supply: Subterranean
4. Location of point of diversion or well is in the NE NW
SE 1/4 of the NW 1/4 of Section 14
Twp. 3 N , Rge. 36 E , B.M., County of Bonneville
5. Water is to be used for: irrigation
6. If for municipal, industrial or recreational purposes, give:
(a) Point of use of water is in the 1/4 of the 1/4 of Section , Twp.
Rge. , B.M.
(b) Waste water or sewage effluent is to be returned to
at a point in the 1/4 of the 1/4 of Section , Twp. , Rge. , B.M.
7. Kind of works: Deep well turbine pump w/electric motor and sprinkler
8. Estimated cost of works: \$ 100.00 per acre.
9. (a) Is reservoir to be used?no
(b) Capacity of reservoir: N/A
10. The time required for the completion of such work and complete application of the water to the proposed use is
years. 5
11. If applicant is a corporation, give:
I. (a) Date and place of incorporation:
(b) Amount of capital stock: \$ (c) Amount paid in: \$
(d) Names and addresses of directors:
II. The financial resources of the applicant are (a) Cash on hand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: none
(a) none (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supplemental to the existing water rights.
(b) 6.4 (cubic feet per second, inches or gallons per minute) is for new lands.

BE IT KNOWN THAT The undersigned hereby makes appli cation for permit to appropriate the public waters of the State of Idaho as herein set forth.

By /s/ ELDON CROFT *Applicant.*
/s/ RAY TORNGREN *Agent.* ✓

Date of first receipt at Department of Reclamation: May 31, 1966

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G— 32901

Recorded in Book 115 Page 32901 Approved June 1, 1966

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ _____ to be filed on or before _____

Work to begin on or before _____ and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before **December 1, 1968**

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before **June 1, 1971**

Witness my hand this 1st day of June, 1966.

/a/ R. KEITH HIGGINSON, Deputy
STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLLIE, Governor of the State of Idaho,
and LOUIS E. CLAPP, Secretary of State of the State of Idaho, have caused this instrument to
be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 1st
day of June, 1966

Countersigned:

STATE OF IDAHO

(SEAL)

By /s/ LOUIS E. CLAPP
Secretary of State.

By /s/ ROBERT E. SMYLIE
Governor

12.

Twp.	Range	Sec.	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				Totals	
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄		
3 N	36 E	14	x	x	x	x										x	x	x	x	320

LICENSE ISSUED FOR 5.06 PFC. ST
LICENSE PAG NO. _____

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. G-32901/35-2828)
in the name of Eldon Croft)
_____)

ORDER MODIFYING REQUIREMENTS
FOR COMPLETION OF PERMIT TO
APPROPRIATE WATER

WHEREAS, the 39th Idaho Legislature made certain amendments to the Idaho Water Law; and,

WHEREAS, these changes raised questions as to the procedures to be followed by holders of permits issued prior to the effective date of the amendments, May 31, 1967; and,

WHEREAS, on August 1, 1968, the Department of Water Administration adopted Rules of Practice and Procedure for the processing of such permits issued prior to May 31, 1967; and,

WHEREAS, Permit No. G-32901 was issued previous to that date;

NOW THEREFORE, the requirements for completion of the above numbered permit are hereby modified to conform to the adopted Rules of Practice and Procedure as follows:

1. The above numbered permit will be completed under the terms of Title 42, Chapter 2, Idaho Code, as amended by the 39th Idaho Legislature.
2. The conditions of the above numbered permit are modified as follows:
 - a. Notice of the issuance of the permit will be published at the permit holders expense for two weekly issues in the official newspaper of the county in which the point of diversion lies.

Dated this 31st day of July, 1970.


R. KEITH HIGGINSON
Director

RKH/DG

35-2828
32901

Proof of Publication

The Post-Register

State of Idaho,
County of Bonneville } ss.

I, E. F. McDermott, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 3rd day of Sept., 1970, last publication having been made on the 10th day of Sept., 1970, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 11th day of Sept., 1970

Karl S. Sider
Notary Public

My commission expires April 5, 1971

B10, 1M

NOTICE OF EXISTING WATER PERMIT

Notice is hereby given that Eldon Croft, Route No. 1, Idaho Falls, Idaho, has received an approved Permit No. G-32901/35-2828 issued by the Idaho Department of Water Administration authorizing the diversion of 1/4 cubic feet per second of water from ground water source. The priority to be established under this permit is May 31, 1966 and the permit was approved June 1, 1966.

Water is to be diverted by well, pump, motor, and sprinkler from a point within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 3 N, R. 36 E. B. M., Bonneville County, to be used for irrigation in the W $\frac{1}{2}$, Sec. 14, T. 3 N, R. 36 E. B. M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before June 1, 1971. Any protests against the issuance of the license for the above referenced permit should be filed with the Idaho Department of Water Administration within ten (10) days of the last date of publication of this notice or prior to the licensing of the water. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KETTER HARRISON, Director
Idaho Dept. of Water Administration
Pub. Sept 3, 10, 1970

30-2828
30-2828

February 26, 1973

Re: Permit No. 32901/35-2828

Mr. Eldon Croft
Route 1, Box 28-B
Idaho Falls, Idaho 83401

Dear Mr. Croft:

Enclosed herewith is a copy of the Water License issued on the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR
Enclosure

February 6, 1972

Mr. Eldon Croft
Route 1, Box 28-B
Idaho Falls, Idaho 83401

Dear Mr. Croft:

A representative of this Department has made an examination of the works covered by your Permit No. 32901/35-2828 and has found the following:

Quantity of water diverted: 5.06 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 5.06 cfs

The maximum quantity diverted shall not exceed 1,099 acre feet per year.

Beneficial use: Irrigation of 314 acres within the W $\frac{1}{4}$ Sec. 14,
Twp. 3N, Rge. 36E, B.M.

Point of diversion: NW $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 14, Twp. 3N, Rge. 36E, B.M.

Priority date established: May 31, 1966

If you do not concur with these findings, please advise us within 10 days; otherwise, a license will be issued as set forth in this letter.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

35 2828

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

1. Name of permit holder Eldon Croft
Post office address Route #1, Idaho Falls, Idaho
Person to contact

2. Source of water supply: Groundwater [X] Surface water [] Subterranean
Tributary to

3. Water will be used for the following purposes:
Amount 6.4 c.f.s. for Irrigation
AF/Annum (nature of use)
Period of Use: from April 1 to October 31
(mo.-day) inclusive (mo.-day)
Amount c.f.s. for
AF/Annum (nature of use)
Period of Use: from to
(mo.-day) inclusive (mo.-day)
Amount c.f.s. for
AF/Annum (nature of use)
Period of Use: from to
(mo.-day) inclusive (mo.-day)
Other uses:

Permit No. G-32901/35-2828
Examination for B/U

4. Total amount to be appropriated:
Max Rate of Diversion 6.4 cubic feet per second and annual volume AF/Annum.

5. Location of Point(s) of Diversion:
Township 3 N N/S, Range 36 E E/W, B.M., Section 14, Subdivision NW 1/4 NW 1/4, Bonneville County
Township N/S, Range E/W, B.M., Section, Subdivision 1/4 1/4, County
Township N/S, Range E/W, B.M., Section, Subdivision 1/4 1/4, County
Other Points of Diversions:

Description of diverting works: 450 h.p. Western turbine pump and electric motor. 10 ft. of 18" well casing and 460 ft. deep well. The water is pumped from such works into steel mainline pipe, and thence into aluminum lateral pipe, and then through 5/32nd size nozzle to the lands.
Measuring device required: yes [] no [X]

6. Lands to be irrigated or place of use.

Table with 19 columns: TWP., RANGE, SEC., NE 1/4, NW 1/4, SW 1/4, SE 1/4, and TOTALS. Row 1 contains data for Township 3 N, Range 36 E, Section 14, with a total of 320. Row 2 contains the text '35 2828'.


R. 36 E.

35 2828

T.
3
1

39	39
39	40
39	40
39	40

Diagram of System



0183

2722

CB

10
15

11

14

11-12

14-13

813

D 79

773

813

D 90

35 2828

5-6-1

DATE OF EXAM JUNE 30-71

ACREAGE
Found 314
Recommended 314

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 5.06 c.f.s. V = 1099 AF/Ann. from APRIL 1 to NOV. 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: ground
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange:
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 5.06 cfs Method of measurement pitot

Total Q recommended 5.06 cfs Meter No. _____ Type _____ Condition _____

Total V recommended 1099 AF/ANN

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION:

30 W.S. 5/32" nipples 70 psi 384 heads 5.93 gpm/p. head
 $5.93 \times 384 = 2277.12$ gpm $2277.12 \div 450 = 5.06$ cfs

SYSTEM DESCRIPTION:

U.S. Motors Horizontal pump motor. 450 H.P. 3 phase
60 cycle. 460 Volts - 1775 RPM. SER. No. HJ1421643
Western Pump Co. Vertical pump. SER. No. 23570
7 1/2" discharge to adapter then to 20" pipe for 3' then
back down to 12" pipe which runs 10' and splits to
North-South border mainline

REMARKS:

Examiner's Signature Rex L. Chapman Date June 30-71

Checked by _____ Date _____

Approved by _____ Date _____

Identification No. _____

Permit No. 35-2828

**STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION**

RECEIVED

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE MAY 6 1971 ✓

Department of Water Administration

1. a) Name of Permit Holder Eldon Croft
b) Post Office Address Route #1, Box 28B Idaho Falls, Idaho 83401
2. Permit Number G-32901 - 35-2828
3. Date of Priority that you are prepared to establish May 31, 1966
4. a) Source from which water was appropriated Subterranean
b) Location of the point of diversion: NW 1/4 NW 1/4, Section 14
Township 3N, Range 36 East Boise Meridian, Other points of diversion:

5. a) The amount of water and use to which the water has been applied:
amount 6.5 cfs for irrigation purposes from April 1st to Oct. 31st incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6.5 cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Measured according to pump size, motor size, nozzle size, etc., by qualified irrigation engineers in employ of Farmers Pump and Supply, Inc., Milligan Road, Idaho Falls, Idaho
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 450 hp Western turbine pump and electric motor, 10 feet of 18" well casing and 460 foot deep well. The water is pumped from such works into steel mainline pipe, and thence into aluminum lateral pipe, and then through 5/32nd size nozzle to the lands.
b) Describe the type and size of measuring device which you have installed at your point of diversion: _____
No measuring device presently installed at diversion point, but permit holder is proceeding to have one installed as soon as possible.
c) Give well drillers name and address and date the well was completed _____
Duane Denning, 251 N. Market, Ucon, Idaho. Well completed in
April, 1969

Exam typed 5-21-71. (CE)

35-2828

28

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4			
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4
3N	36E	14				40	40	40	40	40	40	40	40	40				320
TOTALS																		

Total number of acres irrigated 320

10. Remarks:

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 4, 1971 (Date)

(Signature)

State of Idaho ss. County of Blaine

On this 4th day of May, 1971, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Notary Public residing at

My commission expires 11-1-73

May 10, 1971

Re: Permit No. G-32901/35-2828

Mr. Eldon Croft
Route 1, Box 28-B
Idaho Falls, Idaho 83401

Dear Mr. Croft:

We acknowledge receipt of your affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative from this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system. If someone other than you should be contacted by the examiner, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM:DR

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

22599

1

Edward G. Smith

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

Joyce Heindel

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

3

35 2828 35-2828

4-2-71

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS

c55-16-71E48-11

Apr. 1968

Postform 3811

5

2828

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Mailed gummed ends and attach this card to back of article.

POSTMARK OF DELIVERING OFFICE

RETURN
TO



DEPARTMENT OF WATER ADMINISTRATION

STATE OF IDAHO - ANNEX #2

BOISE, IDAHO 83707

April 1, 1971

CERTIFIED MAIL

22599

Re: Permit No. G-32901/35-2828


Eldon Croft
Route 1, Box 28-B
Idaho Falls, Idaho 83401

Dear Mr. Croft:

One of the conditions of approval of your water Permit No. G-32901/35-2828 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1971. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

35 2 11

October 12, 1970

Re: Permit No. G-32901/35-2828

Mr. Eldon Croft
Route #1, Box 28B
Idaho Falls, Idaho 83401

Dear Mr. Croft:

We acknowledge receipt of the affidavit of publication submitted in connection with the above referenced permit. Since proof of beneficial use of the water is not required until June 1, 1971, the Department will notify you sixty days in advance of this date as to further requirements. We wish to advise you, however, that if you have fulfilled the requirements under the permit you may submit proof anytime prior to the above date.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG

32901
35-2828

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse — Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

August 24, 1970

Re: Permit No. G-32901/35-2828

Mr. Eldon Croft
Route #1
Idaho Falls, Idaho 83401

Dear Mr. Croft:

The legal notice for the above-referenced permit is being published in the
Idaho Falls Post Register, Idaho Falls, Idaho on September 3
and September 10, 1970.

You will be required to submit an affidavit of publication to this department.
The affidavit may be obtained from the above-mentioned newspaper upon payment of
the bill of publication.

Thank you for your cooperation in this matter.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC:DG

Handwritten notes:
E. J. ...
G. J. ...

August 24, 1970

Re: Permit No. G-32901/35-2828

Mr. Eldon Croft
Route #1
Idaho Falls, Idaho 83401

Dear Mr. Croft:

The legal notice for the above-referenced permit is being published in the
Idaho Falls Post Register, Idaho Falls, Idaho on September 3
and September 10, 1970.

You will be required to submit an affidavit of publication to this department.
The affidavit may be obtained from the above-mentioned newspaper upon payment of
the bill of publication.

Thank you for your cooperation in this matter.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC:DG

35-2828
32701

August 24, 1970

Re: Permit No. G-32901/35-2828

Idaho Falls Post Register
P.O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed is a legal notice which we wish to have published for two consecutive weekly issues of your newspaper. We have inserted the publication dates, allowing ample time for you to submit to us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact the Department of Water Administration immediately.

The expense of the publication is to be paid by Eldon Croft, Route #1, 28B,
Idaho Falls, Idaho, to whom you should furnish
an affidavit of publication.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC:DG
Enc: legal notice

52901
35-2828

NOTICE OF EXISTING WATER PERMIT

AUG 20 1970

Notice is hereby given that Eldon Croft, Route #1, Idaho Falls, Idaho

_____ has received an approved Permit No. G-32901/35-2828 issued by the Idaho Department of Water Administration authorizing the diversion ~~/storage/~~ of 6.4 cubic feet per second ~~Acres/Foot~~ ~~/per/annum~~ of water from a ground water source.

The priority to be established under this permit is May 31, 1966

and the permit was approved June 1, 1966

Water is to be diverted by well, pump, motor, and sprinkler
from a point within the NW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 14, T. 3 N, R. 36 E, B. M., Bonneville,
County

to be used for **irrigation**

in the W¹/₂, Sec. 14, T. 3 N, R. 36 E, B. M.

Proof of the application of the water to beneficial use is to be submitted to the Department on or before June 1, 1971. Any protests against the issuance of the license for the above referenced permit should be filed with the Idaho Department of Water Administration within ten (10) days of the last date of publication of this notice or prior to the licensing of the permit. Licensing may commence prior to the date beneficial use proof is due without further notice.

R. KEITH HIGGINSON, Director
Idaho Dept. of Water Administration

Published in the Idaho Falls Post Register, Idaho Falls, Idaho
on September 3 and September 10, 1970

Permit No. 35-2828

Directors:

You are hereby authorized to have the above notice published at my expense in the Idaho Falls Post Register of Idaho Falls, Idaho; published in the county in which the works are situated.

Eldon Croft
(Signature)

(Date) Aug. 18, 1970

(Address)

RFI Box 2813
(Address) Idaho Falls,

Shaw 35-2828
32901

August 11, 1970

Re: Permit No. G-32901/35-2828

Mr. Eldon Croft
Route #1
Idaho Falls, Idaho 83401

Dear Mr. Croft:

During the 1967 session of the Idaho Legislature, certain amendments were made in the law pertaining to the procedures for making proof of beneficial use of water. In order for the Department to comply with these changes, Rules of Practice and Procedure were adopted on August 1, 1968. Generally, these procedures and the amended law make it simpler for a person to make proof and relieve the permit holder from making separate proofs of completion of works and beneficial use of water.

The enclosed order modifies your permit to comply with these rules and regulations. As a part of the new procedure, you will be required to publish a notice at your expense for two consecutive weeks in a paper as prescribed by the Department; previously, a permit holder had to publish a notice for four weeks when he submitted proof under his permit.

If you will complete the enclosed forms, we will cause the notice to be published. Should you require additional forms or information, we will be glad to supply them upon request at any time.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/DG
Enc: order
advertising package

*35-3101
82901*

November 6, 1969

Re: Permit No. G-32901/35-2828

Eldon Croft
Route 1
Idaho Falls, Idaho 83401

Dear Mr. Croft:

Enclosed is a copy of the APPROVED Application for Amendment for the above referenced permit.

If we may be of further assistance, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:JMB

Enc. Copy of APPROVED Application for Amendment

cc. Robert W. St. Clair
St. Clair, St. Clair, Hiller & Benjamin
Hasbrouck Building, P. O. Box 29
Idaho Falls, Idaho 83401

w/enclosures - Receipt No. 3801 in the amount of \$5.00, in payment for the amendment

32901
35-2828

LAW OFFICES
ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN

HASBROUCK BUILDING
P. O. BOX 29
IDAHO FALLS, IDAHO 83401
TELEPHONE 522-2350

November 5, 1969

ROBERT W. ST. CLAIR
GILBERT C. ST. CLAIR
MORTON B. HILLER
WILLIS B. BENJAMIN

CLENCY ST. CLAIR (1871-1957)
PAUL T. PETERSON (1892-1967)

Donald W. McEldowney
Appropriation Examiner
State of Idaho
Department of Reclamation
Statehouse-Annex 2
Boise, Idaho 83707


Re: Permit No. G-32901
(New No. 35-2828)
Eldon Croft

Dear Don:

As requested in your letter of October 31, we are herewith
enclosing check for \$5.00 for the filing fee.

Very truly yours,

ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN


Robert W. St. Clair

RWS/css
Encl.

32901
35-2828

October 31, 1969

Re: Permit No. G-32901 (New No. 35-2828) - Eldon Croft

Robert W. St. Clair
St. Clair, St. Clair, Hiller & Benjamin
Hasbrouck Building, Box 29
Idaho Falls, Idaho 83401

Dear Mr. St. Clair:

We are in receipt of your letter of October 30, 1969, along with the application for amendment concerning the above referenced permit. However, we are unable to process the amendment until we are in receipt of the \$5.00 filing fee.

As soon as we are in receipt of this fee, we shall continue to process the amendment. Your prompt attention to this matter would be greatly appreciated.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:JMB

32901
35-2828

LAW OFFICES
ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN

HASBROUCK BUILDING
P. O. BOX 29
IDAHO FALLS, IDAHO 83401
TELEPHONE 522-2350

ROBERT W. ST. CLAIR
GILBERT C. ST. CLAIR
MORTON B. HILLER
WILLIS B. BENJAMIN

October 30, 1969

CLENCY ST. CLAIR (1871-1957)
PAUL T. PETERSON (1892-1967)

Donald W. McEldowney
Appropriation Examiner
Department of Reclamation
State of Idaho
Statehouse-Annex 2
Boise, Idaho 83707

Re: Permit No. G-32901
Eldon Croft

Dear Don:

Enclosed find Mr. Croft's Application for Amendment to his water permit, which we will appreciate your processing to completion at your very earliest convenience.

I believe my brother, Gilbert, wrote Mr. Higginson on June 24, 1969, relative to these matters corrected by this Application.

Kindest regards.

Yours very truly,

ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN

Robert W. St. Clair
Robert W. St. Clair *ess*

RWS/css
Encl.

32901
35-2828

Don't forget to
2-15-69
modify!

32901 the
35-2828

REPORT OF WELL DRILLER
State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:
Name Eldon Craft
Address 4400 Fairview, Veho
35-2828

Owner's Permit No. APP 500-32901
NATURE OF WORK (check): Replacement well ☐
New well ☒ Deepened ☐ Abandoned ☐
Water is to be used for: irrigation
METHOD OF CONSTRUCTION: Rotary ☐ Cable ☐
Dug ☐ Other ☐

(explain)
CASING SCHEDULE: Threaded ☐ Welded ☒
20 "Diam. from 0 ft. to 31 ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
"Diam. from ft. to ft.
Thickness of casing: .250 Material:
Steel ☒ concrete ☐ wood ☐ other ☐

(explain)
PERFORATED? Yes ☐ No ☒ Type of
perforator used:

Size of perforations: " by "
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒
Manufacturer's name

Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

CONSTRUCTION: Well gravel packed? Yes ☐
No ☒ size of gravel Gravel
placed from ft. to ft. Surface seal
provided? Yes ☒ No ☐ To what depth?
25 ft. Material used in seal: cem. concrete

Did any strata contain unusable water? Yes ☐
No ☒ Type of water:
Depth of strata ft. Method of sealing
strata off:

Surface casing used? Yes ☒ No ☐
Cemented in place? Yes ☐ No ☒
Locate well in section

LOCATION OF WELL: County Sandwich
NW NW NW Sec. 12 T. 3 N. 3 R. 36 E. 1

Size of drilled hole: 20" Total
depth of well: 535 Standing water
level below ground: 438 Temp.
Fahr. ° Test delivery: gpm
or cfs Pump? ☐ Bail ☐
Size of pump and motor used to make test:

Length of time of test: Hrs. Min.
Drawdown: ft. Artesian pressure: ft.
above land surface Give flow cfs
or gpm. Shutoff pressure:
Controlled by: Valve ☐ Cap ☐ Plug ☐
No control ☐ Does well leak around casing?
Yes ☐ No ☒

DEPTH		MATERIAL	WATER YES OR NO
FROM	TO		
FEET	FEET		
0	14	clay	no
14	24	clay & brown basalt	no
24	29	fine gray basalt	no
29	36	fine gray basalt	no
36	40	fine gray basalt	no
40	42	fine gray basalt	no
42	46	fine gray basalt	no
46	50	fine gray basalt	no
50	54	fine gray basalt	no
54	58	fine gray basalt	no
58	62	fine gray basalt	no
62	66	fine gray basalt	no
66	70	fine gray basalt	no
70	74	fine gray basalt	no
74	78	fine gray basalt	no
78	82	fine gray basalt	no
82	86	fine gray basalt	no
86	90	fine gray basalt	no
90	94	fine gray basalt	no
94	98	fine gray basalt	no
98	102	fine gray basalt	no
102	106	fine gray basalt	no
106	110	fine gray basalt	no
110	114	fine gray basalt	no
114	118	fine gray basalt	no
118	122	fine gray basalt	no
122	126	fine gray basalt	no
126	130	fine gray basalt	no
130	134	fine gray basalt	no
134	138	fine gray basalt	no
138	142	fine gray basalt	no
142	146	fine gray basalt	no
146	150	fine gray basalt	no
150	154	fine gray basalt	no
154	158	fine gray basalt	no
158	162	fine gray basalt	no
162	166	fine gray basalt	no
166	170	fine gray basalt	no
170	174	fine gray basalt	no
174	178	fine gray basalt	no
178	182	fine gray basalt	no
182	186	fine gray basalt	no
186	190	fine gray basalt	no
190	194	fine gray basalt	no
194	198	fine gray basalt	no
198	202	fine gray basalt	no
202	206	fine gray basalt	no
206	210	fine gray basalt	no
210	214	fine gray basalt	no
214	218	fine gray basalt	no
218	222	fine gray basalt	no
222	226	fine gray basalt	no
226	230	fine gray basalt	no
230	234	fine gray basalt	no
234	238	fine gray basalt	no
238	242	fine gray basalt	no
242	246	fine gray basalt	no
246	250	fine gray basalt	no
250	254	fine gray basalt	no
254	258	fine gray basalt	no
258	262	fine gray basalt	no
262	266	fine gray basalt	no
266	270	fine gray basalt	no
270	274	fine gray basalt	no
274	278	fine gray basalt	no
278	282	fine gray basalt	no
282	286	fine gray basalt	no
286	290	fine gray basalt	no
290	294	fine gray basalt	no
294	298	fine gray basalt	no
298	302	fine gray basalt	no
302	306	fine gray basalt	no
306	310	fine gray basalt	no
310	314	fine gray basalt	no
314	318	fine gray basalt	no
318	322	fine gray basalt	no
322	326	fine gray basalt	no
326	330	fine gray basalt	no
330	334	fine gray basalt	no
334	338	fine gray basalt	no
338	342	fine gray basalt	no
342	346	fine gray basalt	no
346	350	fine gray basalt	no
350	354	fine gray basalt	no
354	358	fine gray basalt	no
358	362	fine gray basalt	no
362	366	fine gray basalt	no
366	370	fine gray basalt	no
370	374	fine gray basalt	no
374	378	fine gray basalt	no
378	382	fine gray basalt	no
382	386	fine gray basalt	no
386	390	fine gray basalt	no
390	394	fine gray basalt	no
394	398	fine gray basalt	no
398	402	fine gray basalt	no
402	406	fine gray basalt	no
406	410	fine gray basalt	no
410	414	fine gray basalt	no
414	418	fine gray basalt	no
418	422	fine gray basalt	no
422	426	fine gray basalt	no
426	430	fine gray basalt	no
430	434	fine gray basalt	no
434	438	fine gray basalt	no
438	442	fine gray basalt	no
442	446	fine gray basalt	no
446	450	fine gray basalt	no
450	454	fine gray basalt	no
454	458	fine gray basalt	no
458	462	fine gray basalt	no
462	466	fine gray basalt	no
466	470	fine gray basalt	no
470	474	fine gray basalt	no
474	478	fine gray basalt	no
478	482	fine gray basalt	no
482	486	fine gray basalt	no
486	490	fine gray basalt	no
490	494	fine gray basalt	no
494	498	fine gray basalt	no
498	502	fine gray basalt	no
502	506	fine gray basalt	no
506	510	fine gray basalt	no
510	514	fine gray basalt	no
514	518	fine gray basalt	no
518	522	fine gray basalt	no
522	526	fine gray basalt	no
526	530	fine gray basalt	no
530	534	fine gray basalt	no
534	538	fine gray basalt	no
538	542	fine gray basalt	no
542	546	fine gray basalt	no
546	550	fine gray basalt	no
550	554	fine gray basalt	no
554	558	fine gray basalt	no
558	562	fine gray basalt	no
562	566	fine gray basalt	no
566	570	fine gray basalt	no
570	574	fine gray basalt	no
574	578	fine gray basalt	no
578	582	fine gray basalt	no
582	586	fine gray basalt	no
586	590	fine gray basalt	no
590	594	fine gray basalt	no
594	598	fine gray basalt	no
598	602	fine gray basalt	no
602	606	fine gray basalt	no
606	610	fine gray basalt	no
610	614	fine gray basalt	no
614	618	fine gray basalt	no
618	622	fine gray basalt	no
622	626	fine gray basalt	no
626	630	fine gray basalt	no
630	634	fine gray basalt	no
634	638	fine gray basalt	no
638	642	fine gray basalt	no
642	646	fine gray basalt	no
646	650	fine gray basalt	no
650	654	fine gray basalt	no
654	658	fine gray basalt	no
658	662	fine gray basalt	no
662	666	fine gray basalt	no
666	670	fine gray basalt	no
670	674	fine gray basalt	no
674	678	fine gray basalt	no
678	682	fine gray basalt	no
682	686	fine gray basalt	no
686	690	fine gray basalt	no
690	694	fine gray basalt	no
694	698	fine gray basalt	no
698	702	fine gray basalt	no
702	706	fine gray basalt	no
706	710	fine gray basalt	no
710	714	fine gray basalt	no
714	718	fine gray basalt	no
718	722	fine gray basalt	no
722	726	fine gray basalt	no
726	730	fine gray basalt	no
730	734	fine gray basalt	no
734	738	fine gray basalt	no
738	742	fine gray basalt	no
742	746	fine gray basalt	no
746	750	fine gray basalt	no
750	754	fine gray basalt	no
754	758	fine gray basalt	no
758	762	fine gray basalt	no
762	766	fine gray basalt	no
766	770	fine gray basalt	no
770	774	fine gray basalt	no
774	778	fine gray basalt	no
778	782	fine gray basalt	no
782	786	fine gray basalt	no
786	790	fine gray basalt	no
790	794	fine gray basalt	no
794	798	fine gray basalt	no
798	802	fine gray basalt	no
802	806	fine gray basalt	no
806	810	fine gray basalt	no
810	814	fine gray basalt	no
814	818	fine gray basalt	no
818	822	fine gray basalt	no
822	826	fine gray basalt	no
826	830	fine gray basalt	no
830	834	fine gray basalt	no
834	838	fine gray basalt	no
838	842	fine gray basalt	no
842	846	fine gray basalt	no
846	850	fine gray basalt	no
850	854	fine gray basalt	no
854	858	fine gray basalt	no
858	862	fine gray basalt	no
862	866	fine gray basalt	no
866	870	fine gray basalt	no
870	874	fine gray basalt	no
874	878	fine gray basalt	no
878	882	fine gray basalt	no
882	886	fine gray basalt	no
886	890	fine gray basalt	no
890	894	fine gray basalt	no
894	898	fine gray basalt	no
898	902	fine gray basalt	no
902	906	fine gray basalt	no
906	910	fine gray basalt	no
910	914	fine gray basalt	no
914	918	fine gray basalt	no
918	922	fine gray basalt	no
922	926	fine gray basalt	no
926	930	fine gray basalt	no
930	934	fine gray basalt	no
934	938	fine gray basalt	no
938	942	fine gray basalt	no
942	946	fine gray basalt	no
946	950	fine gray basalt	no
950	954	fine gray basalt	no
954	958	fine gray basalt	no
958	962	fine gray basalt	no
962	966	fine gray basalt	no
966	970	fine gray basalt	no
970	974	fine gray basalt	no
974	978	fine gray basalt	no
978	982	fine gray basalt	no
982	986	fine gray basalt	no
986	990	fine gray basalt	no
990	994	fine gray basalt	no
994	998	fine gray basalt	no
998	1002	fine gray basalt	no

Work started: March 3, 1969
Work finished: April 30, 1969
Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.
Name: Jack Cochran
Address: 1405 1st St
Signed by: Jack Cochran
License No. 24 Date: July 21, 1969

Use other side for additional remarks

32901
35-2828

July 15, 1969

Re: Permit No. G-32901 - Eldon Croft

Mr. Gilbert C. St. Clair
P.O. Box 29
Idaho Falls, Idaho 83401

Dear Mr. St. Clair:

In answer to your letter of June 24th, 1969.

We are enclosing an application for amendment for permit G-32901. Please have Mr. Croft complete the application and submit it to the Department along with a \$5.00 filing fee. After the amendment is approved, we can send you a copy for your records.

We are also enclosing a copy of the original permit for your use.

If we may be of further service, please advise.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:DR

Enc: Application for amendment
Copy of permit

32901

LAW OFFICES
ST. CLAIR, ST. CLAIR & HILLER
HASBROUCK BUILDING
P. O. BOX 29
IDAHO FALLS, IDAHO 83401
TELEPHONE 522-2350

ROBERT W. ST. CLAIR
GILBERT C. ST. CLAIR
MORTON B. HILLER
WILLIS B. BENJAMIN

June 24, 1969

RECEIVED
JUN 26 1969
Department of Reclamation
CLENCY ST. CLAIR (1871-1957)
PAUL T. PETERSON (1892-1967)

Mr. R. Keith Higginson
Deputy State Reclamation Engineer
Department of Reclamation
Boise, Idaho

Dear Mr. Higginson:

We are processing a loan for Eldon Croft for the Bank of Commerce and John Hancock Mutual Life Insurance Company and have been handed Eldon Croft's Permit No. 32901 for 6.4 cubic feet per second or 320 inches of subterranean waters.

Under paragraph 4 of the location of the point of diversion, it is correct; but the description of the property on page two under paragraph 12 was the NE $\frac{1}{4}$ and the SE $\frac{1}{4}$ of Section 14, Township 3 North, Range 36, EBM, for 320 acres. The point of diversion as shown on Form No. 0 is in the SW $\frac{1}{4}$ NE $\frac{1}{4}$ in said Section 14.

Apparently, when Mr. Roy Torngren had this filled out while at your office in Boise, he must have given you the wrong description, as it should be the NW $\frac{1}{4}$ and the SW $\frac{1}{4}$ and the point of diversion, as the diagram shows, but in the SE $\frac{1}{4}$ NW $\frac{1}{4}$ of said Section 14, just about opposite the location as shown.

Would it be possible for you to change or amend the original permit and send us a photostatic copy of this so that we could proceed with the loan, or if not please advise me what action to take.

We did not handle this originally, as Roy Torngren is a brother-in-law of Eldon Croft and had it taken care of in your office in Boise.

With best regards, I am,

Yours very truly,

ST. CLAIR, ST. CLAIR, HILLER & BENJAMIN

Gilbert C. St. Clair
Gilbert C. St. Clair

GCS/css

32901

June 9, 1966

Re: Permit No. G-32901
Eldon Croft

Eldon Croft
Route # 1
Idaho Falls, Idaho

Dear Mr. Croft:

We enclose Permit No. G-32901 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer

We also enclose Departmental Receipt No. G-10373
which was issued covering payment in the amount of \$ 13.75
for the filing fee of the above mentioned permit.

Very truly yours,


M. RUSSELL BOSCH
Office Manager

Permit G-32901
Enc: Receipt G-10373; \$13.75; \$6.50 for Permit G-32901
\$ 7.25 for Permit G-32902, Roy Torngren
ct

832901

NAME OF APPLICANT..... *Edison Corp.*

Form No. 0



SCALE: 2 Inches Equal 1 Mile. Draw Plan In Ink.

b 32901

ACKNOWLEDGEMENT

Date: _____

Re: Application No. _____

I hereby acknowledge that, even though I was assisted by employees of the Idaho State Department of Reclamation in the preparation of Application No. _____, all responsibility with regard to the accuracy and completeness of the information contained therein rests with me.

Signed: _____

Applicant

53290 / 1440