

Stanton, Jim

From: Yenter, Cindy (Hodges)
Sent: Wednesday, April 19, 2006 7:52 AM
To: Stanton, Jim
Subject: FW: Carey Application

Jim - you can add this photo to the Blaine Co. School District App. Christian is mailing the sales agreement.
cindy

-----Original Message-----

From: Christian Petrich [mailto:CPetrich@spfwater.com]
Sent: Tuesday, April 18, 2006 5:59 PM
To: Yenter, Cindy (Hodges)
Cc: Jim Speck
Subject: RE: Carey Application

Cindy,

Thanks for the email. A copy of the signed Agreement for Purchase and Sale is on the way.

We will file a Notice of Change in Water Right Ownership form when the Carey High School permit is being approved. A map showing acres that will not be irrigated with supplemental water under water right 37-2657B is attached.

I will check with Dick regarding verification of non-irrigation.

Thanks for your efforts.

Christian

From: Yenter, Cindy (Hodges) [mailto:Cindy.Hodges@idwr.idaho.gov]
Sent: Tuesday, April 18, 2006 8:54 AM
To: Christian Petrich
Cc: Stanton, Jim
Subject: Carey Application

Christian -

We've received the Carey High School application for permit packet. I've forwarded it for review and it will be processed. We did not receive the Agreement for Purchase and Sale in the packet - probably an oversight but we will need it. Could you please send a copy over?

I let Shelley Keen know that this ap had been received, and asked him about the mechanics of making the changes to the Simpson right to reflect the mitigation acres and the location of the remaining 149 supplemental acres. The reconfiguration of the Simpson water right will happen pursuant to the permit approval, and just prior to ownership change. Shelley indicates that Simpson will need to file an initial plan for identifying the location of those mitigation acres, if that is not a part of the sales agreement, so that we have it during the reconfiguration process. From my watermaster perspective, it will be difficult for Dick to prove that he's NOT using ground water on a certain 20 acres, if all 169 are still irrigated under a common system and the two water sources are commingled. He might want to give that some thought and call me within the next couple of weeks to discuss his ideas (I will be out the week of the 24th).

4/19/2006

We will be in touch if we need any other information.

Regards,
Cindy Yenter
Watermaster, Water District 130
Twin Falls, ID
cindy_yenter@idwr.idaho.gov
208-736-3033

4/19/2006