


12. Pinehaven Blk 9, Lot 15 = Amelia Brunt
(cont.) " Block 10, Lot 1 = Barbara Wray 1/0 Jm. Nixon

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



This well is specifically located on Lot #1
of Block #10 of Division #3; Pinehaven Subdivision.
in Fremont County, Idaho in SE 1/4 of NE 1/4 of SE 1/4
of Sect. 11, Township 11N, Range 42E.
(See Attached detail Map for Pinehaven Well #12.)

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Home: Box 13A; Star Route
Pinehaven
Ashton, Idaho 83420
Phone: 208-558-7620


MICROFILMED
Benjamin Widmann - Mayor
(Applicant)
Benjamin Widmann
Pinehaven Planning Board

Pinehaven Subdivision: Well #12 (9/85) = ⊗ (see arrow below)


Serving: Block 9, lots 1 thru 16; Block 10, Lots 1 thru 16; Block 15, Lots 1 thru 3 —

MILEAGES FROM PINEHAVEN

NORTH: LAST CHANCE — 6
PONDS LODGE — 11
MACKS INN — 17
WEST YELLOWSTONE — 40
SOUTH: ASHTON — 17
IDAHO FALLS — 70



Buildings Served
9/85 by Well #12



AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

ss.

being first duly sworn, upon his oath, deposes and says:

That he is the business clerk of The Ashton Herald, a newspaper as defined by Idaho Codes Annotated, section 58-106, as amended, and that said newspaper is a weekly newspaper printed and published at St. Anthony, in Fremont County, Idaho, having a general circulation in said county, and that said newspaper has been printed and published as a weekly newspaper in said county for more than 78 consecutive weeks prior to the first publication of the attached notice, advertisement or publication of

Application for
Water Right 21-7365.

And affiant further says that said notice, advertisement of publication, as per clipping attached, was published in said newspaper, in the regular and entire issue thereof, and not in any supplement issue thereof, for 2 consecutive issues thereof; first publication

having been made on the 26th.....

day of September, 1985

and the last publication on the

3rd day of October.....

1985.

And affiant further says that at the times herein mentioned said newspaper was made up of at least four pages of at least five columns each, printed from type matter, of at least seventeen and three-fourths inches deep.

Helen G. Gude
Subscribed in my presence and

sworn to before me this 8th.....

day of October.....,

1985.

Linda Sheldon

Notary Public for the
[SEAL] State of Idaho, residence
and post office address:
St. Anthony, Idaho.
Ashton

RECEIVED

OCT 22 1985

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

21-7365

PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429

Source: GROUNDWATER

Date Filed: 09/12/1985

Diversion Pt: NESE Sec 11 T 11N R 42E,
AKA Lot 1, Block 10, Division No. 3 of
Pinehaven Subdivision

Use: DOMESTIC (0.26 CFS)

In: NESE SESE Sec 11 T 11N R 42E

The permits will be subject to all prior water rights. Protests may be submitted, based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before October 14, 1985.

KEN DUNN
Director

Publ. Sept. 26 and Oct. 3, 1985AH

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 13 1990

A. GENERAL INFORMATION


1. Owner: Pine Haven Planning Board Permit No. 7365
Current Address: P.O. Box 58 Island Park, Id. 83429 Phone No. 558-7620
2. Accompanied by: Benjamin Widmann EXAM. DATE: 7-20-89
Address: Same Phone No. Same
Relationship to Permit Holder: Mayor + Member of the Board
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached





MICROFILMED

AUG 31 1990

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.
(required for irrigation of 10 acres or more).





INDEXED
AUG 31 1990


21-7365

Pinehaven Subdivision: Well #12 (9/85) = ⊗ (see arrow below)

Serving: Block 9, lots 1 thru 16; Block 10, Lots 1 thru 16; Block 15, Lots 1 thru 3 —

MILEAGES FROM PINEHAVEN

NORTH: LAST CHANCE — 6
PONDS LODGE — 11
MACKS INN — 17
WEST YELLOWSTONE — 40
SOUTH: ASHTON — 17
IDAHO FALLS — 70




Buildings served
9/85 by Well #12

MICROFILMED
AUG 31 1990

Place of
use
(Blocked in)

Well #12 Point of diversion

21-7365



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 21-07365

Priority: September 12, 1985

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:¹

42.0 AF

This is to certify, that PINEHAVEN PLANNING BOARD
P.O. BOX 58

ISLAND PARK, ID 83429

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 12, 1985; and has submitted Proof of Beneficial Use on March 16, 1989. An examination indicates that the works have a diversion capacity of .100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	42.0 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 11, Township 11N, Range 42E
FREMONT County

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 42E 11 NESE SESE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 35 homes from Well #12.

MICROFILMED

AUG 31 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 21-07365

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

RECEIVED

AUG 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

PINEHAVEN

1. Name of applicant Pinehaven Planning Board Phone 558-7620

Post office address P.O. Box #58; Island Park, Idaho 83429

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____

Sec. 11 Township 11N Range 42E B.M. Fremont County; additional

points of diversion if any: Well is located on Lot #1, Block #10; Division #3 of Pinehaven Subdivision

4. Water will be used for the following purposes:

Amount 0.26 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.26 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works: Groundwater (well) with pump to private buildings.

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is Six inches; proposed depth of well is approx. 85 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
five years (minimum 1 year).

MICROFILMED

8. Description of proposed uses (if irrigation only, go to item 9):

MICROFILMED

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. Pinehaven - Well #12
- d. Domestic; show number of households. 2 bldgs. (9/85) - Max # lots & bldg. possible - 35
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
LIN	42E	11													X			X	

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Barbara Wray & J.M. Nixon

b. Who owns the land to be irrigated or place of use? SAME

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. North Fork Development Co, The original developers

of Pinehaven drilled and established 12 wells between 1964 and 1969.


12. Remarks: Applications for Permit was filed for Wells #1 Thru #11 in June 1983 with Idaho Dept. of Water Resources and were formally approved January 3, 1985. This application is for Well #12.

The Pinehaven Planning Board is the legally constituted governing body as established by recorded Protective Covenants -

12. Remarks: This Well #12 serves the following buildings & lots as of 9/85 (owners show):

12. Pinchaven Block 9, Lot 15 = Amelia Brunt
 (cont.) " Block 10, Lot 1 = Barbara Wray 1/10 Jm. Nixon

13. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



This well is specifically located on Lot #1
 of Block #10 of Division #3; Pinchaven Subdivision -
 11N Fremont County, Idaho in SE 1/4 of NE 1/4 of SE 1/4
 of Sect. 11, Township 11N, Range 42E.
 (See Attached detail Map for Pinchaven Well #12.)

Scale: 2 inches equal 1 mile.

MICROFILMED

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Home: Box 13A; Star Route
 Pinchaven
 Ashton, Idaho 83420
 Phone: 208-558-7620

Benjamin Widmann - Mayor
 Benjamin Widmann (Applicant)
 Pinchaven Planning Board

Proposed Priority 9/12/85

Received by HWS Date 9-12-85 Time 114am Preliminary check by JS

Fee \$ 45.00 Received by AW # 35492 Date 9-12-85

Publication prepared by AW Date 9-18-85 Published in Ashton Herald

Publication approved AW Date 10-28-85

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 21-7365, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Use of water under this permit is subject to control by the watermaster of State Water District No. 01 Snake River.

Witness my hand this 12th day of November, 1985.

J. Allen Gayton
Chief, Operations Bureau

Pinehaven Subdivision: Well #12 (9/85) = ⊗ (see arrow below)

Serving: Block 9, lots 1 thru 16; Block 10, lots 1 thru 16; Block 15, lots 1 thru 3—

MILEAGES FROM PINEHAVEN

NORTH: LAST CHANCE ——— 6


PONDS LODGE ——— 11

MACKS INN ——— 17


WEST YELLOWSTONE — 40

SOUTH: ASHTON ——— 17

IDAHO FALLS ——— 70



Buildings Served
9/85 by Well #12



MICROFILMED

AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

Helen G. Grube

being first duly sworn, upon his
oath, deposes and says:

That he is the *business clerk*
of The Ashton Herald, a newspaper
as defined by Idaho Codes Anno-
tated, section 58-106, as amended,
and that said newspaper is a
weekly newspaper printed and
published at St. Anthony, in Fre-
mont County, Idaho, having a
general circulation in said county,
and that said newspaper has been
printed and published as a weekly
newspaper in said county for more
than 78 consecutive weeks prior to
the first publication of the attached
notice, advertisement or publica-
tion of

Application for
Water Right 21-7365

And affiant further says that said
notice, advertisement of publica-
tion, as per clipping attached, was
published in said newspaper, in the
regular and entire issue thereof,
and not in any supplement issue
thereof, for*2*..... consecutive
issues thereof; first publication

having been made on the *26th*.....

day of *September*, 19*85*

and the last publication on the

3rd day of *October*.....

19*85*.

And affiant further says that at the
times herein mentioned said news-
paper was made up of at least four
pages of at least five columns each,
printed from type matter, of at
least seventeen and three-fourths
inches deep.

Helen G. Grube

Subscribed in my presence and

sworn to before me this *8th*.....

day of *October*.....,

19*85*.

Lula Sheldon

Notary Public for the
[SEAL] State of Idaho, residence
and post office address:
St. Anthony, Idaho.
Ashton

RECEIVED

OCT 27 1985

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been fil-
ed to appropriate the public waters of the
State of Idaho:

21-7365
PINEHAVEN PLUMBING & HEATING
P.O. BOX 66, 181 AND FRANK RD 83429
Source: GROUNDWATER
Date Filed: 09/11/85
Diversion: To 181 AND FRANK RD 11 T 11 N R 42E,
AKA CO. 1, 181 AND FRANK RD, Section No. 3 of
Pinehaven Subdivision
Use: DOMESTIC (2.50 CFS)
To: NE 1/4 SEC 36, 181 AND FRANK RD 11 T 11 N R 42E

The amount of water to be subject to all prior
water rights. Priority may be established
based on the date of the application. The
amount of water to be subject to all prior
water rights shall be determined by the
Department of Water Resources. The amount of
water to be subject to all prior water rights
shall be determined by the Department of
Water Resources. The amount of water to be
subject to all prior water rights shall be
determined by the Department of Water
Resources. The amount of water to be subject
to all prior water rights shall be determined
by the Department of Water Resources.

KEN DUNN
Director
Publ. Sept. 26 and Oct. 3, 1985AM

MICROFILMED

August 28, 1990

PINEHAVEN PLANNING BOARD
P.O. BOX 58
ISLAND PARK, ID 83429

RE: PERMIT NO. 21-07365

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 31 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 22, 1990

Pinehaven Planning Board
Box 58
Island Park, Idaho 83429

RE: PERMIT NOS. 21-7323, 7324, 7325, 7326, 7330, 7331, 7332, 7333, 7334, 7365.

Dear Mr. Widmann:

I am in receipt of your letter of August 21, 1990 concerning the above referenced permits. I will try to answer each of your question in the order as they were listed in your letter.

The rate of flow and volume listed on the license are parameters that identify limits to the extent that water can be diverted under each license. The quantities used are reflective of the diversion found in place at the time of an on site examination made by a department employee. The examinations were conducted on July 20, 1989 for all of the permits identified above. For example, the examination report on permit 21-7323 shows that a one horsepower pump was installed to supply water to sixteen lots. The examiner noted that only two homes were presently constructed and using water. Even though not all of the lots have houses constructed 16 lots were stubbed in to receive water supply from the well, therefore, the license that will include be issued for this permit will all sixteen lots. The rate of flow listed on the license identifies the estimated discharge capacity of the well installed and the volume listed on the license will reflect the requirements of the sixteen units even though only two are currently constructed. There is no further requirement on your part for adding the new homes on to the license as the construction of the remaining fourteen units are completed.

During a subsequent review of the above identified permits I discovered a mistake on all of the permits that caused the examiner's recommendations to be less than what was intended when the application for permits were filed. On the permit under item 8. (4) it asks for "Name of municipality to be served, or number of families to be supplied with domestic water." On each of the permits the number listed was the number of homes actually constructed at the time when the applications were filed. In looking at the subdivision maps which had the lots outlined that were to be supplied water from the well, it is obvious that all of the lots identified were intended to be included on the permit. Adjustments to the proposed licenses have been made.

RECORDED

AUG 31 1990

There seems to be some confusion on the permits that were filed by Pinehaven Planning Board, claims that have been filed under the Snake River Adjudication, wells being licensed, and proof of beneficial use being accomplished. I can understand this, it is confusing. I will address each one as listed.

1. The permits and claims both identify the wells designated to the lots within the subdivision. The claims filed refer to the permits filed. Since the permits are not yet licensed the items identified within the claims may later be changed to reflect the findings of the examination of the water developed under each of the permits filed.

2. The wells are not licensed at this time. This is what we are attempting to do now.

3. The claims filed in reference to the permits may be changed based upon actual water used as described above.

4. Proof of beneficial use has been filed (on the permits) and licenses will be issued based upon the examiner's findings and recommendations, not based upon statements made in the proof beneficial use if there are discrepancies. You will have an opportunity to resolve differences.

As to the uniqueness of Pinehaven Subdivision to other communities I don't believe that your situation presents any special problems that cannot be resolved. In filing the applications for permits it is obvious that there was a desire to only identify the lots served by a particular well. This action simplifies identifying obligations for meeting operating and maintenance expenses of the water system. Each community is organized in some similar fashion. In incorporated cities public water needs are supplied through municipal systems. It is true that municipal systems receive some "preferred" treatment under Idaho Water Laws but the cities are still required to file appropriate water rights. They are not required to file a new water right when the service area is increased but they are required to file when the capacity of the system is increased. The Pinehaven lot owners, in each of the identified water rights, will be covered by the licenses when issued even though the homes may not yet be constructed no additional water right filings will be required unless changes are made to increase the capacity of the existing diversions.

I hope that the above answers all of your questions and that you are satisfied with the adjustments made to the permits. If you have any remaining questions you can call me at Ph. 327-7947.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

RECORDED

AUG 31 1990

August 8, 1990

PINEHAVEN PLANNING BOARD
P.O. BOX 58
ISLAND PARK, ID 83429

RE: PERMIT NO. 21-07365

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

21-7365
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
☒ Copy of Permit
☒ Copies of any Amendments/Orders with conditions of approval
☐ Computer Data Proof Report
☒ Copy of U.S.G.S. Quad
☒ Check for Government Lots. If so, make a copy of Government Plat
Check of P/D index Kaw 05 MAY 89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index Kaw 05 MAY 89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
☒ Photographs of Point of Diversion and Place of Use
☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Larry J. Waters 8-10-89 (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent Kaw 8/14/89 (Initial and date)
Exam Reviewed by Manager of Regional Office _____ (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 13 1990

A. GENERAL INFORMATION

1. Owner: Pine Haven Planning Board Permit No. 7355
Current Address: P.O. Box 58 Island Park, Id. 83429 Phone No. 558-7620
2. Accompanied by: Benjamin Widmann EXAM. DATE: 7-20-89
Address: Same Phone No. Same
Relationship to Permit Holder: Mayor & Member of the Board
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: None

☐ Copies Attached
2. Other water rights with same point of diversion: None

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

AUG 31 1990

Scale: 1" =

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well + pump to pressure tank to multiple lots for domestic use (each lot irrigates 1/2 acre or less).

35 lots stubbed in with 3 Houses built at time of exam, with a max of 35 lots served under this permit.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor ^{model} Serial No.	Pump Make	Pump ^{model} Serial No. or Discharge Size
#12	Franklin Elec.	1.5	CBS 104475D2	Peerless	400 series

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	SE	11	11N	42E	Fremont	Map / on site inspection

6. Place(s) of Use:

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	42E	11													D			D	
																		L-1	

MICROFILMED

Do not use this space

AUG 31 1980

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

21-7365
PERMIT NO.

Houses built at time of exam

Block

9 Lot: 15

10 Lot: 1

15 Lot: 1


MICROFILMED



AUG 31 1990

James Y. Muth

SIGNATURE

Page 1 of Page 1





RECEIVED
AUG 31 1990

21-7365

Serving: Block 9, lots 1 thru 16; Block 10, Lots 1 thru 16; Block 15, Lots 1 thru 3 —


NORTH: LAST CHANCE ——— 6
PONDS LODGE ——— 11
MACKS INN ——— 17
WEST YELLOWSTONE — 40
SOUTH: ASHTON ——— 17
IDAHO FALLS ——— 70

Buildings served
9/85 by well #12

185
MICROFILMED
AUG 31 1990

Place of
use
(Blockulin)

21-7365



Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical						

2. Measurements:

30 psi
 static water level = 39' taken from well information at
 well location for permit 21-7324 south pinelake
 Theoretical calculations

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$Q_{theor.} = \frac{hp (8.814) (eff)}{1.44 + (psi \times 2.301)} = \frac{(1.5) (8.814) (68)}{39 + (30 \times 2.308)} = 0.098 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{Dom} = 35 (1.2) = 42 \text{ afa}$$

MICROFILMED

AUG 31 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

limit to theoretical amount pumped + 42 afy with
35 Homes max. served on this permit

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afy)
	From	To		
Domestic (35 Homes)	1-1	12-31	0.098	42
Totals:			0.098 cfs	42 afy

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Larry L. Waters
Signature Larry L. Waters
Certification Date _____
Field Report Preparation Date 8-10-89

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

AUG 31 1990

May 3, 1989

RECEIVED
MAY 04 1989

Department of Water Resources

Permit No. 21-07365

Pinehaven Planning Board
P. O. Box 58
Island Park, ID 83429

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161, or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:lk

RECEIVED

JUN 12 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 21-7365

Date: 4.4.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

For Office Use Only
Fee Received 100
Date 3-8-89
Receipt # E005998
Receipt by JS
Reviewed by JS
Sent to region

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. A21-7365

Name(s) of Permit Holder: Pinehaven Planning Board

Post Office Address: P.O. Box 58, Island Park, ID 83429

Telephone No. (208) 558-7620

Source of Water: Groundwater Pinehaven Well # 12

Extent of Use:

Domestic 35 lots (number of households) Stockwater (number and type of stock)

Irrigation (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.26 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 12 Sept 1985

Measuring Device: Required? Yes X No
Installed? Yes X No ✓ Fee enclosed \$ \$ 100
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

Benjamin Widmann 558-7620
(Name) (Telephone Number)

P.O. Box 58, Island Park, ID 83429
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 12 1989

4 Mar 1989
Date

Benjamin Widmann Mayor and Member of the Board
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
NOVEMBER 14, 1985

PINEHAVEN PLANNING BOARD
P.O. BOX 58
ISLAND PARK, ID 83429

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 21-7365

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

PLEASE NOTE THAT ONE OF THE CONDITIONS OF APPROVAL IS THAT THE DIVERSION OF WATER UNDER THIS PERMIT IS SUBJECT TO THE CONTROL OF A STATE WATERMASTER. THE REASON FOR THIS IS THAT SOME HYDROLOGIC STUDIES OF RIVERS IN THE STATE INDICATE THAT WELLS CONSTRUCTED IN THE SAND AND GRAVEL AQUIFERS OF THE RIVER AREAS MAY INTERCEPT WATER THAT OTHERWISE WOULD HAVE ENTERED THE RIVER. HOWEVER, THE EXTENT OF THE ALLUVIAL MATERIAL THICKNESS IS NOT KNOWN NOR IS THE PRECISE DEGREE OF INTERFERENCE OF WELLS WITH SURFACE WATER FLOWS. STUDIES DO INDICATE THAT AS MUCH AS 50% OF THE WATER DIVERTED FROM A WELL LOCATED ONE MILE FROM THE RIVER WOULD HAVE REACHED THE RIVER IF IMPERMEABLE LAYERS OF CLAY ON HARD ROCK DO NOT SEPARATE THE RIVER FROM THE ACQUIFER FROM WHICH THE WELL IS PRODUCING.

THE INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE YOU A PERMIT BUT DOES MERIT CAUTIONING YOU THAT ANY PERMIT ISSUED BY THE DEPARTMENT CANNOT DEPRIVE WATER USERS, WITH EARLIER RIGHTS, OF THEIR WATER SUPPLY.

THE REASON FOR CONDITIONING THE PERMIT AND EXPLAINING THE POTENTIAL INTERFERENCE PROBLEM IS TO MAKE YOU AWARE THAT FUTURE TESTS MAY DEFINITELY SHOW THAT DIVERSION OF WATER FROM YOUR WELL SHOULD BE ADMINISTERED TOGETHER WITH THE OLDER SURFACE WATER PRIORITIES OF THE RIVER AND ITS TRIBUTARIES. IF THIS WERE TO OCCUR, IT WOULD ESSENTIALLY MEAN THAT THERE WOULD NOT BE WATER AVAILABLE FOR A DIVERSION FROM YOUR WELL SINCE THE SURFACE WATER SYSTEM IS FULLY APPROPRIATED. BY LOCATING YOUR WELL AS FAR FROM THE RIVER AS POSSIBLE AND BY CASING OUT UPPER WATER PRODUCING ZONES AS THE WELL IS CONSTRUCTED, YOU MAY BE ABLE TO REDUCE THE AMOUNT OF INTERFERENCE WITH THE RIVER.

MICROFILMED

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

DRT: SC
ENCLOSURES

MICROFILMED

INTER-DEPARTMENT MEMO — 1

DATE 11/5/85

FROM Kay Walker *KW*


TO Application for Permit No. 21-7365

SUBJECT Watermaster Control Recommendation

Pursuant to review of this application, I recommend that it be subject to watermaster control because of the close proximity of the well to the river and the shallowness of the well itself. ^(85')

MICROFILMED

SIGNATURE



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

G. E. RAMSEY

21-7365

INITIAL REVIEW BY: _____

APPLICATION NUMBER: _____

CHECK:

SEP 16 1985

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

Filed by the Senior Judge with DMIC

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: CW

Date: 9-20-85

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. 21-7207, 7326, 7327, 7328, 7330, 7330, 7334
☒ Yes ☐ No* In form for advertising.
Final date for protests: 10-13-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10-22-85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
9-12-85 Date of priority recommended.
Special conditions of approval or cover letter. _____

#26 #4

app. not identified in S.F. suit -

By: Ernst Carlson

Date: Oct 28, 1985

STATE OFFICE REVIEW:

621, 617

26 04 05 (01, Snake River)

067 81 1985

- ☐ See attached sheet for more information.

By: CW

Date: 11/5/85

Department of Water Resources

MICROFILMED

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

October 17, 1985

The Ashton Herald
P.O. Box 258
Ashton, Idaho 83420

RE: Application for Permit No. 21-7365 Pinehaven Planning Board.

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on September 26 and October 3, 1985.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

MICHLELE DAVIS
Office Secretary

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT
150 North 3rd Avenue
Pocatello, Idaho
83201

September 27, 1985

Mr. Ernest Carlsen
Assistant Regional Supervisor
Department of Water Resources
150 Shoup - Suite 15
Idaho Falls, Idaho 83402

RE: 22-S-72A and
21-7365

Dear Mr. Carlsen:

Thank you for sending copies of the above applications for permits. We have no objections or comments at this time regarding the permits.

Sincerely,

Gordon Hopson
Gordon Hopson
Source Control Field Officer

GH/jd



SEP 29 1985

Department of Water Resources
Eastern District Office

MICROFILMED

September 20, 1985

RE: Application for Permit No. 21-7365 PINEHAVEN PLANNING BOARD

Department of Health & Welfare
150 North Third
Pocatello, ID 83201

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is October 14, 1985, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 13, 1985

The Ashton Herald
P. O. Box 258
Ashton, Idaho 83420

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 14, 1985.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed to appropriate
the public waters of the State of Idaho:

21-7365

PINEHAVEN PLANNING BOARD

P.O. BOX 58, ISLAND PARK, ID 83429

Source: GROUNDWATER

Date Filed: 09/12/1985

Diversion Pt: NESE Sec 11 T 11N R 42E
AKA Lot 1, Block 10, Division #3 of Pinehaven Subdivision

Use: DOMESTIC (0.26 CFS)

In: NESE SESE Sec 11 T 11N R 42E

The permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of Sec. 42-203A,
Idaho Code and/or the new public interest criteria of
Sec. 42-203C, Idaho Code. Protests must be filed with the
Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15,
Idaho Falls, Idaho, 83402 on or before October 14, 1985.

KEN DUNN

Director

Published 9/26 and 10/03/85.

MICROFILMED