


$\approx 12N$



This well is located on lot 7, Block #2 - Pinchaven Subdivision.
NE $\frac{1}{4}$ OF SE $\frac{1}{4}$ OF Section 11, Township 11N, Range 42E in
Fremont County, Idaho
(See attached detail map for Pinchaven well #3)

Ray A. Post-Meyer
(Applicant)
Pinehaven Planning Board

MICROFILMED

Pinehaven Subdivision: Wall #3 (6/83) - (X)

(X) Serving Block #2


Lots # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16

MILEAGES FROM PINEHAVEN

NORTH: LAST CHANGE — 6
PONDS LODGE — 11
MACKS INN — 17
WEST YELLOWSTONE — 40
SOUTH: ASHTON — 17
IDAHO FALLS — 70



Buildings served 6/83
by wall #3



... PINEHAVEN ...

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 13 1990 3:32
Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Pine haven Planning Board Permit No. _____
Current Address: P.O. Box 58 Island Park, Id. 83429 Phone No. 208 762 0
2. Accompanied by: Benjamin Widmann EXAM. DATE: 7-20-89
Address: Same Phone No. Same
Relationship to Permit Holder: Mayor + Member of the Board
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None ☐ Copies Attached
2. Other water rights with same point of diversion: None ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____


MICROFILMED

AUG 31 1990

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).



MICROFILMED
AUG 31 1990



21-7332

MICROFILMED

AUG 31 1990

Point of $\otimes$ Serving Block #2

Lots # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16

diversion


MILEAGES FROM PINEHAVEN

NORTH: LAST CHANCE	6
PONDS LODGE	11
MACKS INN	17
WEST YELLOWSTONE	40
SOUTH: ASHTON	17
IDAHO FALLS	70



Buildings served 6/83
by well #3

MICROFILMED
AUG 31 1990



Place of
use (Blocked-in)

000 PINEHAVEN 000 ENTRANCE #2

21-7332

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 21-07332

Priority: June 16, 1983

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:¹

19.2 AF

This is to certify, that PINEHAVEN PLANNING BOARD

P.O. BOX 58

ISLAND PARK, ID 83429

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 16, 1983; and has submitted Proof of Beneficial Use on March 16, 1989. An examination indicates that the works have a diversion capacity of .100 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.10 CFS	19.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 12, Township 11N, Range 42E
FREMONT County

PLACE OF USE: DOMESTIC

TWN RGE SEC

11N 42E 11	NESE
12	NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 16 homes from Well #3.

MICROFILMED

AUG 31 1990


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 21-07332

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 27th
day of August, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

AUG 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho **APPROVED**

1. Name of applicant Pinehaven Planning Board Phone _____

Post office address P.O. Box #58 - Island Park, Idaho 83429

2. Source of water supply Ground water which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 11 Township 11N

Range 42E B.M. Fremont County, additional points of diversion if any: _____

Specifically, Pinehaven well #3 is located on lot 7, block 2

4. Water will be used for the following purposes:

Amount 0.13 for Domestic purposes from Jan 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.13 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Ground water (well) with pump
to private cabins for domestic + culinary use only.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 85 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: NW SW 12
(1) Give the place of use of water: NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 11 Township 11N
Range 42E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served Pinehaven well #3, or number of families to be
supplied with domestic water 8 cabins (6/83)

(5) If water is to be used for other purposes describe: Private dwellings

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Ted H. Pettingill
- b. Who owns the land to be irrigated or place of use (see cabin owners under #10 below)
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing North Fork Development Co. the original developers of Pinchaun Subdivision, drilled and established 11 wells between 1964 and 1969. This is one of them.

10. Remarks This particular well serves the following cabins (owners shown) as of June 1983:

Pinchaun block 2 - Lot 3 - Joyce Ferguson

" " 2 - " 4 - Ray Ferguson

" " 2 - " 7 - Ted Pettingill

" " 2 - " 8 - Frank Heckeissen


" " 2 - " 9 - Carl Gray

" " 2 - " 11 - James Milam

" " 2 - " 13 - Gerald Ferguson

" " 2 - " 16 - Brent Tueller

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



This well is located on lot 7, Block #2 - Pinchewa Subdivision
 NE $\frac{1}{4}$ OF SE $\frac{1}{4}$ OF Section 11, Township 11N, Range 42E in
 Fremont County, Idaho
 (See attached detail map for Pinchewa well #3)

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Home: 1779 Gallup St.
 Idaho Falls, Idaho
 83401
 Phone: (208) - 522-3604

Ray L. Post - Mayor
 (Applicant)
 Pinchewa Planning Board

APPROVED

Proposed Priority 6/16/83

MICROFILMED

Received by KCW Date 6-16-83 Time 1730

Preliminary check by JAM Fee \$ 30.00

Receipted by KCW Date 6/16/83 # 30914

Publication prepared by BP Date 7/6/83

Published in Ashton Herald

Publication dates 7/14 : 7/21/83

Publication approved BP Date 8/5/83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC KCW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 21-7332, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 3rd day of January, 1985.

A. Glen Saxton
Chief, Operations Bureau

Pinehaven Subdivision. Well # 3 (6/83) = ②

② Serving Block #2


Lots # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16 —

MILEAGES FROM PINEHAVEN

NORTH: LAST CHANCE — 6
PONDS LODGE — 11
MACKS INN — 17
WEST YELLOWSTONE — 40
SOUTH: ASHTON — 17
IDAHO FALLS — 70



Buildings served 6/83
by well #3



... PINEHAVEN ... ENTRANCE #2

AFFIDAVIT OF
PUBLICATION

State of Idaho

County of Fremont

Carol Bessy

being first duly sworn, upon his
oath, deposes and says:

That she is the *editor*
of The Ashton Herald, a newspaper
as defined by Idaho Codes Anno-
tated, section 58-106, as amended,
and that said newspaper is a
weekly newspaper printed and
published at St. Anthony, in Fre-
mont County, Idaho, having a
general circulation in said county,
and that said newspaper has been
printed and published as a weekly
newspaper in said county for more
than 78 consecutive weeks prior to
the first publication of the attached
notice, advertisement or publica-
tion of *notice of application*

*Application for
Water Right (18)*

And affiant further says that said
notice, advertisement of publica-
tion, as per clipping attached, was
published in said newspaper, in the
regular and entire issue thereof,
and not in any supplement issue
thereof, for *2* consecutive
issues thereof; first publication

having been made on the *14th*

day of *July*, 19*83*

and the last publication on the

21st day of *July*

19*83*

And affiant further says that at the
times herein mentioned said news-
paper was made up of at least four
pages of at least five columns each,
printed from type matter, of at
least seventeen and three-fourths
inches deep.

Carol Bessy

Subscribed in my presence and

sworn to before me this *26th*

day of *July*

19*83*

Notary Public for the
[SEAL] State of Idaho, residence
and post office address:
St. Anthony, Idaho.
Ashton

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed
to appropriate the public waters of the State
of Idaho:

21-7333
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NWSW Sec 12 T 11 N R 42E
Use: DOMESTIC (0.10 CFS)
In: NWSW Sec 12 T 11 N R 42E

21-7334
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.16 CFS)
In: NESE Sec 11 T 11 N R 42E NWSW Sec
12 T 11 N R 42E

21-7335
MOON, GLEN
BOWMAN, LYNN
RT. 1, BOX 84, ASHTON, ID 83420
Source: SPRING CREEK trib. to SNAKE
RIVER
Date Filed: 06/27/1983
Diversión Pt: SENE Sec 11 T 09 N R 41E
Use: POWER (0.50 CFS)
In: SENE Sec 11 T 09 N R 41E

21-7336
MOON, GLEN
BOWMAN, LYNN
RT. 1, BOX 84, ASHTON, ID 83420
Source: SPRING CREEK trib. to SNAKE
RIVER
Date Filed: 06/27/1983
Diversión Pt: NWNW Sec 13 T 09 N R 41E
Use: POWER (0.50 CFS)
In: NWNW Sec 13 T 09 N R 41E

21-7337
MOON, GLEN
BOWMAN, LYNN
RT. 1, BOX 84, ASHTON, ID 83420
Source: SPRING CREEK trib. to SNAKE
RIVER
Date Filed: 06/27/1983
Diversión Pt: NWNE Sec 11 T 09 N R 41E
Use: POWER (0.50 CFS)
In: NWNE Sec 11 T 09 N R 41E

21-7339
MOON, GLEN
BOWMAN, LYNN
RT. 1, BOX 84, ST. ANTHONY, ID 83420
Source: SPRING CREEK trib. to SNAKE
RIVER
Date Filed: 06/27/1983
Diversión Pt: SWNW Sec 13 T 09 N R 41E
Use: POWER (0.50 CFS)
In: SWNW Sec 13 T 09 N R 41E

21-7331
PINEHAVEN PLANNING BOARD
P.O. BOX 48, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NWSW Sec 12 T 11 N R 42E
Use: DOMESTIC (0.06 CFS)
In: NWSW Sec 12 T 11 N R 42E

21-7332
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.13 CFS)
In: NESE Sec 11 T 11 N R 42E NWSW Sec
12 T 11 N R 42E

21-7329
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NWSW Sec 12 T 11 N R 42E
Use: DOMESTIC (0.25 CFS)
In: NWSW Sec 12 T 11 N R 42E

21-7330
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER

21-7331
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NWSW Sec 12 T 11 N R 42E
Use: DOMESTIC (0.08 CFS)
In: NWSW Sec 12 T 11 N R 42E

21-7321
GARZ, OTTO W.
RT. 2, BOX 55, ASHTON, ID 83420
Source: GROUNDWATER
Date Filed: 05/02/1983
Diversión Pt: SWNW NWSW Sec 13 T 08 N
R 43E
Use: DOMESTIC (0.04 CFS), STOCK-
WATER (0.02 CFS)
In: NWSW SWNW Sec 13 T 08 N R 43E

21-7323
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: SESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.11 CFS)
In: SESE Sec 11 T 11 N R 42E

21-7324
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: SESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.11 CFS)
In: SESE Sec 11 T 11 N R 42E

21-7325
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: SESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.10 CFS)
In: SESE Sec 11 T 11 N R 42E

21-7326
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.11 CFS)
In: NESE Sec 11 T 11 N R 42E

21-7327
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.11 CFS)
In: NESE Sec 11 T 11 N R 42E

21-7328
PINEHAVEN PLANNING BOARD
P.O. BOX 58, ISLAND PARK, ID 83429
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversión Pt: NESE Sec 11 T 11 N R 42E
Use: DOMESTIC (0.12 CFS)
In: NESE Sec 11 T 11 N R 42E

The permit(s) will be subject to all prior
water rights. Protests must be filed with the

MACROFILMED

August 28, 1990

PINEHAVEN PLANNING BOARD
P.O. BOX 58
ISLAND PARK, ID 83429

RE: PERMIT NO. 21-07332

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

AUG 31 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 22, 1990

Pinehaven Planning Board
Box 58
Island Park, Idaho 83429

RE: PERMIT NOS. 21-7323, 7324, 7325, 7326, 7330, 7331, 7332, 7333, 7334, 7365.

Dear Mr. Widmann:

I am in receipt of your letter of August 21, 1990 concerning the above referenced permits. I will try to answer each of your question in the order as they were listed in your letter.

The rate of flow and volume listed on the license are parameters that identify limits to the extent that water can be diverted under each license. The quantities used are reflective of the diversion found in place at the time of an on site examination made by a department employee. The examinations were conducted on July 20, 1989 for all of the permits identified above. For example, the examination report on permit 21-7323 shows that a one horsepower pump was installed to supply water to sixteen lots. The examiner noted that only two homes were presently constructed and using water. Even though not all of the lots have houses constructed 16 lots were stubbed in to receive water supply from the well, therefore, the license that will include be issued for this permit will all sixteen lots. The rate of flow listed on the license identifies the estimated discharge capacity of the well installed and the volume listed on the license will reflect the requirements of the sixteen units even though only two are currently constructed. There is no further requirement on your part for adding the new homes on to the license as the construction of the remaining fourteen units are completed.

During a subsequent review of the above identified permits I discovered a mistake on all of the permits that caused the examiner's recommendations to be less than what was intended when the application for permits were filed. On the permit under item 8. (4) it asks for "Name of municipality to be served, or number of families to be supplied with domestic water." On each of the permits the number listed was the number of homes actually constructed at the time when the applications were filed. In looking at the subdivision maps which had the lots outlined that were to be supplied water from the well, it is obvious that all of the lots identified were intended to be included on the permit. Adjustments to the proposed licenses have been made.

MICROFILMED

AUG 31 1990

There seems to be some confusion on the permits that were filed by Pinehaven Planning Board, claims that have been filed under the Snake River Adjudication, wells being licensed, and proof of beneficial use being accomplished. I can understand this, it is confusing. I will address each one as listed.

1. The permits and claims both identify the wells designated to the lots within the subdivision. The claims filed refer to the permits filed. Since the permits are not yet licensed the items identified within the claims may later be changed to reflect the findings of the examination of the water developed under each of the permits filed.

2. The wells are not licensed at this time. This is what we are attempting to do now.

3. The claims filed in reference to the permits may be changed based upon actual water used as described above.

4. Proof of beneficial use has been filed (on the permits) and licenses will be issued based upon the examiner's findings and recommendations, not based upon statements made in the proof beneficial use if there are discrepancies. You will have an opportunity to resolve differences.

As to the uniqueness of Pinehaven Subdivision to other communities I don't believe that your situation presents any special problems that cannot be resolved. In filing the applications for permits it is obvious that there was a desire to only identify the lots served by a particular well. This action simplifies identifying obligations for meeting operating and maintenance expenses of the water system. Each community is organized in some similar fashion. In incorporated cities public water needs are supplied through municipal systems. It is true that municipal systems receive some "preferred" treatment under Idaho Water Laws but the cities are still required to file appropriate water rights. They are not required to file a new water right when the service area is increased but they are required to file when the capacity of the system is increased. The Pinehaven lot owners, in each of the identified water rights, will be covered by the licenses when issued even though the homes may not yet be constructed no additional water right filings will be required unless changes are made to increase the capacity of the existing diversions.

I hope that the above answers all of your questions and that you are satisfied with the adjustments made to the permits. If you have any remaining questions you can call me at Ph. 327-7947.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

RECEIVED

AUG 21 1971

August 8, 1990

PINEHAVEN PLANNING BOARD
P.O. BOX 58
ISLAND PARK, ID 83429

RE: PERMIT NO. 21-07332

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
AUG 31 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

21-7332
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

A. Prior to Conducting the Exam, the File Contains:

- ☐ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index KCW 05 MAY 89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index KCW 05 MAY 89 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Long & White 8-10-89 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent KCW 8/10/89 (Initial and date)

Exam Reviewed by Manager of Regional Office _____ (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 13 1990 3:12

A. GENERAL INFORMATION

1. Owner: Pine Haven Planning Board
Current Address: P.O. Box 58 Island Park, Id. 83429
2. Accompanied by: Benjamin Widmann EXAM. DATE: 7-20-89
Address: Same Phone No. Same
Relationship to Permit Holder: Mayor + Member of the Board
3. Source: Groundwater tributary to _____


Permit No. _____
Department of Water Resources
Phone No. 8620

B. OVERLAP REVIEW

1. Other water rights with same place of use: None
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: None
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED

AUG 31 1990

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well & pump to pressure tank to multiple lots for domestic use (each lot irrigates 1/2 acre or less).

16 lots stubbed in with 8 houses built at time of exam. However, only 8 houses allowed under this permit.

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#3	—	1.5	—	—	

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2-6		NW	SW	12	11N	42E	Fremont	Maps / on site inspection

6. Place(s) of Use:


Indicate Method of Determination


Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
11N	42E	11													D				
		12										D							
												L-6							

MICROFILMED

AUG 31 1990

Do not use this space





STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

21-7332

PERMIT NO.

Houses Built at time of exam

Block

2 Lots: 3, 4, 7, 8, 9, 11, 13, 16

MICROFILMED

AUG 31 1990

Long & Martin

SIGNATURE

Page 1 of Page 1



- Gate Valve
21-7332

21-7332

MICROFILMED

AUG 31 1990

Point of $\otimes$ Serving Block #2
 diversion

Lots # 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16


MILEAGES FROM PINEHAVEN

NORTH: LAST CHANGE — 6
 PONDS LODGE — 11
 MACKS INN — 17
 WEST YELLOWSTONE — 40
 SOUTH: ASHTON — 17
 IDAHO FALLS — 70



Buildings served 6/83
 by well #3

MICROFILMED
 AUG 31 1990



Place of
 use (Blocked-in)

... PINEHAVEN ...

21-7332

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical						

2. Measurements:

30 psi
 Static Water level = 39' taken from well
 information at well location for permit 21-7324
 south pipe house
 Theoretical calculations

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

$$Q_{theor.} = \frac{hp (8.814) (1.8)}{1.17 + (30 \times 2.308)} = \frac{1.5 (8.814) (1.8)}{39 + (30 \times 2.308)} = 0.098 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{Dom} = 8 (1.2) \text{ afa} = 9.6 \text{ afa}$$

MICROFILMED

AUG 31 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

limited to theoretical amount pumped + 9.6 afg
with a max. of 8 Homes served
under this permit.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afg)
	From	To		
Domestic (8 Homes)	1-1	12-31	0.098	9.6
Totals:			0.098 cfs	9.6 afg

2. Recommended Amendments

- ☒ Change P.D. as reflected above
☒ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☐ None
☐ Other

J. AUTHENTICATION

Field Examiner's Name

Larry L. Waters

Signature

Larry L. Waters

Certification Date

Field Report Preparation Date

8-10-89

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

AUG 31 1990

RECEIVED
MAY 04 1989

May 3, 1989

Department of Water Resources

RE: Permit No. 21-07332

Pinehaven Planning Board
P. O. Box 58
Island Park, ID 83429

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161, or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:lk

MICROFILMED
JUN 12 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 21-7332

Date: 4.4.89

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
Y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
Y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

For Office Use Only
Fee Received 50.
Date 3-8-89
Receipt # E005798
Receipt by JP
Reviewed by JP
Sent to region

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. A21-07332 -

Name(s) of Permit Holder: Pinehaven Planning Board

Post Office Address: P.O. Box 58, Island Park, ID 83429

Telephone No. (208) 558-7620

Source of Water: Groundwater Pinehaven Well # 3

Extent of Use:

Domestic 16 Lots (number of households) Stockwater (number and type of stock)

Irrigation (acres) Other/Remark

Total rate and/or volume for which proof is submitted 0.130 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: June 16th, 1983

Measuring Device: Required? Yes X No
Installed? Yes X No ✓ Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes X No
Installed? Yes X No

Person to contact to accompany the Department representative during the field examination:

Benjamin Widmann
(Name)

558-7620
(Telephone Number)

P.O. Box 58, Island Park, ID 83429
(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

4 Mar 1989

Date

Benjamin Widmann Mayor and Member of the Board
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 21-7332
Name(s) of Permit Holder(s): PINEHAVEN PLANNING BOARD
Post Office Address: Box 58 Island PK, ID 83429
Tel. No. 558-7620

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 1964-1969. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

8 Oct 1985
Date

B. Wideman
Signature of Permit Holder

'Mayor'

PLACE
STAMP

RECEIVED
OCT 11 1985

RECEIVED

JUN 12 1989



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

JUN 12 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

PINEHAVEN PLANNING BOARD
P.O. BOX 58
ISLAND PARK, ID 83429

JANUARY 10, 1985

RE: PERMIT NO. 21-7332

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY:
CHECK:

jam

APPLICATION NUMBER: **21 7332**

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acre irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☒ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other _____

Copies sent to: *CW*

Date: *7-13-83*

PROCESSING:

- ☒ Yes ☒ No State of by: _____
☒ Yes ☒ No Other right on same parcel: _____
☒ Yes ☒ No In form for advertising. _____
☒ Yes ☒ No Final date for protests. *Aug 1, 1983*
☒ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *8/4/83*
☒ Application published correctly. If not, record action taken.
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? *01*
6-16-1983, Date of priority recommended.
Special conditions of approval or cover letter.

#04, 26

By: *Ernest Carlson*
STATE OFFICE REVIEW:

L17

Date: *Dec 19, 1984*

MICROFILMED

26 04

Approved for the State of Idaho by _____
By: *CW*

Date: *12/27/84*

RECEIVED
DEC 26 1984

Department of Water Resources



STATE OF IDAHO

RECEIVED

DEPARTMENT OF HEALTH AND WELFARE

AUG 23 1983

DIVISION OF ENVIRONMENT
150 North 3rd Avenue
Pocatello, Idaho
83201

Department of Water Resources
Eastern District Office

19 August 1983

Ernest Carlsen, Asst. Rgnl. Supervisor
Idaho Department of Water Resources
150 Shoup, Suite 15
Idaho Falls, Idaho 83402

Re: Applications #21-7323
through #21-7334
(Fremont County)

Dear Mr. Carlsen:

We have reviewed the subject applications submitted by Pinehaven Planning Board, P.O. Box 58, Island Park, Idaho, for permits to appropriate the public waters of the State of Idaho.

As these wells have been in existence, and use, for 14-19 years, we have no comments regarding granting approval for water appropriation at this time.

Thank you for the opportunity to review these applications.

Sincerely,

Mark Torf

Mark Torf
Sr. Environmental Specialist

MT/md
CC: Gordon Hopson

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

August 2, 1983

RE: Application for Permit No.	21-7326	PINEHAVEN PLANNING BOARD
	21-7327	"
	21-7328	"
	21-7323	"
	21-7324	"
	21-7325	"
	21-7339	MOON & BOWMAN
	21-7337	"
	21-7336	"
	21-7335	"
	21-7334	PINEHAVEN PLANNING BOARD
	21-7333	"
	21-7332	"
Ashton Herald	21-7331	"
P.O. Box 258	21-7330	"
Ashton, Idaho 83420	21-7329	"
	21-7321	GARZ

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on July 14 and 21, 1983.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

MICROFILMED

July 13, 1983

RE: Applications for Permits No. 21-7323 thru 21-7334
PINEHAVEN PLANNING BOARD

Department of Health & Welfare
Division of Environment
150 North Third
Pocatello, ID 83201

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is August 1, 1983, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosures (12)

UNRECORDED

21-2332

PINEHAVEN PLANNING BOARD

P.O. BOX 58, ISLAND PARK, ID 83429

Source: GROUNDWATER

Date Filed: 06/16/1983

Diversion Pt: NESE Sec 11 T 11N R 42E

Use: DOMESTIC (0.13 CFS)

In: NESE Sec 11 T 11N R 42E NWSW Sec 12 T 11N R 42E

MICROFILMED