

MICROFILMED
FEB 10 1958

Holbrook, Oneida County, Idaho

14 S

33 E

Sec. 30

SE 1/4

FL GW SBA 29 TB

place of use

P₁ F₁ S

Substation

FL
GW
SBA
TB

Holbrook

32 32

31

36

35

26

25

23

19

20 20

Rock

Creek

Storage
Bins

Storage
Bin

37

37

BM 4781

4815

4774

Well

4764

4779

Well

4784

Well

4791

Well

4783

Well

4780

Well

4778

Well

4775

Well

4772

Well

4769

Well

4766

Well

4763

Well

4760

Well

4757

Well

4754

Well

4751

Well

4748

Well

4745

Well

4742

Well

4739

Well

4736

Well

4733

Well

4730

Well

4727

Well

4724

Well

4721

Well

4718

Well

4715

Well

4712

Well

4709

Well

4706

Well

4703

Well

4700

Well

4697

Well

4694

Well

4691

Well

4688

Well

4685

Well

4682

Well

4679

Well

4676

Well

4673

Well

4670

Well

4667

Well

4664

Well

4661

Well

4658

Well

4655

Well

4652

Well

4649

Well

4646

Well

4643

Well

4640

Well

4637

Well

4634

Well

4631

Well

4628

Well

4625

Well

4622

Well

4619

Well

4616

Well

4613

Well

4610

Well

4607

Well

4604

Well

4601

Well

4598

Well

4595

Well

4592

Well

4589

Well

4586

Well

4583

Well

4580

Well

4577

Well

4574

Well

4571

Well

4568

Well

4565

Well

4562

Well

4559


Well

4556

Well

4553

Well



R32E R 33E

T 14 S

L-1

L-2

L-3

L-4

PD

Permit # 17-07148

MICROFILMED
APR 13 1999

(SHEEP CREEK SPRING)
3468 II NE


PLEASANTVIEW 17 MI.
MALAD CITY 22 MI.

T 14 S
T 15 S



T
14
S
R 33E

Magnetic declination
18°45' E.



Pre # 17-0 7148
MICROFILMED
APR 13 1999

Area Resurveyed 23,028.30 Acres

1050



Permit # 17-07148

Top Photo.

Well is inside this building. Building is located approx. 100 yds west of dwelling.

Bottom photo.

Building with door open showing the pressure tank, well and motor controls.

MICROFILMED
APR 13 1999

Permit # 17-07148



Place of Use



Place of use looking North from
Highway.

Permit # 17-07148

MICROFILMED
APR 13 1999

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 17-07148

Priority: November 12, 1997

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that DON ELIASON
23005 W OLD HWY 37
HOLBROOK ID 83243

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 12, 1997; and has submitted Proof of Beneficial Use on March 16, 1998. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 30, Township 14S, Range 33E
ONEIDA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

14S 33E 30


SESE

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 29TH day of

MARCH, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 13 1999

NOV

FOR OFFICE USE ONLY
Amt. of Fee \$: _____
Receipt No. _____
Receipt By: _____
Date Received: _____
RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

MAR 16 1998

PROOF OF BENEFICIAL USE Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. # 17-07148 Telephone No. 208-698-3333
2. Name(s) of Permit Holder(s): Don Eliason
3. Mailing Address: 23005 W Old Hwy 37, Holbrook, Id. 83243
4. Source of Water: _____ If **GROUNDWATER** (well), Date Drilled: mo. _____ yr. 1968
 - a. Well Driller: _____ Drilling Permit Number: _____
 - b. **OPTIONAL:**
Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 1 Stockwater (No. and type of stock): 50 cows
Irrigation (No. of acres): _____ Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.02 cfs OR _____ acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes _____ or No _____
	Has the measuring device been installed?	Yes _____ or No _____
Flow Measurement Port:	Is a flow measurement port required?	Yes _____ or No _____
	Has the measurement port been installed?	Yes _____ or No _____
8. Fee Enclosed: \$ 0 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Don Eliason Telephone Number: 208-698-3333
Address: 23005 W Old Hwy 37, Holbrook, Id. 83243
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Don Eliason Date: 3-6-98
(include your title, if on behalf of company or organization)

APR 15 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 17-07148

Proposed Priority: November 12, 1997

Maximum Diversion Rate:

0.02 CFS

This is to certify, that DON ELIASON

23005 W OLD HWY 37

HOLBROOK ID 83243

has applied for a permit to appropriate water from: **GROUNDWATER**

and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.02 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 30, Township 14S, Range 33E
ONEIDA County

PLACE OF USE: DOMESTIC

TWN RGE SEC

14S 33E 30

SESE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1999.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Domestic use is for 1 home and does not include lawn, garden, landscape, or other types of irrigation.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

15

day of

January

1998

Karl J. Dreher
for
Karl J. Dreher, Director

RECEIVED
FEB 18 1998

RECEIVED

NOV 26 1997

Ident. No.

17-7148

STATE OF IDAHO

Department of Water Resources
Eastern Region

RECEIVED

JAN 14 1998

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

NOV 12 1997

Department of Water Resources
Eastern Region

Department of Water Resources

1. Name of Applicant Don Eliason Phone 208-698-3333
Mailing address 23005 W. Old Hwy 37 Holbrook Id 83243
2. Source of water supply Ground Water Source which is a tributary of _____
3. Location of point of diversion is Township 14S Range 33E Sec. 30 in the SE 1/4, SE 1/4, _____ 1/4, Govt. Lot _____, B.M., Oneida County; additional points of diversion if any: _____
4. Water will be used for the following purposes:
 * Amount 0.04 CFS for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.02 CFS and/or (b) _____
 cubic feet per second acre feet per annum
6. Proposed diverting works:
 a. Describe type and size of devices used to divert water from the source 1 HP. Submersible
 b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 c. Proposed well diameter is 6" inches; proposed depth of well is 90' feet
 d. Is ground water with a temperature of greater than 85°F being sought? NO
 e. If well is already drilled, when? 1960; Drilling firm Gardner
 Well was drilled for (well owner) DO; Drilling Permit No. UNKNOWN
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 a. Hydropower; show total feet of head and proposed capacity in KW. _____
 b. Stockwatering; list number and kind of livestock. _____
 c. Municipal; show name of municipality. _____
 Xd. Domestic; show number of households. 1 = in-house use only.
 e. Other; describe fully. _____

* per Application Processing Memo #47. 1/15/98 cz.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

use below. See instructions for standard symbols.

TWP	RGE	SEC	Section Data											
14S	33E	30	[Empty Grid]											
N E			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
			[Empty Grid]											
N W			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
			[Empty Grid]											
S W			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
			[Empty Grid]											
S E			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
			[Empty Grid]											
TOTALS			[Empty Grid]											

Total number of acres to be irrigated

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Don Elia

b. Who owns the land to be irrigated or place of use? Don Eliaison

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make

ឯមួយ ឆ្នាំ

12. Remarks:

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

Don Elwyn


Preliminary check by

Date 11-27-77 Time

Received by

Publication prepared by

Publication approved



FL
GW
584
TB

0 1/2 FCS +

1 1/2 FCS

14 S
33 E
Sec. 30
SE 1/4

Holbrook, Oneida County, Idaho

0 1/2 FCS

FL - GW - use
Place of use

V A L L E Y

~~110771 - \$1,340.19 Reamerys of the Above~~

SBA ~~100386 - \$24,300 Sec. 24, 25, 26 Due Jan 2000~~

IB ~~110877 - \$100,000 Due 24, 25, 26, 30, 31~~

~~110878 - 1/4 5 Spr. Klen System~~

160 hay

~~160~~
70 hay

10 hrs work

1805-



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

April 5, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DON ELIASON
23005 W OLD HWY 37
HOLBROOK ID 83243

RE: Domestic Water Use in the Curlew Valley Critical Groundwater Area

Dear Mr. Eliason:

Thank you for calling last Friday to inquire about water right license 17-07148 which was issued on March 29, 1999. As we discussed, a water right for domestic purposes usually includes up to half an acre of irrigation. Your water right does not authorize the diversion and use of water for irrigation, however, because it was established within the Curlew Valley Critical Groundwater Area (CVCGA). The CVCGA was established in March of 1976 in response to a finding that the groundwater in the area was being depleted too fast to provide a reasonably safe supply for existing uses. In a critical groundwater area, the Department of Water Resources will issue permits for new domestic water uses, but the new approvals will not provide for the irrigation of any land.

When we discussed your water use, you told me that despite the fact that you filed your application in 1997, the use had, in fact, been occurring for many years. You also indicated that your domestic use has always included a small irrigation component. If you want to claim a priority earlier than 1997 and include a small irrigation component (up to half an acre) as part of the domestic use, you may file a claim to a water right in accordance with Section 32-243, *Idaho Code*. Please note, however, that unlike your license, the claim does not confirm the existence of a water right.

I have enclosed a partially completed claim form for you. After completing the rest of the form, you can mail it to our office in Idaho Falls. The fee for filing a claim is \$100.00.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

Shelley Walter Keen
Water Rights Supervisor

Enclosure

K:\NAMELTRS\Eliason.doc

MICROFILMED

APR 13 1999



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 31, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

DON ELIASON
23005 W OLD HWY 37
HOLBROOK ID 83243

RE: WATER RIGHT NO. 17-07148

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the 31st day of March, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 17-07148

DON ELIASON
23005 W OLD HWY 37
HOLBROOK ID 83243


Kari Lynn Townsend
Secretary

MICROFILMED

APR 13 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

TO: File 17-07148

FROM: Sharla

DATE: March 16, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit 17-07148 are as follows:

H. RECOMMENDATIONS

Domestic	1/1 – 12/31	0.02 cfs	0.6 afa
----------	-------------	----------	---------

One of the conditions of the permit approval was that domestic use did not include irrigation of lawn/garden or other type(s) of irrigation. The volume has been reduced accordingly.

Exam Date: June 9, 1998
Examiner: Lee Simmons

MICROFILMED

APR 13 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 17-07148 DATE 3/12/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (P39 /P47) Add (P45/P42) Feds - P40
 W32 (multiple in 1/4/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41/P47) Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .02 cfs
 Fee limit .04 cfs N/A
 Measured 1 cfs
 Theoretical .04 cfs $1 \times 8.8 \times .7 / 2.31 \times 40 + 75 = .036$
 Recommended Total Div Rate .04 cfs

WATER USES	<u>OK</u>	Change (P46)		
<u>Dom.</u>	<u>.02</u> cfs	~~1.2~~ af	Irrig -	overlap (R58-R61, R62-R65, R66-R69)
	_____ cfs	<u>.6</u> af		supp. gw (WB7/065/079)
	_____ cfs	_____ af		overlap spec. combined rts (W35)
	_____ cfs	_____ af		<1acre (W31)
	_____ cfs	<u>.6</u> af	Domestic	(W01/WB5/070/071/075)
TOTALS	<u>.02</u> cfs	~~1.2~~ af	Power	(W42 or W43/025/027/R22 or R23)
			Fish (042)	Fire (077) Wtr Quality (081/R07)

Flow rate .02 cfs X 365 days X 1.98 = 14.5 af

REMARKS _____

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority _____ yes ✓ no SRBA Claim N/A Adjust Memo in-house cond.
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 16 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 17-07148

1. Owner: Don Eliasoy Phone No. (208) 698-3333

Current Address: 23005 W Old Hwy 37, Holbrook Idaho 83243

2. Accompanied by: Koral Robinson EXAM DATE: 6-9-98

Address: 20101 West Hwy 38 Holbrook, Id 83243 Phone No. (208) 698-3392

Relationship to Permit Holder: Home owner

3. Source: Groundwater tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
<u>I 1</u>			<u>SE</u>	<u>SE</u>	<u>30</u>	<u>14S</u>	<u>33E</u>	<u>Oneida</u>	<u>USGS Maps</u>

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
<u>14S</u>	<u>33E</u>	<u>30</u>																<u>D</u>	

MICROFILMED

APR 13 1999

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and piece(s) of use (required).
 _____ Aerial Photo Attached _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1	280107496	Sep	NA

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None - use theoretical calculations

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

APR 13 1999

Pump is located approx 100 yds west of home - and is used to water stock in fall for about 2 weeks.

User waters 1/2 acre and for domestic use

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

APR 13 1999

F. FLOW CALCULATIONS

Measured Method: _____

Additional Computation Sheets Attached _____

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic

From

01/01

Period of Use

To

12/31

Rate of Diversion

Q (cfs)

0.02

Annual Volume

V (ata)

1.2

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

I. AUTHENTICATION

Field Examiner's Name

Lee L. Simmons


Date

6-9-98


Reviewer

Date

MICROFILMED
APR 13 1999



D S C



Permit # 17-07148

Top Photo.

Well is inside this building. Building is located approx. 100 yds west of dwelling.


Bottom photo.

Building with door open showing the pressure tank, well and motor controls.

MICROFILMED

APR 13 1999

Permit # 17-07148



Place of Use



Place of use looking North from
Highway.

Permit # 17-07148

MICROFILMED
APR 13 1989

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 17-07148 Reviewed by Aug Date 3-20-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
NO Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

NO Required?
 Amount Submitted
 Correct?
NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address X Proof Made 3-16-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 20, 1998

Don Eliason
23005 W Old HWY 37
Holbrook ID 83243

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 17-07148

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the department's EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED
APR 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 15, 1998

PHILIP E. BATT
GOVERNOR

DON ELIASON
23005 W OLD HWY 37
HOLBROOK ID 83243

KARL J. DREHER
DIRECTOR

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 17-07148

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this right were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Groundwater Protection Section located here at this office or our regional office nearest you.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor


SK:klt
Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 15th day of January, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved Permit) to the person(s) listed below:

Water Right No. 17-07148

DON ELIASON
23005 W OLD HWY 37
HOLBROOK ID 83243


Kari Lynn Townsend
Secretary

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

APPLICATION FOR PERMIT STATE OFFICE REVIEW

by Cindy Lou
 No.: 17-7148 Name: Eliason Date: 1/15/98 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN:

PROTESTED:

SYSTEM COMPLETED:

 1 year/no proof
>1 year

- No/Yes: Mor Curlew Valley CGWMA / Trust / Non-trust
- 020 (Protest Agreement) or *W19 (Order)

- P16
- 26A-P17

 See Memo #47
RE: down use

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

 >0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

WMD Supplemental use

 >0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)
- No MD
- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)
- 01M (report when notified)
- No MD

DRILLING PERMIT:

All wells (✓ WDQ3)

Included w/permit

No drilling permit?

irr. in WD

- 046 P23
- Permit No. - - - - - P99
- (post 7/1/87)
- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

IN/ABOVE MIN. STR. FLOW (✓ MAP)

WD (✓ MAP & LISTING)

Pumped >0.20 cfs

WMD (✓ MAP)

 > 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- *WB9
- R04 (WD #) - 01J-P08 (MD)
- 01H-P01 (LD & MD) or No MD (in-stream stock)

- 067 or No MD (in-stream stock or power)
- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

 > 0.24 cfs/5 acres
≤ 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)
- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

(02/03-irr)

Payette R(65)

Salmon R (70's)

- *W22 -P04, NA
- 007 (w/ remark *WB9 if above Weiser), NA
- *W22 (regulated uses), 047-P04 (Payette Lake), NA
- 029 (fish screens), NA

USE:

Domestic surface

>1 in rest. area

Fish Propagation

Heating/Cooling

Irr ≤ 5 acres

> 5 acres

Mining

Municipal

Power

Stockwater

Storage (✓ 3 compo.)

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA
- 071-070
- 029-007-042(req)-081 (WQ)-P10
- R07 (injection well)
- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)
- 054(req) -081-P10
- 022, 075, 004 (+memo?), NA (not in restricted area)
- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use); 17G (FERC) or 17M (FERC); 18B-P09; >25 cfs-P18
- R37 (BLM/USFS); NA
- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

Boise Front LoGeo

In-stream dev.

Irr Dist/Canal Co.

SWAN FALLS FLAG (See Code Chart)

Trust

Non-Trust (1)

- P84 (in 20/30/40/50/60/70/80 (87) basin)
- 058 (<85° GW temp only)
- P52 (stream channel alteration)
- 023 (Twin Falls area)

OWNERSHIP:

OTHER CONDITIONS:

STANDARD REMARKS:

- 051-052-053-P74 (Consumptive Uses), NA
- 048-049 (Consumptive Uses), NA
- 004 (PD/PU)

 - 000 WB5/1

BENEFICIAL USE DUE:

COMMENTS:

 - 1/1/1999

RECEIVED

JAN 14 1998

Dist. for starting ^{DEPARTMENT OF WATER RESOURCES}
Submitted for advertising 11-26-97

Form No. 202
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS PERMIT

INITIAL REVIEW BY ELIASON DATE 11-12-97 APPLICATION NO. 17-2148

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signatory is required) copy sent back for signature. Original
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
☐ Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

_____ Date Requested _____

PROCESSING

☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken _____

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest January 5, 1998
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 11-12-97
By: [Signature] Date: 1-8-98
STATE OFFICE REVIEW

By _____ Date: _____
ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation Dist.
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Div. of Environment	_____ Other

Project impacts/implications report

COMMENTS

[illegible]

2383

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) ss.
 COUNTY OF ONEIDA)

Kristine D. Smith, begin duly sworn, deposes and says:
 That she is the publisher of *THE IDAHO ENTERPRISE*, a weekly newspaper published at Malad, in the County of Oneida and State of Idaho; that said newspaper has been and is in publication in the county aforesaid, and in the vicinity of Malad, a copy of which is attached hereto; that said newspaper is published once a week for 2 in the regular and entire issue of said newspaper; that said newspaper is published proper and not a supplement; that said newspaper has been published and regularly published for more than six consecutive weeks prior to the date of first publication.

Such notice was published in the issue of Dec. 18, 1997,
 the issue of Dec. 25.

Kristine D. Smith

STATE OF IDAHO)
)
 COUNTY OF ONEIDA)

On this 2 day of January in 1997,
 before me, Susan J. Wittman,
 personally appeared Kristine D. Smith
 identified to me to be the person whose name subscribed to the
 within instrument, and being by me first duly sworn, declared that
 the statements therein are true, and acknowledged to me that she
 executed the same.

Susan J. Wittman
 Notary public for Idaho

Residing at Malad Idaho

My commission expires: 2-9-2000

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

15-07165
 MESSENGER, LYNN D
 5025 W 3300 S.
 HOOPER, UT 84315
 Source: GROUNDWATER
 Diversion Pt: NESW Sec 11 T 15S
 R 35E in ONEIDA County.
 Use: IRRIGATION (0.800 CFS)
 Total Diversion: (0.800 CFS)
 Date Filed: 12/9/1997
 In: ONEIDA County
 T15S R35E S11 NWNE SWNE
 40.0 ACRES TOTAL
 17-07148

ELIASON, DON
 23005 W OLD HWY 37
 HOLBROOK, ID 83243
 Source: GROUNDWATER
 Diversion Pt: SESE Sec 30 T
 14S R 33E in ONEIDA County.
 Use: DOMESTIC (0.040 CFS)
 Total Diversion (0.040 CFS)
 Date Filed: 11/12/1997

In: ONEIDA County
 T14S R33E S30 SESE
 17-07149
 GUNNELL, PAUL
 690 E 2ND S
 WELLSVILLE, UT 84339
 Source: GROUNDWATER
 Diversion Pt: NESE Sec 27 T 16S
 R 36E in ONEIDA County.
 Use: IRRIGATION (6.000 CFS)
 Total Diversion: (6.000 CFS)
 Date Filed: 12/2/1997
 In: ONEIDA County
 T16S R36E S26 NENW NWNW
 SWNW SENW
 NESW NWSW SWSW SESW
 S27 NESE SESE
 316.0 ACRES TOTAL
 The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and the Director, Dept. of Water Resources, along with a \$25.00 filing fee, Eastern Region, 900 N Skyline, Idaho Falls, Idaho 83402 on or before JANUARY 5, 1997.
 KARL J. DREHER, Director
 L. 2383 12-18-12-25-97 - T2

FEB 13 1997

17-07148

ELIASON, DON
23005 W OLD HWY 37
HOLBROOK, ID 83243

Source: GROUNDWATER

Diversion Pt: SESE Sec 30 T 14S R 33E in ONEIDA County.

Use: DOMESTIC (0.040 CFS)
Total Diversion: (0.040 CFS)

Date Filed: 11/12/1997

In: ONEIDA County
T14S R33E S30 SESE

17-07148

NOV 16 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 10, 1997

DON ELIASON
23005 W OLD HWY 37
HOLBROOK ID 83243

RE: Notice of Application for Permit No. 17-07148

Dear Applicant:

This office is currently in the process of advertising the application in the Idaho Enterprise on Dec. 18 & 24, 1997. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
Harold W. Jones
Water Right Supervisor

HWJ/rb