


Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls

this 5 day of

February, 19 92

(Signature)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby

approve the above referenced application for amendment. See the attached sheet for

conditions of approval.


AUG 12 1992

Witness my hand this 26 day of

July, 1992

Chief, Water Allocation Bureau

L. Glen Saxton



PLEASANTVIEW 17 MI.
MALAD CITY 22 MI.

T 14 S
T 15 S

MICROFILMED
JAN 29 1981

ROAD CLASSIFICATION


Primary highway, hard surface
Light-duty road, hard or improved surface

160-OF-3468

11. Map of proposed project:

R 32 E

R 33 E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Blaisdell Bros Inc

Waldo J. Blaisdell
(Applicant) President

STATE OF IDAHO

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

Curlew Development, Inc.

Comes now % David L. Bird Phone 688-3345of (address) Buist Rt., Holbrook, Id. 83243, and represents to the
Director of the Idaho Department of Water Resources:That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 17-7065, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NE 1/4 NE 1/4, Section 1, Township 15S, Range 32E, B.M.,
County of Oneida. Other points of diversion: 2nd p/b lat 1 (NE NE)
Sec 1, T15S, R32E. SW 1/4 NE 1/4 Sec 6, T15S, R33E B.M.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 6cfs for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15S	32E	1	40	40	40	40	40	40	40	40									320
			L-1		L-2		L-3	L-4											
15S	33E	6			40	40													80

Total number of acres to be irrigated = 400


4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

AUG 12 1992

REMARKS: Applicant wants to drill a second well in NE NE Sec 1, T15S, R32E
to Replace lost capacity in original well (original well will not be sealed)
Refer to App 17-7026 sharing well in SW NE Sec 6, T15S, R33E.

Complete the following map by showing land and point of diversion as proposed by this amendment.

Show 40-acre subdivisions, townships, ranges and ditches.



That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Idaho Falls

this 5 day of February, 1992.

(Signature)

ACTION OF THE DEPARTMENT OF WATER RESOURCES

L. GLEN SAXTON

I, _____, of the Department of Water Resources hereby

approve the above referenced application for amendment. See the attached sheet for

conditions of approval.

AUG 12 1992

Witness my hand this 28th day of July, 1992

Chief, Water Allocation Bureau


[Signature]

CONDITIONS OF APPROVAL

Amendment of Permit No. 17-07065

1. The previous conditions as set forth in Permit No. 17-07065 must be met.
2. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of water Resources.
3. Construction of the well must comply with Idaho well construction standards.
4. Prior to the diversion of water under this right, a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with e drilling permit requirements of Section 42-235, Idaho Code.

Dated this 28th day of July 1992.



L. GLEN SAXTON
Chief, Water Allocation Bureau

MICROFILMED
AUG 12 1992

Nº 1410

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Oneida } ss.

RECEIVED

MAR 16 1992

Department of Water Resources
Eastern District Office

Sandra Strub

being duly sworn,
deposes and says: That she is the Secretary of THE IDAHO ENTERPRISE, a weekly newspaper published at Malad, in the County of Oneida and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Malad; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

February 20, 19 92, and ending

with the issue of February 27, 19 92

Sandra Strub

Fee \$ 35.42

Subscribed and sworn to before me this 10th day

of March, 19 92.

Susan J. Wittman

Notary Public, Residing at Malad, Idaho

My Commission Expires 2-9, 19 94

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit No. 17-7065 in the name of Curlew Development, Inc., Holbrook, ID, was issued for the diversion of 6 cfs of water from a groundwater source with the points of diversion within the NENE (LOT 1) SEC 1 T15S R32E; irrigation of 400 acres from April 1 to November 1 within the NENE (LOT 1) NWNE SWNE (LOT 2) SENE NENW (LOT 3) NWNW (LOT 4) SWNW SENW SEC 1 T15S R32E, S1/2NE1/4 SEC 6 T15S R33E, B.M.

The permit holder now proposes to amend Permit No. 17-7065, adding a point of diversion in the NENE (LOT 1) SEC 1 T15S R32E, ONEIDA COUNTY.

Any protests to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho, 83402, on or before March 9, 1992.

R. Keith Higginson
Director

No. 1410
2-20-27 T2

AUG 12 1992

No 1428

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Oneida } ss.

Sandra Struhs

being duly sworn,
deposes and says: That she is the secretary of THE IDAHO ENTERPRISE, a weekly newspaper published at Malad, in the County of Oneida and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Malad; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with April 2, 1992, and ending with the issue of April 9, 1992

Sandra Struhs

Fee \$ 0.00 resub corrections

Subscribed and sworn to before me this 8th day of May, 1992

Susan J. Wattman

Notary Public, Residing at Malad, Idaho

My Commission Expires 2-9, 1994

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit No. 17-7065 in the name of Curlew Development, Inc., Holbrook, ID, was issued for the diversion of 6 cfs of water from a groundwater source with the points of diversion within the NENE (LOT 1) SEC 1 T15S R32E; (SWNE SEC 6 T15S R33E, ONEIDA COUNTY. To be used for the irrigation of 400 acres from April 1 to November 1 within the NENE (LOT 1) NWNE SWNE (LOT 2) SENE NENW (LOT 3) NWNW (LOT 4) SWNW SENW SEC 1 T15S R32E; S1/2NE1/4 SEC 6 T15S R33E, B.M.

The permit holder now proposes to amend Permit No. 17-7065, adding a point of diversion in the NENE (LOT 1) SEC 1 T15S R32E, ONEIDA COUNTY.

Any protests to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 150 Shoup Avenue, Idaho Falls, Idaho, 83402, on or before March 9, 1992.

R. Keith Higginson
Director

NO. 1428

4-2-9 T2

MICROFILMED

AUG 12 1992

JUN 9 1986

STATE OF IDAHO

Department of Water Resources
Eastern District Office

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use

APPROVED

Comes now Curlew Development, Inc.

Phone 698-3345

of (address) Holbrook, Idaho 83243, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho
No. 17-7065, and requests that the permit and permit map be changed as follows:

1. Point of diversion: Lot 1 NE $\frac{1}{4}$ NE $\frac{1}{4}$, Section 1, Township 15S, Range 32E, B.M.,
County of Oneida. Other points of diversion: SW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, T. 15S,
R. 33E, B.M.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 6cfs for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
15S	32E	1	40	40	40	40	40	40	40	40									320
			L-1		L-2		L-3	L-4											
15S	33E	6			40	40													80

Total number of acres to be irrigated = 400

4. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or the place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

JAN 29 1987

REMARKS: This application for amendment should be cross referenced to application for amendment 17-7026. The two applications share an additional point of diversion and each application also changes appurtenant acreage.

Show 40-acre subdivisions, townships, ranges and ditches.

Scale: 2 inches equal 1 mile.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at Albany, N.Y., this 6 day of June, 1988.

(Signature)

Dr. David J. ...
(Signature)

FOR DEPARTMENT USE ONLY

6066E#

Preliminary check by Kuo Fee = \$20.00
Received by [Signature] Date 6-18-86

Fee = \$20.00

K23

Received by CH Date 6-11-9

Publication prepared by MMJ Date 6-18-86

Date _____

78-81-9

Published in *Idaho Evangelist*

Publication dates

Permit No. 17-7065 are met.

L. GLEN SAXTON _____, of the Department of Water Resources hereby Approve the above referenced Amendment provided the conditions as set forth in

L. GLEN SAXTON

ACTION OF THE DEPARTMENT OF WATER RESOURCES

_____, of the Department of Water Resources hereby

Approve the above referenced Amendment provided the conditions as set forth in

Witness my hand this 11 day of

August


98 61

Chief, Operations Bureau

19 86 J. Allen Saylor

000000000000

100 00 100



RECEIVED

AFFIDAVIT OF PUBLICATION

JUL 28 1986

Department of Water Resources
Eastern District Office

STATE OF IDAHO, }
County of Oneida } ss.

Bonnie Davis
being duly sworn,
deposes and says: That she is the Secretary of THE IDAHO ENTERPRISE, a weekly newspaper published at Malad, in the County of Oneida and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Malad; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

June 26, 1986, and ending
with the issue of July 3, 1986

Bonnie Davis
Fee \$ 35.91

Subscribed and sworn to before me this 24th day
of July, 1986.

Ken Hunter
Notary Public, Residing at Malad, Idaho

My Commission Expires 5-8, 1991

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit No. 17-7065 in the name of Curlew Development, Inc., Holbrook, Idaho was issued for the diversion of 6.0 cfs of water from a groundwater source, with the point of diversion within the NE1/4NE1/4, Sec. 1, T. 15S, R. 32E, B.M., Oneida County; to be used for irrigation purposes, from Apr. 1 to Nov. 1 within the NE1/2, Sec. 1, T. 15S, R. 32E, W1/2NW1/4, Sec. 6, T. 15S, R. 33E for 400 acres.

The permit holder now proposes to amend Permit No. 17-7065, changing the point of diversion to within the NE1/4NE1/4 (Lot 1), Sec. 1, T. 15S, R. 32E, SW1/4NE1/4, Sec. 6, T. 15S, R. 33E, B.M. and the place of use to within the NE1/4NE1/4 (Lot 1), NW1/4NE1/4, SW1/4NE1/4 (Lot 2), SE1/4NE1/4, NE1/4NW1/4 (Lot 3), NW1/4NW1/4 (Lot 4), S1/2NW1/4, Sec. 1, T. 15S, R. 32E, S1/2NE1/4, Sec. 6, T. 15S, R. 33E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before July 14, 1986.

A. Kenneth Dunn
Director

6-26, 7-3 T2 #832
NOTICE OF PROPOSED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

REQUEST FOR EXTENSION OF TIME

AUG 11 1980

To provide additional time in which to submit
proof of beneficial use on a water right permit

Department of Water Resources

Curlew Development Inc. of Holbrook Idaho 83043
(Name) (Address)

State of Idaho, deposes and says:

That he is the holder, or the duly authorized agent of the holder*, of Permit to Appropriate the Public Waters of the State of Idaho No. 177065.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before Oct. 1, 1980.

That he has heretofore performed the following work described under said permit: We have dug and developed one well and the supporting system which fills approximately one-half of the permit.

Costing \$ 25,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit:

The drought of the past several years has caused considerable hardships for us. We have been unable to accumulate the necessary money to continue the the project. All of our available financing has been used in the normal operating expenses.

Wherefore, he asks that the Department of Water Resources extend the time for the completion of obligations under said permit to Oct 1, 19 85.

David D. Bond Pres.
(Signature)*

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be APPROVED and the time within which to submit the statement of beneficial use is extended to October 1, 1985.

Signed this 19th day of August, 19 80.

L. Glen Saxton
Chief, Operations Bureau

* IF OTHER THAN HOLDER, Power of Attorney must be supplied.

\$15 fee received by af Date 8-12-80 Receipt # 15955

MICROFILMED

Curlew Development, Inc.
Holbrook, Idaho 83243



Dept. of Water Resources
State House
Boise, Idaho - 83720

MAILED

State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Blaisdell Bros., Inc., hereby assign to Curlew Development, Inc.
of Holbrook, Idaho 83243
Address

CHECK ONE

- ☒ All my right, title, and interest in and to Permit No. 17-7065
to appropriate the public waters of the State of Idaho.
- ☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.
(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 28 day of July, 19 76.
Blaisdell Bros. Inc. by
John J. Blaisdell
Permit Holder

Spouse of Permit Holder

State of Idaho)
County of Oneida) ss.

On this 28 day of July, 19 76, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Colon A. Sweeten Jr.
Notary Public residing at

My commission expires:

Clerk of the district court

17 7065

Identification No. _____

Application No. _____

APPROVED

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

APPLICATION FOR PERMIT

ASSIGNED TO: 8/2/76

Curlew Development, To Appropriate the Public Waters of the State of Idaho
c/o Bert Smith Inc.
Holbrook, ID 83243

1. Name of applicant Blaisdell Bros Inc
post office address 284 North Main Malad, Idaho
2. Source of water supply Ground Water which is a tributary of - - -
3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 1 Township 15S
Range 32E B.M. ONEIDA County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
 - a. 6 cubic feet per second and/or
 - b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:

Irrigation purpose from April 1 to Nov 1 (both dates inclusive)

_____ purpose from _____ to _____ (both dates inclusive)

_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Drilled Well, Cased, pump and electric motor, mobile sprinkling system

 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____

 - c. Proposed well diameter is 20 inches; proposed depth of well is 250 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
- b. Estimated construction cost is \$ 90,000.⁰⁰
8. Description of proposed uses:
 - a. If water is **not** for irrigation: NA
 - (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
 - (2) Amount of power to be generated: _____ hp under _____ feet of head.
 - (3) List number of each kind of livestock to be watered _____

 - (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
 - (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated-

c. Describe any other water rights used for the same purposes None

9. a. Who owns the property at the point of diversion Blaisdell Bros Inc.
b. Who owns the land to be irrigated or place of use Blaisdell Bros Inc.
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


applicant to make this filing-

10. Remarks:

11. Map of proposed project:

R 32 E

R 32 E



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Blaisdell Bros INC
Harold J. Blaisdell
(Applicant) President

Received Priority 9-19-1975

Received by WJ Date 9-19-75 Time 11:30 A.
Preliminary check by WJ Fee \$ 75.00
Received by WJ Date 9-19-75 # 15424
Publication prepared by WJ Date 9-19-75
Published in State Contingent
Publication dates Sept. 25 + Oct. 2, 1975
Publication approved WJ Date 10-09-75
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval WJ denial WJ

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 17-7065, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 80.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 2 day of October, 19 75.

State Reclamation Engineer

AFFIDAVIT OF PUBLICATION

RECEIVED

OCT 7 1975

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Blansdell Bros, Inc., Malad City, Idaho have on 9-19-75 submitted Application No. 17-7065 for a permit to appropriate 6.00 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 15S, R. 32E, B.M., Oneida County; to be used from Apr. 1 to Nov. 1 for the irrigation of 400 acres within the N $\frac{1}{2}$, Sec. 1, T. 15S, R. 32E; W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 6, T. 15S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights.

Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before October 13, 1975.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho on September 25 and October 2, 1975.

State of Idaho
County of Oneida, ss.

Paula Wendell being first duly sworn on her oath, states: That she is clerk of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 3 successive weekly issues thereof the date of the first publication being the 25 day of Sept, 1975 the date of the last publication being the 2 day of October, 1975

Subscribed and sworn to before me this 3 day of October, 1975

H. D. Taylor
Notary Public, residing at Malad, Idaho

My Commission expires the 10 day of Oct, 1977

Costs:

32 lines at 23c per line first insertion \$ 7.36
lines tabulated at 34 $\frac{1}{2}$ c per line \$
15c per line each subsequent insertion \$ 4.80
TOTAL \$ 12.16

(Rates for legal notices are fixed by Idaho law)

NOV 13 1995

1. DRILLING PERMIT NO. 17-93-E-005-004


Other IDWR No. 17-7065

2. OWNER:

Name Curlew Development Inc
Address 1183 Ashon Valley Rd
City Holtwood State PA Zip 17033

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 15 North ☐ or South ☒
 Rge. 32 East ☒ or West ☐
 Sec. 1, NE $\frac{1}{4}$, NE $\frac{1}{4}$, NE $\frac{1}{4}$
 Gov't Lot _____ County Omda

Address of Well Site

(Give at least name of road + Distance to Road or Landmark)

Lt.	Blk.	Sub. Name
-----	------	-----------

4. PROPOSED USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK *700 ft. during 650 to 1000*

☐ New Well ☒ Modify or Repair ☐ Replacement ☐ Abandonment

6. DRILL METHOD

☐ Mud Rotary ☒ Air Rotary ☐ Cable ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s) _____

Was drive shoe seal tested? Y ☐ N ☐ How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Uner	Welded	Threaded
16"	-2	467	30	Steel	☒	☐	☐	☐
14	947	587	30	Steel	☐	☒	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS.

☒ Perforations Method Knife
☐ Screens Screen Type _____

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
285	580	2"	2934	1/2"	Steel	☒	☒
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

150' ft. below ground Artesian pressure _____ lb.
Depth flow encountered _____ ft. Describe access port or
control devices:

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Water Resources

Yield gal./min.	Drawdown	Pumping Level	Time

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
12"	0	38	Clay		
12"	38	86	Sandy Silt	✓	
16"	86	98	Clay		
16"	98	105	Sand	✓	
16"	105	150	Clay		
16"	150	220	Brown Clay		
16"	220	235	Red Clay		
16"	235	260	Sand clay, little gravel	✓	
16"	260	270	Sand stones	✓	
16"	270	290	Clay coarse sand	✓	
16"	290	310	Brown sticky clay	✓	
16"	310	330	Tan sticky clay	✓	
16"	330	345	Soft sand stones	✓	
16"	345	360	Brown clay		
16"	360	370	Tan clay		
16"	370	400	Gravel sandy clay	✓	
16"	400	440	Clay, gravel, sand	✓	
16"	440	470	Shovel sandstone	✓	
16"	470	495	Clay gravel sandstone	✓	
14"	495	550	Sticky clay	✓	
14"	550	600	Sandstone Brown clay	✓	
14"	600	690	Broken sandstone shell	✓	
8"	690	745	Solid, SHALE ROCK		✓
8"	745	830	SANDSTONE		✓
8"	830	978	Brownish Rhodite Sandstone Fractures	✓	
8"	978	1060	B. Rhodite Sandstone	✓	

RECEIVED

NOV 07 1995

Department of Water
Eastern District Office

Completed Depth **690**

(Measurable)

Date: Started **9-1-94**

Completed **9-15-95**

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Palmer Wall Dilling Firm No. 383

Firm Official Kenneth F. Hall Date 11-6-95

and
Supervisor or Operator Elvin Simonsen Date 11-6-95

(Sign once if Firm Official & Operator)

AUG 12 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER CUNLEW DEVELOPMENT INC.
Name DAVID BIND
Address 1183 ALBON VALLEY RD #3243
Drilling Permit No. 17-93E-005-001
Water Right Permit No. 17-7065

WATER LEVEL

Static water level 73' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure N/A p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 58 °F. Quality 100% WATER
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☐ New well ☒ Deepened ☐ Replacement
☐ Well diameter increase ☒ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.)

8. WELL TEST DATA

☒ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>1200</u>	<u>220</u>	<u>10</u>

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Auger ☐ Reverse rotary
☒ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
2.50 inches 14" inches 200 feet 620' feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet

Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☒ Knife ☐ Torch ☐ Gun
Size of perforation? 1/2 inches by 3" inches

Number	From	To
<u>210</u> ← perforations	<u>2260</u> feet	<u>270</u> feet
<u>308</u> ← perforations	<u>340</u> feet	<u>375</u> feet
<u>295</u> ← perforations	<u>400</u> feet	<u>414</u> feet
<u>120</u> ← perforations	<u>448</u> feet	<u>445</u> feet
<u>450</u> ← perforations	<u>500</u> feet	<u>523</u> feet

Well screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe N/A
Bottom of Tailpipe N/A

Diameter Slot size 3/8" from _____ feet to _____ feet
Diameter Slot size N/A from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth _____ Material used in seal: ☐ Cement grout
☐ Bentonite ☒ Pudding clay ☐ _____


Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☐ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata

Describe access port 2" PIPE

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County ONITH

Address of Well Site STONE HOLBROOK RD
(give at least name of road)

NE 1/4 NE 1/4 Sec. 1, T. 15 N ☐ or S ☒
R. 32 E ☐ or W ☒

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
14"	260	270	GRAVEL + CLAY	✓	
14"	270	300	RED CLAY		✓
	300	301	GRAVEL		✓
	301	307	RED CLAY		✓
	307	320	SAND STONE BROWN		✓
	320	340	BROWN CLAY LITTLE GRAVEL		✓
	340	375	GRAVEL	✓	
	375	400	SANDY CLAY		✓
	400	414	GRAVEL	✓	
	414	448	BROWN CLAY GRAVEL		✓
	448	455	GRAVEL	✓	
	455	500	SOFT SAND STONE		✓
	500	523	SAND STONE + GRAVEL	✓	
	523	543	RED SAND STONE GRAVEL		✓
	543	558	LIGHT BROWN CLAY		✓
	558	570	BROWN SAND STONE GRAVEL		✓
	570	590	RED CLAY	✓	
	590	597	RED CLAY		✓
	597	610	CLAY		✓
	610	617	CLAY WITH GRAVEL		✓
	617	623	BROWN SAND STONE HARD	✓	
14"	623	635	RIOLITE	✓	
14"	635	650	RIOLITE REDISH BLACK	✓	

JUL 15 1993

Department of Water Resources
Eastern District Office

10.

Work started 6/5/93 finished 07/01/93

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

VOLLMER WELL DRILLING
Firm Name _____ Firm No. 383

320 E. CUSTER
Address ABERDEEN, ID Date 07/15/93

Signed by Drilling Supervisor [Signature]

and
(Operator) [Signature]
(If different than the Drilling Supervisor)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 30, 1992

CURLEW DEVELOPMENT INC
% DAVID L BIRD
BUIRST RT
HOLBROOK ID 83243

RE: Permit No. 17-07065

Dear Water Right Holder:

Enclosed is a copy of your approved Application for Amendment submitted in connection with the above referenced permit.

If you have any questions concerning this document, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to be 'Jim Johnson', written over the printed name.

JIM JOHNSON
Water Rights Supervisor

JJ:cz

Enclosure

RECEIVED

AUG 12 1992

MEMORANDUM

TO: File 17-07065

FROM: Brenda

DATE: July 6, 1992

RE: Amendment Conditions

=====

The Application for Amendment of the above referenced permit is to be approved with the following conditions:

Approved provided the conditions as set for in Permit No. 17-07065 are met.

Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.

Construction of the well must comply with Idaho well construction standards.

MICROFILMED

AUG 12 1992

INTER-DEPARTMENT MEMO

TO: file 17-07065

FROM: Dennis Duan

SUBJECT: field Exam

DATE: 28 May 92

I made a field exam in feb 92, to confirm that the place of use had been developed and that the wells were drilled. My exam agreed with a previous exam that had been done by KCW; the place of use was fully developed and had been irrigated. AMD

RECEIVED
AUG 12 1992

() For your information

() Response required

signature

2-6-92

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: SCOTT S. JENNIS

Right Number 17-7065 Applicant Curlew Development, Inc.

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☐ Right number(s) _____
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☐ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
- ☒ Amendment published correctly.
- ☐ Protests processed.
- ☒ Approve.
- ☐ Deny.

Conditions OIG

By HCT Date 5-28-92

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By BLM Date 7-6-92
- ☐ Approved copy sent to applicant and to Region. By _____ Date _____

RECEIVED
JUN 5 1992

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

14-Feb-1992

DAVID L BIRD
CURLEW DEVELOPMENT INC
BUIST RT
HOLBROOK ID 83243

RE: Application No. 17-07065

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Idaho Enterprise on 2-20 & 27-1992. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

AUG 12 1992

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit No. 17-7065 in the name of Curlew Development, Inc., Holbrook, ID, was issued for the diversion of 6 cfs of water from a groundwater source with the points of diversion within the NENE (LOT 1) SEC 1 T15S R32E; SWNE SEC 6 T15S R33E, ONEIDA COUNTY. To be used for the irrigation of 400 acres from April 1 to November 1 within the NENE(LOT 1) NWNE SWNE(LOT 2) SENE NENW(LOT 3) NWNW(LOT 4) SWNW SENW SEC 1 T15S R32E; S1/2NE1/4 SEC 6 T15S R33E, B.M.

The permit holder now proposes to amend Permit No. 17-7065, adding a point of diversion in the NENE (LOT 1) SEC 1 T15S R32E, ONEIDA COUNTY

Any protests to the proposed amending of the permit must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, ID, 83402, on or before March 9, 1992.

R. Keith Higginson
Director

Published in the Idaho Enterprise on February 20 & 27, 1992.

MAILED

AUG 12 1992

Brenda - Looks like a
proof was filed &
acknowledged in 1985.
The proof filed in 1987
was simply to pay
the newly enacted
PBU fee. I don't think
I need to acknowledge
again. Karen

4/86

RECEIVED

JAN 21 1987

RECEIVED

FEB 09 1987

For Office Use Only

Fee Received 200.00Date 1-21-87Receipt # 39999Receipt by MD

Sent to S.O. _____

STATE OF IDAHO Department of Water Resources

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

1. Permit No. 17-7065

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: Cerulean Development Inc.3. Post Office Address: Holbrook, ID.Telephone No. 698-33454. Source of Water: Groundwater

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 320 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 5.00 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

May 1976

8. Person to contact to accompany the department representative during the field examination:

David L. Bird

(Name)

Holbrook, Idaho

(Address)

MICROFILMED

AUG 12 1992

698-3345

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)Date Jan. 21, 1987Signature of Permit Holder (and title, if appropriate)
Cerulean Development Inc. By David Bird

copy retained for file

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

17 - 7065

In Copley Valley Cultural CWA.
2nd Amendment

Proof due in 1985 & submitted in 1985. - [Had attempted exams before but wells were not at full capacity.]
Partial field exam had been completed - development funding & be complete. Now holding a 2nd P/D?

What about 2nd P/D from 1986 Amendment?
HAD two wells - one covey in; BIRD now wants to Drill a 3rd well
How much time? Skip didn't know; He did say that they
have a partial exam completed - can confirm # of trees.
Per Gary; We should confirm Ben. use before
approving anything. Maybe Applicant/BIRD
should show what B/I is before we approve.
per Glen; He agrees w/ Gary, IF we can confirm B/I,
then we could perhaps provide BIRD one additional
year - similar to what we recommend for
transfers.

MICROFILMED

AUG 12 1992



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161


A. Kenneth Dunn
Director

Department of Water Resources

17-7065
CURLEW DEVELOPMENT INC.
C/O BERT SMITH
HOLBROOK, ID 83243

December 8, 1986

EXAMINATION FEE NOTICE



Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department. Examiners have been certified.

MICROFILMED

AUG 12 1992

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,


Ronald D. Carlson
Eastern Regional Manager

Enclosures

MICROFILMED
AUG 12 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 17-7063

Name(s) of Permit Holder(s): Carver Development Inc.

Post Office Address: St. Bernard, Idaho

Tel. No. 3345

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on Jan. 1975 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

4-25-83
Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE

MICROFILMED

AUG 12 1992



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

RECEIVED

APR 28 1983

UNITED STATES OF AMERICA

June 2, 1986

Curlew Development, Inc.

David Bird

Holbrook, Idaho 83243

Dear Mr. Bird:

Enclosed you will find two application to amend permits numbers 17-7026 and 17-7065. Will you please review the applications, and, if they meet with your approval, sign them, have your signature notarized and return them with a \$20.00 filing fee for each application.

Sincerely,

Gary Spackman

Sr. Resource Agent

GS/md

Enclosure

ENCLOSURE

JAN 29 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 18, 1986

RE: Permit Nos. 17-7026/7065

Curlew Development, Inc.
Holbrook,
Idaho 83243

Gentlemen:

Enclosed are copies of the approved Applications for Amendment submitted in connection with the above referenced permits.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

RECEIVED
JAN 29 1987

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: 17-706 KCW

Right Number 17-7065

Applicant

Carlew Development

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount.

☒ Change place of use.

☐ Other

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☐ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☒ Right number(s) _____
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
- ☒ Amendment published correctly.
- ☐ Protests processed.
- ☒ Approve.
- ☐ Deny.

Conditions _____

By EMC

Date

July 29, 1986

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By Jan
- ☒ Approved copy sent to applicant and to Region. By Cindy Zimmerman

Date

8-6-86

RECEIVED

JUL 31 1986

Department of Water Resources

RECORDED

JAN 29 1987

Receipt letter sent 1/24/86

July 21, 1986

The Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

RE: Application No. 17-7026 & 17-7065; Curlew Development, Inc.

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced applications. The legal notices were to have been published in your paper on June 26, and July 3, 1986.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

MICHELE DAVIS
Office Secretary

RECORDED

JAN 29 1987



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

June 24, 1986

Curlew Development, Inc.
Holbrook, Idaho 83243

Gentlemen:

Attached herewith is Departmental receipt No. 39709 in the amount of \$40.00 for Amendments 17-7065 & 17-7026.

Sincerely,

Michele Davis
Office Secretary

Attachment

RECEIVED
JAN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 18, 1986

The Idaho Enterprise
P. O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 14, 1986.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

JAN 29 1987

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit No. 17-7065 in the name of Curlew Development, Inc., Holbrook, Idaho was issued for the diversion of 6.0 cfs of water from a groundwater source, with the point of diversion within the NE1/4NE1/4, Sec. 1, T. 15S, R. 32E, B.M., Oneida County; to be used for irrigation purposes, from Apr. 1 to Nov. 1 within the NE1/2, Sec. 1, T. 15S, R. 32E, W1/2NW1/4, Sec. 6, T. 15S, R. 33E for 400 acres.

The permit holder now proposes to amend Permit No. 17-7065, changing the point of diversion to within the NE1/4NE1/4 (Lot 1), Sec. 1, T. 15S, R. 32E, SW1/4NE1/4, Sec. 6, T. 15S, R. 33E, B.M. and the place of use to within the NE1/4NE1/4 (Lot 1), NW1/4NE1/4, SW1/4NE1/4 (Lot 2), SE1/4NE1/4, NE1/4NW1/4 (Lot 3), NW1/4NW1/4 (Lot 4), S1/2NW1/4, Sec. 1, T. 15S, R. 32E, S1/2NE1/4, Sec. 6, T. 15S, R. 33E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before July, 14 1986.

A. Kenneth Dunn

Director

Published 6/26 & 7/3/86

RECORDED

JAN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 19, 1986

CURLEW DEVELOPMENT INC.
C/O DAVID F. BIRD
HOLBROOK ID 83243

RE: Permit No. 17-7065

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of a measuring device which, according to the proof card submitted by you, has not been installed. A measuring device must be installed and operating at the time the field examination is made. If a measuring device is not installed your permit may be subject to cancellation.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

RECEIVED

JAN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
SEP 5 1985

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 17-7065

Name(s) of Permit Holder: Curlew Development Inc. % David L. Bird

Post Office Address: Holbrook, Idaho

Telephone No. 698-3345 or 698-3344

Source of Water: Wells

Extent of Use:

Domestic 1 (number of households)

Stockwater 200 (number and type of stock)

Irrigation 320 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

David L. Bird

(Name)

Holbrook, Idaho

(Address)

698-3345

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

Aug. 24, 1985
Date

David L. Bird
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138199

CURLEW DEVELOPMENT INC.
C/O BERT SMITH
HOLBROOK, ID 83243

PROOF DUE NOTICE

JULY 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 17-7065 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

August 21, 1980

Curlew Development Inc.
Holbrook, ID 83243

Dear Sirs:

Re: Permit No. 17-7065

Enclosed is a copy of the approved request for extension of time. The time within which to submit the statement of beneficial use is extended to October 1, 1985.

Also enclosed is receipt No. 15955 for the amount in \$15.00

Sincerely,

RITA FLECK
Sr. Secretary

Enclosures

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

CURLEW DEVELOPMENT INC.
C/O BERT SMITH
HOLBROOK, ID 83243

138326

JULY 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 17-7065 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED

March 24, 1978

Re: Permit No. 17-7065

Curlew Development, Inc.
c/o David L. Birds, Pres.
Holbrook, Idaho 83243

Dear Mr. Bird:

We acknowledge receipt of your letter requesting that the proof of beneficial use of water you submitted on this permit be allowed to be withdrawn.

Please be advised that the proof is withdrawn and you have until October 1, 1980 to submit proof of beneficial use of water on this permit.

If you have any questions regarding this matter, please let us know.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JFR

RECEIVED
MAR 27 1978
FBI - BUTTE

MEMORANDUM

RECEIVED
MAR 14 1978
Department of Water Resources

TO: Glen Saxton
FROM: Ernie Carlsen *emc*
RE: Withdrawal of Proof of Beneficial use on Permit No. 17-7065
DATE: March 8, 1978

It is apparent by Mr. Bird's letter that he was misinformed concerning when to file proof of beneficial use, which is entirely possible since Curlew Development Inc. was not the original permit holder. Since the proof was not due until October, 1980 and the Curlew Valley is a closed area for new permits, it is my recommendation the Department grant Mr. Bird's request and allow him to continue development within the time frame originally established by this permit.

INTER-DEPARTMENT MEMO — 1

DATE February 27, 1978

FROM

Ernie *EMC*

TO

Glen Saxton

SUBJECT

Proof Withdrawal

Attached please find a request for withdrawal of beneficial use on Permit No. 17-7065. We will hold the field exam in our files until further notice.

MICROFILMED

SIGNATURE

MEMORANDUM GO-144

TO: MR.

FROM: MR.

SUBJECT:

Dept. of Water Resources

David L. Bird, Pres. of Cadmus Development Inc.

Permit No. 17-7065

Feb 23

RECEIVED

OUR FILE FEB 23 1978

Department of Water Resources
Eastern District Office

Dear Sirs;

Due to a lack of understanding on our part we feel that we made a premature request for a license of water right on permit no 17-7065. It was our understanding at the time that it was necessary for us to make this request when we started to divert water for beneficial use over though the first well was not of sufficient size to fill the permit. We have since developed another well and the combined total still does not fill the permit and our intention was to drill another well which would probably be sufficient for this permit.

At this time we would like to request a temporary withdrawal of the Proof of Beneficial Use submitted 30th March 1976 on permit 17-7065 in order to more completely develop the water volume allowed on this permit.

Sincerely

David L. Bird, Pres.
Cadmus Development Inc.
Hailey, Idaho. 83343

MICROFILMED

August 6, 1976

Re: Permits No. 17-7026 & 17-7065

Curlew Development, Inc.
c/o Bert Smith
Holbrook, Idaho 83243

Gentlemen:

We acknowledge receipt of the assignments whereby Blaisdell Bros. convey the above referenced permits to you. The assignments have been recorded and the Department's records changed accordingly.

We have processed the proof affidavit submitted in March of this year under Permit 17-7065. Before a license can be issued, however, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system. Should you have questions regarding the exam, please contact our regional office at 1515 Lincoln Road, Idaho Falls, Idaho.

Pursuant to your request we are herewith returning the application for amendment submitted in connection with Permit 17-7026. The \$10.00 filing fee will be returned to you in the near future under separate cover.

If this office can be of assistance at any time, please do not hesitate to contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

Enc: App for amend/17-7026

Assignment

CURLEW DEVELOPMENT, INC.
HOLBROOK, IDAHO 83243
July 30, 1976

RECEIVED

AUG 2 1976

Department of Water Resources

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Fleenor:

In regards to the assignment of permit which we have been required to obtain from Blaisdell Bros., Inc. Our lawyer had informed us that we did not need these since we obtained the entire corporation with all rights, but after speaking with you on the phone we have them signed and are enclosing them.

In the matter of permit # 17-7065, we have a water meter installed on this point of diversion. It is a Rockwell Flow Control meter which measures acre ft.

In our application for change of permit # 17-7026 we would like the amendment application and fee returned and we will refile at a latter date if it is determined a change is necessary nor that further development is impossible.

We appreciate your patience and apologize for the delay.

Sincerely,



Peggy Marie Smith
Curlew Devel., Inc. Secretary

Enclosure

July 22, 1976

Re: Permits No. 17-7026
17-7065 - Blaisdell Brothers, Inc.

Curlew Development, Inc.
c/o Bert Smith
Holbrook, Idaho 83243

Gentlemen:

Enclosed you will find a copy of our letter dated April 13, 1976, to which we have not yet received a reply.



Unless we hear from you within 15 days, the proof affidavit and amendment application for these permits will be returned to you and the matter closed.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720



Curlw Development, Inc.
Holbrook,
Idaho 83243

RECEIVED

APR 17 1976

Department of Water Resources



*Received
By BERT Smith
A-19-76
du*

18

April 13, 1976

Re: Permits No. 17-7026 - Blaisdell Bros., Inc.
17-7065

Curlew Development, Inc.
Holbrook,
Ma 01906

Gentlemen:

This office has received an amendment application for permit 17-7026 and a proof affidavit for permit 17-7065. We wish to advise you, however, that these items cannot be processed until such time as the permits are assigned to you by Blaisdell Bros., Inc.

We have enclosed two partially completed 'assignment of permit' forms for your use in securing the needed assignments. Please have the forms executed by the Blaisdell Brothers and returned to this office as soon as possible.

You should also be aware that before we could accept the proof affidavit for permit 17-7065, we will require information regarding the type of measuring device installed at the point of diversion.

If you have questions regarding the above matters, please do not hesitate to contact us.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR
Enc: assignment form (2)

RECEIVED

MAR 31 1976

see date of assignment!

STATE OF IDAHO

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

Identification No. _____

Permit No. 17-7065

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

1. a) Name of Permit Holder CURLEW DEVELOPMENT INC. (PURCHASED FROM BLAISDELL BROS. INC.)
b) Post Office Address HOLBROOK, IDAHO 83423
2. Permit Number 17-7065
3. Date of Priority that you are prepared to establish 9-19-1975
4. a) Source from which water was appropriated Ground Water
b) Location of the point of diversion: NE 1/4 NE 1/4, Section 1
Township 15S, Range 32E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
Amount 6.0 for Irrigation purposes from APRIL to NOV incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6.0 cfs and/or acre-feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Ag. Services Inc - Pump test.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 16" Well, 265' deep. Water stands at 49 feet. 150 HP Electric Pump and sprinkler system.
b) Describe the type and size of measuring device which you have installed at your point of diversion: ROCKWELL Flow meter
c) Give well driller's name and address and the date the well was completed: Shetman Co. Co., Butley, Id.
Completed in Nov. 1975
8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Withdrown
on 3/13/76

October 23, 1975

Re: Permit No. 17-7065

Blaisdell Brothers, Inc.
284 North Main
Malad, ID 83252

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 17-7065. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

September 19, 1975

RE: Application for Permit No. 17-7065

C
Mr. R. M. Turnipseed
Area Engineer
Division of Water Rights
Northern District Office
P.O. Box 381
Logan, Utah 84321

Dear Mike:

D
We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. The last date of protest is October 13, 1975, and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact me.

Y
Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Enclosure

RECEIVED
SEP 22 1975
WATER RIGHTS DIVISION

September 19, 1975

RE: Application for Permit No. 17-7065 BLAISDELL

Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

Bill submitted 10-07-1975 by ML

RDC:CW

Enc: Legal Notice (1)

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Blaisdell Bros, Inc., Malad City, Idaho have on 9-19-75 submitted Application No. 17-7085 for a permit to appropriate 6.00 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 15S, R. 32E, B.M., Oneida County; to be used from Apr. 1 to Nov. 1 for the irrigation of 400 acres within the N $\frac{1}{2}$, Sec. 1, T. 15S, R. 32E; W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 6, T. 15S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before October 13, 1975.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho on September 23 and October 2, 1975.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Blaisdell Bros, Inc.,

Malad City, Idaho

have ~~was~~ on 9-19-75 submitted Application No. 17-7065

for a permit to appropriate 6.00 cubic feet per second ~~XXXXXX feet per second~~

of water from a ground-water source

by means of well and pump

within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 1, T. 15S, R. 32E, B.M., Oneida County;

to be used from Apr. 1 to Nov. 1

for the irrigation of 400 acres

within the N $\frac{1}{2}$, Sec. 1, T. 15S, R. 32E; W $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 6, T. 15S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before October 13, 1975.

R. KEITH HIGGINSON

Director

Published in the Idaho Enterprise, Malad City, Idaho

on September 25, and October 2, 1975.

Ind
AWA
AWA

September 19, 1975

RE: Application for Permit No. 17-7065

Blaisdell Brothers, Inc.
284 North Main
Malad City, Idaho 83252

Gentlemen:

Attached herewith is departmental receipt No. 15424 in the amount of \$75.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Attachment

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

17 7065

Item Initial Date

Application No. _____

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) LL LL

In form to receipt yes

(2) LL LL

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department

(3) LL LL

NA ☐ Bureau of Land Management
☒ Mike Thompson

NA ☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant

(4) LL LL

In form for advertising yes

(5) LL LL

Platted on Map No. _____

(6) LL LL

NA Located within Water District No. _____

(7) LL LL

Critical groundwater area: yes _____ no LL

(8) LL LL

Groundwater levels:

☒ Declining, _____ Stable, _____ Increasing

(comment) Ref Obs Well 15532E 090002

(9) LL LL

Other rights on the same place of use NO

(10) LL LL

Comments: No other G.W. rights on Plat.

(11) me 10-07-75

Affidavit of Publication received (date) 10-07-75

(12) me 10-14-75

Final date for protests Oct. 13, 1975

Protests received: yes _____ no LL

(13) RDC 10/19/75

All requested information received from agencies or applicant: yes _____ no _____

(14) LL LL

Action recommended:

☒ Approve

RECEIVED

OCT 15 1975 Deny

9/19/75 Proposed Priority

Department of Water Resources

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E

By RDC

Date 10/19/75

[Signature]