


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Joseph J. Smith
(Applicant)

MAP (Attach Aerial Photo)

[illegible]

SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NW of NE SECT 33 T14S R33E

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked by

Approved by _____


Date 9-26-80

ate 2-5-81

Date 10/5/81

VI
3120

V
1523



HJ
9-26-80

MICROFILMED

17-7041

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 17-7041 Priority March 3, 1975 Amount 1.93 cfs
(late proof)

THIS IS TO CERTIFY, that Joseph J. Daniels
of Malad City, Idaho, has complied with the terms and conditions of Permit
No. 17-7041 issued pursuant to Application for Permit dated February 27, 1975,
and has submitted proof to the Department of Water Resources on March 5, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.93 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>May 1</u> to <u>October 15</u>	at <u>1.93</u> cfs and	<u>639.0</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 1.93 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
639.0 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Section 33, Twp.
14S, Rge. 33E in the County of Oneida

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
14S	33E	33	39	39			39	38	39	40									234
		28															39		39

Total number of acres irrigated 273

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of
November, 19 81.

Acting for the

Director

Norman C. Young

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 17-7041
IN THE NAME OF JOSEPH J. DANIELS

REINSTATEMENT ORDER

WHEREAS, on February 27, 1975, Joseph J. Daniels applied to the Department of Water Resources for a permit to appropriate 5.60 cubic feet per second of water from a groundwater source to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, Twp. 14S, Rge. 33E B.M., Oneida County, to be used for irrigation purposes; and,

WHEREAS, on March 31, 1975, the Department approved said application and issued Permit No. 17-7041 with the condition that proof of construction of works and application of water to beneficial use be submitted on or before March 1, 1980; and,

WHEREAS, on December 31, 1979, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on March 1, 1980, the permit automatically lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon showing of reasonable cause within 60 days from the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on March 5, 1980;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 17-7041 be REINSTATED and the priority advanced to March 3, 1975.

Dated this 14th day of March, 1980.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED
MARCH 14 1980

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 17-7041 }

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

MICROFILMED

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant Joseph J. Daniels 766-4545
 post office address 294 N 100W MALAD City, Idaho 83252
2. Source of water supply well which is a tributary of Deep Creek
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 33 Township 14S
 Range 33E B.M. Omelda County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into N.A at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 5.6 cfs for IRRIGATION purpose from May 1 to Oct 15 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 5.6 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. None. Well, Pump, & Sprinkler system. T.C. 24

- b. Height of storage dam None feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 20 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
 b. Estimated construction cost is \$ 50,000.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M. _____
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
 (5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated 320

c. Describe any other water rights used for the same purposes as described above. None.

9. a. Who owns the property at the point of diversion Joseph J. DANIELS
b. Who owns the land to be irrigated or place of use Joseph J DANIELS
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing NA.

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Joseph L. Smith
(Applicant)

Proposed Priority 2-27-1975

Received by WJ Date 2-27-75 Time 11:10 A.
Preliminary check by WJ Fee \$ 15.00
Received by WJ Date 2-27-75 # 4120
Publication prepared by WJ Date 2-28-75
Published in Idaho County
Publication dates 3/6 & 3/13/75
Publication approved WJ Date 3-14-75
Priority reduced to _____ Reason _____
Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by WJ

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 17-7041, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 80.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 31 day of March 19 75.

Director

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. Daniel

LH 2-27-75

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) " "

In form to receipt yes

(2) " "

Send Copies to:

- NA Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) " "

- NA Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. "

(6) " "

NA Located within Water District No. "

(7) " "

Critical groundwater area: yes " no ✓

(8) " "

Groundwater levels:

" Declining, " Stable, " Increasing

(comment) NO NEARBY Obs. wells

(9) " "

Other rights on the same place of use NO

(10) " "

Comments: NO OTHER G.W. rights Platted

(11) OW 3-14-75

Affidavit of Publication received(date) 3-14-75

(12) MB 3-24-75

Final date for protests March 24, 1975
Protests received: yes " no X

(13) RDC 3/24/75

All requested information received from agencies or applicant: yes " no "

(14) " "

Action recommended:

✓ Approve " Deny

4/27/75 Proposed Priority

" Reason for Reduction "

✓ Measuring device required "

" See attached sheet for other conditions of approval "

" No special conditions for approval "

(15) District E

By RDC

Date 3/24/75

MICROFILMED

RECEIVED
MAR 25 1975
Department of Water Resources

Copy

RECEIVED

MAR 14 1975

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Joseph J. Daniels, 294 N. 100 W., Malad City, Idaho, has on February 27, 1975, submitted Application No. 17-7041 for a permit to appropriate 5.6 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 14S, R. 33E, B.M., Oneida County; to be used

from May 1 to Oct. 15 for the irrigation of 320 acres within the N $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 33, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 28, T. 14S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before March 24, 1975.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho on March 6 and March 13, 1975.

AFFIDAVIT OF PUBLICATION

State of Idaho
County of Oneida, ss.

Norma Beck being first duly sworn on her oath, states: That she is Clark of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof the date of the first publication being the 16 day of March, 1975 the date of the last publication being the 13 day of March, 1975

Norma Beck

Subscribed and sworn to before me this 13 day of March, 1975.

H. D. Naylor
Notary Public, residing at Malad, Idaho

My Commission expires the 16 day of Oct, 1977.

Costs:

32 lines at 23c per line first insertion \$ 7.39

..... lines tabulated at 34 $\frac{1}{2}$ c per line \$.....

15c per line each subsequent insertion \$ 4.80

TOTAL \$ 12.19

(Rates for legal notices are fixed by Idaho law)

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 2, 1981

RE: Permit No. 17-7041

Joseph J. Daniels
294 N. 100 W.
Malad City, ID 83252

Dear Mr. Daniels:

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

A handwritten signature in cursive script, appearing to read "Jim Johnson", is written over the typed name.

JIM JOHNSON
Water Distribution Supervisor

Enclosure

MAILED
DEC 3 1981



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 4, 1981

RE: Permit No. 17-7041

Joseph J. Danfield
294 N. 100 W.
Malad City, ID 83252

Dear Mr. Daniels:

A representative of this Department has made an examination of the works covered by your Permit No. 17-7041, and has found the following:

Amount of water that can be recognized as beneficially used under Idaho law: 1.93 cfs Source: a groundwater source

The maximum quantity diverted shall not exceed 639.9 acre feet per year.

Point(s) of diversion: NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, Twp. 14S, Rge. 33E, Oneida County

Beneficial use: Irrigation of 273 acres within the NW $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 33; SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 28, Twp. 14S, Rge. 33E

Priority date established: March 5, 1975 (late proof)

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

Examiner's Signature

12/9/01
18-5-8
08-28-6

Recommended Amendments:

☐ Change P.U. as reflected above

☐ Change P.D. as reflected above

☐ Add P.U. as reflected above

☒ Add P.D. as reflected above


☐ Other

☒ None

[illegible]


Place(s) of Use

Point(s) of diversion: NW of NE SEG 33 T14S R33E



(Include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM



MAP (Attach Aerial Photo)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

August 16, 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

Northern Region Office
Rt. #5, Box 203 Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Street
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Blvd. North
Twin Falls, Idaho 83301

Western Region Office
92 S. Cole Road
Boise, Idaho 83705

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

March 27, 1980

RE: Permit No. 17-7041

Joseph J. Daniels
294 N. 100 W.
Malad, ID

Dear Mr. Daniels:

Enclosed is a copy of the order reinstating your permit and advancing the priority date to March 3, 1975.
We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

JACKIE S. DENNING
Senior Clerk

cc: IDWR - State Office

RECEIVED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 17-3044

Name(s) of Permit Holder: Joseph J. DANIELS

Post Office Address: 294 N. 100 W.

Malad, Idaho

Tel. No. 766-4545

Source of Water: Well

Extent of Use:

☐ Domestic

(number of households)

☐ Stockwater

(number and type of stock)

☒ Irrigation

280

(acres)

☐ Other

Measuring Device: Required?

☐ Yes

☐ No

Installed?

☒ Yes

☐ No

Access Port: Required?

☒ Yes

☐ No

Installed?

☒ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-29-80
Date

Joe Daniels
Signature of Permit Holder

RECEIVED

MAR 5 1980

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



Joseph L. Daniel
294 N. 100 W
Malad, Idaho

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DANIELS, JOSEPH J.
294 N. 100 W.
MALAD, ID 83252

101617

DECEMBER 31, 1979

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 17-7041 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

RECEIVED
DEC 31 1979

April 3, 1975

Re: Permit No. 17-7041

Joseph J. Daniels
294 N. 100W.
Malad City, ID 83252

Dear Mr. Daniels:

Enclosed is a copy of your approved Application for Permit No. 17-7041. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Enclosures

RECEIVED

February 28, 1975

RE: Application for Permit No. 17-7041 - DANIELS

Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Bill submitted 3-14-75 by CD

Enc: Legal Notice

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Joseph J. Daniels, 294 N. 100 W., Malad City, Idaho, has on February 27, 1975, submitted Application No. 17-7041 for a permit to appropriate 5.6 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 14S, R. 33E, B.M., Oneida County; to be used from May 1 to Oct. 15 for the irrigation of 320 acres within the N $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 33, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 28, T. 14S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before March 24, 1975.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho on March 6 and March 13, 1975.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Joseph J. Daniels,

294 N 100 W, Malad City, Idaho

has on 2-27-75 submitted Application No. 17-7041

for a permit to appropriate 5.6 cubic feet per second ~~acres feet per annum~~

of water from a ground-water source

by means of well and pump

within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 33, T. 14S, R. 33E, B.M., Oneida County;

to be used from May 1 to Oct. 15

for the irrigation of 320 acres

within the N $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 33, S $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 28, T. 14S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before March 24, 1975.

R. KEITH HIGGINSON

Director

Published in the Idaho Enterprise, Malad City, Idaho

on March 6 and March 13, 1975.

MICROFILMED

CW-2
CW-4
CW-4

February 28, 1975

RE: Application for Permit No. 17-7041

Mr. Joseph J. Daniels
294 N 100 W
Malad City, Idaho 83252

Dear Mr. Daniels:

Attached herewith is departmental receipt No. 4120 in the amount of \$75.00
for the above referenced application.

Very truly yours,

RONALD D. CARLSON
District Engineer

RDC:CW

Attachment

MICROFILMED

Gentlemen

I would appreciate
a notice as quick as
possible because
I have a well
drill ready to go
as soon as released
by you people

any thing I can
do to rush
would be appreciated

Thank
Joe J. Daniel
Mabel Stokes

MICROFILMED