




RECEIVED

MAR 1 1974

Department of Water Administration
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Blaisdell Brothers, Inc., 284 North Main, Malad, Idaho, has on February 11, 1974, submitted Application No. 17-7026 for a permit to appropriate 4.0 cubic feet per second of water from a ground-water source by means of well and pump within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 14S, R. 33E, B.M. Oneida County; to be used from April 1 to Nov. 1 for the irrigation of 240 acres within the E $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 14S, R. 33E, E $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6, T. 15S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before March 11, 1974.

R. KEITH HIGGINSON
Director

Published in The Idaho Enterprise, Malad City, Idaho, on February 21 and February 28, 1974.

AFFIDAVIT OF PUBLICATION

State of Idaho
County of Oneida, ss.

Norma Peck being first duly sworn on her oath, states: That she is clerk of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for 2 successive weekly issues thereof the date of the first publication being the 21 day of Feb., 1974 the date of the last publication being the 28 day of Feb., 1974

Norma Peck
Subscribed and sworn to before me this 28 day of February, 1974.

H. D. Napton
Notary Public, residing at Malad, Idaho

My Commission expires the 10 day of Oct, 1977.

Costs:

33 lines at 23c per line first insertion \$ 7.59
..... lines tabulated at 34 $\frac{1}{2}$ c per line \$
15c per line each subsequent insertion \$ 4.95
TOTAL \$ 12.54

(Rates for legal notices are fixed by Idaho law)

17-7026

JUN 9 1986

STATE OF IDAHO

Department of Water Resources
Eastern District Office

APPLICATION FOR AMENDMENT OF A PERMIT

To change the point of diversion and/or the place of use.

APPROVED

Comes now Curlew Development, Inc. Phone 698-3345of (address) Holbrook, Idaho 83243, and represents to the
Director of the Idaho Department of Water Resources:That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 17-7026, and requests that the permit and permit map be changed as follows:

1. Point of diversion: SE ¼ SW ¼, Section 31, Township 14S, Range 33E, B.M.,
County of Oneida. Other points of diversion: SW ¼ SE ¼, Sec. 6,
T. 15S, R 33E, B.M.

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount 4.0 cfs for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:


TWP	RGE	SEC	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
14S	33E	31													40	40	40	40	160
15S	33E	6	40	40															80
			L-1	L-2															

Total number of acres to be irrigated = 240

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

JAN 29 1987

REMARKS: This application for amendment should be crossreferenced to application for
amendment 17-7065. The two applications share an additional point of diversion
and each application also changes appurtenant acreage.



Nº 831

RECEIVED

JUL 25 1986

AFFIDAVIT OF PUBLICATION

Department of Water Resources
Eastern Division

STATE OF IDAHO, }
County of Oneida } ss.

Donnie Davis being duly sworn,
deposes and says: That she is the Secretary of THE
IDAHO ENTERPRISE, a weekly newspaper published at Malad,
in the County of Oneida and State of Idaho; that said paper has
been and is in general circulation in the county aforesaid, and in
the vicinity of Malad; that the advertisement, a copy of which is
attached hereto, was published in said newspaper once a week for
2 consecutive weeks in the regular and entire issue of said
paper during the period of time of publication, and was
published in the newspaper proper and not a supplement; that
said paper has been established and regularly published for more
than seventy-eight consecutive weeks prior to the date of first
publication of said advertisement.

Such notice was published in the issue beginning with
June 26, 1986, and ending

with the issue of July 3, 1986
Donnie Davis

Fee \$ 34.02

Subscribed and sworn to before me this 24th day
of July, 1986

Joan Hawley
Notary Public, Residing at Malad, Idaho

My Commission Expires 5-8, 1991

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit
No. 17-7026 in the name of Curlew
Development, Inc., Holbrook, Idaho
was issued for the diversion of 4.0
cfs of water from a groundwater
source, with the point of diversion
within the SW1/4SE1/4, Sec. 31, T.
14S, R. 33E, B.M., Oneida County; to
be used for irrigation purposes, from
Apr. 1 to Nov. 1 within the NE1/4
SE1/4, S1/2SE1/4, Sec. 31, T. 14S,
R.33E, N1/2NE1/4, SE1/4NE1/4, Sec.
6, T. 15S, R. 33E for 240 acres.

The permit holder now proposes
to amend Permit No. 17-7026,
changing the point of diversion to
within the SE1/4SW1/4, Sec. 31, T.
14S, R.33E, SW1/4SE1/4, Sec. 6, T.
15S, R. 33E, B.M. and the place of
use to within the SE1/4 Sec. 31, T.
14S, R. 33E, NE1/4NE1/4 (Lot 1),
NW1/4NE1/4 (Lot 2), Sec. 6, T. 15S,
R. 33E, B.M.

Any protest to the proposed
amending of the permit must be filed
with the Idaho Department of Water
Resources 150 Shoup Ave., Suite
15, Idaho Falls, Idaho, 83402, on or
before July 14, 1986.

A. Kenneth Dunn
Director

6-26, 7-3 T2/831

JUL 26 1986

RECEIVED

NOV 28 1984

State of Idaho

Department of Water Resources

RECEIVED

NOV 16 1984

Department of Water Resources
Eastern District Office

Department of Water Resources

ASSIGNMENT OF PERMIT

I, Waldo J. Blaisdell,
Blaisdell Bros. Inc., hereby assign to Curlew Development Inc.

of c/o David L. Bird, Holbrook, Idaho 83243

Address

CHECK ONE



All my right, title, and interest in and to Permit No. 17-7026
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 13th day of November, 19 84.

Waldo J. Blaisdell
Permit Holder

Luis J. Blaisdell
Spouse of Permit Holder

State of Idaho)
County of Oneida) ss.

On this 13th day of November, 19 84, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Ray W. Briggs
Notary Public residing at
Malad City, Idaho 83252

My commission expires:
12-7-85

RECORDED

JAN 29 1985

duplicate of assignment
rec'd 8/2/1976 - no
correspondence rec'd.
kw 11/29/84

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF EXTENDING THE PROOF DUE
DATE IN CONNECTION WITH PERMIT NO. 17-7026
IN THE NAME OF CURLEW DEVELOPMENT, INC.

ORDER

WHEREAS, on Blaisdell Brothers, Inc. applied to the Department of Water Resources for a permit to appropriate 4.00 cubic feet per second of water from a groundwater source to be diverted within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, Twp. 14S, Rge. 33E, B.M., Oneida County, to be used for irrigation purposes; and,

WHEREAS, on July 15, 1974, the Department approved said application and issued Permit No. 17-7026 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before July 1, 1979; and,

WHEREAS, on August 2, 1976, the permit holder assigned all right, title, and interest to Permit No. 17-7026 to Curlew Development, Inc.; and,

WHEREAS, on April 11, 1979, the permit holder submitted a request for an extension of time; and,

WHEREAS, it appears that under the circumstances, the permit holder has been proceeding with reasonable diligence and has given good cause for delay;

IT IS, THEREFORE, HEREBY ORDERED THAT the time within which to submit proof of beneficial use of water under Permit No. 17-7025 be extended to July 1, 1984.

Dated this 17th day of April, 1979.

L. Glen Saxton

L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED
APR 17 1979
WATER RESOURCES
DIVISION
BOISE, IDAHO

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 17-7026

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,


WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director



State of Idaho
Department of Water Resources

ASSIGNMENT OF PERMIT

I, Blaisdell Bros., Inc., hereby assign to Curlew Development, Inc.

of Holbrook, Idaho 83243
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 17-7026
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 28 day of July, 19 76.

Blaisdell Bros Inc by
Waldo J. Blaisdell
Permit Holder

Spouse of Permit Holder

State of Idaho)

County of Oneida) ss.

On this 28 day of July, 19 76, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Colon A. Sweetman Jr.
Notary Public residing at _____

My commission expires: _____

Clk of the District Court

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

ASSIGNED TO: 8/2/76

Curlew Development, Inc.

c/o Bert Smith

Holbrook, ID 83243

To appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Blaisdell Brothers, Inc.
 post office address 284 North Main, Malad, Idaho
2. Source of water supply ground water which is a tributary of - - - - -
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 31 Township 14S
 Range 33E B.M. Oneida County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 4.0 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or ~~acre-feet per annum~~)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 4.0 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Drilled well, cased, pump and electric motor, mobile sprinkling system.

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 150 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
 b. Estimated construction cost is \$ 32,000.00.
8. Description of proposed uses:
 a. If water is **not** for irrigation: N.A.
 (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M. _____
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
 (5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion
Blaisdell Brothers, Inc.


b. Who owns the land to be irrigated or place of use
Blaisdell Brothers, Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing -

10. Remarks -

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BLAISDELL BROTHERS, INC.

By: *Walter J. Blaisdell*
(Applicant)

PRESIDENT (by MB
2/14/74)

17-7086

17-7026

Proposed Priority 2-11-1976

Received by MB Date 2-4-74 Time 8:00 A
Preliminary check by MB Fee \$ 55.00
Received by MB Date 2-11-74 # 12736
Publication prepared by MB Date 8-15-74
Published in State Engineering
Publication dates July 21 + 28, 1974
Publication approved MB Date 3/1/74
Priority reduced to _____ Reason _____

Protests filed by: _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval, denial by MB MB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 17-7026, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, July 1, 1979.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 15 day of _____ July 1974.

[Signature]
Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>JF</u>	<u>2/11/74</u>	Application No. <u>17-7026</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature <u>[Signature]</u> ☒ Fee
(3)	<u>JF</u> <u>JF</u>	<u>2/11/74</u> "	In form to receipt <u>Yes</u> Send Copies to: ☐ Idaho State Health Department ☐ Idaho Fish and Game Department ☐ Bureau of Land Management
(4)	<u>JF</u>	"	☐ Request Special Use Permit from U.S.F.S. ☐ Request Easement from B.L.M. ☒ Request Information from Applicant <u>Corporate office of ind. who signed app.</u>
(5)	<u>JF</u>	"	In form for advertising <u>Yes</u>
(6)		<u>2/11/74</u>	Located within Water District No. _____
(7)	<u>JF</u>	<u>2/11/74</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>JF</u>	"	Groundwater levels: ☐ Decline (comment) _____ ☐ Stable (comment) <u>No close obs wells</u> ☐ Increasing (comment) _____
(9)	<u>JF</u>	"	Comments: <u>No conflicting G.W. rights</u>
(10)	<u>MB</u>	<u>3/1/74</u>	Affidavit of Publication received (date) <u>March 1, 1974</u>
(11)	<u>CB</u>	<u>3/1/74</u>	Final date for protests <u>March 11, 1974</u> Protests received: yes _____ no ☒
(12)	<u>CB</u>	<u>3/1/74</u>	Date and Place of hearing <u>N.A.</u> Decision reached at hearing <u>N.A.</u>
(13)	<u>NCF</u>	"	All requested information received from agencies or applicant yes ☒ no _____
(14)	"	"	Action recommended: ☒ Approve Priority <u>2/11/74</u> ☐ Deny Reason for Reduction <u>Fee</u> ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>E</u>	By <u>NCF</u>	Date <u>3/11/74</u>

AFIDAVIT OF PUBLICATION

State of Idaho
County of Oneida, ss.

Norman P. [Signature] being first duly sworn on
h. oath, states: That she is [Signature]
of the Idaho Enterprise, a newspaper of general circula-
tion in Oneida County, Idaho published weekly at Malad,
in said county, that said newspaper has been published
in said county uninterruptedly and continuously for over
seventy-eight consecutive weeks, prior to the first publi-
cation of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of
publication of said notice a newspaper of general circula-
tion made up of at least four pages of at least five
columns each, printed from type matter or stereotyped
forms of at least seventeen and three fourths inches
depth, and said newspaper during all of the times of
publication aforesaid had more than 200 bonafide sub-
scribers thereto living within the county of Oneida in
which said newspaper was published at regular intervals
not less frequently than once a week.

That the annexed notice was published per clipping
attached in the regular and entire edition of said
newspaper and not in any supplement thereof for 2
successive weekly issues thereof the date of the first
publication being the 21 day of Feb., 1974
the date of the last publication being the 28 day of
Feb., 1974

Norman P. [Signature]

Subscribed and sworn to before me this 28 day of
February, 1974

H. D. [Signature]
Notary Public, residing at Malad, Idaho

My Commision expires the 10 day of Oct, 1977

Costs:

33 lines at 23c per line first insertion \$ 7.59
..... lines tabulated at 34 1/2c per line \$
15c per line each subsequent insertion \$ 4.95
TOTAL \$ 12.54

(Rates for legal notices are fixed by Idaho law)

17-7020

is hereby given that
l Brothers, Inc., 284 N
n, Malad, Idaho, has
ry 11, 1974, submitted
n No. 17-7026 for a per
ropriate 4.0 cubic feet
of water from a grou
source by means of
ump within the SW 1/4 S
1, T. 14S, R. 33E, I
County; to be used
1 to Nov. 1 for the ir
of 240 acres within
E 1/4, SW 1/4 SE 1/4, Sec. 31
R. 33E; E 1/2 NE 1/4, N
Sec. 6, T. 15S, R. 33E,
issued, this permit wi
ect to all prior water r
ests against the granti
permit must be filed wi
o Department of Water
stration, 1515 Lincoln Road,
o Falls, Idaho, 83401 on or
ore March 11, 1974.

R. KEITH HIGGINSON
Director

Published in The Idaho Enter-
prise, Malad City, Idaho, on

FROM: KEITH C. WILSON - EASTERN

05 FEB 1992

TO: FILE 17-07026

SUBJECT: POINT OF DIVERSION

DAVID L. BIRD OF CURLEW DEVELOPMENT, INC., BUIST RT., HOLBROOK, IDAHO 83243, CAME INTO THE OFFICE TODAY TO DISCUSS HIS WELL IN THE SW1/4NE1/4 SEC 6, T15S, R33E. (THE WELL IS CONTINUING TO CAVE IN.)

1. A REVIEW OF PERMIT 17-07026 REVEALED THAT THE LEGAL DESCRIPTION FOR THIS WELL ON THE AMENDMENT WAS AS FOLLOWS:

SW1/4SE1/4 SEC 6, T15S, R33E

2. BOTH PERMIT 17-07026 & PERMIT 17-07065 REFERENCE EACH OTHER AS HAVING A SHARED POINT OF DIVERSION.

- A. ONE OF THE WELLS FOR 17-07065 HAS THE FOLLOWING LEGAL DESCRIPTION:


SW1/4NE1/4 SEC 6, T15S, R33E

- B. ONE OF THE WELLS FOR 17-07026 HAS THE FOLLOWING LEGAL DESCRIPTION:

SW1/4SE1/4 SEC 6, T15S, R33E

3. THE MAP FOR BOTH PERMIT 17-07026 & 17-07065 SHOW A POINT OF DIVERSION WITHIN THE SW1/4NE1/4 SEC 6, T15S, R33E.

4. THEREFORE, IT IS MY OPINION THAT THE CORRECT POINT OF DIVERSION FOR PERMIT 17-07026 SHOULD BE LISTED AS **SW1/4NE1/4 SEC 6, T15S, R33E**, AND THAT THE ERROR IS A TYPOGRAPHICAL ERROR AND THE APPLICANT SHOULD NOT HAVE TO PAY TO HAVE THE POINT OF DIVERSION AMENDED.



KEITH C. WILSON
SENIOR RESOURCE AGENT

4/85

RECEIVED

FEB 09 1987

RECEIVED

JAN 21 1987

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern District Office

EXAMINATION FEE INFORMATION

For Office Use Only

Fee Received 150.00Date 1-21-87Receipt # 39999Receipt by WJ

Sent to S.O. _____

1. Permit No. 17-7026

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Carlew Development Inc3. Post Office Address: Holbrook IdahoTelephone No. 698-33454. Source of Water: Well

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 370 150 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 3.0 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

May - 1977

8. Person to contact to accompany the department representative during the field examination:

David Bird

(Name)

Holbrook Idaho

(Address)

698-3345

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date Jan 21, 1987Signature of Permit Holder (and title, if appropriate)
Carlew Development Inc. By David Bird

copy retained for file

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director


17-7026
CURLEW DEVELOPMENT, INC.
HOLBROOK, ID 83243

Department of Water Resources

December 8, 1986

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

EXAMINATION FEE NOTICE



Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 17-7026
Name(s) of Permit Holder(s): Carle Development Inc.
Post Office Address: Harbrook Idaho
Tel. No. 898-3345

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on Sept. 1974 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

4-26-83
Date

[Signature]
Signature of Permit Holder

PLACE
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
FEB 12 1983
IDAHO DEPARTMENT OF WATER RESOURCES

June 2, 1986

Curlew Development, Inc.
David Bird
Holbrook, Idaho 83243

Dear Mr. Bird:

Enclosed you will find two application to amend permits numbers 17-7026 and 17-7065. Will you please review the applications, and, if they meet with your approval, sign them, have your signature notarized and return them with a \$20.00 filing fee for each application.

Sincerely,

Gary Spackman
Sr. Resource Agent

GS/md

Enclosure

RECEIVED

JAN 29 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

August 18, 1986

RE: Permit Nos. 17-7026/7065

Curlew Development, Inc.
Holbrook,
Idaho 83243

Gentlemen:

Enclosed are copies of the approved Applications for Amendment submitted in connection with the above referenced permits.

If you have any questions concerning this matter, please contact us.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosures

RECEIVED

JAN 29 1987

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: K C Wilson

Right Number 17-7026 Applicant Curlew Development

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☒ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☐ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☐ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☒ Right number(s) ~~17-205~~ 17-205
- ☒ Yes ☐ No Should amendment be advertised?
- ☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received.
- ☒ Amendment published correctly.
- ☐ Protests processed.
- ☒ Approve.
- ☐ Deny.

Protest Date
7-14-86

Conditions _____

By EM Date July 29, 1986

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By Jm
- ☐ Approved copy sent to applicant and to Region. By _____

RECEIVED
JUL 31 1986

Department of Water Resources

MICROFILMED

JAN 27 1987

Receipt letter sent
6-24-86

July 21, 1986

The Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252

RE: Application No. 17-7026 & 17-7065: Curlew Development, Inc.

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced applications. The legal notices were to have been published in your paper on June 26, and July 3, 1986.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

MICHELE DAVIS
Office Secretary

RECORDED

JAN 29 1987

June 24, 1986

Curlew Development, Inc.
Holbrook, Idaho 83243

Gentlemen:

Attached herewith is Departmental receipt No. 39709 in the amount of \$40.00 for Amendments 17-7065 & 17-7026.

Sincerely,

Michele Davis
Office Secretary

Attachment

MICROFILMED
JAN 25 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 18, 1986

The Idaho Enterprise
P. O. Box 205
Malad City, Idaho 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 14, 1986.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

JAN 29 1987

NOTICE OF PROPOSED AMENDING OF WATER PERMIT

Notice is hereby given that Permit No. 17-7026 in the name of Curlew Development, Inc., Holbrook, Idaho was issued for the diversion of 4.0 cfs of water from a groundwater source, with the point of diversion within the SW1/4SE1/4, Sec. 31, T. 14S, R. 33E, B.M., Oneida County; to be used for irrigation purposes, from Apr. 1 to Nov. 1 within the NE1/4SE1/4, S1/2SE1/4, Sec. 31, T 14S, R.33E, N1/2NE1/4, SE1/4NE1/4, Sec. 6, T. 15S, R. 33E for 240 acres.

The permit holder now proposes to amend Permit No. 17-7026, changing the point of diversion to within the SE1/4SW1/4, Sec. 31, T. 14S, R.33E, SW1/4SE1/4, Sec. 6, T. 15S, R. 33E, B.M. and the place of use to within the SE1/4 Sec. 31, T. 14S, R. 33E, NE1/4NE1/4 (Lot 1), NW1/4NE1/4 (Lot 2), Sec. 6, T. 15S, R. 33E, B.M.

Any protest to the proposed amending of the permit must be filed with the Idaho Department of Water Resources 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before July, 14 1986.

A. Kenneth Dunn

Director

Published 6/26 & 7/3/86

RECORDED

JAN 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 3, 1984

CURLEW DEVELOPMENT INC.
C/O DAVID L. BIRD
401 BROOK ID 83243

RE: Permit No. 17-7026

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A condition of approval of your original permit required the installation of an access port which, according to the proof card submitted by you, has not been installed. An access port must be installed prior to the time a field examination is made.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

CHARL D. W. JONES
Sr. Resource Agent

MICROFILMED

JAN 29 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 17-7026

Name(s) of Permit Holder: Curlew Development Inc.

Post Office Address: Halbrook, Idaho 83343

% David L. Bird

Tel. No. 898-3345

Source of Water:

RECEIVED
☐ Domestic
☐ Stockwater
☒ Irrigation
☐ Other

(number of households)

(number and type of stock)

(acres)

15 240

JUN 29 1984

Measuring Device: Required?

Department of Water Resources

Access Port: Required?

Eastern District Office

☐ Yes ☐ No

☒ Yes ☐ No

Installed?

Installed?

☐ Yes ☐ No

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

June 29, 1984

Date

David L. Bird

Signature of Permit Holder

David L. Bitt

Ho/ Brook

Idaho

PLACE
13 CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MR. BITT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138678

CURLEW DEVELOPMENT, INC.
HOLBROOK, ID 83243

PROOF DUE NOTICE

APRIL 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 17-7026 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JULY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED

April 19, 1979

Curlew Development, Inc.
Holbrook, ID 83243

Gentlemen:

Re: Permit No. 17-7026

Enclosed is a copy of the Order extending the proof due date on the
above referenced permit.

The time within which to submit proof of beneficial use is extended
to July 1, 1984.

Sincerely,

RITA FLECK
Sr. Secretary

Enc: 1

Curlew Development, Inc.

Holbrook, Idaho 83243

April 11, 1979

RECEIVED

APR 11 1979

Department of Water Resources

ok to extend
5/9/79
JG

Dear Sirs;

This is in reference to permit number 177026.

I would like to bring you up to date on the progress we have made on this permit. So far we have succeeded bringing into production one well which didn't produce as much water as we had hoped for at about 850 G.P.M., this is far short of what the permit allows. We have installed on the surface main lines to service four wheel lines slightly longer than one fourth mile each.

Due to the extremely dry weather conditions and some serious problems with "Take-all" wheat disease, which very little is known about, we haven't been able to generate enough income to continue this project to a satisfactory conclusion. Therefore we would respectfully request an extension of this permit allowing us additional time to fill it.

Thank you Sincerely,

David L. Bird
David L. Bird


Curlew Development Inc.

P.S. The Permit was originally procured under Blaisdell Bros. Inc.

The name of this corporation has since been changed to Curlew Development Inc.

RECEIVED

Curlew Development, Inc.
Holbrook, Idaho 83243



State of Idaho
Department of Water Resources
State House
Boise, Idaho. 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

NOV 24 1979

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition should be less restrictive and provide more flexibility to you in the development of your water right system. The specifications related to the size and location of the access port will be available upon request from the Department, as soon as the Department's measuring equipment is obtained.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

MICROFILMED

August 6, 1976

Re: Permits No. 17-7026 & 17-7065

Curlew Development, Inc.
c/o Bert Smith
Holbrook, Idaho 83243

Gentlemen:

We acknowledge receipt of the assignments whereby Blaisdell Bros. convey the above referenced permits to you. The assignments have been recorded and the Department's records changed accordingly.

We have processed the proof affidavit submitted in March of this year under Permit 17-7065. Before a license can be issued, however, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the exam so that you may show him the system. Should you have questions regarding the exam, please contact our regional office at 1515 Lincoln Road, Idaho Falls, Idaho.

Pursuant to your request we are herewith returning the application for amendment submitted in connection with Permit 17-7026. The \$10.00 filing fee will be returned to you in the near future under separate cover.

If this office can be of assistance at any time, please do not hesitate to contact us.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

Enc: App for amend/17-7026

Assignment

CURLAW DEVELOPMENT, INC.
HOLBROOK, IDAHO 83243
July 30, 1976

RECEIVED

AUG 2 1976

Department of Water Resources

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Fleenor:

In regards to the assignment of permit which we have been required to obtain from Blaisdell Bros., Inc. Our lawyer had informed us that we did not need these since we obtained the entire corporation with all rights, but after speaking with you on the phone we have them signed and are enclosing them.

In the matter of permit # 17-7065, we have a water meter installed on this point of diversion. It is a Rockwell Flow Control meter which measures acre ft.

In our application for change of permit # 17-7026 we would like the amendment application and fee returned and we will refile at a latter date if it is determined a change is necessary nor that further development is impossible.

We appreciate your patience and apologize for the delay.

Sincerely,



Peggy Marie Smith
Curlew Devel., Inc. Secretary

Enclosure

July 22, 1976

**Re: Permits No. 17-7026 - Blaisdell Brothers, Inc.
17-7065**

**Curlew Development, Inc.
c/o Bert Smith
Holbrook, Idaho 83243**

Gentlemen:

Enclosed you will find a copy of our letter dated April 13, 1976, to which we have not yet received a reply.

Unless we hear from you within 15 days, the proof affidavit and amendment application for these permits will be returned to you and the matter closed.

Sincerely,

**BOBBY D. FLEENOR
Chief, Water Rights**

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RETURN TO
SENDER

PERSON CHARGE

Addressed and
Postmarked in front
of each envelope
The office in
which it was
received in the envelope

PERSON CLICKED

Ordained _____ Married _____

Addressed to _____

Sufficient Address _____

For each street _____ number _____

For each office in state _____

For each office in this envelope _____

SEND TO

RECEIVED

1

Curlw Development, Inc.
Holbrook,
~~Idaho~~ 83243

83243

DEFEATED

1978

Depletion of Water Resources

Robert
Beet Smith
A-19-76



87



April 13, 1976

Re: Permits No. 17-7026 - Blaisdell Bros., Inc.
17-7065

Curlew Development, Inc.
Holbrook,
Maio 83243

Gentlemen:

This office has received an amendment application for permit 17-7026 and a proof affidavit for permit 17-7065. We wish to advise you, however, that these items cannot be processed until such time as the permits are assigned to you by Blaisdell Bros., Inc.

We have enclosed two partially completed 'assignment of permit' forms for your use in securing the needed assignments. Please have the forms executed by the Blaisdell Brothers and returned to this office as soon as possible.

You should also be aware that before we could accept the proof affidavit for permit 17-7065, we will require information regarding the type of measuring device installed at the point of diversion.

If you have questions regarding the above matters, please do not hesitate to contact us.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:DR
Enc: assignment form (2)

DEPARTMENT OF WATER RESOURCES

RECEIVED

MAR 31 1976

APPLICATION FOR AMENDMENT

Department of Water Resources
Eastern District Office

Permit No. 17-7026

Comes now CORLEW DEVELOPMENT INC. of (address)

HOLBROOK, IDAHO, and represents to the Director of
the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 17-7026, and requests that the permit and permit map be changed as follows: ~~No change~~

1. Point of diversion: SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31 Twp. 14S
No Change
 Rge. 33E, B.M., County of Ouellette. Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)


Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
14 S	33 E	31													40	40	40	40	160
15 S	33 E	6	40			40													80

Total number of acres to be irrigated 240

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Walworth Idaho, this 29th day of March, 1976.

Curlow Development Inc.
(signature)
Bert Smith V.P.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, _____, Director of the Department of Water Resources
hereby _____

Witness my hand this _____ day of _____, 19 _____.

*Application withdrawn by letter of
7-30-76. Fee to be refunded.*

de
8-6-76

July 16, 1974

Re: Permit No. 17-7026

Blaisdell Brothers Inc.
284 North Main
Malad, Idaho 83252

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 17-7026 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

17-7026

XXXXXXXXXXXXXXXXXXXXX 1515 Lincoln Road

February 15, 1974

Re: Application for Permit No. 17-7026 BLAISDELL BROS. INC.

Idaho Enterprise
P. O. Box 205
Malad City, ID 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

NORMAN C. YOUNG
District Engineer

Bill submitted 2-1-74 by MB

NCY:MB
Enc: Legal Notice (1)

17-7020

9207-11

Notice is hereby given that
Blaisdell Brothers, Inc., 284 Nor-
th Main, Malad, Idaho, has on
February 11, 1974, submitted Ap-
plication No. 17-7026 for a permit
to appropriate 4.0 cubic feet per
second of water from a ground-
water source by means of well
and pump within the SW $\frac{1}{4}$ SE $\frac{1}{4}$,
Sec. 31, T. 14S, R. 33E, B.M.
Oneida County; to be used from
April 1 to Nov. 1 for the irriga-
tion of 240 acres within the
E $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T.
14S, R. 33E, E $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ -
NE $\frac{1}{4}$, Sec. 6, T. 15S, R. 33E, B.M.
If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with the
Idaho Department of Water Ad-
ministration, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401 on or
before March 11, 1974.

R. KEITH HIGGINSON

Director

Published in The Idaho Enter-

prise, Malad City, Idaho, on

February 21 and February 28,
1974.

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Blaisdell Brothers, Inc.,
284 North Main, Malad, Idaho
has on 2/11/74 submitted Application No. 17-7026
for a permit to appropriate 4.0 cubic feet per second ~~acres feet per annum~~
of water from a ground-water source
by means of well and pump
within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 14S, R. 33E, B.M. Oneida County:

to be used from Apr. 1 to Nov. 1
for the irrigation of 240 acres

within the E $\frac{1}{2}$ SE $\frac{1}{4}$, SW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 31, T. 14S, R. 33E; E $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 6,
T. 15S, R. 33E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before March 11, 1974.

R. KEITH HIGGINSON

Director

Published in the Idaho Enterprise, Malad City, Idaho
on February 21 and February 28, 1974

OB-2
CB-6
AB-A

17-7026

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE



Cecil D. Andrus
Governor
R. Keith Higginson
Director

~~240 SOUTH MAIN AVENUE~~
Idaho Falls, Idaho 83401
(208) 523-7186
1515 Lincoln Road

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Waste Disposal Wells
Stream Channel Protection
Geothermal Resources

February 11, 1974

RECEIVED

FEB 14 1974

Department of Water Administration
Eastern District Office


Mr. Waldo J. Blaisdell
Blaisdell Brothers, Inc.
284 North Main
Malad, Idaho 83252

Dear Mr. Blaisdell:

Attached herewith is departmental receipt No. 12736 in the amount of \$55.00 for your application for permit which was received in this office under the above date.

Since you signed the application, we need to know what office you hold in this corporation.

Very truly yours,


RONALD D. CARLSON
Assistant to the
District Engineer

RDC:cb

Attachment

*I am president of Blaisdell
Bro Inc.*
H. J. B.

17-7026

XXXXXXXXXXXXXX

1515 Lincoln Road

February 11, 1974

Mr. Waldo J. Blaisdell
Blaisdell Brothers, Inc.
284 North Main
Malad, Idaho 83252

Dear Mr. Blaisdell:

Attached herewith is departmental receipt No. 12736 in the amount of \$55.00 for your application for permit which was received in this office under the above date.

Since you signed the application, we need to know what office you hold in this corporation.

Very truly yours,

RONALD D. CARLSON
Assistant to the
District Engineer

RDC:cb

Attachment

17-7020

XXXXXXXXXXXXXXXXXXXX

1515 Lincoln Road

February 4, 1974

Blaisdell Brothers, Inc.
284 North Main
Malad, Idaho 83252

Gentlemen:

Please find enclosed your application for permit which we have taken the liberty of retyping as the form you submitted has been discontinued. We are unable to accept this application because the statutory filing fee of \$55.00 was not included.

In retyping your application, we found that Item 8b was not consistent with the plat of Item 11. The retyped application was completed making Item 8b correspond to the plat. Upon receipt of the signed application and the filing fee, we can commence processing your application.

If we may be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Asst. to the District Engineer

RDC:mb

Enclosures

17-7026