


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W. Rany Jones
(Applicant)

B
3L

23	24
----	----

15	14
22	23

T-1371
34.75

T-1703
85.25

DONALD S
VAUGHAN

L L JONES INC.
Now O P Jones

L L JONES INC

T-1704
32.0

DONALD S VAUGHAN

12
65

5.11

1-0

T 3635 Harold
Lippel

pipe fine

pipe
point of diversion

STATE HIGHWAY

$$\frac{VI}{9-8}$$

pipe line

T-1704
30.0

LL JONES INC.
NOW
D.P. Jones

120A

T-1707 49°

T-1699
30.48

T-33

7-3359

SHELDON VAUGHAN

T-1080
L.L.
JONES

Brighton D.
Jones
T-5745 5.4

T-129

LELAND A JONES
40.16

T-1227 11 AC T-3495
CLELAND A. JONES 3.93 AC

T-1701
28.0

T-1702
47.8

T-1760
15.2

EUNICE W TOVEY

T-1076 10.0

T-1027


T-3562	Loyd Moon
--------	--------------

22	23
27	26

23	24
26	25

GEOLOGICAL SURVEY

Permit # 15-7129



T15S R36E

Sec 23

Permit #

15-07129

NOT TO SCALE
DUE TO CHANG IN
ELEVATION

R36E
T15S

1514

2223

1175

③ 9.5

② 12.1

① 16.2

nhel
nw

39Ac

NWNW

1035

39Ac

NENW

⑧ 34.8

⑦ 36.4

⑥ 4.4

⑤ 24.1

④ 10.1

37Ac

SWNW

39Ac

SE NW

T953

T954

40Ac ④ 10.0

NESW

38Ac

NWSE

③ 42.0

NESE

39Ac

T15S

R36E

② 5.6

③ 10.6

⑥ 7.8

⑦ 10.9

⑧ 7.8

406

② 33.1

① 3.6

nhel
nw

②

15-07129

① 16.6

853

T1288




PLACE OF USE

15-07129



POINT OF
DIVERSION



PLACE OF USE

15-07129

R-36-E

1/2 mile radius

GERALD COUCH

L L JONE

L L JONES INC.
NOW D P JONES

DONALD S.
VAUGHAN

STATE
HIGHWAY

VI
9-0

ALD S VAUGHAN

T-1704
32.0

T-1706
30.0

L L JONES INC.
NOW
D P JONES

120A

T-1707
49.0

T-1699
30.48

SHELL VAUGHAN

T-1680
L L
JONES

T-1701
38.0

W TOVEY

T-1702
47.8

T-1695
SHELDON
VAUGHAN
D P JONES
T-3145 50

T-1700
15.2

LELAND A JONES
40.16

T-3495
LELAND A JONES
3.93

other wells
in area
circle in
yellow

SEP 27 1931
RECORDED

pipe line

pipe line

well
point of diversion

22 23
27 26

Loyd
Moon

RECEIVED

JUL 07 1993

Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 175.00
Date 7-7-93
Receipt No. C028027
Receipt by g.w.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 15-07129 Telephone No. 208-766-4372
2. Name(s) of Permit Holder(s): D. PARRY JONES
3. Mailing Address: 71 Hayland Rd Malad Id 83252
4. Source of Water: Groundwater

If GROUNDWATER, Well Driller's Name: North Star Drill Date Drilled: 7/23 to 8/17/92
Sug Weech

OPTIONAL:

Pump horsepower: 100 Pressure (psi): 80 Dynamic pumping level (ft.): 60'

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 280 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 4 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ 175 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

D PARRY JONES 208-766-4372
Name Telephone No.
71 Hayland R Malad Id -83252
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECORDED

7/6/93
Date

D P Jones JUL 22 1993
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 15-07129

Proposed Priority: May 29, 1991 Maximum Diversion Rate: 5.60 CFS

This is to certify, that D. PARRY JONES
LU RAE JONES
71 S. HAYLAND RD.
MALAD ID 83252

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	5.60 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNW Sec. 23, Township 15S, Range 36E
ONEIDA County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
15S	36E	22	NESW 40	NESE 40	NWSE 40	120
		23	NENW 40	NWNW 40	SWNW 40	160
			SESW 40			

Total number of acres irrigated: 280

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1993**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

APPROVED
SEP 27 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 15-07129

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

29th day of August, 1991.

for J. Keith Higginson
R. Keith Higginson, Director

RECEIVED
SEP 27 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho


1. Name of applicant D. PARRY JONES AND/OR LURAE JONES Phone 766-4372
Post office address 71 S. Hayland Rd., MALAD, ID 83252
2. Source of water supply groundwater which is a tributary of N/A
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____
Sec. 23 Township 15S Range 36E B.M. Oneida County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 5.6 for irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 5.6 and/or (b) 100
cubic feet per second acre feet per annum
6. Proposed diverting works:
☒ a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & sprinkler equipment

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 12 inches; proposed depth of well is 350 feet.
d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to proposed beneficial use is
2 years (minimum 1 year).

SEP 27 1991

e. Other; describe fully.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

V. P. Jones
(Applicant)

1601 2 8 7138

601 1 1 7138

e. Other:

- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

19

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. _____, and said application is hereby _____

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Publication approved by KB Date 7-16-91

Publication prepared by KB Date 6-20-91 Published in Idaho Interprise

Fee \$ 145.00 Received by WJS # E016136 Date 5-29-91

Received by AW Date 5-29-91 Time 12:15 Preliminary check by _____

J-1076 10.0

Nº 1348

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO. }

ss.

County of Oneida

Sandra Strub
being duly sworn,
deposes and says: That she is the secretary of THE IDAHO ENTERPRISE, a weekly newspaper published at Malad, in the County of Oneida and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Malad; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with June 20, 19 91, and ending with the issue of June 27, 19 91

Sandra Strub

Fee \$ 37.76

Subscribed and sworn to before me this 11th day of July, 19 91

Susan J. Wittman
Notary Public, Residing at Malad, Idaho

My Commission Expires 2-9, 19 94

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

15-07129

JONES, D. PARRY

JONES, LU RAE

71 S. HAYLAND RD.

MALAD, ID 83252

Source: GROUNDWATER

Diversion Pt:

SWNW Sec 23 T 15S R 36 E

Use: IRRIGATION

(5.600 CFS)

Total Diversion: (5.600 CFS)

Date Filed: 5/29/1991

In: T15S R36E S22

NESW NESE NWSE

S23

NENW NWNW SWNW SENW

280.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Department of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. Keith Higginson, director

No. 1348

6-20-27 12


RECEIVED

JUL 15 1991

Department of Water Resources
Eastern District Office

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" =

Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for Irrigation of 10+ acres)

Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	General Electric	100	5K1040DPG00	FG Layne Brown	8.5"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket stopwatch						

2. Measurements: Discharge pressure: 50 psi at the pump

operating 11 handline 30 birds each / 5 gallons/minute

$$11 \times 30 \times 5 = 1650 \text{ gpm}$$

E. NARRATIVE/REMARKS/COMMENTS

100 HP pump is located in SW NE of section 32 -
There is a 4" main line run North from the point
of diversion with Wheel lines running east and west
the main lines run West from point of diversion to
road road tracks in section 22 then south to
ditch under R.R. tracks. Main line then goes under
R.R. Tracks and then turns south to property line
then West to Property line. - Wheel lines run
North and south in section 22 - See drawing

Number of Wheel lines is 10 - $\frac{1}{4}$ mile lines and
1 - $\frac{1}{4}$ mile Hand line

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$\frac{1650 \text{ gpm}}{448.83} = 3.68 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 271 \times 3.5 = 948.5 \text{ AF/A}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 3.68(214) 1.9835 = 1562 \text{ AF/A}$$

$$V = \text{Smaller of } V_{LR} \text{ and } V_{D.R.} = 948.5$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	04/01	10/31	3.68 cfs	948.5 AF/A
Totals:			3.68 cfs	948.5 AF/A


2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Lee Simmons Date 8/25/98Reviewer DAVE CARLSON Date 3/11/2002

SEAL

Permit # 15-7129



T15S R36E

Sec 23

Permit #

15-07129

NOT TO SCALE
DUE TO CHANGE IN
ELEVATION

1514

2223

1035

15
S

nhel
nw

① 162

39 AC

① 78

NWNW

39 AC

NENW

② 94.1

④ 10.1

37 AC

② 72.5

SWNW

39 AC

SE NW

T95

T954

407

③ 56

35

S

③ 420
NESE
39 AC

406

T955

④ 89


⑤ 60

⑥ 84


15-07129

853

T1288



PLACE OF USE




15-07129

NEGATIVES

15-07129

POINT OF
DIVERSION



PLACE OF USE

15-07129

July 9, 1993

D. PARRY JONES
LU RAE JONES
71 S. HAYLAND RD.
MALAD ID 83252

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 15-07129

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 22 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 15-07129 Reviewed by klg Date 7/7/93

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigate - 280
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
data c Copy in the file? Drilling Permit No. 15-92-E-0013
200 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
175 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due -
No. of days late =
Priority Date +
New Priority Date

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

Proof Made

needs a flow
7/7/93
7/9/93 klg

PERMIT NUMBER 15-92-E-0013-000 OWNER CODE 0 NAME & ADDRESS D PARRY JONES 715 S HAYLAND RD MALAD, ID 83252 (208) 766-4372
TWP RGE SEC TRACT LOT COUNTY 15S 36E 23 SW NW ONEIDA

Subdivision Location and Description: Subdivision Name: Well Site Address: City, State: Geographic Location: Accuracy Code: Lat: : N Long: : W

Proposed Use of Well: Irrigation Proposed Casing Diameter: 16 In. Proposed Depth: 300 Ft.

Well Use Comments:

Driller License No: 0210 Firm Name: WEECH WELL DRILLING INC Official: REX A WEECH

Permit Status: Permit Verbal Issue Date: 06/16/1992 Receipt No. E017510 Receipt Date: 06/16/1992 Fee: 200.00
Date Received: 06/16/1992
Date Approved: 06/16/1992
Proposed Start Date: 07/01/1992
Extension Date:
Extension Expiration:

Specific Conditions:

Permit Remarks:

WELL DRILLER'S LOG REPORT

Drilling Permit No: 15-92-E-0013-000 Water Right No: 15-07129 Injection Permit No:

Nature of Work: NEW WELL Construction Method: CABLE Number of Monitor Wells:
Casing Diameter: 12 In. Static Water Level: 17 Ft. Actual Start Date: 07/23/1992
Depth of Casing: 385 Ft. Temperature: F. Well Finish Date: 08/20/1992
Total Depth: 385 Ft. Production Rate: GPM Log Received Date: 09/01/1992
Screen Installed? No Certification Date: 08/30/1992
Field Inspection Date: Inspector:

Well Log Remarks: .250 - 16 INCHES FROM 1 TO 236 FEET. 12 INCHES FROM 223 TO 385FT.
PERFORATIONS #696 FROM 100 TO 385, KNIFE USED.

RECEIVED JUL 22 1993

June 30, 1993

D. PARRY JONES
LU RAE JONES
71 S. HAYLAND RD.
MALAD ID 83252

PROOF DUE NOTICE

RE: PERMIT NO. 15-07129

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

MICROFILMED

JUL 22 1993



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PEN

RECEIVED

OCT 01 1992

1. WELL OWNER

Name D. Perry Jones
Address 71 S. Highland Rd
Drilling Permit No. 15-92-E-013
Water Right Permit No. 15-07129

7. WATER LEVEL

Department of Water Resources

Static water level 17 ft feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Well diameter increase
- ☐
- Modification
-
- ☐
- Abandoned (describe abandonment or modification procedures
-
- such as liners, screen, materials, plug depths, etc. in lithologic
-
- log, section 9.)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M. _____ Pumping Level _____ Hours Pumped _____

SEP 01 1992

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Monitor
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Auger
- ☐
- Reverse rotary
-
- ☒
- Cable
- ☐
- Mud
- ☐
- Other _____
-
- (backhoe, hydraulic, etc.)

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____Thickness Diameter From To
.250 inches 16 inches + 1 feet 236 feet
.250 inches 12 inches 223 feet 385 feet
_____ inches _____ inches _____ feet _____ feetWas casing drive shoe used? ☒ Yes ☐ No Top + BottomWas a packer or seal used? ☐ Yes ☒ No 6 linerPerforated? ☒ Yes ☐ No + pipeHow perforated? ☐ Factory ☒ Knife ☐ Torch ☐ GunSize of perforation? 3 inches by 1/2 inchesNumber From To
696 perforations 100 feet 385 feet

_____ perforations _____ feet _____ feet

_____ perforations _____ feet _____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer _____ Type _____

Top Packer or Headpipe _____

Bottom of Tailpipe _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 18 Material used in seal: ☐ Cement grout☒ Bentonite ☐ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit☐ Temp. surface casing ☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☐ Welded☐ Solvent Weld ☐ Cemented between strataDescribe access port INSIDE as per rig

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County _____

SW 1/4 NW 1/4 Sec. 23, T. 15 N ☐ E ☒
S ☒ R. 36 W ☐

JUL 22 1992

10.

Work started 7-23-92 finished 8-20-92

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Weckhull Firm No. 210Address 632 E 42nd St Date 8-30-92Signed by Drilling Supervisor Pete Weckhull

and

(Operator) Ray Weckhull

(If different than the Drilling Supervisor)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

September 4, 1991

D. PARRY JONES
LU RAE JONES
71 S HAYLAND RD
MALAD ID 83252

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 15-07129

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

SEP 25 1991

APPLICATION FOR PERMIT REVIEW

Application #: 15-7129

Reviewer: Pam Skaggs

Date: 8-28-91

Existing:

✓ No - 26A-P17

Complete in 1 year - P16

Yes

Proof not submitted - P16

Proof submitted - N/A

✓ Groundwater:

✓ GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)

LT. 0.2 cfs - N/A

✓ Drilling Permit:

✓ Approved w/permit - P99

✓ Not included - 046-P23(All GW, even existing wells)

✓ Location:

Water Districts - WD No. _____

Surface water - 005, 005-01H-P01(LT.2 w/pump)

005-01J-P08(GT.2)

Groundwater - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

✓ Swan Falls Flag - _____(1, Blank or Other)

Trust - 051-052-053-P74(Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

✓ Beneficial Use Due Date: - 09-01-1993

Other Conditions Recommended Review Rule 4,5,3 info

27 1991

Dist. for staffing: 30-May-1991
Submitted for advertising:

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWT DATE _____ APPLICATION NO. 15 7129
APPLICANT NAME: D. PARRY &/OR LURAE JONES

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
Overlapping point of diversion
Yes _____ No _____ Field check required
Field check by _____
Yes _____ No _____ Field report attached
Yes _____ No _____ Critical groundwater area
Yes _____ No _____ Groundwater management area
Yes _____ No _____ Send dam safety information
Yes _____ No _____ Send power requirement letter
Yes _____ No _____ Send fish farm requirement letter
Yes _____ No _____ Power residency affidavit
Yes _____ No _____ Power efficiency form
Yes _____ No _____ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☒ Yes _____ No _____ Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Need Rule 4, 5, 3

Date Requested _____

RECEIVED
AUG 20 1991

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO None ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7-8-91
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations, attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 5-29-91
By HWT Date 8-12-91

STATE OFFICE REVIEW

See below for additional information
By _____ Date _____

ADDITIONAL INFORMATION

* Canal Comp. overlap
Condition: OIG

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation District
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Division of Environment	_____ Other _____

Project impacts/implications report

COMMENTS

RECEIVED

AUG 12 1991

Department of Water Resources
Eastern District Office

August 9, 1991

Harold W. Jones
Water Resource Supervisor
Department of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83402

Dear Mr. Jones:

Enclosed is the information you requested in your letter dated July 24, 1991.

Rule 4, 5, 3, 1.

2. See attached map. The map is marked x with circle, two existing irrigation wells.
3. This will be a closed under ground system in plastic pipe. $\frac{1}{4}$ mile wheellines to sprinkle water. This project should not affect any other users. By sprinkling we should be able to conserve water over an open ditch system.

Rule 4,5,3,2.

1. 280 acres to be irrigated. It is a clay loam type soil under wheelline sprinkler system, which we will *acre feet pumped* grow grain and hay. There will be 1090 ~~which would~~ *be 700 acre feet over the year.* ~~consumption use~~ *ets*
2. Underground water supply is approximately 300 feet and 900 gallon per minute.

RECEIVED

SEP 27 1991

Rule 4, 5, 3, 4.

2. Approximately \$18,000 for cost to be self financed.

If you have any questions concerning this, please contact me at 766-4372.

Sincerely,

A handwritten signature in cursive script that reads "D P Jones". The letters are fluidly connected, with a large loop for the 'J' and a trailing flourish.

D. P. JONES

Enclosures

MAILED
OCT 27 1991

GUIDELINE FOR SUBMITTING ADDITIONAL INFORMATION

This outline is intended to assist you with providing the additional information required under Rule 4,5,3. and may help answer questions as to the type of information you should submit.

The outline below follows the same order as the attached rules. Please take the time to review the outline. Much of the information requested under Rule 4,5,3. may already be available to you. Gathering the necessary information may be of benefit to you in planning the proposed development.

Rule 4,5,3,1. Information relative to effects on existing rights:

1. If diverting from a surface water source with 5 or fewer existing users, submit the water right numbers held by those users if available. If not available, submit the names and addresses of those users and describe the location of their diversions and types of use associated with those diversions.
2. If you are diverting from a groundwater source, submit a map locating your proposed well and all other wells within a 1/2 mile radius of your well. It would be helpful to describe the use from those wells (i.e.; domestic, irrigation etc.). You are not required to submit a map if there are no wells within the 1/2 mile radius, but you should indicate if there are no existing wells within that radius, if that indeed is the case.
3. This rule seeks general information about the type of irrigation system you intend to install and how the project may affect other users. Describe the type of irrigation system you plan to complete and submit any information about possible effects on other users. If you feel your proposed project will not affect other users, then explain why. You may describe any techniques or equipment you intend to employ which may reduce impacts on other water rights or promote water conservation.

Rule 4,5,3,2. Information relative to sufficiency of water supply:

1. Provide projections for your peak and average water demands. While your well or diversion may not yet be completed, you should be able to estimate project demand based on size of project (or number of acres irrigated), type or texture of local soils, type of crops grown, and type of irrigation system used. Demand projections should be given in terms of flow rate (cfs or gpm) and annual volume diverted (acre-feet).
Example: A 40 acre tract with 6 hand lines and 20 heads/line discharging 3 gpm/head would produce a total flow rate of about 360 gpm or 0.8 cfs (1 in/acre). This flow rate multiplied by average number of hours per set, sets per irrigation and irrigations per year provides number of acre-feet per year or

SEP 27 1991

annual volume.

2. You should be able to provide some basic information about the nature of the water supply. If the diversion is from a surface water source for example, you should provide stream flow data or estimate the amount of stream flow available for diversion and describe generally the seasonal availability of water. If you are diverting from a groundwater source, you should be able to generally describe the aquifer which you plan to divert from, i.e.; deep confined or shallow unconfined aquifer, depth to water level or depth to aquifer, known yields from wells within the same aquifer etc.

Rule 4,5,3,3. Information relative to good faith, delay, or speculative purposes of the applicant:

1. If you do not own the land to be irrigated and/or where the point of diversion is located, you must submit copies of lease agreements, easements or rights-of-way etc. If you are the owner of the place of use and point of diversion, documentation of ownership is not required.

2. If applicable, submit copies of applications for permits or approvals which are needed from other government agencies or individuals in order to complete the water development project.

Rule 4,5,3,4. Information relative to financial resources:

1. and 2. Submit a current financial statement or other statement describing how you will finance the project. You must also submit basic estimates of construction and equipment costs of the proposed project.

Rule 4,5,3,5. Information relative to conflict with the local public interest:

1. You, as the applicant, bear the initial burden of coming forward with evidence as to whether your proposed project may have any affect concerning local public interest. If you have any reason to believe that the proposed project under your application may be of concern to any local individuals, governments, tribal reservations, irrigation districts, the State Fish and Game Department, or Health and Welfare Department, then you are responsible for seeking comments from those individuals or groups. This requirement is mandatory for projects located within irrigation districts, canal companies or tribal reservations (failure to obtain comments from the irrigation district, canal company or reservation will delay approval of the application). All comments must be submitted to the Department of Water Resources.

COPY

Ident. No. 15-07129

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: D. PARRY JONES 208-766-4372
Address: 71 S. HAYLAND RD.
MALAD, ID 83252
AND/OR
Name: LU RAE JONES 208-766-4372
Address: 71 S. HAYLAND RD.
MALAD, ID 83252
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: SWNW Sec. 23, Township 15S, Range 36E
ONEIDA County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
IRRIGATION	04/01	11/01	5.600		
5. Total quantity to be appropriated is:
5.600 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP.
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 12 inches; proposed depth of well is 350 feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years.
8. Description of proposed uses:
IRRIGATION

SEP 27 1991

9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
15S 36E 22	NESW 40	NESE 40	NWSE 40	120
23	NENW 40	NWNW 40	SWNW 40	160
	SESW 40			
Total number of acres irrigated:				280

10. Describe any other water rights used for the same purposes.

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.

12. Remarks:

13. Map of proposed point of diversion and place of use attached? []

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Applicant

Received by _____ Date _____ Time _____ Preliminary check by _____

Fee \$ _____ Received by _____ # _____ Date _____

Publication prepared by _____ Date _____ Published in _____

Publication approved _____ Date _____

RECEIVED
SEP 27 1981

R 36-E

GERALD COWEN

L L JONES

VI 9-0

LL

Other wells
in area
circle in
yellow

1/2 mile radius

L L JONES INC.
New Orleans

pipe line

STATE HIGHWAY

STATE

T-1704 32.0

ALD S VAUGHAN

PIPE LINE

T-1706 30.0

L L JONES INC.

NEW ORLEANS

120F

SEP 27 1991

T-1701 30.0

W. TROY

T-1702 47.8

1775

LELAND R JONES 40.6

T-1705 37.2

22 23 27 26

111



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

JULY 24, 1991

PARRY JONES
71 S. HAYLAND RD.
MALAD, ID 83252

DEAR MR. JONES:

WE ARE CURRENTLY PROCESSING YOUR APPLICATION 15-07129 FOR A WATER RIGHT. FOR ANY APPLICATION OR PERMIT WHICH EXCEEDS 200 ACRES OR 5.00 CFS THE INFORMATION ON THE ATTACHED SHEETS ARE REQUIRED BEFORE ANY FURTHER PROCESSING CAN TAKE PLACE. PLEASE TRY TO ANSWER THE HIGHLIGHTED QUESTIONS TO THE BEST OF YOUR ABILITY. IF YOU NEED ADDITIONAL CLARIFICATION PLEASE GIVE ME A CALL AT 525-7161. IF YOU ARE NO LONGER INTERESTED IN DEVELOPING THIS PERMIT PLEASE ADVISE ME.

I WILL NEED YOU TO RESPOND WITHIN 30 DAYS WITH THE INFORMATION REQUIRED.

SINCERELY,

HAROLD W. JONES
WATER RESOURCE SUPERVISOR

RECEIVED
SEP 27 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 11, 1991

THE IDAHO ENTERPRISE
P.O. BOX 205
MALAD CITY, ID 83252

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 8, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED
SEP 27 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECEIVED

SEP 27 1991

15-07129

JONES, D. PARRY
JONES, LU RAE
71 S. HAYLAND RD.
MALAD, ID 83252

Source: GROUNDWATER

Diversion Pt: SWNW Sec 23 T 15S R 36E

Use: IRRIGATION (5.600 CFS)
Total Diversion: (5.600 CFS)

Date Filed: 5/29/ 1991

In: T15S R36E S22	NESW	NESE	NWSE	
S23	NENW	NWNW	SWNW	SENW

280.0 ACRES TOTAL

MICROFILM

SEP 27 1991

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. KEITH HIGGINSON, Director

Published 6/20/1991 & 6/27/1991

MICROFILMED

SEP 27 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

07-Jun-1991

D. PARRY &/OR LURAE JONES
71 S HAYLAND RD
MALAD ID 83252

RE: Application No. 15-7129

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Idaho Enterprise on June 20 & 27, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold Jones
RB

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

SEP 27 1991