


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Signed at MALAD CITY, this 16 day of October 19 73
Valia Moon
 (signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Department of Water Administration
 hereby approve the above application for amendment for Permit No. 15-7008.

Witness my hand this 29 day of October, 19 73

R. Keith Higginson
 Director

T
15
S






Diagram of System

Well #1 - NENE Sec 27

Well #2 - NENE Sec 26



ARK

THIS PHOTO COPY IS NOT TO SCALE
1970 FLIGHT

NOT TO SCALE

Pre-existing
License
15-2008

Roots of Division

Ark

Overlap Review for 15-7008 & 15-7019

License 15-2060 same P/D GW NENE Sec. 27 #1

$$\frac{1.96 \text{ cfs}}{98 \text{ AC}} = .02 \text{ cfs/AC}$$

P/U Sec 27 NENE(36) NWNE(38)
Sec 26 NWNW(24)

Permit 15-7008

P/D GW NENE Sec. 27 #1
NENW Sec. 26 #2

$$\frac{2.8 \text{ cfs}}{171 \text{ AC}} = .016 \text{ cfs/AC}$$

P/U Sec 27 NENW(40) NWNW(40)
Sec. 26 NENW(40) NWNW(11)
SENEW(40) ⁷¹
no overlap w/ 15-2060

Permit 15-7019

P/D GW NENW Sec. 26 #2

This right will not confine issuance of license 15-7008

$$\frac{.80 \text{ cfs}}{91 \text{ AC}} = .009 \text{ cfs/AC}$$

P/U Sec. 26 NENW(40) NWNW(11)
SENEW(40) ⁷²
no overlap w/ 15-2060

RA 3/25/81

1.96
2.80
4.76
4.49 = capacity of both wells
are condition limiting down to capacity

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 15-7008 Priority March 8, 1972 Amount 2.80 cfs

THIS IS TO CERTIFY, that CORDELL WILLIAMS &/or VERLIN MOON
of Malad City, Idaho, has complied with the terms and conditions of Permit
No. 15-7008 issued pursuant to Application for Permit dated March 8, 1972,
and has submitted proof to the Department of Water Resources on June 27, 1977,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 4.49 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>2.80</u> cfs and	<u>840</u> acre feet
	from _____	_____ cfs and	_____
	from _____	_____ cfs and	_____
	(both dates inclusive)		

Subject, however, to the condition that no more than 2.80 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
840 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27; NE $\frac{1}{4}$ NW $\frac{1}{4}$
Sec. 26, Twp. 15S, Rge. 36E, B.M. in the County of Oneida

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
15S	36E	26					40	T1	40						91
		27					40	40							80

Total number of acres irrigated 171

This license when used in combination with License No. 15-2060 shall provide the
diversion of no more than 2.22 cfs from well # 1, located in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27,
Twp. 15S, Rge. 36E, B.M., County of Oneida.

Maximum rate of diversion of well # 2, located within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, Twp. 15S
Rge. 36E, shall not exceed 2.27 cfs.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 30 day of

April, 19 81.

Director

Identification No. 15 7008

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Cordell Williams &/or Verlin Moon
post office address Malad City, Idaho 83252

2. Source of water supply ground water which is a tributary of _____

3. a. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 27 Township 15 S
Range 36 E B.M. Oneida County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount 2.80 for irrigation purpose from April 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for stockwater purpose from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.82 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. drilled well, pump, motor & pipe

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ _____.

8. Description of proposed uses:

a. If water is **not** for irrigation: Same as 8 b

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ hp under _____ feet of head.

(3) List number of each kind of livestock to be watered 200 head

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

Total number of acres to be irrigated 240

c. Describe any other water rights used for the same purposes as described above.

~~SECRET X 6 X SP2 70 X 1 X 8908 X 5 X 101 X 25063 JK~~

Permit No. 15-2060, 1.98 cfs, 98 acres

Applicant


Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

applicant to make this filing-

10. Remarks -

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Verlin Mow
(Applicant)

15 7008

Received by BDF Date 3/8/72 Time 11:30 #

Preliminary check by BDF Fee \$ 45.00 — 4021 #8145

Received by CP Date 3-8-72

Publication prepared by CP b1 Date 3-10-72

Published in Idaho Enterprise, Malad City, ID

Publication dates 3-16&23-72

Publication approved CP Date 3-29-72

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by CP BDF CP

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 15-7008, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 77.

c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.


2. Denial of said application is for the following reasons: _____

Witness my hand this 19 day of April, 1972.

Director

15 7008

Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40 acre subdivisions, sections, townships, ranges, and ditches.



Scale: 2 inches equal 1 mile

risk

That no one will be injured by such change, and that such change will be made at permit holder's own

Signed at MAHAD CITY, this 16 day of October, 1973

(signature)

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

R. KEITH HIGGINSON

Director of the Department of Water Administration

hereby approve the above application for amendment for Permit No. 15-7008.

Witness my hand this 29 day of October, 1973

Director

DEPARTMENT OF WATER ADMINISTRATION

STAFF ANALYSIS

Application No. 15-7008 Name Cordell Williams &/or Verlin Moon,

Source Ground Water

Point of Diversion NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27, T. 15S, R. 36E, B.M., Oneida County

Quantity 2.82 cfs Use irrigation Period Apr. 1 to Nov. 1

Quantity 0.02 cfs Use stockwater Period Jan. 1 to Dec. 31

Quantity Use Period

Well Size Diameter Proposed Depth Feet

Use Stockwater for 200 head of livestock; irrigation of 240 acres.

Date Forwarded Date Returned Received by

COMMENTS: The NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27 is already licensed for 1"/acre; however, enough additional land is included so that the requested amount does not exceed 1"/acre. Significant water level declines have not been noted in this area. Only a limited amount of ground water irrigation in the immediate area. Artesian aquifer.

RECOMMENDED:

Applied: Qty. 2.80 Use irrig. Period 4/1-11/1 AF/A 3.5 AF 700

Qty. 0.02 Use stock Period 1/1-12/31 AF/A --- AF 3

Qty. Use Period AF/A AF

Maximum: Qty. 4.0 Use irrig. Period 4/1-11/1 AF/A 3.5 AF 700

Qty. 0.05 Use stock Period 1/1-12/31 AF/A --- AF 3

Qty. Use Period AF/A AF

ACTION: Approved x Denied

Conditions of approval or reason for denial: The NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27 is fully licensed, no additional water is recommended for it.

Livestock: Rate - $(200 \times 15)(12)/6500 = 0.05$ max.

Volume - $(3000)(365)/327,000 = 3$ A.F./yr.

By N C Y Title District Engineer
NORMAN C. YOUNG Date 3-10-72

MICROFILMED

15 7008

RECEIVED

MAR 27 1972

Department of Water Administration
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that **Curdell Williams &/or Verlin Moon**, Malad City, Idaho has on **3-8-72** submitted Application No. **15-7008** for a permit to appropriate 2.82 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27, T. 15S, R. 36E, B.M., Oneida County; to be used from Jan. 1 to Dec. 31 for stockwater purposes for 200 head of livestock, and from Apr. 1 to Nov. 1 for the irrigation of 240 acres within the N $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26; N $\frac{1}{4}$ NE $\frac{1}{4}$, N $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, T. 15S, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of this permit must be filed with the Idaho Department of Water Administration, 240 South Holmes, Idaho Falls, Idaho 83401, on or before April 3, 1972.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho on March 16 and 23.

Affidavit of Publication

State of Idaho
County of Oneida, ss.

Norma Champney being first duly sworn on oath, states: That she is *Clerk*

of the Idaho Enterprise, a newspaper of general circulation in Oneida County, Idaho published weekly at Malad, in said county, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That said Idaho Enterprise was at all of the times of publication of said notice a newspaper of general circulation made up of at least four pages of at least five columns each, printed from type matter or stereotyped forms of at least seventeen and three fourths inches depth, and said newspaper during all of the times of publication aforesaid had more than 200 bonafide subscribers thereto living within the county of Oneida in which said newspaper was published at regular intervals not less frequently than once a week.

That the annexed notice was published per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof for ... successive weekly issues thereof the date of the first publication being the *16* day of *March*, 19*72* the date of the last publication being the *23* day of *March*, 19*72*.

Norma Champney

Subscribed and sworn to before me this *23* day of

March, 19*72*
H. D. Taylor

Notary Public, residing at Malad, Idaho

My Commission expires the *10* day of *Oct*, 19*72*

Costs: *34* lines at *23*¢ per line first insertion \$. *7.82*

..... lines tabulated at 20c per line \$.

15¢ per line each subsequent insertion \$. *5.10*

TOTAL \$ *12.92*

(Rates for legal notices are fixed by Idaho law)

15 7008

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~K. STEPHEN K. ALBRECHT~~

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

May 4, 1981

Cordell Williams &
Verlin Moon
Rt. 1
Malad City, Idaho 83252

Dear Sirs,

RE: License No. 15-7008

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Please be advised that one of the conditions of your permit was that a measuring device be installed as part of your diversion works. That requirement has been waived with issuance of the enclosed license. However, in the event that water supply shortages become a problem installation of measuring devices may be required.

Sincerely,

JIM JOHNSON

Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

15-2060 (1.96)

15-7008 (-2.80)

Cap = 2.22

15-7008 (2.80) -

15-7019 (.80) -

Cap = 2.27


h.s. 2

Jim:
Let's discuss

~~2.80~~
~~3.80~~
~~3.80~~
3.80

MICROFILMED

$$\begin{array}{r}
 2.80 = \cancel{.0164} \\
 \underline{.62} = .0068 \\
 3.42 \quad \boxed{.0232}
 \end{array}$$



8.8 #

$$1.96 + 2.8 = 4.76 \text{ limit wall \#1}$$

June 5.

~~show and~~
MAX. diversion
rate shall not exceed
4.49 cfs —

I don't see how this
is achieved by restricting
only one well.

NCH

MICROFILMED

FROM Glen S

DATE 4-10-81

TO Jim J

SUBJECT Jim, I agree w/ NCY note.

I think the lic should show
that "the max rate of div under
this lic & lic 15-2060 ^{shelf} should not
exceed 4.49 cfs."

VSS



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 26, 1981

Cordell Williams &
Verlin Moon
Rt. 1
Malad, Idaho 83852

Dear Sirs,

A representative of this Department has made an examination of the works covered by your Permit No. 15-7008, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 2.80 cfs Source: groundwater

The maximum quantity diverted shall not exceed 840 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27; NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26, Twp. 15S, Rge. 36E, B.M.

Beneficial use: Irrigation of 91 acres within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 26; 80 acres within the NE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 27, Twp. 15S, Rge. 36E.

Priority date established: March 3, 1972

Conditions (if any): ^{removed from original letter Jim} ~~This right when combined with all other rights shall provide no more than 3.5 cfs per acre for the lands above. (2) This license when used in combination with License No. 15-2060 shall provide the diversion of no more than 2.22 cfs from well # 1 located in the NE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 27, Twp. 15S, Rge. 36E, B.M., County of Oneida.~~

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

MICROFILMED

JUL 27 1977

TOTAL ACREAGE _____ **240**





Diagram of System



[Signature]

Pre-existing
License
15-2000

NOT TO SCALE



DATE OF EXAM 13th day of July, 1979

ACREAGE
Found 268a ✓
Recommended 171a ✓

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 2.80 c.f.s. V = 840 AF/Ann. from April 1 to Nov 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no X

Name source: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no X

Name source exchanged with: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: not applicable
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 4.49 cfs Method of measurement Annubar

Total Q recommended 2.80 Meter No. Eagle Type 7.98mm Condition standard

Total V recommended 840 AF/yr

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None

MEASUREMENT CALCULATION: well #1 - NE 1/4 NE 1/4 Sec 27 -
measured 997 gpm; 997 gpm ÷ 448.8 gpm/cfs = 2.22 cfs
well #2 - NE 1/4 NE 1/4 Sec 26 - measured 1,019 gpm; 1,019 gpm ÷ 448.8 gpm/cfs = 2.27 cfs
Q total = 4.49 cfs. Allow 2.8 AS per permit

V = 240a × 3.5 AF/a = 840 AF/yr
1.9835 × 2.80 × 214 d/yr = 1188.5 AF/yr

SYSTEM DESCRIPTION:
Well #1 - NE 1/4 NE 1/4 Sec 27 - Groundwater is diverted by a 40HP U.S. Motors electric vertical pump motor - 3ph - 5hp - 3130497 and by a Peerless Vertical turbine pump # 193181.
Well #2 - NE 1/4 NE 1/4 Sec 26 - Groundwater is diverted by a 100HP General Electric fire-clad vertical induction motor - mfr - 5K6267X41A, 5hp - DMT-411748 and by a Johnston vertical turbine pump # 58520R. Acreage is irrigated by 4 - 1/8 mi long lateral handlines and 3 - 1/4 mi long lateral wheel lines in Sec 26.

REMARKS:
License # 15-2060 for 1.96 cfs for 98 ac which overlap with
lands under this permit. The 2 wells are not presently inter-
connected but they can be during times of need.

System shown, operated & described by Cordell Williams & Vernon Moon

Examiner's Signature Anthony R. Kozlowski Date Nov. 1, 1979

Checked by John D. Carlson Date 4/10/80

Approved by Robyn Date 3/25/81

Note: No stockwater use from these 2 wells. See attached
Overlap Review

Overlap Review for 15-7008 & 15-7019

License 15-2060 same

P/D GW NENE Sec. 27 #1

$$\frac{1.96 \text{ cfs}}{98 \text{ AC}} = .02 \text{ cfs/AC}$$

P/U Sec 27 NENE(36) NWNE(38)
Sec 26 NWNW(24)

Permit 15-7008

P/D GW NENE Sec. 27 #1
NENW Sec. 26 #2

$$\frac{2.8 \text{ cfs}}{171 \text{ AC}} = .016 \text{ cfs/AC}$$

P/U Sec 27 NENW(40) NWNW(40)
Sec. 26 NENW(40) NWNW(11)

SE NW(40) ⁷¹
no overlap w/ 15-2060

Permit 15-7019

P/D GW NENW Sec. 26 #2

— This right will not confine issuance of license 15-7008

$$\frac{.80 \text{ cfs}}{91 \text{ AC}} = .009 \text{ cfs/AC}$$

P/U Sec. 26 NENW(40) NWNW(11)
SE NW(40) ⁷¹
no overlap w/ 15-2060

RA 3/25/81

1.96
2.80
4.76
4.49 = capacity of both
use condition limiting diversion
to capacity

ACT

ION

OWNER LAST NAME - WILLIAMS FIRST NAME - CORDELL

OWNER LAST NAME - MOON FIRST NAME - VERLIN

SOURCE - GROUNDWATER CITY - MALAD STATE - ID ZIP CODE - 83252

STAGE - PERMIT PRIORITY - 03-08-1972 COUNTY - ONEIDA TOTAL DIV. RATE - 2.8200CFS

DIVERSION POINT - NENE 27 15S 36E TRK/AMEND - A

FROM - 04-01-10 - 11-01 USE - IRRIGATION USE DIV. RATE - 2.8000CFS

FROM - 01-01-10 - 12-31 USE - STOCKWATER USE DIV. RATE - .0200CFS

USE - IRRIGATION PLACE OF USE - TWN 15S RNG 36E SEC 27 TRACT NENE AC 20 TRACT NWNE AC 20

USE - IRRIGATION PLACE OF USE - TWN 15S RNG 36E SEC 26 TRACT NENE AC 40 TRACT NWNE AC 40

USE - IRRIGATION PLACE OF USE - TWN 15S RNG 36E SEC 26 TRACT NENE AC 40 TRACT NWNE AC 40

NON IRRIG USE - S/200 HEAD.

PROOF DUE - 04-01-1977 PERMIT/DENIED - 04-19-1972

PROOF MADE - P COND. OF APPROV - 01

** ** PROOF DUE YEAR SHOULD NOT BE LESS THAN CURRENT YR.

DIVERSION MEANS - WELL, PUMP & PIPELINE.

15-7008

WATER RIGHT
DATA ENTRY LOG

Item

Transfer Approved

License update entered

WATER RIGHT ANALYSIS FORM

- DATA ENTRY -

Identification No. 1 15-7008
Old No. New No.

Record

1, 2 & 3 Original Owner: Cordell Williams et al Verden Moun
Address: Malad City, ID 83252

Present Owner:

Address:

4. A. Source of Water groundwater
B. Tributary of:
5. A. Stage (A,P,L,D,S,J): P
B. Status (D,L,R,C,A,I,F - leave blank if valid):
C. Priority Date: 3-8-1972
D. County: 71
E. Total Diversion Rate: 2.82
F. Total Diversion Volume:
G. Transfer/Amendment (P,T of A or blank): A
H. Water District:
I. DLE/Carey Act (D,C or blank):
J. Right Basis (for adjudication claims A,B,C only):

Tract Sec. Twp. Rge. Gov't Lot Rediv.

6. A. Point of Diversion NENE 27 15S 36E
NENE 26 15S 36E

7. Period of Use, Use, Diversion Rate/Volume:

from 4-1 to 11-1 for A purposes. Amount 2.80
(cfs or ~~AG-FF/yr~~)
from 1-1 to 12-31 for S purposes. Amount .02
from _____ to _____ for _____ purposes. Amount _____
from _____ to _____ for _____ purposes. Amount _____
from _____ to _____ for _____ purposes. Amount _____

8. Use code: #

[illegible]

9. A. Decree Name:
B. Decree Date:

10. Remarks:

11. Other Uses (Non-irrigation explanatory information): 5/200 head.

12. Other Rights for Same Use:

13. A. Proof Due Date: 4/1-1977

B. Date Permit Approved or Denied: 4-19-19/2

C. Protested Date:

D. Hearing Date:

E. Old Number:

F. Proof Made (P or blank):

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval: 10

14. Diversion Means (brief narrative): well, pump & pipeline

July 25, 1977

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Route 1
Malad, Idaho 83252

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our Regional Office in Idaho Falls.

Sincerely,

JANICE RENK
Water Rights

RECEIVED

JUN 24 1977

Department of Water Resources
Eastern District Office

OK per letter dated 3/2/77

Identification No. _____

Permit No. 15-7008

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

RECEIVED

JUN 27 1977

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Resources

1. a) Name of Permit Holder CORDELL WILLIAMS/ OR VERLIN MOON
b) Post Office Address RT 1 MALAD, IDAHO 83252

2. Permit Number 15-7008

3. Date of Priority that you are prepared to establish 3-08-72

4. a) Source from which water was appropriated ground water

b) Location of the point of diversion: NE 1/4 NE 1/4, Section 27
Township 15S, Range 36E Boise Meridian, Other points of diversion: NE 1/4 NW 1/4, Sec. 26, T. 15S, R. 36E, B.M.

5. a) The amount of water and use to which the water has been applied:

Amount 2.80 for Irrigation purposes from Apr. 1 to Nov. 1 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount 0.02 for Stockwater purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

Amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre-feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 2.82 cfs and/or acre-feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: N.A.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: N.A.

b) Describe the agreement or understanding by which you take water from the works: N.A.

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (if from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 100 Hp. w/ 12" casing 320 ft. deep (27)

(26) 40 Hp. 12" well, sprinkler system, stockwatering troughs

b) Describe the type and size of measuring device which you have installed at your point of diversion: BADGER METER

c) Give well driller's name and address and the date the well was completed: Yarbrough Well Drilling, completed in June 1976

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use: Stockwater for 200 head livestock

7/19/77

9. Irrigation uses: describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

T	R	SEC.	NE¼				NW¼				SW¼				SE¼				TOTAL
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
15S	36E	27	20	20			40	40											120
		26					40	40		40									120

Total number of acres irrigated 240

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/24/77 (Date) x Debra M. Wood (Signature)

State of Idaho)
 County of Bonneville) ss.

On this 24th day of June, 19 77, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Ronald D. Carlson
 Notary Public residing at
Idaho Falls, Idaho

My commission expires 2/14/78

June 7, 1977

Re: Permit No. 15-7003

Cordell Williams &/or Verlin Moon
Malad City, Idaho
83252

Gentlemen:

Enclosed is a form for filing proof of beneficial use of water on the above referenced permit. Please complete and return this form to us on or before June 28, 1977, or this permit will have to lapse and be of no further force or effect. Enclosed is a copy of your permit to assist you in the completion of this proof affidavit.

If you have any questions regarding this matter, please contact this office or you may wish to visit our Regional Office at 1515 Lincoln Road in Idaho Falls. Their phone number is 523-7186.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF:jfr

Encls.

May 4, 1977

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252

Gentlemen:

On April 1, 1977, the proof of beneficial use was due on your Permit No. 15-7008. We received your proof of beneficial use in March, 1977 but returned it to you for additional information. As of this date we have not heard from you concerning your proof. Enclosed is an additional proof of beneficial use affidavit for your use.

If you have any questions in completing the affidavit please contact us or you might wish to visit our office in Idaho Falls at 1515 Lincoln Rd.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr

Encl.

1515 LINCOLN RD.
IDAHO FALLS, IDAHO 83401
PHONE 336-1111

March 2, 1977

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Malad,
Idaho 83252

Gentlemen:

We are returning the proof affidavit you recently submitted as we need additional information. We have marked the places in red which you should complete. Enclosed is a copy of the permit and amendment to assist you.

Sincerely,

JANICE RENK
Water Rights

Encl.

January 31, 1977

CERTIFIED MAIL 138229

Re: Permit No. 15-7008


Gordell Williams &/or Verlin Moon
Malad,
Idaho 83252

Dear Mr. Williams and Mr. Moon:

One of the conditions of approval of your water Permit No. 15-7008 (see last page of your approved permit) was that evidence of the extent of development be submitted ~~April 1, 1977~~ application of water to beneficial use to this office on or before April 1, 1977. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

RKH:jg
Enc: Proof affidavit

MICROFILMED

1515 Lincoln Road

October 24, 1973

Re: Permit No. 15-7008

Mr. Verlin W. Moon
Malad,
Idaho 83252

Dear Mr. Moon:

Attached herewith is departmental receipt No. 12601 in the amount of \$10.00 for amending the above permit which was received in this office under the above date.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb

Attachment

15 7008

MICROFILMED

1000 Lincoln Ave.

October 18, 1973

Re: Permit No. 15-7008

Mr. Verlin Moon
Malad,
Idaho 83250

Dear Mr. Moon:

We find it necessary to return the application for amendment that we received regarding the above referenced permit and your check No. 92-86 in the amount of \$11.00. as the filing fee for amendments is only \$10.00.

Please return the original and the amendment filing fee and we will be happy to process it.

I am also returning the processed withdrawal of Application for Permit No. 15-7010. It was my understanding that at the time of your visit, you wished to have this application approved for the maximum local amount. I have forwarded it to Boise with the recommendations that it be approved for 0.2 c.f.s.

If you have any questions, do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:mb
Enc: Check No. 92-86
Amendment

15 7008

bcc: Eastern District Office

October 29, 1973

Re: Permit No. 15-7008

Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252

Gentlemen:

Enclosed is a copy of the approved application for amendment in connection with the above referenced permit.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/JC/jr

Enclosure

15 7008

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

April 20, 1972

Re: Permit No. 15-7008 - Cordell Williams &/or Verlin Moon

**Cordell Williams &/or Verlin Moon
Malad City,
Idaho 83252**

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 15-7008. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:cr

Enclosures

15-7008

March 10, 1972

Re: Application for Permit No. 15-7008 - Cordell Williams &/or Verlin Moon

Idaho Enterprise
P.O. Box 205
Malad City, Idaho 83252
Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for our review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Norman C. Young
District Engineer

NCY:BJ
Enc: Legal notice

15-7008

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Cordell Williams &/or Verlin Moon, Malad
City, Idaho
has on 3-8-72 submitted Application No. 15-7008
for a permit to appropriate 2.82 cubic feet per second ~~999.999 cubic feet per second~~
of water from a ground-water source
by means of well and pump
within the NE $\frac{1}{4}$, Sec. 27, T. 15S, R. 36E, B.M., Oneida County;

to be used from Jan. 1 to Dec. 31 for stockwater purposes for 200 head of
livestock, and from Apr. 1 to Nov. 1 for the irrigation of 240 acres
for
~~xxx~~

within the NE $\frac{1}{4}$, Sec. 26; NE $\frac{1}{4}$, NE $\frac{1}{4}$, Sec. 27, T. 15S, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of this permit must be filed with the Idaho Department of
Water Administration, 240 South Holmes, Idaho Falls, Idaho, 83401, on or before
April 3, 1972.

R. KEITH HIGGINSON
Director

Published in the Idaho Enterprise, Malad City, Idaho
on March 16 and 23.

[Handwritten signature]

[Handwritten signature]

15 7008