




R41E

Place of Fuse


Point of Diversion

8

MICROFILMED

OCT 26 1956

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Spring - Gravity flow					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Spring flows were very low due to time of year and drought.

MICROFILMED

DEC 12 2001



- Sections.shp
- GPS 07 26 2000.dbf
- T14s41e.shp
- Tandr.shp

MICROFILMED
 DEC 12 2001
13-07558

Spring collection area



POU
NOT LINED
JUL 12 2001

13-7558

Spring collection area



POU
MICROFILMED
DEC 12 2001

13-7558

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 13-07558

Priority: September 08, 1998

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 2.7 AF

It is hereby certified that JAY WILDE
7188 E BIRCH CREEK RD
PRESTON ID 83263 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated September 08, 1998; and has
submitted Proof of Beneficial Use on October 28, 1998. An examination indicates that the works have a
diversion capacity of 0.04 cfs of water from:

SOURCE

SPRING

Tributary: SINKS

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
STOCKWATER	01/01 to 12/31	0.04 CFS	2.7 AF

LOCATION OF POINT OF DIVERSION:


SPRING NW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 8, Twp 14S, Rge 41E, B.M., FRANKLIN County

PLACE OF USE: STOCKWATER

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	41E	8	X																

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 20TH day of NOVEMBER, 2001.

Acting for 
KARL J. DREHER
Director

MICROFILMED

DEC 12 2001

7/94

FOR OFFICE USE ONLY

Amt. of Fee \$: 50.00Receipt No. 0043778Receipt By: JSDate Received: 10/28/98

RECEIVED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

OCT 28 1998

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

- Permit No. 13-07558 Telephone No. 852-0574
- Name(s) of Permit Holder(s): Jay Wilde
- Mailing Address: 7188 E. Birch Creek Rd., Preston, Id 83263
- Source of Water: Spring If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____
 - Well Driller: _____ Drilling Permit Number: ____ - ____ - ____ - ____
 - OPTIONAL:

Pump Horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft): _____
- Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): 200 Pr. Stock Cow

Irrigation (No. of acres): _____ Other: _____
- Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR _____ acre feet
- Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device:	Is a measuring device required?	Yes ____ or No ____
	Has the measuring device been installed?	Yes ____ or No ____
Flow Measurement Port:	Is a flow measurement port required?	Yes ____ or No ____
	Has the measurement port been installed?	Yes ____ or No ____
- Fee Enclosed: \$ 50 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
- Person to contact to accompany the Department representative during field examination of the water system.

Name: Jay Wilde Telephone Number: 852-0574

Address: 7188 E. Birch Creek Rd., Preston, Id 83263
- The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

(include your title, if on behalf of company or organization)

Date:

MICROFILMED

NOV 24 1998

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 13-07558

Proposed Priority: September 8, 1998 Maximum Diversion Rate: 0.04 CFS

This is to certify, that JAY WILDE
7188 E BIRCH CREEK RD
PRESTON ID 83263
has applied for a permit to appropriate water from:
SPRINGS tributary of SINKS

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

STOCKWATER	01/01 to 12/31	0.04 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: NWSENE , Sec. 8, Township 14S, Range 41E
FRANKLIN County

PLACE OF USE: STOCKWATER

TWN RGE SEC

14S 41E 8 NENE

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1999.
2. Subject to all prior water rights.
3. Stockwater use is for 200 range cattle.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

21st day of October, 1998.

Karl J. Dreher
for Karl J. Dreher, Director

MICROFILMED

OCT 26 1998

Ident. No. 13-07558

RECEIVED

OCT 16 1998

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED

SEP 08 1998

Department of Water Resources

Department of Water Resources
Eastern Region

1. Name of Applicant JAY WILDE Phone (208) 852-0574
Mailing address 7188 East Birch Creek Rd Preston, ID 83263
2. Source of water supply Spring which is a tributary of Sinks
3. Location of point of diversion is Township 14S Range 41E Sec. 8 in the NW 1/4, SE 1/4, NE 1/4, Govt. Lot _____, B.M., Franklin County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 cfs for Stockwater purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Describe type and size of devices used to divert water from the source 4" perforated Sewer pipe bedded in rock + reduced to 1" poly pipe for transfer to usage site
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
d. Is ground water with a temperature of greater than 85°F being sought? _____
e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
a. Hydropower; show total feet of head and proposed capacity in KW. _____
b. Stockwatering; list number and kind of livestock. 200 head of Beef cattle
c. Municipal; show name of municipality. _____
d. Domestic; show number of households. _____
e. Other; describe fully. _____

MICROFILMED

OCT 28 1998

9. Description of place of use:
- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC				
14	5	4	8	S		
			NE	NW	SW	SE
			N E			
			NE	NW	SW	SE
			N W			
			NE	NW	SW	SE
			S W			
			NE	NW	SW	SE
			S E			
			NE	NW	SW	SE
			TOTALS			

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. **NONE**

11. a. Who owns the property at the point of diversion? **Applicant**
- b. Who owns the land to be irrigated or place of use? **Applicant**
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:

12. Remarks: **Springs developed is only a bog or a seep. It does not run into any stream. Birch creek is approximately 1200 ft north. It usually dries up in this area in August, hence the need to have stock water.**

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
OCT 26 1998

Signature of Applicant (and title, if applicable) **[Signature]**


Received by **HCJ** Date **9-8-98** Time **11:15**

Fee \$ **50.00**

Publication prepared by **ETS SC** Date **9/17/98**

Published in **Register** Date **9/2/98**

Preliminary check by **EOA4426** Date **9-8-98**





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 20, 2001

JAY WILDE
7188 E BIRCH CREEK RD
PRESTON ID 83263

RE: License No. 13-7558 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED


DEC 12 2001

CERTIFICATE OF MAILING

I hereby certify that on November 20, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 13-7558

**JAY WILDE
7188 E BIRCH CREEK RD
PRESTON ID 83263**


Kari Lynn Townsend
Secretary

MICROFILMED

DEC 12 2001

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

LICENSE REVIEW CHECKLIST

Permit No. 13-7558 Date: 11-15-01 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

Place of Use OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s):

File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 0.04 cfs

Fee Limit 2.20 cfs

Measured cfs

Theoretical cfs

Recommended Total Diversion Rate 0.04

Water Uses OK

Change (P46)

Season of Use per new Standards

Irrigation cfs af

Stockwater 0.04 cfs 2.7 af

Domestic cfs af

cfs af

cfs af

Total cfs af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/104)

overlap spec combined rts (W35)

<1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

Stockwater for US (R37)

Volume Determination

cfs x 1.9835 x days = af (vs) acres x (FHR) = af

Remarks:

Additional Conditions

Watermaster Control

GW Measurement/Measuring Device

Other

Trust R55 - remove 051)

Non-trust (048/049)

GW Dist?

Water Msmt. Dist?

Crit. GWMA?

GWMA?

Government Lots?

Advance Priority?

yes

no

If yes, explain why below.

SRBA Claim?

N/A

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

S06

topo DD45

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 22 2001
Kef
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 13-7558

1. Owner: Jay Wilde Phone No. 852-0574

Current Address: 7188 E Birch Creek Rd., Preston, ID 83263

2. Accompanied by: Jay Wilde EXAM DATE: 7-25-00

Address: _____ Phone No. _____

Relationship to Permit Holder: Same

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: R072519B

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	NE	8	14S	41E	Franklin	GPS/on site

2. Place(s) of Use: R072519A


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	41E	8	5																

MICROFILMED

DEC 22 2001

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Spring - Gravity flow					

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Spring flows were very low due to time of year and drought.

MICROFILMED

DEC 12 2001

Cattle - 120 pair are on place currently. (Pair = Cow with calf)

Measurement needs to be taken in May. Spring flow is very light due to time of year and drought like conditions. (See photo of POU)

There is a valve near the spring that will direct water to the south of the current POU. Mr. Walde would like to add a trough to that line so he will have water on both sides of the road.

GPS file POD R072519 B
 POU R072519 A

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

DEC 12 2001

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$Q_{\text{stockwater}} = 0.04 \text{ cfs} \quad \text{Deminimus}$$

$$Q = 0.04 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{\text{LR}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{\text{DR}} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{\text{LR}} \text{ and } V_{\text{DR}} =$$

2. Volume Calculations for Other Uses:

$$V_{\text{stock}} = 2.7 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stockwater (200 range)	1/1	12/31	0.04 cfs	2.7 afa
Totals:			0.04 cfs	2.7 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name KEITH C. WILSON 10/17/2001

Reviewer _____ Date 7-25-00

SEAL

MICROFILMED

DEC 12 2001



- ☐ Sections.shp
- ☒ GPS 07 26 2000.dbf
- ☐ T14s41e.shp
- ☐ Tandr.shp

MICROFILMED
13-07558
 DEC 12 2001

Spring collection area



POU
ALL RIGHTS RESERVED

13-7558

2005

Spring collection area



POU
MICROFILMED

DEC 12 2001

13-7558



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

November 12, 1998

KARL J. DREHER
DIRECTOR

Jay Wilde
7188 E Birch Creek Rd
Preston ID 83263

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 13-07558

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

If you have questions concerning the field examination, please contact the **EASTERN** Regional Office of the department in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH

Senior Secretary, Water Allocation Bureau

c: IDWR - Regional Office

MICROFILMED

NOV 24 1998

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 13-07558 Reviewed by Jy Date 11-12-98

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received? Correct Uses? yes
If not, complete calculation below.

SOURCE OF WATER

✓ Surface water source
 Ground water source
 Drilling permit required?
 Copy in the file? Drilling Permit No.
 Amount paid for permit Correct?
 Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

yes Required?
50- Amount Submitted
yes Correct?
NO Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>
Date proof due	<u> </u>
No. of days late	<u> </u>
Priority Date	<u> </u>
New Priority Date	<u> </u>

DEFICIENCIES OR ACTION ITEMS

Proof Acceptable

DATA ENTRY

New Address X Proof Made 10-28-98



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 21, 1998

JAY WILDE
7188 E BIRCH CREEK RD
PRESTON ID 83263

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 13-07558

Dear Permit Holder:

The Department of Water Resources (IDWR) has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a preliminary order issued by IDWR pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by IDWR unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

If you have any questions, please call me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosures

MICROFILMED


OCT 26 1998

CERTIFICATE OF MAILING

I hereby certify that on the 21st day of **October, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved Permit)** to the person(s) listed below:

Water Right No. 13-07558

**JAY WILDE
7188 E BIRCH CREEK RD
PRESTON ID 83263**


Kari Lynn Townsend
Secretary

MICROFILMED
OCT 26 1998

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

OCT 26 1998

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

OCT 26 1998

APPLICATION FOR PERMIT STATE OFFICE ANALYSIS

by *Cindy Lou*No.: 13-07558 Name: Wude Date: 10/16/98 Ad OK? ☒ ☒ Gvmt Lts: ☒

AREA OF CONCERN: - No/Yes: _____ Mor / _____ GWMA / Trust / Non-trust

PROTESTED: - 020 (Protest Agreement) or *W19 (Order)

SYSTEM COMPLETED:

> 1 year

- 26A-P17

≤ 1 year/no proof

- P16

GROUNDWATER: (✓ FLO-CH)

WMD (✓ MAP)

- North / East / West

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

WMD Supplemental use

- 065-079 (if GW use SW 1st-statewide)-(cannot move SW off)

> 0.24 cfs/5 acres

- 01M (report when notified)

≤ 0.24 cfs/5 acres

- No MD

DRILLING PERMIT:

All wells (✓ WDQ3)

- 046-P23

In Basin 34?

- 085

Irr. within WD

- P05 (new well location)

SURFACE WATER: (✓ FLO-CH) (Surface water that doesn't sink is regulated):

FISH & GAME CONTACTED:

- YES / NO; RESPONSE: None

IN/ABOVE MIN. STR. FLOW (✓ MAP)

- *WB9

WD (✓ MAP & LISTING)

- R04 (WD # _____)

> 0.10 cfs

- 01J-P08 (MD & LD)

≤ 0.10 cfs

- 01H-P01 (LD), 01P or No MD (in-stream stock)

WMD (✓ MAP)

> 0.24 cfs/5 acres

- 067 or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

SPRINGS/SINK, INACTIVE WD & REST OF STATE

> 0.24 cfs/5 acres

- 01M or No MD (in-stream stock or power)

≤ 0.24 cfs/5 acres

- No MD

RIVER BASINS: (*Surface water):

Snake R (01)

- *W22 -P04, NA

(02/03-irr)

- 007 (w/ remark *WB9 if above Weiser), NA

Payette R(65)

- *W22 (regulated uses), 047-P04 (Payette Lake), NA

Salmon R (70's)

- 029 (fish screens), NA

Weiser R (67)

- 086, 087

USE:

Domestic surface

- *WB5 (Big Wood R or Boise R ↑ Star Bridge); 27A (Payette River); NA

>1 in rest. area

- 071-070

Fire Protection

- 077

Fish Propagation

- 029(70's only)-007-042(req)-081 (WQ)-P10

Heating/Cooling

- R07 (injection well)

Irr ≤ 5 acres

- R66/R67/R68/R69 (0.03 cfs/acre + 3.0/3.5/4.0/4.5 AF)

> 5 acres

- R62/R63/R64/R65 (0.02 cfs/acre + 3.0/3.5/4.0/4.5 AF)

Mining

- 054(req) -081-P10

Municipal

- 022, 075, 004 (+memo?), NA (not in restricted area)

Power

- 17H/17K(+uses)-08A-025(P18)-01N-028-081(P10)-027 (if no other cons. use);

17G (FERC) or 17M (FERG); 18B-P09; >25 cfs-P18

Stockwater

- R37 (BLM/USFS); NA

Storage (✓3 compo.)

- 18A (in & out MD for on-stream storage), 18B-P09 (>10' dam), NA

LOCATION:

42-248 area

- P84 (in 20/30/40/50/60/70/80 (87) basin)

Boise Front LoGeo

- 058 (<85° GW temp only)

In-stream dev.

- P52 (stream channel alteration)

Mitigation

- 120

SWAN FALLS FLAG (See Code Chart)

Trust

- 051-052-053-P74 (Consumptive Uses), NA

Non-Trust (1)

- 048-049 (Consumptive Uses), NA

OWNERSHIP:

- 004 (PD/PU) _____

OTHER CONDITIONS:

-

STANDARD REMARKS:

- DW02/2002C

BENEFICIAL USE DUE:

- 10/1/1999

COMMENTS:

-

RECEIVED

OCT 16 1998

Dist. for staffing
DEPARTMENT OF WATER RESOURCES Submitted for advertising

9-8-1998

Form No. 202
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS PERMIT

INITIAL REVIEW BY AWT DATE 9-8-98 APPLICATION NO. 13-07558

"WILDE"

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☐ No Field check required
☐ Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☐ No Critical groundwater area
☐ Yes ☐ No Groundwater management area
☐ Yes ☐ No Send dam safety information
☐ Yes ☐ No Send power requirement letter
☐ Yes ☐ No Send fish farm requirement letter
☐ Yes ☐ No Power residency affidavit
☐ Yes ☐ No Power efficiency form
☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

_____ Date Requested _____

PROCESSING

☒ Yes ☒ No In form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☒ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☒ Idaho Dept. of Fish & Game *Poky* ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken _____

☒ Yes ☒ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest _____
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 9-8-1998
By: [Signature] Date: 10-13-98
STATE OFFICE REVIEW

By _____ Date: _____
ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation Dist.
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Div. of Environment	_____ Other _____

Project impacts/implications report

COMMENTS

[illegible]

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Franklin } ss.

J. WALTER ROSS

being duly sworn,
deposes and says:

That he is the **PUBLISHER** of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said

newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

9/16, 1998, and ending
with the issue of 9/23, 1998


Fee \$ 55.05

Subscribed and sworn to before me this 23 day

of 9/23, 1998

Notary Public, Residing at Preston, Idaho

My Commission Expires 8/14, 1999



NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s)
have been filed to appropriate the
public waters of the State of Idaho:

13-07558

WILDE, JAY
7188 EAST BIRCH CREEK RD
PRESTON, ID 83263
Source: SPRINGS
Tributary: SINKS
Diversion Pt: NWSENE Sec 8 T 14S
R 41E in FRANKLIN County.
Use: STOCKWATER (0.040 CFS)
Total Diversion: (0.040 CFS)
Date Filed: 9/8/1998
In: FRANKLIN County
T14S R41E S08 NENE

Any protest against the proposed application must be filed with the Department of Water Resources, 900 N Skyline Dr., Ste A, Idaho Falls, ID 83402, together with a protest fee of \$25.00 on or before OCTOBER 5, 1998, to be considered by the Department in its decision to grant or deny any part of the proposed application. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director
Legal No. 4689 - Publish Sept. 17 and 24, 1998.

MICROFILMED

RECEIVED

OCT 02 1998

Department of Water Resources
Eastern Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

SEPTEMBER 9, 1998

Legal Notices Department
THE PRESTON CITIZEN
P.O. BOX 472
PRESTON, ID 83263

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 5, 1998.

Yours truly,

Sharla Cox
Secretary

Encl.



MICROFILMED

OCT 26 1998

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED
OCT 26 1998

13-07558

WILDE, JAY
7188 E BIRCH CREEK RD
PRESTON, ID 83263

Source: SPRINGS

Tributary: SINKS

Diversion Pt: NWSENE Sec 8 T 14S R 41E in FRANKLIN County.

Use: STOCKWATER (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 9/ 8/1998

In: FRANKLIN County
T14S R41E S08

NENE

Any protest against the proposed application must be filed with the Department of Water Resources, 900 N Skyline Dr., Ste A, Idaho Falls, ID, 83402, together with a protest fee of \$25.00 on or before OCTOBER 5, 1998. to be considered by the Department in its decision to grant or deny any part of the proposed application. The protestant must also send a copy of the protest to the applicant.

KARL J. DREHER, Director

Published: 9/17/1998 & 9/24/1998

MICROFILMED

OCT 26 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 9, 1998

JAY WILDE
7188 E BIRCH CREEK RD
PRESTON ID 83263

RE: Application for Permit #13-07558

Dear Applicant:

This office is currently in the process of advertising the application in the Preston Citizen on September 17 and 24, 1998. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
Water Right Supervisor

HWJ::sc

MICROFILMED

OCT 26 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 9, 1998

IDAHO FALLS FISH & GAME
1345 BARTON RD
POCATELLO ID 83201

RE: Application for Permit No. 13-07558

Dear Sir:

We are enclosing a copy of the application (s) that may be of interest to your department. Please review the application (s) and submit any comments you may have to our Department as soon as possible. The last date of protest is Oct 5, 1998, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

Harold W. Jones
Water Right Supervisor

HWJ:sc
enc.

MICROFILMED

OCT 26 1998