




Points of Diversion

Place of Use

27 26
34 35

25 30
36 31

34 35
3 2


35 36
2 1

36 31
1 6

T12S
T13S
R40E

MICROFILMED
NOV 01 1986

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

MICROFILMED

APR 13 1999


E. NARRATIVE/REMARKS/COMMENTS

Domestic use for Two homes and less than one half ac.
of grass and garden

Points of diversion were established before
1920. - See claim B-04324


The springs from 3 points of dev. are piped
in to a collection box.

Water flows in from points of dev in 6 in
or 2" pipes



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 13 1999



13-07544



View of Collection Tank with man hole open.
looking North West.

MICROFILMED
APR 13 1999



13-07544 Concrete Collection box. Springs
are piped in from Right and ~~South~~ in Top
Looking South



Looking into Collection tank - showing divider - Water
from spring enter at top and supply exits at bottom

PREM. 13-07544

MICROFILMED
APR 13 1999



Place of use looking East. from point
of diversion

Permit # 13-07544

MICROFILMED
APR 13 1990

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 13-07544

Priority: July 18, 1996

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that REUEL SKINNER
13460 N CLEVELAND RD
PRESTON ID 83263

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated July 18, 1996; and
has submitted Proof of Beneficial Use on November 25, 1996. An examination indicates
that the works have a diversion capacity of 0.040 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

SENESE , Sec. 35, Township 12S, Range 40E
NWSENE , Sec. 35, Township 12S, Range 40E
SWNWNW , Sec. 36, Township 12S, Range 40E
FRANKLIN County

PLACE OF USE: DOMESTIC

TWN RGE SEC

12S 40E 36

SWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
The water right confirmed by this license is subject to all prior water rights
and shall be administered in accordance with Idaho law and applicable rules of
the Department of Water Resources. Signed and sealed this 17th day of

MARCH, 1999.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 13 1999

RECEIVED

DEC 05 1996

FOR OFFICE USE ONLY
Amt. of Fee \$: 50.00/100
Receipt No. E022780
Receipt By: HWS
Date Received: 11-25-96

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV 25 1996

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 13-07544 Telephone No. (208) 427-6633

2. Name(s) of Permit Holder(s): DEVEL SKINNER

3. Mailing Address: 13460 N CLEVELAND RD, PRESTON ID 83263

4. Source of Water: SPRINGS ~~GROUNDWATER~~ If GROUNDWATER (well), Date Drilled: mo. ____ / yr. ____

a. Well Driller: ____ Drilling Permit Number: ____ - ____ - ____

b. OPTIONAL:
Pump Horsepower: ____ Pressure (psi): ____ Dynamic pumping level (ft): ____

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): 1 Stockwater (No. and type of stock): ____

Irrigation (No. of acres): ____ Other: ____

6. Total rate of diversion and/or volume for which proof is submitted: 0.04 cfs OR ____ acre feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required? Yes ____ or No ____
Has the measuring device been installed? Yes ____ or No ____

Flow Measurement Port: Is a flow measurement port required? Yes ____ or No ____
Has the measurement port been installed? Yes ____ or No ____

8. Fee Enclosed: \$ \$50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: QUINN SKINNER Telephone Number: (208) 427-6621

Address: 13460 N CLEVELAND RD, PRESTON ID 83263

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Reuel H. Skinner Date: 11-22-96
(include your title, if on behalf of company or organization)

MICROFILMED

DEC 18 1996

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 13-07544

Proposed Priority: July 18, 1996

Maximum Diversion Rate:

0.04 CFS

This is to certify, that REUEL SKINNER

13460 N CLEVELAND RD

PRESTON ID 83263

has applied for a permit to appropriate water from:

SPRINGS

tributary of SINKS

and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENESE , Sec. 35, Township 12S, Range 40E

NWSENE , Sec. 35, Township 12S, Range 40E

SWNWNW , Sec. 36, Township 12S, Range 40E

FRANKLIN County

PLACE OF USE: DOMESTIC

TWN RGE SEC

12S 40E 36


SWNW

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1997.
2. Subject to all prior water rights.
3. The issuance of this right does not grant any right-of-way or easement across the land of another.
4. Domestic use is for 1 home.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

17th day of October, 1996.



Karl J. Dreher, Director

for

MICROFILMED

NOV 01 1996

RECEIVED

OCT 03 1996

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

RECEIVED
Ident. No. 13-2544
AUG 15 1996
Department of Water Resources
Eastern Region

1. Name of Applicant Reuel SKINNER Phone (208) 427-6621
Mailing address 13460 N CLEVELAND RD, PRESTON ID 83263
2. Source of water supply SPRINGS which is a tributary of SINKS
3. Location of point of diversion is Township 12S Range 40E Sec. 35, in the SE 1/4, NE 1/4, NE 1/4, Govt. Lot FRANKLIN, B.M., FRANKLIN County;
additional points of diversion if any: NWSENE 35-12S-40E, SWNNW 36-12S-40E
4. Water will be used for the following purposes:
- | |
|--|
| Amount <u>0.04 cfs</u> for <u>DOMESTIC</u> purposes from <u>1-1</u> to <u>12-31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
5. Total quantity to be appropriated is (a) 0.04 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source COLLECTION PIPES TO PIPELINES
TO MANIFOLD BOX TO SINGLE HOME
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? _____; Drilling firm _____
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 HOUSEHOLD
- e. Other; describe fully. _____

MICROFILMED
NOV 01 1996

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC				
12S	40E	36	NE	NW	SW	SE
			N E			
			NE	NW	SW	SE
			N W			
			NE	NW	SW	SE
			S W			
			NE	NW	SW	SE
			S E			
			NE	NW	SW	SE
			TOTALS			

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Revel Skinner

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: Revel Skinner

12. Remarks: _____

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Signature of Applicant (and title, if applicable)

Revel Skinner

Preliminary check by _____

Date 7-18-96 Time _____

E022485

Date 8-15-96

Published in Revel Skinner

Date _____


Publication prepared by _____

Fee \$ 50.00

Date 8-15-96

MICROFILMED

NOV 01 1996





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 26, 1999

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

REUEL SKINNER
13460 N CLEVELAND RD
PRESTON ID 83263

RE: WATER RIGHT NO. 13-07544

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


APR 13 1999

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of March, 1999, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 13-07544

REUEL SKINNER
13460 N CLEVELAND RD
PRESTON ID 83263


Kari Lynn Townsend
Secretary

MICROFILMED

APR 13 1999

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

APR 13 1999

MEMORANDUM

TO: File ~~13-07539~~
13-07544

FROM: Sharla

DATE: March 12, 1999

RE: Recommendation Adjustment(s)

The adjustments to licensing recommendations for Permit ~~13-07539~~ ¹³⁻⁰⁷⁵⁴⁴ are as follows:

D. GENERAL INFORMATION

3. Source: springs tributary to sinks

There are three points of diversion, the source is springs rather than spring.

Exam Date: June 15, 1998
Examiner: Lee Simmons

MICROFILMED

APR 13 1999

LICENSE REVIEW CHECKLIST

PERMIT NO. 13-07544 DATE 3/12/99 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK ☐ Change (P39 /P47) ☐ Add (P45/P42) Feds - P40
 W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): 13-04324 (exact dup. except for priority)
 File reviewed ☐ Profile reports printed ☐

PLACE OF USE OK ☐ Change (P41/P47) ☐ Add (P41/P42) Feds - P43
 W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed ☐ Profile reports printed ☐

PD & PU amend (P37) Feds - P48

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .20 cfs \$5000
 Measured _____ cfs none made
 Theoretical _____ cfs
 Recommended Total Div Rate .04 cfs

WATER USES	<u>OK</u>	Change (P46)	
<u>Dom</u>	<u>.04</u> cfs	<u>1.2</u> af	Irrig - overlap (R58-R61, R62-R65, R66-R69)
_____	_____ cfs	_____ af	supp. gw (WB7/065/079)
_____	_____ cfs	_____ af	overlap spec. combined rts (W35)
_____	_____ cfs	_____ af	<1acre (W31) <u>1</u>
_____	_____ cfs	_____ af	(W01/WB5/070/071/075)
TOTALS	<u>.04</u> cfs	<u>1.2</u> af	Domestic (W42 or W43/025/027/R22 or R23)
			Power Fish (042) Fire (077) Wtr Quality (081/R07)

Flow rate .04 cfs X 365 days X 1.98 = 14.5 af

REMARKS _____

ADD'L CONDITIONS ☐ Watermaster Control WD# _____
☐ GW Measurement/Measuring Device
☒ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority ☐ yes ☒ no SRBA Claim N/A Adjust Memo spring
 Amend letters _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 16 1999

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 13-07544

1. Owner: Reuel Skinner Phone No. 427-6633

Current Address: 13460 N Cleveland Rd Preston Id

2. Accompanied by: Quinn Skinner EXAM DATE: 6-15-98

Address: 13460 N Cleveland Rd Phone No. 427-6621

Relationship to Permit Holder: Son

3. Source: Spring tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 13-04324 on adjacent Home

2. Other water rights with the same point of diversion: 13-04324

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1		SE	NE	NE	35	12S	40E	Franklin	USGS and NOS/NOAA maps
2		NW	SE	NE	35	12S	40E	Franklin	USGS and NOS/NOAA maps
3		SW	NW	NW	36	12S	40E	Franklin	USGS and NOS/NOAA maps

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
12S	40E	36							0										

MICROFILMED

2. Measurements:

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS

***Code to correspond with No. on map and aerial photo**

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size


4

Scale: 1" = _____

_____ Copy of USGS Quadrangle Showing location(s) of
point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached
(required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.


E. NARRATIVE/REMARKS/COMMENTS

Domestic use for Two homes and less than one half ac. of grass and garden

Points of diversion were established ~~but~~ before 1920. - Sec claim B-64324

The springs from 3 points of dev. are piped in to a collection box.

Water flows in from points of dev in 6 in or 2" pipes



Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 13 1959

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$$

$$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Domestic
(1 unit)

From
6/01

To
12/31

Rate of Diversion
Q (cfs)
0.04 cfs

Annual Volume
V (afa)
1.2

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION


Field Examiner's Name

Lee Simmons
Date 6/15/98

Reviewer

Date 2-3-99

RECEIVED
SEAL
APR 13 1999



R40E

R40E R41E

T12S

35

36

T13S

T13S
R40E

13-07544


13-07544




View of Collection Tank with man hole open.
looking North West.

UNRECORDED

APR 13 1969



13-07544 Concrete Collection box. Springs
are piped in from Right and ~~South~~ in Top
Looking South



Looking into Collection tank - showing divider - Water
from spring enter at top and supply exits at bottom

Primary #13-07544

APR 13 1969
MICROFILMED



Place of use looking East. from point
of diversion

Permit # 13-07544

MICROFILMED
APR 13 1964

**ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE**

Permit No. 13-07544 Reviewed by Jeff Date 12-6-96

GENERAL CONSIDERATIONS

TYPES OF USE

YES Name same as permit?

dom.

YES Address same as permit?

YES Proof timely received?

Correct Uses? YES

If not, complete calculation below.

SOURCE OF WATER

☒ Surface water source

☐ Ground water source

☐ Drilling permit required?

☐ Copy in the file? Drilling Permit No. _____

☐ Amount paid for permit

_____ Correct?

☐ Well log in the file?

LICENSE EXAMINATION FEE

MEASURING DEVICE

YES Required?

NO Required?

50 Amount Submitted

_____ Installed?

YES Correct?

_____ Waiver requested?

PRIORITY CALCULATION

Date proof received

Date proof due

No. of days late

Priority Date

New Priority Date

_____	-	_____
_____	=	_____
_____	+	_____
_____		_____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____

Proof Made 11-25-96

December 6, 1996

REUEL SKINNER
13460 N CLEVELAND RD
PRESTON ID 83263

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 13-07544

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
DEC 18 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

October 17, 1996

REUEL SKINNER
13460 N CLEVELAND RD
PRESTON ID 83263

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 13-07544

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. Please be sure to thoroughly review the "Conditions of Approval and Remarks" listing on the permit.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed, you should complete and submit this form immediately.

Sincerely,

A handwritten signature in cursive script, reading 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

MICROFILMED
NOV 01 1996

**APPLICATION FOR PERMIT
STATE OFFICE REVIEW**
by Cindy Zimmerman

No.: 13-07544 Name: Skinner Date: 10/9/96 Ad OK? ✓
Correct Fee? ✓ Receipt #: ED22485 Priority: 8/15/96 ✓ Gvmt Lts: ✓

AREA OF CONCERN? - No/Yes _____ Mor _____ GWMA Trust/Non-trust
PROTESTED: - 020(Protest Agr) or W19(See Final/Prelim Order)
SYSTEM COMPLETED:
Yes/proof filed - NA
1 year/no proof - P16
+1 year - 26A-P17
GROUNDWATER: <✓ FLO-CH>
+ 0.2 cfs - 01M
=/- 0.2 cfs - No MD
=/+ 5 a. - 01M, 065(if GW use SW 1st)
Drilling Permit:
Existing well - NA (pre 7/1/87)
Included w/permit - Permit No. _____, P99
No WD permit? - 046-46B-P23 (post 7/1/87)
irr. in WD - P05 (new well)
SURFACE WATER <✓ FLO-CH> (Surface water that doesn't sink is regulated):
Water District(~~dem~~) - 005 (req) WD # _____ <SEE MAP & LISTING>
+ 0.2 cfs - 01J(meas dev)-P08
=/- 0.2 cfs - 01H(lock dev)-P01 or No MD
In-WD + 0.2 cfs - 01M or No MD (in-stream)
- 0.2 cfs - No MD
=/+ 5 a. irr. - 01M
RIVER BASINS (*Surface water):
Snake R (01) - 11A-P04, NA
(02/03-irr) - 007-P07 (w/remark WB9-† Weiser), NA
Boise R (63) - 05A (if WD), 11E (not 42-111 use), NA
Payette R (65) - 064(regulated uses), 047-P04(Payette Lake), NA
USE:
Domestic (surface) - *WB5(Boise R † Star Bridge); 27A(Payette R); NA
Fish Propagation - 07A-042(rq)-010/06A/09E(WQ)-P10;044(N 1000 Spr)
Irr <POU> =/- 5 a - 057 (0.03 cfs/A)
+ 5 a - 03A (0.02 cfs/A)
Mining - 054 (req) & 06A/010/09E-P10
Power - 08A-17K-025-027-028-01F(P19)-09E(P10);
+25 cfs-P18; 17G(FERC) or 17M(FERC); 18B-P09
Storage(✓ 3 compo.) - 18A(multi MD in WD), 18B-P09 (+10' dam), *W07
LOCATION:
42-248 area - In 20/30/40/50/60/70/80 (87) basin? P84
Boise Front LoGeo - 058 (-85° GW temp only)
In-stream dev. - P52 (stream channel alteration)
Irr Dist/Canal Co. - 023 (Twin Falls area)
Swan Falls Flag - → <SEE CODE CHART>
Trust - 051-052-053-P74 (Consumptive Uses), NA
Non-Trust <1> - 048-049 (Consumptive Uses), NA
~~OWNERSHIP:~~ Non-land owner - 004 (PD/PU)
OTHER CONDITIONS: _____
STANDARD REMARKS: - * ① woi/1
BENEFICIAL USE DUE: - 10-1-1997
COMMENTS: _____

Dist. for staffing 8-19-96
Submitted for advertising 8-19-96

Form No. 202
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS PERMIT

INITIAL REVIEW BY HUT DATE 8-19-96 APPLICATION NO. 13-2544
Revel Skinner

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp., partnership, or municipality, title of signatory is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

_____ Date Requested _____

RECEIVED
OCT 3 1996

Department of Water Resources

PROCESSING

☒ Yes ☒ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken _____

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 10-2-96
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. _____
☒ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 7-18-1996
By: [Signature] Date: 9-30-96

STATE OFFICE REVIEW

By _____ Date: _____

ADDITIONAL INFORMATION

* This permit does not imply trespass or encroachment.

LOCAL PUBLIC INTEREST

Comments received from

<u>City</u>	<u>Idaho Fish & Game</u>	<u>Irrigation Dist.</u>
<u>County</u>	<u>Idaho Health & Welfare</u>	<u>Canal Company</u>
<u>Reservations</u>	<u>Div. of Environment</u>	<u>Other</u>

Project impacts/implications report

COMMENTS

[illegible]

ACTION REQUIRED

FROM: H.W. JONES - IDWP

TO: Hans Mussler

IF you are protesting Claim 13-04324 filed by
Reuel Skinner then a notarized protest must be filed
with a \$25 fee. IF you are going to protest the
new application number 13-07544 then I will need
just the signed protest and the \$25 fee. You must also
send a copy of the protest to the applicant.

David W Jones
9-3-96

MICROFILMED
NOV 01 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Idaho Falls, Idaho 83402-1718 - (208) 525-7161 - Fax (208) 525-7177

EASTERN REGION

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

AUGUST 27, 1996

Legal Notices Department
THE PRESTON CITIZEN
P.O. BOX 472
PRESTON, ID 83263

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 23, 1996.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED
NOV 01 1996

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

RECEIVED

OCT 03 1996

County of Franklin

ss.

Department of Water Resources

J. WALTER ROSS

being duly sworn,

deposes and says:

CO-PUBLISHER

That he is the _____ of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said

newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

9-4, 1996, and ending

with the issue of 9-11, 1996

Fee \$ 35¹²

Subscribed and sworn to before me this _____ day

of _____

Notary Public, Residing at _____

My Commission Expires 1997

MBER 4, 1996

Public Notice

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

13-07544

SKINNER, REUEL
13460 N CLEVELAND RD
PRESTON, ID 83263

Source: SPRINGS

Tributary: SINKS

Diversion Pt: SENENE Sec 35 T
12S R 40E in FRANKLIN County.

NWSENE Sec 35 T 12S R 40E in
FRANKLIN County.

SWNWNW Sec 36 T 12S R 40E in
FRANKLIN County.

Use: DOMESTIC (0.040 CFS)

Total Diversion: (0.040 CFS)

Date Filed: 7/18/1996

In: FRANKLIN County T12SR40E
S36 SWNW

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and the Director, Dept. of Water Resources, along with a \$25.00 filing fee, Eastern Region, 900 N. Skyline, Idaho Falls, Idaho 83402 on or before SEPTEMBER 23, 1996.

KARL J. DREHER, Director

Legal No. 4222 — Publish Sept. 4,
11, 1994.

RECEIVED

SEP 27 1996

Department of Water Resources
Eastern Region

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECORDED
JUL 11 1961

13-07544

SKINNER, REUEL
13460 N CLEVELAND RD
PRESTON, ID 83263

Source: SPRINGS

Tributary: SINKS

Diversion Pt: SENENE Sec 35 T 12S R 40E in FRANKLIN County.
 NWSENE Sec 35 T 12S R 40E in FRANKLIN County.
 SWNWNW Sec 36 T 12S R 40E in FRANKLIN County.

Use: DOMESTIC (0.040 CFS)
 Total Diversion: (0.040 CFS)

Date Filed: 7/18/1996

In: FRANKLIN County
 T12S R40E S36 SWNW

RECEIVED
NOV 1 1996

The permit(s) will be subject to all prior water rights. Protests must be filed with the applicant and the Director, Dept. of Water Resources, along with a \$25.00 filing fee, Eastern Region, 900 N Skyline, Idaho Falls, Idaho 83402 on or before SEPTEMBER 23, 1996.

KARL J. DREHER, Director

Published: 9/ 5/1996 & 9/12/1996

WATER RESOURCES

SEP 12 1996

To: Idaho Department of Water Resources
Eastern District Office
900 N. Skyline Drive
Idaho Fall, ID
FAX: 208-525-7177

From: Hans K. Mussler
13909 N. Cleveland Road
Preston, ID 83263
FAX: 208-427-6698


Date: 21 August 1996


Pages: One

Subj: Application for Water Rights ICO Mr. Qinn Skinner

Gentlemen:

Concerning the application for water rights of Mr. Quinn Skinner, 13460 N. Cleveland Road, Preston, ID, we would like to bring to your attention that the springs claimed by Mr. Skinner have already been developed and piped into a delivery system that serves several households. The initial development of the springs and the system was done by the WPA, and since then upkeep has been shared by several users of the system. Mr. Skinner built his home two years ago and hooked on to the existing system. We feel that the rights of those who already had been on the system should be considered and protected. We own two properties served by this system. Although there are now no residences on these properties, we rely on this water source for emergency culinary and stock use, if there is a power failure or the pump in our well fails. We hope that you will consider these matters when you review Mr. Skinner's application. Thank you.


Hans K. Mussler


Ruth F. Mussler

UNRECORDED

AUG 27 1996