


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


DEC 08 1992

Clifford Randall
(Applicant)

(Applicant)

Title - Director

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE PHOTO*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GOULD	7			2 1/2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: None

MICROFILMED

AUG 12 1997

RECEIVED



Places of use
under permit

MICROFILMED
AUG 12 1997

Showing location(s) of

Aerial Photo Attached

Photo of Diversion

WELL AND CONTROL VAULT



CONTROL + FLOW METER VAULT



MICROFILMED
AUG 12 1997

13-7499

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07499

Priority: August 3, 1992

Maximum Diversion Rate:

0.16 CFS

Maximum Diversion Volume:

14.4 AF

This is to certify, that MID WAY WATER ASSN

C/O LYNN BINGHAM

2535 N 4000 W

DAYTON ID 83232

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 3, 1992; and has submitted Proof of Beneficial Use on January 19, 1993. An examination indicates that the works have a diversion capacity of 0.500 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.16 CFS	14.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 2, Township 15S, Range 38E
FRANKLIN County

PLACE OF USE: DOMESTIC

TWN RGE SEC

14S 38E 35	SESE		
15S 38E 1	Lot 4 (NWNW)	SWNW	NWSW
	SWSW		
2	SENE	NESE	SESE
12	SENE	NWNW	NESE
	NWSE		

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
6. Domestic use is for 12 homes.

MICROFILMED

AUG 12 1987


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07499

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 18TH
day of July, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED

AUG 12 1997

State of Idaho
Department of Water Resources

RECEIVED

JUL 15 1997

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 13-07499

Department of Water Resources

Date of Priority: August 3, 1992

Maximum Diversion Rate:

0.16 CFS

Maximum Diversion Volume:

14.4 AF

Comes now

MID WAY WATER ASSN

C/O LYNN BINGHAM

2535 N 4000 W

DAYTON ID 83232

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 13-07499, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.16 CFS	14.4 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNW , Sec. 2, Township 15S, Range 38E
FRANKLIN County

PLACE OF USE: DOMESTIC

TWN RGE SEC

14S 38E	35	SESE
15S 38E	1	Lot 4 (NWNW)
		SWSW
	2	SENE
	12	SENE
		NWSE

SWNW

NWSW

NESE

SESE

NWNW

NESE

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Dayton, Id., this 10th day of July, 1997.

MICROFILMED

AUG 12 1997

Lynn R. Bingham
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 13-07499

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by LB # C03956 Date 7/15/97

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 13-07499 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
6. Domestic use is for 12 homes.

Witness my hand this 18TH day of July, 1997.

Acting for Karl J. Dreher
KARL J. DREHER, Director

MICROFILMED

AUG 12 1997

11/91

RECEIVED

JAN 19 1993

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

OFFICE USE ONLY

Amt. of Fee \$ 50.00Date 1-20-93Receipt No. C020536Receipt by [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 13-07499 Telephone No. 747-3570
2. Name(s) of Permit Holder(s): MID-WAY WATER CO., INC.
3. Mailing Address: % Lynn Bingham 2535 N. 4000 W. Dayton, Id. 83232
4. Source of Water: groundwater
- If GROUNDWATER, Well Driller's Name: William Bubbe Date Drilled: 9-13-92 started
9-16-92 finished

OPTIONAL:

Pump horsepower: 7.5 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic 12 (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted .16 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Lynn Bingham 747-3570
Name Telephone No.

2535 N. 4000 W. Dayton, Id. 83232
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

1-13-93
Date

Lynn Bingham, Secretary
Signature (and title, if on behalf of a company or organization)

MAY 20 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 13-07499

Proposed Priority: August 3, 1992 Maximum Diversion Rate: 0.16 CFS
This is to certify, that **MIDWAY WATER ASSOC**

C/O LYNN BINGHAM
2535 N 4000 W
DAYTON ID 83232

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.16 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNW , Sec. 2, Township 15S, Range 38E
FRANKLIN County

PLACE OF USE: DOMESTIC
TWN RGE SEC

14S 38E 35	SESE		
15S 38E 1	SWNW	NWSW	SWSW
2	SENE	NESE	SESE
12	SENE	NWNW	NESE
	NWSE		

CONDITIONS/REMARKS:


1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1993.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. A well drilled pursuant to this permit must be located at least 500 feet from any existing well. Well spacing closer than 500 feet must be approved by the Department of Water Resources.
5. Construction of the well must comply with Idaho well construction standards.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. Domestic use is for 12 homes.
8. The domestic use authorized under this right shall not exceed 13,000 gallons per day per dwelling.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

19th day of November, 1992.

MICROFILMED

DEC 08 1992

for 
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Mid-Way Water Assoc. ^{Lynn} 3570 Phone 747-3414
Post office address 2535 N. 4000 W. Dayton, ID 83232
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 2 Township 15S Range 38E B.M. Franklin County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.16 ^{cfs} for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.16 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well + pump to 12 homes

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 8" inches; proposed depth of well is 200 feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

DEC 08 1992


Remarks: Association members are; Cliff Kendall, Kent Howell, Jeff Avery, Lynn Bingham, Martin Stevenson, Garth Stevenson, Jeff Elson, Glenn Bingham, Ray Steadman, Claude Howell, Bruce Naylor, and Dell Griffiths. This new well would replace 12 individual wells

Revised map to show
water Distribution
to each member of
Association

Signed

Cliff M. Kendall
Director

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DEC 08 1992

Clifford Randall
(Applicant)
Title — Director

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by WM Date 8/3/92 Time 2:00 pm Preliminary check by \$30.00 CR #102
Fee \$ 30.00 Received by #405 # E017674 Date 8-3-92
Publication prepared by KB Date 8-20-92 Published in Western Citizen
Publication approved KB Date 10-6-92

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby _____

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

DEC 08 1992

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Franklin } ss.

J. WALTER ROSS

being duly sworn,

deposes and says:

That he is the **CO-PUBLISHER** of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said

newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

Aug 19, 1992, and ending with the issue of Aug 26, 1992.

[Signature]
Fee \$ 22.50

Subscribed and sworn to before me this 2 day of Sept, 1992.

[Signature]

Notary Public, Residing at Preston, Idaho

My Commission Expires Aug 14, 1995.

13-07499
MIDWAY WATER ASSOC.
2535 N. 4000 W.
DAYTON, ID 83232

Source: GROUNDWATER
Diversion Pt: SWNW Sec 2 T15S R38E in FRANKLIN County.
Use: DOMESTIC (.160 CFS) Total
Diversion: (.160 CFS)
Date Filed: 8/3/1992
In: FRANKLIN County T14S R38E S35 SESE T15S R38E S01 SWNW NWSW SWSW S02 SENENESESE S12 SENE NWNW NESE NWSE
The permit(s) will be subject to all

DEC 08 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MID WAY WATER ASSN
C/O LYNN BINGHAM
2535 N 4000 W
DAYTON ID 83232

RE: WATER RIGHT NO. 13-07499

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
AUG 12 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,



Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


MICROFILMED
AUG 12 1987
3

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of July, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 13-07499

MID WAY WATER ASSN
C/O LYNN BINGHAM
2535 N 4000 W
DAYTON ID 83232


Kari Lynn Townsend
Secretary

MICROFILMED
AUG 12 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

MID WAY WATER ASSN
C/O LYNN BINGHAM
2535 N 4000 W
DAYTON ID 83232

RE: WATER RIGHT NO. 13-07499

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

AUG 12 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 13-07499

DATE 6/9/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	—	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	—	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u> Amendment required <u>NO</u>
PLACE OF USE	<u>✓</u> NW NW 1/4, S1	—	Amendment required <u>YES</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.16</u>	cfs	
Fee limit	<u>.20</u>	cfs	\$5000
Measured	<u>.50</u>	cfs	Sorensen Eng. test
Theoretical	<u>.20</u>	cfs	@ 65 psi and 70' lift - 0.18 @ 90' lift

Recommended Total Div Rate .16 cfs

ANNUAL VOLUME/ NATURE OF USES <u>—</u>	<u>✓</u>	Use	<u>DOM</u>	Volume Calculation
				<u>12 x 1.2 =</u> af
				af
				af
				af
			SUBTOTAL	<u>14.4</u> af

Flow rate .16 cfs X 365 days X 1.983 af = 115.6 af

Total volume recommended 14.4 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS 12 homes.

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed <u>N/A</u>	1st Amend Letter <u>P41 P38</u>
Adjustment Memo <u>—</u>	2nd Amend Letter <u>P42</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORTRECEIVED
MAY 09 1997
Department of Water Resources**A. GENERAL INFORMATION**Permit No. 13-7499
208-852-2601 OFF.
208-742-3570 HOME1. Owner: MID-WAY WATER ASSOC.Phone No. 208-852-2601 OFF.
208-742-3570 HOMECurrent Address: % LYNN BINGHAM, 2535 N 4000 W, DAYTON, ID 832322. Accompanied by: LYNN BINGHAMEXAM DATE: 1/22/95Address: SAME AS ABOVEPhone No. 208-852-2601Relationship to Permit Holder: SELF3. Source: GROUND WATER tributary to N/A**B. OVERLAP REVIEW**1. Other water rights with the same place of use: NONE2. Other water rights with the same point of diversion: NONE**C. DIVERSION AND DELIVERY SYSTEM****1. Point(s) of Diversion:**

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SW	NW	2	15S	38E	FRANKLIN	H.S. 6.S. AERIAL PHOTO

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	38E	35																D	
15S	38E	1						L-4 D	D			D	D						
		2		L-2 D		D		L-4 D					D		D			D	
		12				D		D	D						D	D			
15S	39E	7								L-2 D									

New app. needed for homes
in yellow-marked this
way by H. Jones (Eastern) on
a duplicate copy attached to exam
(discarded) &

AUG 12 1957

MICROFILMED

2. Measurements:

None

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

D. FLOW MEASUREMENTS


*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	604LD	7			2 1/2"

4.

Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached of _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____

Scale: 1" = _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable. SEE PHOTO

E. NARRATIVE/REMARKS/COMMENTS

WELL: DRILLED 9/16/92 BY BILL BUBBE (13-92E-011)

8" CASING WITH PITLESS - 3" PIPE OUT OF WELL BUT
NECKS DOWN TO A 2 1/2" PITLESS ADAPTER; BALANCE OF
SYSTEM IS 4".

PUMP: IS A 604LD 100M07 INSTALLED BY: GLENNS ELECTRIC
PUMP AT APPROX. 115' STATIC AT 65' LOGAN, UT. 801-752-4178
STORAGE TANK: 12,800 GALLON CAPACITY - GRAVITY FEED SYSTEM.

LOW WATER DEMAND ON PUMP

ELEVATION AT APPROX. 4960'

USE ELEVATION AT APPROX. 4745'

PRESSURE AT POU WAS 64 PSI

USE: 16 HOMES CURRENTLY HAVE ACCESS TO SYSTEM.

TESTED BY: SORENSEN ENGINEERING, IF

TEST 225 GPM WITH HEAD AT 90'

Have conditions of permit approval been met? ☒ yes

☐ no

MICROFILMED
AUG 12 1997

Measured Method:

$$Q = \frac{4P(8.814)(EFF)}{LIFT + (751 \times 2.308)} = \frac{205}{7(8.814)(.7)} = \frac{205}{43.188} = 0.2105$$

DIRECTION RATE RESTRICTED TO PEAK AT 0.16 CFS.

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

~~$57224.8 = 27247.1 \times 57144.9$~~

2. Volume Calculations for Other U

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 8 \times 3.5 = 28 \text{ AK}$$

2. Volume Calculations for Other Uses: ~~12~~ 12 hours $\times 1.2 \text{ g/L} = 14.4 \text{ g/L}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

DOMESTIC

From

Period of Use:

01

12/31

U (cts)

Rate of Diversion

(E) A

Annual Volume

2. Recommended Amendments

Change P.D. as reflected above

Add P.D. as reflected above

None _____
Other _____

I. AUTHENTICATION

Reviewer

Field Examiner's Name,


Date 7-19-96

Date 3/6/95

MICROFILMED

2007 7 1 214


SEAL



apped, edited, and published by the Geological Survey
ntrol by USGS and USC&GS-

ography by photogrammetric methods from aerial

13-7499



Place of use
under permit

MICROFILMED
AUG 12 1967

WELL AND CONTROL VAULT


WELL



CONTROL + FLOWMETER VAULT

FLOW

WELL



MICROFILMED

AUG 12 1987

13-7499

April 16, 1993

MIDWAY WATER ASSOC
C/O LYNN BINGHAM
2535 N 4000 W
DAYTON ID 83232

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 13-07499

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

MICROFILMED
MAY 20 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 13-07499

Reviewed by Klg

Date 1/22/93

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

domestic - 12
Correct Uses? yes

SOURCE OF WATER

Surface water source
Ground water source

yes Drilling permit required?
data yes Copy in the file? Drilling Permit No. 13-92-ED11
35 Amount paid for permit yes Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount Submitted
yes Correct?

MEASURING DEVICE

NA Required?
/ Installed?
/ Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due / -
No. of days late / =
Priority Date / +
New Priority Date /

DEFICIENCIES OR ACTION ITEMS

Cannot locate well drilling permit
need additional \$ for drilling permit
no well log has been filed
proof acceptable
026978

DATA ENTRY

New Address _____

Proof Made 1/19/93
4/16/93 Klg

APR-15-'93 THU 10:41

: IDWR EASTERN REGION TEL NO: (208) 526-7177

#334 P02

**USE TYPEWRITER OR
BALLPOINT PEN**

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

RECEIVED

MAR 15 1993

[illegible]

13.7499

~~MAY 20 1993~~

IF ADDITIONAL RIGHTS IS NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 12, 1993

William H Dubbe
Dubbe Drilling and Pump Co
PO Box 4465
Pocatello, ID 83205

Re: Permit No. 13-07499 - Midway Water Association
Drilling Permit No. 13-92-E-0011-000
Drilling Date: September 13 - 16, 1992
Proposed Location: 15S, 38E, Section 02, SW $\frac{1}{4}$ NW $\frac{1}{4}$

Dear Mr. Dubbe:

On March 22, 1992, the Department corresponded with you and requested that you submit a copy of the above referenced well log. We asked that it be submitted within 20 days of the date of mailing. As of this date, we have not received the well log.

As we explained before, we cannot continue processing the permit until you have submitted a completed well driller's report. Furthermore, since all well drillers's report are required to be submitted within 30 days of completion of the well, you are in violation.

The Department will allow an addition 15 days for you to submit the log. If, at the end of that time, we have not received the log, the Department will begin taking action against you for failure to timely submit the log.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

MICROFILMED

MAY 20 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 22, 1993

William H Dubbe
Dubbe Drilling & Pump Co
PO Box 4465
Pocatello, ID 83205

Re: Permit No. 13-07499 - Midway Water Association
Drilling Permit No. 13-92-E-0011-000
Drilling Date: September 13 - 16, 1992
Proposed Location: 15S, 38E, Section 02, SW $\frac{1}{4}$ NW $\frac{1}{4}$

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a well log which should have been submitted 30 days after completion of the construction of this well.

While it is possible that you have submitted the log, we have been unable to locate it. Please supply me with another copy. Please address any correspondence directly to me. Your response should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of the permit holders system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: Permit Holder

MAY 20 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 2, 1993

Midway Water Association
c/o Lynn Bingham
2535 N 4000 W
Dayton, ID 83232

Re: Water Right Permit No. 13-07499
Drilling Permit No. 13-92-E-0011-000

Dear Mr. Bingham:

On February 1, 1993, the Department corresponded with you and explained the need to submit a copy of the well drillers report and an additional \$165 to upgrade your drilling permit for non domestic use. We asked that this information and fee be submitted within 30 days of the date of mailing.

As of this date, the Department has received neither the drilling report or the required fee. The Department will allow an additional 15 days in which to submit the required information.

Please note that one of the conditions of your water right permit requires that you comply with the well drilling requirements of Section 42-235, Idaho Code. If you fail to submit the requested fee and information, you will be in violation of your water right permit.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

RECEIVED

MAY 20 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 1, 1993

Midway Water Assoc
c/o Lynn Bingham
2535 N 4000 W
Dayton, ID 83232

Re: Water Right Permit No. 13-07499

Dear Mr. Bingham:

Thank you for calling the Department and supplying me with the drilling permit number. I have since obtained a copy of the drilling permit. However, a couple of problems still exist.

First of all, you indicated that you possessed a copy of the well drillers report. Unfortunately, the Department has not received a copy of the report as of this date. You indicated that you could forward a copy of the report you possess. That would be greatly appreciated.

Secondly, the drilling permit indicates you obtained and paid for a "domestic" drilling permit. However, as indicated on the enclosed drilling permit application sheet, your water use does not meet the domestic requirements. Please note Section II - Drilling Permit Definitions which states in part:

Domestic purposes does not include: Water for multiple ownership subdivisions . . . unless the use meets the diversion rate . . . set forth in Paragraph A.2. . .

The diversion rate set forth in Paragraph A.2 is 0.04 cfs. Since your water right permit allows the diversion of 0.16 cfs, you do meet the domestic drilling permit requirements. You should have obtained a non-domestic permit.

Therefore, at this time, the Department will require that you upgrade your domestic drilling permit to a non-domestic drilling permit. The cost of a non-domestic drilling permit is \$200. Since you have already submitted \$35, you need only submit an additional \$135 to be in compliance.

RECEIVED

MAY 20 1993

Please forward the additional \$135 fee and the copy of the well drillers report within 30 days of the date of this mailing. The Department will then continue with the analysis of the proof of beneficial use and the licensing process.

In the mean time, if you have any questions or if we can be of any further assistance, please feel free to contact the Department.

Sincerely,

Karen L. Gustafson

Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED

MAY 20 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 22, 1993

Midway Water Assoc
c/o Lynn Bingham
2535 N 4000 W
Dayton, ID 83232

Re: Permit No. 13-07499

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before the opening of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

44-20 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 20, 1992

MIDWAY WATER ASSOC
% LYNN BINGHAM
2535 N 4000 W
DAYTON ID 83232

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 13-07499

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as

RECEIVED

DEC 08 1992

DEC 8 1992

far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

Brenda L. Miller

BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosure

RECEIVED
DEC 08 1992

APPLICATION FOR PERMIT REVIEW

Application #: 13-7499 Date: 11-17-92 Reviewer: Brenda Miller

SYSTEM COMPLETED:

- No - 26A-P17
 Complete in 1 year - P16
 Yes
 Proof not submitted - P16
 Proof submitted - N/A

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
 - NMR <fl ch>, A of C BEAR RIVER BASIN
 LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

- Approved w/permit - P99
 Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. 13R
 Surface water - R04, R04-01H-P01(LT.2 w/pump)
 - R04-01J-P08(GT.2), NMR <flow chart>
 Groundwater - P05
 Irrigation Districts - 023
 Canal Co. Areas - 023
 Drainage Districts - 024
 Boise Front (63) - 058 (Groundwater)
 Swan Falls Flag - (1, Blank or Other)
 Trust - 051-052-053-P74(Consumptive Uses)
 Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
 Boise (63) - 05A & 11E
 Payette (65) - 047-P04, 059-P71
 Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
 042(req.), 002-P06(MD), 07A(Spec.),
 044(Policy 5G)
 Power - Use Power Review
 Mining - 06A, 010, or 09E-P10 & 054(req.)
 Storage - 18A-for multiple measuring devices(In WD),
 18B-P09(Size)
 Rec/Wildlf/Aes - 027(Non-Consumptive)
 Domestic - 021 (Boise River - upstream from L Peak)
 (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date: -

Other Conditions/Remarks: -

12-01-1993

W04

advertiser

Dist. for staffing: 04-Aug-1992
Submitted for advertising: 8-5-92

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HW DATE 8-5-92 APPLICATION NO. 13-07499
APPLICANT NAME: MID-WAY WATER ASSOC.

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☐ No Field check required
☐ Yes ☐ No Field check by _____
☐ Yes ☐ No Field report attached
☐ Yes ☐ No Critical groundwater area
☐ Yes ☐ No Groundwater management area
☐ Yes ☐ No Send dam safety information
☐ Yes ☐ No Send power requirement letter
☐ Yes ☐ No Send fish farm requirement letter
☐ Yes ☐ No Power residency affidavit
☐ Yes ☐ No Power efficiency form
☐ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☐ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

_____ Date Requested _____

<u>SEND COPIES TO</u>	_____ Idaho Dept. of Health & Welfare	_____ U.S. BLM
<i>None</i>	_____ Idaho Dept. of Fish & Game	_____ U.S. Forest Service
	_____ Idaho Dept. of Lands	_____ Water District
	_____ Adjudication Bureau Unit	_____ Other

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

<u>Yes</u>	<u>No</u>	Publication dates & paper, recorded on application
<u>Yes</u>	<u>No</u>	Protests received
		Final date for protest <u>9-1-92</u>
<u>Yes</u>	<u>No</u>	Protests, dates, resolution of protest, recorded on application
<u>Yes</u>	<u>No</u>	Recommendations, attached
<u>Yes</u>	<u>No</u>	Measuring device required
<u>Yes</u>	<u>No</u>	Access port required
<u>Yes</u>	<u>No</u>	Will water be delivered by watermaster? If yes, what Dist. _____
<u>Yes</u>	<u>No</u>	Special conditions of approval or cover letter below.

See below for additional information

Date of priority recommended 8-3-1992

By ALW Date 10-6-92

By _____ See below for additional information
Date _____

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from

_____City	_____Idaho Fish & Game	_____Irrigation District
_____County	_____Idaho Health & Welfare	_____Canal Company
_____Reservations	_____Division of Environment	_____Other

Project impacts/implications report

COMMENTS

[illegible]

21-Aug-1992

MIDWAY WATER ASSOC
2535 N 4000 W
DAYTON, ID 83232

RE: Application No. 13-07499

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Preston Citizen on August 8 & 27, 1992. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in about five weeks. State Office Personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,


Harold W. Jones
Water Right Supervisor

HWJ:rb

MICROFILMED

DEC 08 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 12, 1992

THE PRESTON CITIZEN
P.O. BOX 472
PRESTON, ID 83263

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 7, 1992.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED
DEC 08 1992

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

DEC 08 1982

13-07499

MIDWAY WATER ASSOC
2535 N 4000 W
DAYTON, ID 83232

Source: GROUNDWATER

Diversion Pt: SWNW Sec 2 T 15S R 38E in FRANKLIN County.

Use: DOMESTIC (.160 CFS)
Total Diversion: (.160 CFS)

Date Filed: 8/ 3/1992

In: FRANKLIN County

T14S R38E S35	SESE			
T15S R38E S01	SWNW	NWSW	SWSW	
S02	SENE	NESE	SESE	
S12	SENE	NWNW	NESE	NWSE

MICROFILMED

DEC 08 1992

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 7, 1992.

R. KEITH HIGGINSON, Director

Published: 8/27/1992 & 9/ 3/1992

MICROFILMED
DEC 08 1992