


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

D. Marshall Bechtel
(Applicant)

2. Measurements: SEE ATTACHED SPRING FLOOD MEASUREMENTS SHEET.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo


Well or Diversion No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

Scale: 1" = _____
_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
_____ Aerial Photo Attached (required for irrigation of 10+ acres)
_____ Photo of Diversion and System Attached




3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



UPPER
POD
SPRING

MIDDLE
SPRING
BOX



Marcel
Beckstead

T 75
29.5
HEL/NW

T 145, R 38E

DOMESTIC
POD #1

PASTURE
STOCK

LOWER
SPRING


13-07394



MICROFILMED
NOV 29 1996

21 NHCL
21.2

DOMESTIC / STOCK



PLACES OF
USE:
DOMESTIC
#1 + 2
STOCKWATER



PLACES OF
USE:
DOMESTIC
#3 + #4

MICROFILMED
NOV 29 1996

13-07394

IRRIGATION

4/5

IRRIGATION
WEST OF
PAVED HWY,
(ABOVE).

POH



IRRIGATION
EAST OF
HIGHWAY

POH



MICROFILMED
NOV 29 1996

13-07394

315

MIDDLE
SPRING
CONNECTION
TO MAIN
PIPELINE



FLOW
BYPASSING
SPRING
SOURCE
MIDDLE



MICROFILMED
NOV 29 1996

13-02394

215



INCOMING
WATER FROM
UPPER SPRING
PICKUP POINT
OF MAIN
PIPELINE
CAN TAKE
WATER FROM
MICHAELS CK.



SPRING
SOURCES
POD =

MICROFILMED
NOV 29 1996

13-07394

D. MARCEL BECKSTEAD
IRRIGATION, STOCKWATER, DOMESTIC

1 of 5



SPRING
SOURCE
LOWER



STORAGE
POND OFF
LOWER SPRING
SOURCE

MICROFILMED
NOV 29 1996

13-07394

T14S, R38E

UPPER
STRING

MIDDLE
STRING


SPRING
LOWER

#1 DOM.
#2
POW
EXAMINATION

#3 DOM
#4 DOM

13-07394

MICROFILMED
NOV 29 1956



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 13-7394

1. Owner: D. Marcel Beckstead

Phone No. 747-3491

Current Address: _____

2. Accompanied by: Shoety Beckstead EXAM. DATE: 5-18-88

Address: 6515 N.W. side Hwy, CLIFTON Id. Phone No. 747-3703

Relationship to Permit Holder: SON

3. Source: Springs tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).



13-7394
T. 145
R-39E

MICROFILMED
NOV 29 1996

Spring

Corral

Creek

Michael

Creek

Buck Peak

Davis
Basin

BOUNDARY

NATIONAL
FOREST

RIDGE

OXFORD

BM
4849

TRAIL

JEEP

TRAIL

BM
4817

BM
4824

5090

5340

BM

4807

4962

4839

BM
4845

BM

4821

4996

4767

4748

4744

4

5

6

18

19

20

21

5200

5026

5200

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

5000

13-7394

T-14S
R-38E

48
Early Palace

D-1
Roy Pe

D-354
D. Marcel Beck

D-68
Dale Ralphs

D-77
Nord K. Westover

D-81
Wayne Smart

D-78
North Westover
MICROFILMED
NOV 29 1996

D-80
Willard Bailey

13-7394

R38E

T14S

819
7776

Spring (B)

Spring (C)

Spring (A)

Box (A)

main line

5 4 2.6
8 2
8 2.8

9 10 11
16.9 7.7 13.1

15 14
8.2 10.0

16 17
15.0 12.9

18 19
13.1 22.6

21 5.7

22 15.0
26.9

20 20.7

6 18.5

T75
4 28.5

3 8.5

4 14.2

11 14.7

12 14.4

9 8.5

10 8.0

19 26.1

11 76.6

10 12.9

9 10.0

T76
7 9.0

6 7.3

15 22.5

16 2.3

17 5.4

16 8.4

15 1.4

14 2.3

13 4.8

12 1.4

11 2.2

10 12.2

9 15.2

8 4.1

7 15.2

6 12.2

5 12.2

18 6.6

17 2.8

16 6.5

15 2.2

14 2.7

13 4.0

12 29.4

11 7.8

10 3.4

9 19.7

8 19.7

19 11.5

18 15.8

17 9.7

16 2.2

15 2.7

14 29.4

13 4.0

12 29.4

11 7.8

10 3.4

9 19.7

T80 6.5

T81 4 19.0

3 3.8

2 6.8

1 32.2

5 8.6

4 3.2

3 10.7

2 7.4

1 5.7

12 21.4

11 7.4

10 7.4

13-7394

This pond collects water From All three
springs A, B, & C.



Spring 'C' Flow ↗

MICROFILMED
NOV 29 1996

13-7394



RECORDED
APR 28 1973

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07394

Priority: July 16, 1983

Maximum Diversion Rate: 0.23 CFS

Maximum Diversion Volume: 98.7 AF

This is to certify, that D MARCEL BECKSTEAD
6645 N WESTSIDE HWY

CLIFTON ID 83228 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 13, 1983; and
has submitted Proof of Beneficial Use on August 5, 1985. An examination indicates
that the works have a diversion capacity of 0.290 cfs of water from:

SPRINGS

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.23 CFS	83.3 AF
STOCKWATER	01/01 to 12/31	0.20 CFS	11.8 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF
	Totals	0.23 CFS	98.7 AF

LOCATION OF POINT(S) OF DIVERSION: SESWSE, Sec. 8, Township 14S, Range 38E
SWNWSW, Sec. 9, Township 14S, Range 38E
SWNENW, Sec. 17, Township 14S, Range 38E
FRANKLIN County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14S	38E	8	NESE 5			5
		9	NESW 8	NWSW 12		20

Total number of acres irrigated: 25

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>
14S	38E	9	NWSW

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>
14S	38E	9	NWSW SWSW

MICROFILMED
NOV 29 1996

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially

State of Idaho
Department of Water Resources

Page 2


WATER RIGHT LICENSE

WATER RIGHT NO. 13-07394

CONDITIONS OF APPROVAL AND REMARKS

- used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
 3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
 4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
 5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
 6. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6th day of November, 1996.


Acting for KARL J. DREHER, Director

MICROFILMED
NOV 29 1996

RECEIVED

OCT 28 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 13-07394**Date of Priority:** July 16, 1983**Maximum Diversion Rate:**

0.23 CFS

Maximum Diversion Volume:

98.7 AF

Comes now

D MARCEL BECKSTEAD

6645 N WESTSIDE HWY

CLIFTON ID 83228

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 13-07394, and requests that the permit be changed as follows:

Source: SPRINGStributary to **SINKS**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.23 CFS	83.3 AF
STOCKWATER	01/01 to 12/31	0.20 CFS	11.8 AF
DOMESTIC	01/01 to 12/31	0.08 CFS	3.6 AF
	Totals	0.23 CFS	98.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWSE , Sec. 8, Township 14S, Range 38E
SWNWSW , Sec. 9, Township 14S, Range 38E
SWNENW , Sec. 17, Township 14S, Range 38E
FRANKLIN County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
14S	38E	8	NESE	5		5
		9	NESW	8	NWSW	12
						20

Total number of acres irrigated: 25

PLACE OF USE: STOCKWATER

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>
14S	38E	9	NWSW

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>
14S	38E	9	NWSW
			SWSW

MICROFILMED
NOV 29 1996

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 13-07394

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Chilton, Idaho, this 25 day of October, 1976.

D. Maral Bertalan
(Signature)

MICROFILMED

NOV 29 1986

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 13-07394

FOR DEPARTMENT USE ONLY

Preliminary check by Ket Fee = \$150.00 Received by Ket # 0026251 Date 10.28.96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 13-07394 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
6. Domestic use is for 3 homes.

Witness my hand this 6th day of November, 1996.


Acting for KARL J. DREHER, Director

MICROFILMED
NOV 28 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
)
NO. 13-07394 IN THE NAME OF)
)
D. MARCEL BECKSTEAD)
_____)

ORDER ADVANCING
DATE OF PRIORITY

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 13-07394 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 13-07394 to appropriate the public waters of the State of Idaho with a proposed priority of June 13, 1983.

2. On December 8, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on February 6, 1987.

3. The license examination fee was received on March 11, 1987, 33 days late.

CONCLUSIONS OF LAW


1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 13-07394 should be advanced 33 days.

ORDER

IT IS HEREBY ORDERED that the date of priority of Permit No. 13-07394 is advanced to July 16, 1983.

Dated this 29th day of October, 1996.


Chief, Water Allocation Bureau

MICROFILMED
NOV 29 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
AUG 5 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 13-7394

Name(s) of Permit Holder: D Marcel Beckstead

Post Office Address: Clifton Idaho 83228

Telephone No. 747-3491

Source of Water: Spring

Extent of Use:

Domestic 2 (number of households)

Stockwater 200 Dairy cattle (number and type of stock)

Irrigation 25 (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: Sept 28-1984

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

D Marcel Beckstead
(Name)

Clifton Idaho 747-3491
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

July 30-1985
Date

D Marcel Beckstead
Signature of Permit Holder (and Title, if appropriate)

PROFIT MFG

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant D. Marcel Beckstead Phone 747-3491

Post office address Clifton, ID 83228

2. Source of water supply springs which is a tributary of sinks

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 8 Township 14S

Range 38E B.M. Franklin County, additional points of diversion if any:

NENW, Sec. 17, NWSW, Sec. 9, T. 14S, R. 38E

4. Water will be used for the following purposes:

Amount 0.23 cfs for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.20 cfs for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.08 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.23 cubic feet per second and/or b. acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. collection pipes to distribution system

b. Height of storage dam feet, active reservoir capacity acre-feet; total reservoir capacity acre-feet, materials used in storage dam:

Period of year when water will be diverted to storage to inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is inches; proposed depth of well is feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 9 Township 14S

Range 38E B.M.

(2) Amount of power to be generated: horsepower under feet of head.

(3) List number of each kind of livestock to be watered 300 head dairy cattle

(4) Name of municipality to be served , or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe:

[illegible]

25


Decree No. 11-0882

b. Who owns the land to be irrigated or place of use

applicant to make this filing Agreement with property owner

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

D. M. B. B. B.
(Applicant)

Received by Kew Date 6/12/83 Time 1500 hrs
Preliminary check by SM Fee \$ 45.00
Received by BP Date 6/13/83 # 30857
Publication prepared by BP Date 6/22/83
Published in Peston Q. H. 22
Publication dates 6/30 & 7/7/83
Publication approved Q. H. Date 8-8-83
Protests filed by: one
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Q. H.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 13-7394, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 26th day of August, 1983.

J. Allen Saylor
Chief, Operations Bureau

#875
JUL 28 1983

No 1877

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Franklin } ss.

J. Walter Ross

being duly sworn,

deposes and says:

That he is the Co-Publisher of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

6-30

1983 and ending

with the issue of

1983

Fee \$ 16.85

Subscribed and sworn to before me this 31st day

of July 1983

K. D. Allen

Notary Public, Residing at Preston, Idaho

My Commission Expires June 7 1986

RECEIVED

AUG 3 1983

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho.

13-7394

BECKSTEAD, D. MARCEL
CLIFTON, ID 83228

Source: SPRINGS trib. to SINKS

Date Filed: 06/13/1983

Diversion Pt: SWSE Sec 08 T 14S R 38E NENW Sec 17 T 14S R 38E NWSW Sec 09 T 14S R 38E

Use: IRRIGATION (0.23 CFS)

STOCKWATER (0.20 CFS)

DOMESTIC (0.08 CFS)

In: NESE Sec 08 T 14S R 38E NESW NWSW Sec 09 T 14S R 38E FOR 25 ACRES.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 18, 1983.

KEN DUNN, Dir.

Published 6/30 & 7/7/83.

Legal No. 1877 -27L- Published June 30, July 7, 1983.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 7, 1996

D MARCEL BECKSTEAD
6645 N WESTSIDE HWY
CLIFTON ID 83228

RE: WATER RIGHT NO. 13-07394

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment. Also enclosed is an Order Advancing Date of Priority. Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosures

RECEIVED
NOV 14 1996

PRIORITY ADVANCEMENT REVIEW

TO: File 13-07394

FROM: Sharla Curtis

RE: Priority Advance Review

DATE: October 2, 1996

This memo is prepared to show the process for determining what elements were involved in advancement of the priority.

DATE

PERMIT

Permit priority Date: JUNE 13, 1983

EXAM FEE NOTICE

Exam Fee Notice Date: DECEMBER 8, 1986

Exam Fee/Info Sheet Received Date: MARCH 11, 1987

Exam Fee or Info Due Date: FEBRUARY 06 1987

Days Late: 33

NEW PRIORITY DATE

Original Priority Date: JUNE 13 1983

New Priority Date: JULY 16 1983

DATE: 10/2/96

BY: [Signature]



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

October 7, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

D. Marcel Beckstead
6645 N. Westside Hwy.
Clifton, ID 83228

RE: Permit No. 13-07394

Dear Mr. Beckstead:

Permit 13-07394 is currently being reviewed for licensing. The Department's field examiner recommended licensing your water right with a diversion rate of 0.23 cfs. However, because the examination fee submitted with your Proof of Beneficial Use was for diversion of 0.20 cfs, your license will be limited to this diversion rate.

If you want your water right license to reflect the 0.23 cfs found by the examiner, you must submit the additional examination fee of \$25.00 required for a diversion of 0.23 cfs, plus a late payment penalty of \$25.00, within 30 days. If we receive the examination fees after 30 days from the date of this letter, the priority date of your right will be advanced in accordance with Section 42-217, Idaho Code.

Before a license can be issued, your permit must also be amended to depict your water right as it has actually been developed. The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50 filing fee.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

Enclosures

LICENSE REVIEW CHECKLIST

PERMIT NO. 13-07394

DATE 10/24/96

REVIEWER: S H A R L A

NAME Change OK Address Change yes
 SOURCE Change OK Is change clarification of originally intended source? yes
 If not, prepare Notice of Intent to Void no
 POINT OF DIV Change OK Amendment required NO
 PLACE OF USE Change OK Amendment required NO
 Does map agree with written description? yes no

OVERLAPS no P/D no P/U

RATE OF DIV
 Permitted Rate .23 cfs
 Fee limit .20 cfs \$100⁰⁰
 Measured .29 cfs
 Theoretical — cfs

Recommended Total Div Rate .23 cfs if extra fee is pd.

ANNUAL VOLUME/
 NATURE OF USES Change OK

Use Volume Calculation
.20 Use 25 x 3.5 = 87.5 af 83.3
.20 Stock (300 dairy) 11.8 af
.08 Dom. 3 3 x 1.2 = 3.6 af
 SUBTOTAL 98.7 af

4/15-10/15

Flow rate .23 cfs X 183 days X 1.982 = 83.3 af
 Total volume recommended 98.7 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS 13 homes.

CONDITIONS no Watermaster Control WD# —
no GW Measurement/Measuring Device
30 Overlap
no Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo 13 lmt

1st Amend Letter P41, P38
 2nd Amend Letter P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 11 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 13-07394

1. Owner: D. MARCEL BECKSTEAD Phone No. (208) 747-3491

Current Address: 6645 N., WEST SIDE HWY, CLIFTON, IDAHO 83228

2. Accompanied by: OWNER EXAM DATE: 7/10/95

Address: N/A Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: SPRINGS tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 13-04029, 13-04233, 13-07156

2. Other water rights with the same point of diversion: 13-04029

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SW	SE	8	14S	38E	FRANKLIN	U.S.G.S. TOPO + AERIAL PHOTO
		SW	NW	SW	9	14S	38E	"	"
		SW	NE	NW	17	14S	38E	"	"

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
14S	38E	8													5				5
		9									8	12							20

MICROFILMED
NOV 29 1995

TOTAL 25 ACRES

2. Measurements: SEE ATTACHED SPRING FLOOD MEASUREMENTS SHEET.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


1.
D. FLOW MEASUREMENTS

*Code to correspond with No. on map and aerial photo

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

4.

Scale: 1" = _____
Copy of USGS Quadrangle Attached Showing location(s) of _____
point(s) of diversion and place(s) of use (required).
Aerial Photo Attached _____
(required for irrigation of 10+ acres)
Photo of Diversion and System Attached _____



3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.

E. NARRATIVE/REMARKS/COMMENTS

UPPER SPRING FLOWS THROUGH A 4" PVC PIPE TO A COLLECTION BOX, WHERE A SECOND SOURCE CAN BE COMBINED FROM MICHAELS CREEK. FROM THIS UPPER COLLECTION BOX WATER FLOWS DOWN HILL TO A THE MIDDLE COLLECTION BOX. THIS MIDDLE COLLECTION BOX RECEIVES WATER FROM THE MIDDLE SPRING WHICH IS SLIGHTLY ABOVE UPHILL FROM THE BOX. FROM THIS MIDDLE BOX, WATER ENTERS A 6" MAIN LINE WHICH HAS LATERALS AND RISERS AT INTERVALS FOR IRRIGATION USAGE, BETWEEN THE BOX AND THE MANIFOLD SYSTEM SITUATED ABOVE THE DAIRY BARN. THE MANIFOLD IS USED TO DIVERT WATER TO 4 HOMES, DAIRY & STOCK WATER, AND IRRIGATION USAGE.

WATER FROM LOW SPRING FLOWS INTO THE POND AND IS USED ~~ONLY~~ MAINLY BELOW THE POND ELEVATION AND BELOW HIGHWAY FOR STOCKWATER & IRRIGATION.

UPPER & MIDDLE SPRINGS = RUNS 2 LATERALS

+ DOMESTIC (4)

40 SPRINKLER HEADS

+ STOCK

1 1/4" ORFICE

LOWER SPRING = RUNS 1 LATERAL

+ STOCKWATER

14 SPRINKLER HEADS

1 1/4" ORFICE

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
NOV 28 1986

F. FLOW CALCULATIONS

Measured Method:

$$\begin{aligned} \text{UPPER SPRING } Q &= 0.0416 \text{ CFS} \\ \text{MIDDLE SPRING } Q &= 0.1989 \text{ CFS} \\ \text{LOWER SPRING } Q &= 0.0524 \text{ CFS} \\ \text{TOTAL } Q &= 0.29 \text{ CFS} \end{aligned}$$

$$300 \text{ HEAD} \times 0.00065 = 0.195 \text{ CFS}$$

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$\begin{aligned} V_{IR} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 25 \times 2.5 = 62.5 \\ V_{DR} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.25 \times 183 \times 1.9835 = 83.48 \\ V &= \text{Smaller of } V_{IR} \text{ and } V_{DR} = 62.5 \end{aligned}$$

2. Volume Calculations for Other Uses:

$$300 \text{ HEAD} \times 356 \text{ DAYS} = 3,822,500 \text{ GALS/YR} = 11.8 \text{ AFA} \\ 325,850 \text{ GALS/YR}$$

H. RECOMMENDATIONS

PERMIT LIMITS TO 0.23 CFS — IRRIGATION WILL NOT EXCEED 0.02 CFS / ACRE IN COMBINATION WITH OTHER WATER RIGHTS.

2. Recommended Amendments

Change P.D. as reflected above
Change P.U. as reflected above

Add P.D. as reflected above
Add P.U. as reflected above
None
Other

I. AUTHENTICATION

Field Examiner's Name

SIMPSON

Date

1/10/96

Reviewer

Date

2-15-96

SEAL

MICROFILMED

NOV 29 1996

UPPER
POD
SPRING

UPPER
SPRING
BOX



402
D Marcel
Beckstead

MIDDLE
SPRING
BOX

Marcel
Beckstead

HEL/AM

29.5

T75

HEL
21.6

TWYS, 438E

HEL
19
29.6

DOMESTIC
#1
POU

STOCK

D Marcel
Beckstead

LOWER SPRING

13-07394

2 12.2

HEL/AM
14.4
RO

15
12.4

HEL

HEL
4.5

21
21.2

HEL

SPRING FLOW MEASUREMENTS

① UPPER SPRING

S_g IN 15.87
 " IN 15.71
 " IN 16.55

AVERAGED MEASUREMENTS (S_g IN 16.04 SEC)

$$\frac{S_{gls} \times 60 \text{ SEC}}{16.04 \text{ SEC 1 MIN}} = \frac{18,703.6 \text{ MPH}}{448.8} = \boxed{0.0416 \text{ CFS}}$$

FLOWS
 MEASURED
 5/18/88

0.004 CFS


② MIDDLE SPRING

S_g IN 3.64
 " IN 3.04
 " IN 3.91


AVERAGED (S_g IN 3.36 SEC)

$$\frac{S_{gls} \times 60 \text{ SEC}}{3.36 \text{ SEC 1 MIN}} = \frac{89,285.6 \text{ MPH}}{448.8} = 0.1989 \text{ CFS}$$

0.038 CFS

PYGMY
METER

③ BOTTOM SPRING

PYGMY
METER

$$= \boxed{0.0524 \text{ CFS}}$$

0.0445 CFS

0.0865 CFS

1988 MEAS-
UREMENTS

$$40 \text{ REV. IN } 57 \text{ SEC} = .728$$

$$0.072 \text{ AREA} \times .728 = \boxed{0.0524 \text{ CFS}}$$

FLOW INTO POND

TOTAL CFS AT SPRINGS =

0.293 CFS

MICROFILMED
 NOV 29 1986

13-07394

DOMESTIC / STOCK

DOMESTIC

PLACES OF

USE:

DOMESTIC

#1 + 2

STOCKWATER

PLACES OF

USE:

DOMESTIC

#3 + #4

MICROFILMED
NOV 29 1996

13-07394

IRRIGATION

4/5

IRRIGATION
WEST OF
PAVED HWY,
(ABOVE).

POK



IRRIGATION
EAST OF
HIGHWAY

POK



MICROFILMED
APR 23 1966

13-02394

315

MIDDLE
SPRING
CONNECTION
TO MAIN
PIPELINE



FLOW
BYPASSING
SPRING
SOURCE
MIDDLE



PHOTOFILMED

13-02394

APR 29 1956

215

INCOMING
WATER FROM
UPPER SPRING

PICKUP POINT
OF MAIN
PIPELINE

CAN TAKE
WATER FROM
MICHAELS CK.



SPRING
SOURCES

POD 2



MICROFILMED

NOV 29 1956

13-07394

D. MARCEL BECKSTEAD
IRRIGATION, STOCKWATER, DOMESTIC

1 of 5

SPRING
SOURCE
LOWER




STORAGE
POND OFF
LOWER SPRING
SOURCE



MICROFILMED

NOV 29 1986

13-07394



T145, A38E

13-07394

MICRO-PLANT

Clifton

AQUEDUCT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 13-7394

1. Owner: D. Marcel Beckstead Phone No. 747-3491
Current Address: _____

2. Accompanied by: Shorty Beckstead EXAM. DATE: 5-18-88
Address: 6515 N.W. side Hwy, CLEFFTON Id Phone No. 747-3703
Relationship to Permit Holder: SON


3. Source: SPRINGS tributary to —

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED
NOV 29 1986

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

A) Spring A to 4" manhole to a collection box which also collects water from another source called Michaels Creek then both sources are collected and sent out through 1 manhole to run in another collection box which collects water from spring B and the surface water from spring B also. Then the water from spring A, B, and Michaels Creek are sent through a 4" collection box main line to dairy barn, 3 homes, irrigation and then to a pond.

☒ S

Well or Diversion Identification No.*	N.A.				
Motor Make	—				
Hp	—				
Motor Serial No.	—				
Pump Make	—				
Pump Serial No. or Discharge Size	—				

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Bucket					2 gal.	
stop watch						

2. Measurements:

Spring 'A': 2 gal = 71 sec., 2 gal = 67 sec.

Spring 'B': pipe in collection box filled, 2 gal = 7 sec., 2 gal = 7 sec.

The surface flow through a 4" pipe filled 2 gal = 10 sec., 2 gal = 10 sec.

Spring 'C': measured through 4" AL. pipe base 2 gal = 6 sec., 2 gal = 6 sec.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:


$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED
NOV 29 1996



13-7394

T-145
R-38E

10	11	12
7.7	13.1	23.1
15	14	13
8.2	10.0	11.9
16	17	18
15.0	12.9	13.1
		19
		22.6

21
5.7

22
16.0
26.9

20
20.7

T75
4
28.5

8
8.9

11
19
26.1

11
26.6
2.9

SPRING

T76
7
9.0

16
7.3

11
14.7
(C)

12
14.4

Dale Ralph

D-77
Nord K.
Westover

R38E

T14
S

D-78
MICRO
North Westover

NOV 2 1936

T79
8
15.8

19
20

14
29.4

T80
6.5

T81
4
19.0

3
3.8

2
6.8

32.2

D-81
Wayne Smart

13-7394

21.4

2
7.4

5
5.7

4
10.7

13-7394





This pond collects water from all three
springs A, B, & C.



Spring 'C' Flow →

MICROFILMED
NOV 29 1956

13-7394



13-7394

4/86

RECEIVED

MAR 11 1987

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 50.00
Date 3-11-87
Receipt # 41092
Receipt by MM
Sent to S.O. 4-3-87

RECEIVED

APR 06 1987

1. Permit No. ? 13-7394

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

- ☒
- I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: D Marcel Beckstead3. Post Office Address: Clifton Idaho 83228Telephone No. 247-34914. Source of Water: Springs

5. Extent of Use:

Domestic 3 (No. of households) Stockwater 500 (No. and type of stock)Irrigation 100 (acres) Other/Remark Dairy cattle6. Total rate &/or volume for which proof is submitted ? Allow 0.270 cfs ESD 3/12/87 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

?

8. Person to contact to accompany the department representative during the field examination:

D Marcel Beckstead
(Name)Clifton Idaho 247-3491
(Address) (Telephone Number)

- ☐
- I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date March 1 - 1987Signature of Permit Holder (and title, if appropriate) D Marcel Beckstead

NOV 29 1996

copy returned.

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161


DEC 10 1986

Department of Water Resources

13-7394
BECKSTEAD, D. MARCEL
CLIFTON, ID 83228

December 8, 1986

EXAMINATION FEE NOTICE



Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when they have been certified.

NOV 29 1986

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

MICROFILMED

NOV 29 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 15, 1985

D. MARCEL BECKSTEAD

CLIFTON ID 83228

RE: Permit No. 13-7394

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED
NOV 29 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS MAR 12 1984

Permit No. 13-7394 Department of Water Resources
Name(s) of Permit Holder(s): D. Marcel Beckstein Eastern District Office
Post Office Address: Clifton, Idaho 83228
Tel. No. 747-3491

☒ I hereby certify that construction of diversion works for the above referenced permit began on 1 September 1983. I understand that I must
(date)
continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason by 1996 my control*:

MICROFILMED
NOV 29 1996

*Note: A financing difficulty is
not an acceptable reason.

12 Mar 1984
Date

D. Marcel Beckstein
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

MAR 13 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED
NOV 29 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138117

BECKSTEAD, D. MARCEL
CLIFTON, ID 83228

PROOF DUE NOTICE

JUNE 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 13-7394 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BECKSTEAD, D. MARCEL
CLIFTON, ID 83228

SEPTEMBER 14, 1983

RE: PERMIT NO. 13-7394

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

July 20, 1983

RE: Application for Permit No. 13-7394 BECKSTEAD
Claim to a Water Right No. 13-4233 RUSHTON IRRIGATION CO.
13-4234 WHITNEY
13-4235 "
13-4236 "
13-4237 "
13-4238 HALL
13-4239 "

Preston Citizen
Box 472
Preston, ID 83263

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on June 30 and July 7, 1983.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 18, 1983.

KEN DUNN, Dir.

Published 6/30 & 7/7/83.

13-7394

BECKSTEAD, D. MARCEL

CLIFTON, ID 83228

Source: SPRINGS trib. to SINKS

Date Filed: 06/13/1983

Diversion Pt: SWSE Sec 08 T 14S R 38E NENW Sec 17 T 14S R 38E NWSW
Sec 09 T 14S R 38E

Use: IRRIGATION	(0.23 CFS)
STOCKWATER	(0.20 CFS)
DOMESTIC	(0.08 CFS)

In: NESE Sec 08 T 14S R 38E NESW NWSW Sec 09 T 14S R 38E FOR 25 ACRES