


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne L. [Signature]
(Applicant)

T14S, R38E


POD SPRING

POD WELL



13-07392A

(BAND) 3668 III NW
DAYTON 5 MI.
PRESTON (U.S. 91) 12 MI.



7145, 138E

35.2 Nord Westover

Planted Pasture

Native Pasture

20 3.5

182

2 9.1

Pasture

3 13

397 Willard Gailey

32.2 4" MAIN LINE

313 Wayne Smart

4" MAIN LINE

LATERAL

307 17.6 John Sant

SPRING + STORAGE



13-07392 A

16	15
21	3

WAYNE SMART
DOMESTIC / STOCK / IRRIGATION

1013

VIEW OF
SPRING AND
POINT OF
DIVERSION
STORAGE
RESERVOIR



PLACE OF
KSE
DAILY COWS



13-07392A

213

DOMESTIC
USE



DOMESTIC
USE



13-07392A


3.13

DOMESTIC
USE



13-07392A

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DOMESTIC AT WELL	FRANKLIN	5	SUBMERSIBLE		1 1/4"
IRRIGATION	GOULD	15	FRANKLIN		4"
BOOSTER PUMP	CENTURY	15			2"


*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE	U.S.G.				0-200	

2. Measurements: _____





7145. R38E

Nord Westover

Planted Pasture

Native Pasture

Willard Gailey

Wayne Smart


John Sant

WELL



13-073928

16
21



7145. R38E

35.2 Nord Westover

Planted Pasture

Native Pasture

Willard Gailey

Wayne Smart


John Sant



13-07392B

16/15
21/2

FIELD NOTES




13-07392 B

WAYNE C. SMART

1/1

WELL +
BOOSTER
PUMP
POD #2



↑
WELL

↑
BOOSTER

7 10 '95

PLACE OF
USE
BELOW
ROADWAY
(EAST)



7 10 '95

13-07392B

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES **APPROVED**
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Wayne Cecil Smart Phone 747-3556
Post office address Rt. #1 Box 159, Clifton, ID 83228

2. Source of water supply groundwater and spring* which is a tributary of sinks

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 16 Township 14S
Range 38E B.M. Franklin County, additional points of diversion if any: _____

*See remarks section for period of use and type of use for springs.

4. Water will be used for the following purposes:

GROUNDWATER SOURCE

Amount 0.08 cfs for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.13 cfs for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 2.64 cfs for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: From Spring 0.11 cfs: From G.W. 2.85 cfs = 2.96cfs

a. 2.96 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump, 10,000 gal.
collection tank from spring to a common system to three homes
and dairy barn

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 12 inches; proposed depth of well is 210 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 16 Township 14S
Range 38E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 120 dairy cattle

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____


[illegible]

Claim for first home on spring in February 1, 1882.

*Springs: 0.06 cfs	For irrigation from 4/1 to 11/1
0.06 cfs	For domestic from 1/1 to 12/31
0.11 cfs	For stockwater from 1/1 to 12/31

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Wayne L. [Signature]
(Applicant)

Proposed Priority 5-27-83

Quoted By Kaul 5-27-83

Received by _____ Date _____ Time 2:15 p.

Preliminary check by HUS Fee \$ 85.00

Received by QAD Date 5-27-83 # 56338

Publication prepared by BP Date 6/1/83

Published in Preston Citizen

Publication dates 6/9 & 6/16/83

Publication approved BP Date 7/7/83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by BP

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 13-7392, and said application is hereby Approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore August 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 27th day of July, 1983.

A. Stuart Baylon

Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Franklin } ss.

J. Walter Ross

being duly sworn,

deposes and says:

That he is the Co-Publisher of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

June 9, 1983 and ending

with the issue of June 16, 1983

J. Walter Ross
Fee \$ 16.80

Subscribed and sworn to before me this 30th day of June, 1983.

Notary Public, Residing at Preston, Idaho

My Commission Expires June 7, 1986

JUL 6 1983

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

13-7392

SMART, WAYNE CECIL
RT. 1, BOX 159, CLIFTON, ID 83228

Source: GROUNDWATER
SPRING trib. to SNKS

Dated Filed: 05/27/1983
Diversion Pt: NESW Sec 16 T 14S R 38E

Use: IRRIGATION (2.96 CFS)
STOCKWATER (0.13 CFS)
DOMESTIC (0.08 CFS)

In: SWNE SENE SENW NESV NWSW
SWSW NESE NWSE Sec 16 T 14S R 38E FOR 132 ACRES


The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JUNE 27, 1983.

KEN DUNN, Director

Published 6/9 & 6/16/83.

Legal No. 1859 -27L- Published June 9, 16, 1983.

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____
 Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached of _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No. *	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DOMESTIC AT WELL	FARROW	5	SUBMERSIBLE		1 1/4"
TRICKLE IRRIGATION	GOULD	15	FARROW		4"
BOOSTER PUMP	GEORGE	15			2"


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAUGE	H.S.G.				0-200	

2. Measurements:




FLOW MEASUREMENTS


5 GALLON BUCKET / STOP WATCH

$$\frac{\frac{8.8}{5} \text{ SEC}}{\text{CM.}} = \frac{1.76}{\text{SEC}} \text{ GAL/SEC} \quad \frac{60 \text{ SEC/MIN}}{\frac{1.76}{\text{SEC}} \text{ GAL/SEC}} = \frac{34.09 \text{ GPM}}{448.8} = \frac{0.075}{\text{CFS}}$$

13-07392A

13-07392A





7145. R38E

Nord Westover

Willard Gayley

Wayne Smart

John Smart

Planted Pasture

Native Pasture

SPRING + WELL

STORAGE

13-07392 A

16	15
21	2

E. NARRATIVE

ON 7/10/95 A BENEFICIAL USE FIELD EXAM WAS CONDUCTED WITH WAYNE SMARTY ON PERMIT 13-07392, WHICH IS FOR DOMESTIC, ~~STOCKWATER AND IRRIGATION OF 132 ACRES.~~ WATER FOR THIS PERMIT IS FROM A SPRING ~~AND WELL.~~

THE SPRING SUPPLIES WATER TO A 17,000 GALLON STORAGE TANK AND THEN TO THREE HOMES, VIA GRAVITY FEED BURIED PIPELINES, ON DEMAND. WELL LISTED IN THIS PERMIT HAS A SUPPLEMENTAL 5HP SUBMERSIBLE PUMP WHICH IN TIMES OF DROUGHT IS USED TO FILL SPRING WATER STORAGE TANK.

~~THE WELL SUPPLIES IRRIGATION TO THE FIELDS EAST OF THE HIGHWAY AND WEST OF THE HIGHWAY, WHEN THE BOOSTER PUMP IS USED. NORMAL SYSTEM USE IS: THREE HAND LINES WITH; 40 RAIN BIRDS PER LINE; THE BIRDS ARE 5 TO 6 GPM RUBBER ORFICES. WATER FROM DAVIS CREEK CAN BE COMBINED AT THE BOOSTER PUMP WITH WELL WATER TO IRRIGATE LAND OR THE DAVIS CREEK WATER CAN BE ALLOWED TO IRRIGATE THE LAND ABOVE AND BELOW THE PUMP LOCATION VIA GRAVITY FLOW.~~

Gravity

FOR IRRIGATION PORTION REFER TO 13-07392B.

13-07392A

WAYNE SMART
DOMESTIC / STOCK / IRRIGATION

1013



VIEW OF
SPRING AND
POINT OF
DIVERSION
STORAGE
RESERVOIR




PLACE OF
KSE
DAILY COWS

13-07392A

213

DOMESTIC
USE



DOMESTIC
USE



13-07392A

313

DOMESTIC
USE



13-07392A

E. NARRATIVE/REMARKS/COMMENTS

SPRING FLOW HOLDING TANK (12' X 24' X 8')

OUTFLOW MEASUREMENT - SECS IN ① 9.78 SEC ② 8.45 SEC ③ 8.27 SEC

IRRIGATION PUMPS STATIC WATER - 60'

SYSTEM PRESSURE - 55 PSI

WELL DEPTH - 180'

PUMP DEPTH - 175'


DOMESTIC PUMP: DOWN IRRIGATION WELL - DEPTH 155'

DOMESTIC PORTION OF PERMIT 13-02292 (0.08 3 HOMES)

REDUCED TO 0.06 TO REFLECT 2 NEW HOMES ON SYSTEM; ONE
HOME ON ^{CLAIM} PERMIT # 13-04227.

Have conditions of permit approval been met? ☒ yes ☐ no

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DOMESTIC AT WELL	FRANKLIN	5	SUBMERGIBLE		1 1/4"
IRRIGATION	GOULD	15	FRANKLIN		4"
BOOSTER PUMP	CENTURY	15			2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE	U.S.G.				0-200	

2. Measurements: _____

E. NARRATIVE/REMARKS/COMMENTS

~~SPRING FLOW HOLDING TANK (12' X 24' X 8')~~

~~OUTFLOW MEASUREMENT - SECS IN ① 9.78 SEC ② 8.45 SEC ③ 8.27 SEC~~

~~IRRIGATION PUMPS STATIC WATER - 60'~~

~~SYSTEM PRESSURE - 55 PSI~~

~~WELL DEPTH - 180'~~

~~PUMP DEPTH - 175'~~

~~DOMESTIC PUMP: DOWN IRRIGATION WELL - DEPTH 155'~~

~~DOMESTIC PORTION OF PERMIT 13-02292 (0.08 3 HOMES)~~

~~REDUCED TO 0.06 TO REFLECT 2 NEW HOMES ON SYSTEM; ONE HOME ON PERMIT # 13-04227.~~

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

✓ Additional Computation Sheets Attached

Measured Method:

~~SPRING FLOW = 0.235 CFS~~~~STOCK WATER = 0.08 CFS~~

$$\text{SONIC METER READING} = \frac{230.622 \text{ E-06 PM}}{448.8} = 0.51 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 117 \times 3.5 = 409.5 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.51 \times 183 \times 1.9835 = 185.12 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 185.12$$

2. Volume Calculations for Other Uses:

~~DOMESTIC 1.2 x 2 HOMES = 2.4 AFA~~

~~STOCK WATER~~

~~120 DC x 0.00065 = 0.08 CFS~~

~~120 DC x 0.0391 = 4.692 AFA~~

DAIRY
COWS**H. RECOMMENDATIONS**SYSTEM DESIGN + PUMP SIZE LIMITS TO 0.51 CFS
FROM WELL

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
~~DOMESTIC~~	~~1/1~~	~~12/31~~	~~0.06~~	~~2.4~~
~~STOCK WATER~~	~~1/1~~	~~12/31~~	~~0.08~~	~~4.7~~
~~IRRIGATION (SPRING)~~			~~0.04~~	~~7.0~~
IRRIGATION	4/15	10/15	0.51	185.1

Totals: 0.51 CFS WELL 185.1 AFA

2. Recommended Amendments

~~PERMIT LIMITS TO 0.11 CFS SPRING 14.1 AFA~~

PERMIT SPLIT INTO A + B PORTIONS

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name SIMPKINS Date 1/16/96Reviewer HWT 1 Date 12/20/96

SEAL

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp) (8.814) (Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{15}$$

$$Eff = \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%)$$

$$\text{Lift: } (\text{Static Level} + \text{Assumed Draw down})$$

$$\text{Static Water Level} = \underline{60} \text{ ft.}$$

$$\text{Assumed Draw down} = + \underline{10} \text{ ft.}$$

$$\text{Lift} = \underline{70}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{55} \text{ psi}$$

$$Q_{cfs} = \left[\frac{15}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{70}{Lift} + \left(\frac{55}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{92.547} \right] \div \left[\underline{196.94} \right]$$

$$Q_{cfs} = \underline{0.469} \text{ cfs}$$

PERMIT NO. 13-07392 B

E. NARRATIVE

ON 7/10/95 A BENEFICIAL USE FIELD EXAM WAS CONDUCTED WITH WAYNE SMARTY ON PERMIT 13-07392, WHICH IS FOR DOMESTIC, STOCKWATER AND IRRIGATION OF 132 ACRES. WATER FOR THIS PERMIT IS FROM A SPRING AND WELL.

THE SPRING SUPPLIES WATER TO A 17,000 GALLON STORAGE TANK AND THEN TO THREE HOMES, VIA GRAVITY FEED BURIED PIPELINES, ON DEMAND. WELL LISTED IN THIS PERMIT HAS A SUPPLEMENTAL 5HP SUBMERSIBLE PUMP WHICH IN TIMES OF DROUGHT IS USED TO FILL SPRING WATER STORAGE TANK.


THE WELL SUPPLIES IRRIGATION TO THE FIELDS EAST OF THE HIGHWAY AND WEST OF THE HIGHWAY, WHEN THE BOOSTER PUMP IS USED. NORMAL SYSTEM USE IS: THREE HAND LINES WITH; 40 RAIN BIRDS PER LINE; THE BIRDS ARE 5 TO 6 GPM RUBBER ORFICES. WATER FROM DAVIS CREEK CAN BE COMBINED AT THE BOOSTER PUMP WITH WELL WATER TO IRRIGATE LAND OR THE DAVIS CREEK WATER CAN BE ALLOWED TO IRRIGATE THE LAND ABOVE AND BELOW THE PUMP LOCATION VIA ~~GRAVITY~~ FLOW.

Gravity

13-07392B

T14S, R38E

13-073928



7145, R38E

Nord Westover

Plan 488
Pasture


Native
Pasture

~~Wayne Smart~~


John Sant

13-07392B

16



FIELD NOTES



13-07392 B

MODE SELECT
INPUT

OUTER DIAMETER
6.0201 IN

13-7392

SMART

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1071 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1440 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
3.933 IN U

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

DAMPING SET
30 SEC

07-11 14:4400 *R
+003.00 % A12

MODE SELECT
T0 CHECK

0222.5 MMSEC
100.31 % T0

DAMPING SET
15 SEC

07-11 14:5100 *R
+205.261E 0GPM

6BPM output
35 Head
3 lateral

07-11 14:5900 *R
+230.622E 0GPM

4 lateral
45 Head

= 0.51 CFS

07-11 15:1700 *R
+225.602E 0GPM

13-07392B

WAYNE C. SMART

1 of 1

WELL +
BOOSTER
PUMP
PUMP
POD #2



PLACE OF
USE
BELOW
ROADWAY
(EAST)



13-073925

January 3, 1989

RE: Permit No. 13-7392

Wayne Cecil Smart
5805 North Westside Highway
Clifton, ID 83228

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161, or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:CW

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 13-7392

Date: 10/3/88

General Considerations:

Y Name same as permit
Y Signature the same as permit holder
Y Address change _____ If yes, prepare a data entry
Y Proof received timely
_____ Reinstated

Source of Water:

Y Surface water
Y Groundwater
_____ N 1. well log in file *Not found, due to reported age of well*
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

Y Rate of diversion appropriate for uses
Y Is rate or volume and fee appropriate?
Y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Y Is a measuring device or access port required?
? Has one been installed?
N Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	_____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
AUG - 1 1988

For Office Use Only
Fee Received \$100.00
Date 8/02/88
Receipt # 0002103
Receipt by dm
Reviewed by gs
Sent to region

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 13-7392

Name(s) of Permit Holder: Wayne Cecil Smart

Post Office Address: 5805 North Westside Hwy., Clifton, Id. 83228

Telephone No. 747-3556

Source of Water: Groundwater and Springs

Extent of Use:

Domestic 3 (number of households) Stockwater 120 Dairy Cattle (number and type of stock)

Irrigation 132 (acres) Other/Remark

Total rate and/or volume for which proof is submitted .11 from Springs
.66 from well cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: Springs: Feb 1, 1882
Groundwater: Nov. 1979

Measuring Device: Required? Yes ☒ No
Installed? Yes ☒ No Fee enclosed \$ 100.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☒ No
Installed? Yes ☒ No It is scheduled to be installed 2 Aug 88.

Person to contact to accompany the Department representative during the field examination:

Wayne Cecil Smart
(Name)

747-3556
(Telephone Number)

5805 No. Westside Hwy., Clifton, ID 83228
(Address)

The above information is my true statement of the extent to which the above numbered permit has been used and I relinquish any undeveloped portion of the permit to the state of Idaho.

July 27, 1988
Date

Wayne Cecil Smart
Signature of Permit Holder (and title, if appropriate)

RECEIVED
OCT 11 1988

To: File 13-7392

From: Groundwater Protection

Date: 8/26/88

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report: ☒ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up ☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

No Action recommended JB

MICROFILMED

OCT 11 1988

Mr and Mrs Wayne Smart
5805 NW Side Hwy
Clifton, ID 83228

CERTIFIED

P 128 734 396

MAIL



State of Idaho
Dept. of Water Resources
Statehouse
Boise, Idaho 83720

138642
CERTIFIED MAIL
May 31, 1988

SMART, WAYNE CECIL
RT. 1, BOX 159
CLIFTON, ID 83228

PROOF DUE NOTICE

RE: Permit No. 13-7392

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

QCT 11 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 13-17392
Name(s) of Permit Holder(s): Wayne Cecil Smart
Post Office Address: H.C. 73, Box 159
Clifton, Id. 83228 Tel. No. 3556

☒ I hereby certify that construction of diversion works for the above referenced permit began on 10 Sep 83 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is not an acceptable reason.

8 Oct 83
Date

Wayne Cecil Smart
Signature of Permit Holder

Wayne B. Smart

H.C. 73, Box 159


Clifton, Id. 83228



OCT 11 1988



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



OCT 13 1983

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

RECEIVED
SMART, WAYNE CECIL
RT. 1, BOX 159
CLIFTON, ID 83228

AUGUST 02, 1983

RE: PERMIT NO. 13-7392

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

BE SURE TO NOTE THE SPECIAL CONDITION REQUIRING YOU TO INSTALL A MEASURING DEVICE, OR AN ACCESS PORT TO PROVIDE FOR THE INSTALLATION OF MEASURING EQUIPMENT BY THE DEPARTMENT. ENCLOSED PLEASE FIND A LIST OF MEASURING DEVICE OPTIONS, AND SPECIFICATIONS FOR THE INSTALLATION OF THE ACCESS PORT.

RE: PERMIT 13-7392

PAGE 01
AUGUST 02, 1983

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

RECEIVED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWS

APPLICATION NUMBER: 13 7392

CHECK:

- ☒ Source
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: June 27, 1983 ✓
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: July 6, 1983 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
5/27/83 Date of priority recommended.
✓ Special conditions of approval or cover letter. _____

By: Roc

Date: 7/14/83

STATE OFFICE REVIEW:

SLW/LIT, L03

26 OIC

JUL 21 1983

- ☐ See attached sheet for more information.

By: Roc

Date: 7/25/83

Department of Water Resources

RECEIVED

dw



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

July 6, 1983

RE: Claim to a Water Right No. 13-4227 SMART
Application for Permit No. 13-7392 SMART

Preston Citizen
P.O. Box 472
Preston, ID 83263

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on June 9 and 16, 1983.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JUNE 27, 1983.

KEN DUNN, Dir.

Published 6/9 & 6/16/83.

13-7392

SMART, WAYNE CECIL

RT. 1, BOX 159, CLIFTON, ID 83228

Source: GROUNDWATER
SPRING trib. to SINKS

Date Filed: 05/27/1983

Diversion Pt: NESW Sec. 16 T 14S R 38E

Use: IRRIGATION	(2.96 CFS)
STOCKWATER	(0.13 CFS)
DOMESTIC	(0.08 CFS)

In: SWNE SENE SENW NESW NWSW SWSW NESE NWSE Sec 16 T 14S R 38E
FOR 132 ACRES