


3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: POWLUS V FURROW FLUME - SEE REMARKS

MAR 26 1998

2512

PLACE OF
MEASUREMENT

STREAM
FROM SPRING
NOT COLLECTED
IN SPRING BOX.



POWLUS
V FLUME
MEASUREMENT



RECEIVED
MAR 26 1996

13-07378

KWEN D. GRIFFETH
STOCKWATER

112



STRING
SOURCE
POD




PLACE OF
USE
BARN +
HORSES
HOME REMOVED

←
UNCOLLECTED
SPRING WATER

APR 26 1996

13-07378



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07378

Priority: January 19, 1983

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

0.4 AF

This is to certify, that KWEN D GRIFFETH
RT 3

PRESTON ID 83263 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 19, 1983; and has submitted Proof of Beneficial Use on February 22, 1988. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from:

SPRING

tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.02 CFS	0.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NESENE , Sec. 33, Township 15S, Range 40E
FRANKLIN County

PLACE OF USE: DOMESTIC

TWN RGE SEC

15S 40E 33

SENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.

Witness the seal and signature of the Director, affixed at Boise, this 29TH
day of FEBRUARY, 1996.


KARL J. DREHER, Director

MAR 26 1996

RECEIVED
FEB 22 1988

not incl. JG
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received JA
Date JA
Receipt # JA
Receipt by JA
Reviewed by JA
Sent to region JA

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 13-7378

Name(s) of Permit Holder: Kwen D. Griffith

Post Office Address: 5618 E Cub River Rd

Preston, Idaho 83263 Telephone No. 852-1476

Source of Water: Unnamed Spring

Extent of Use:
Domestic 1 (number of households) Stockwater 10-30 ^(cattle) horses (number and type of stock)

Irrigation _____ (acres) Other/Remark overflow from headbox used for stockwater

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: March 29, 1983

Measuring Device: Required? Yes / No
Installed? Yes / No
Fee enclosed \$ No fee required
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes / No
Installed? Yes / No

Person to contact to accompany the Department representative during the field examination:
Kwen D. Griffith 852-1476
(Name) (Telephone Number)

5618 E Cub River Rd, Preston, Idaho 83263
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

NOT RECORDED

APR 01 1988

Feb 19, 1988 Kwen D. Griffith
Date Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Kwen D. Griffith Phone 852-1476

Post office address Rt 3 Preston, Idaho 83283

2. Source of water supply Unnamed Spring which is a tributary of Sinks

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 33 Township 15S

Range 40E B.M. FRANKLIN County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Concrete headbox,
600ft 1 1/2 inch PVC PIPE

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 33 Township 15S

Range 40E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be

supplied with domestic water 1.

If water is to be used for other purposes describe: _____

RECEIVED
JAN 10 1979

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated

c. Describe any other water rights used for the same purposes as described above. *NONE*

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Spring arises on Kwen Griffith's Property
and sinks before leaving.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R40E

155

29	28
32	33

$$\frac{P_d}{2}$$

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Proposed Priority 1/19/1983

Received by Emc Date 1/19/83 Time _____

Preliminary check by HWS Fee \$ 30.00

Receipted by BP Date 1/20/83 # 23327

Publication prepared by BP Date 1/26/83

Published in Preston Citizen

Publication dates 2/3 - 2/10/83

Publication approved CW Date 3-7-83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Emc RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 13-7378, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 23rd day of March, 1983.

L. Glen Sayton
Chief, Operations Bureau

MICROFILMED

#875 FEB 28 1983

No 1781

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Franklin } ss.

J. Walter Ross

being duly sworn,

deposes and says:

That he is the Co-Publisher of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said newspaper once

a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

Feb. 3, 1983, and ending

with the issue of Feb. 10, 1983

Fee \$ 14.38

Subscribed and sworn to before me this 28th day of Feb, 1983.

Notary Public, Residing at Preston, Idaho

My Commission Expires June 7, 1986

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

13-7378

GRIFFETH, KWEN D.

RT. 3, PRESTON, ID 83263

Source: SPRING trib. to SINKS

Date Filed: 01/19/1983

Diversion Pt: SENE Sec 33 T 15S R 40E

Use: DOMESTIC (0.04 CFS)

Use: DOMESTIC (0.04 CFS)

In: SENE Sec 33 T 15S R 40E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before FEBRUARY 21, 1983.

KEN DUNN, Dir.

Published 2/3 & 2/10/83.

Legal No. 1781 -23L- Published February 3, 10, 1983.

RECEIVED
MAR 4 1983

Department of Water Resources
Eastern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 29, 1996

KWEN D GRIFFETH
RT 3
PRESTON ID 83263

RE: WATER RIGHT NO. 13-07378

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

UNRECORDED

MAR 26 1996

MEMORANDUM

DATE: February 15, 1996

TO: Cindy Zimmerman, File 35-08823

FROM: Shelley W. Keene *SWK*

RE: Change in Nature of Use

=====

Because Idaho Code §42-111(a) includes the watering of livestock within the definition of domestic use, I do not think that we need a licensing amendment to license right 35-08823 for stockwater purposes. Changing the face of the water right document to show stockwater as the purpose of use is a clarification of the nature of the "domestic" use.

ORIGINAL FILED

MAR 26 1996

B/U FIELD EXAM REVIEW
Cindy Zimmerman

01/96

Permit #: 13-7378 Name: Griffeth Date: 2/12/96 ✓ Lots
Chng Same

NAME ✓ Or Address Change?

SOURCE ✓ Clarify source
Prelim. Order to Void - Source change.

P/D ✓ Amendment Needed? Clarify NE SENE, S33, P39
Overlap(s)

P/U ✓ Amendment Needed? P41
Overlap(s)
(Gov't special ¶'s) *P/D & P/U Amend? P37

RATE ✓ Permit/fee limits 0.04 / 0.04
 ✓ Measured Q = 0.02 cfs/Theoretical Q = cfs
30 horses = 0.02 cfs
9.6 gpm : 448.83 = 0.02 cfs

 ✓ Recommended capacity 0.02 cfs
 ✓ Recommended rate 0.02 cfs

VOLUME ✓ Season: (/) 1/1 - 12/31 = 365 days
Calculations: (30 x 12 x 365) ÷ 325,850 = 0.4 AF

 ✓ Flow limit: 0.02 x 365 x 1.9835 = 14.5 AF
 ✓ Recommended volume 0.4 AF

USES ✓ Same Nature of Use? to Stockwater ~~P46~~
✓ Amendment Needed? change to stockwater use *
 *see back for analysis

REMARKS Multiple p/d's in 1/4? W32

CONDITIONS Measuring (R01)/Locking (R02) Devices
 Watermaster Control (R04) - WD #
 Irrigation rate/volume overlap
 GW irrigation replaces surface water (050)
 GW irrigation supplants surface water (065)
 Water Quality
 Other

PRIORITY App Rcd 1/19/83 Due 3/1/88 Rc'd 2/22/88
Receipt# None Fee OK? (Yes) No
Order to Reinstate Needed? Yes (No) Done?
If Yes, Advanced? Yes/No to:
Priority 1/19/83 Examined 6/27/95

COMMENTS: Change nature of use to stockwater; rate & volume reduced, same season

USE	CFS	DIV VOL
<u>Stock</u>	<u>0.02</u>	<u>0.4</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u>TOTAL</u>	<u>0.02</u>	<u>0.4</u>

SRBA Overlap None
Adjustment Memo

LICENSE LTR: P49
~~#1 AMEND LTR: P46/P38~~
~~#2 AMEND LTR: P42/P47~~

Change Nature of use from Domestic 1 hm, 0.04 cfs
to Stockwater for 30 horses

Permitted Domestic, 1 hm

Rate: $\frac{0.04}{1.2}$ cfs
Volume: $\frac{0.04}{1.2}$ AF

Season: 1/1 - 12/31

<

<

=

Recommended Stockwater, 30 H.

Rate: $\frac{0.02}{1.2}$ cfs

Volume: $(30 \text{ hd} \times 12 \text{ g/d} \times 365 \text{ d/y}) \div 325,850$
 $= \frac{0.4}{1.2}$ AF

Season: 1/1 - 12/31

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT
RECEIVED

JAN 22 1996

A. GENERAL INFORMATION

Permit No. 13-2378

1. Owner: KWEN D. GRIFFETH Department of Water Resources Phone No. (208) 852-1476

Current Address: RT 3, PRESTON, IDAHO 83263

2. Accompanied by: GLENDA ELISON EXAM DATE: 6/27/95

Address: 1077 S. GIRAFFE RD, PRESTON, ID 83263 Phone No. (208) 852-1627

Relationship to Permit Holder: DAUGHTER

3. Source: SPRING tributary to SINKS

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	SE	NE	33	15S	40E	FRANKLIN	U.S.G.S. TOPO MAP


2. Place(s) of Use:

Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15s	40E	33				D													

MAR 26 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: POWLUS V FURROW FLUME - SEE REMARKS

MAR 26 1998

POWLUS V FURROW FLUMES:

Discharge Equations for Sloping Wall Gauge

$$Q_{\text{gpm}} = 0.000143 (h - 1.5)^{2.63}$$

$$Q_{\text{cfs}} = [0.000143 (h - 1.5)^{2.63}] \div 448.8$$

Gage mm	Flow Rate		Gage mm	Flow Rate		Gage mm	Flow Rate		Gage mm	Flow Rate	
	gpm	cfs		gpm	cfs		gpm	cfs		gpm	cfs
20	0.3	0.0007	50	3.9	0.0087	70*	9.6	0.0214	90	18.9	0.0421
22	0.4	0.0009	51	4.1	0.0091	71	10.0	0.0223	91	19.4	0.0432
24	0.5	0.0011	52	4.3	0.0096	72	10.4	0.0232	92	20.0	0.0446
26	0.6	0.0013	53	4.5	0.0100	73	10.8	0.0241	93	20.6	0.0459
28	0.8	0.0017	54	4.8	0.0107	74	11.2	0.0250	94	21.2	0.0472
30	1.0	0.0022	55	5.0	0.0111	75	11.6	0.0258	95	21.8	0.0486
32	1.1	0.0025	56	5.3	0.0118	76	12.0	0.0267	96	22.4	0.0499
34	1.4	0.0031	57	5.5	0.0122	77	12.4	0.0276	97	23.1	0.0515
36	1.6	0.0036	58	5.8	0.0129	78	12.9	0.0287	98	23.7	0.0528
38	1.8	0.0040	59	6.1	0.0136	79	13.3	0.0296	99	24.3	0.0541
40	2.1	0.0047	60	6.4	0.0143	80	13.8	0.0307	100	25.0	0.0557
41	2.3	0.0051	61	6.6	0.0147	81	14.2	0.0316	101	25.7	0.0573
42	2.4	0.0053	62	6.9	0.0154	82	14.7	0.0328	102	26.4	0.0588
43	2.6	0.0058	63	7.2	0.0160	83	15.2	0.0339	103	27.1	0.0604
44	2.7	0.0060	64	7.6	0.0169	84	15.7	0.0349	104	27.8	0.0619
45	2.9	0.0065	65	7.9	0.0176	85	16.2	0.0361	105	28.5	0.0635
46	3.1	0.0069	66	8.2	0.0183	86	16.7	0.0372	106	29.2	0.0651
47	3.3	0.0074	67	8.6	0.0192	87	17.2	0.0383	107	30.0	0.0668
48	3.5	0.0078	68	8.9	0.0198	88	17.8	0.0397	108	30.7	0.0684
49	3.7	0.0080	69	9.3	0.0207	89	18.3	0.0408	109	31.5	0.0702

13-07378*

MAR 26 1996

2512

PLACE OF
MEASUREMENT

STREAM
FROM SPRING
NOT COLLECTED.
IN SPRING BOX.



POWLUS
V FLUME
MEASUREMENT



MAR 26 1996

13-07378

KWEN D. GRIFFETH
STOCKWATER.

112

SPRING
SOURCE
POD




PLACE OF
USE
BARN +
HORSES
HOME REMOVED

←
UNCOLLECTED
SPRING WATER

AR 26 1996

13-07378



WR5809NP
No. 13-07378

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 01/09/96
PAGE: 2

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	KWEN D. GRIFFETH RT. 3 PRESTON ID 83263	01/19/1983	DOMESTIC	01-01 12-31	0.040 CFS	
TOTAL DIVERSION:					0.040 CFS	

Water Source: SPRING

Tributary to: SINKS

Stage: PERMIT

Point(s) of Diversion:

T15S R40E S33

SENE

FRANKLIN County

Place of use Legal Description for: DOMESTIC


				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	
				Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
15S	40E	33	:					:					:					:					:	

Pou County: FRANKLIN

Dates:	App. Received:	Priority Date:	01/19/1983
	Proof Due Date: 03/01/1988	Proof Made Date:	02/22/1988
	Exam Made Date: 06/27/1995	Exam Sent to S.O.:	
	Licensed Date:		
Misc:	Water District Number:	Field Exam Fee:	N (Not Required)
Audit:	03/11/88 05/21/88 CONVERT	07/24/95	KWILSON

13-07378

13-07378



Surveyed	Date of Contract	Amt. of Surveys		When commenced	When completed	When charged in the Surr. Genl. Vouchers
		Miles	Chains			
307	June 10 th 1873	12	00	September 22 nd 1873	September 24 th 1873	Camus and 1874
78	" "	60	06	" 25 th	October 3 rd	" " "
Total of Acres 23,066, 00						

E. NARRATIVE/REMARKS/COMMENTS

MEASUREMENT OF SPRING ON 6/27/95 - 7CM OR 3/5.0L/H
- TAKEN JUST BELOW SPRING BOX (BOX AREA OVERGROWN WITH
BRUSH).

SPRING WATER IS COLLECTED IN A SPRING BOX AND MOVED
VIA 600'± PVC PIPE TO HOUSE + BARN. HOUSE HAS BEEN
MOVED AND CURRENTLY WATER IS USED FOR STOCKWATER.

RECOMMEND USE BE CHANGED TO ~~INCLUDE~~ STOCKWATER,
OR CHANGE TO STOCKWATER PER PERMITTEE'S DAUGHTER.

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED FOR

MAR 26 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$70 \text{ MM} = \frac{9.6 \text{ GPM}}{448.8} = 0.021 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$\text{SPRING} = 9.6 \text{ GPM} \times 60 = 576 \text{ GPM} \times 24 = 13,824 \text{ GPD}$$

$$30 \text{ HORSES} \times 12 \text{ GPD} = 360 \text{ GPD}$$

$$30 \times 0.0134 = 0.4 \text{ AFA}$$

H. RECOMMENDATIONS *CHANGE TO STOCKWATER - NO DOMESTIC USE FOUND.*

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>STOCKWATER</u>	<u>1/1</u>	<u>12/31</u>	<u>0.02</u>	<u>0.4</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.02 CFS</u>	<u>0.4 AFA</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other *CHANGE USE TO STOCKWATER.*

I. AUTHENTICATIONField Examiner's Name SIMPKINS Date 1/10/96Reviewer [Signature] Date 1-16-96

SEAL

MAR 26 1996

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
-Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

MAY 13, 1988

KWEN D. GRIFFETH
5618 E. CUB RIVER ROAD
PRESTON ID 83263

RE: Permit No. 13-7378

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

RECEIVED
MAR 26 1996

MAR 26 1996

Kwen Grotfeth
5618 E Cub River Rd
Preston, ID
83263



State of Idaho
Dept. of Water Resources
Statehouse
1301 No Orchard St.
Boise, Idaho

83706-2237

MAR 26 1996

MICROFILMED

138139
CERTIFIED MAIL
December 31, 1987

GRIFFETH, KWEN D.
RT. 3
PRESTON, ID 83263

PROOF DUE NOTICE

RE: Permit No. 13-7378

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

APR 01 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GRIFFETH, KWEN D.
RT. 3
PRESTON, ID 83263

MARCH 29, 1983

RE: PERMIT NO. 13-7378

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

February 28, 1983

RE: Claim to a Water Right No.	13-4214	HULL
	13-4215	HANSEN
	13-4216	AUGER
	13-4217	JENSEN
Application for Permit No.	13-7373	BENNETT
	13-7375	BLM
	13-7376	BOUCK
	13-7377	KOLLER
	13-7378	GRIFFETH
	13-7379	CHRISTENSEN
	13-7380	CHRISTENSEN

Preston Citizen
P.O. Box 472
Preston, ID 83263

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on February 3 and 10, 1983.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

13-2328

GRIFFETH, KWEN D.

RT. 3. PRESTON. ID 83263

Source: SPRING trib. to SINKS

Date Filed: 01/19/1983

Diversion Pt: SENE Sec 33 T 155 R 40E

Use: DOMESTIC (0.04 CFS)

In: SENE Sec 33 T 155 R 40E