




igh Sch

Cem

Historical Monument

TWIN LAKES CANAL

Creek

T15S
R38E

Little Santa Anita Racetrack

NORTH WELL

SOUTH WELL

DOMESTIC WELL

PLACE OF
USE
DOMESTIC
& STOCKWATER

PLACE OF
USE DOMESTIC

13-07376
MICROFILMED
JAN 22 1997

DAVID BOUCK
LIVESTOCK - DOMESTIC

1013



STOCKWATER
PLACE OF
USE



DOMESTIC
USE
RESIDENCE

WELL
BURIED
BENEATH
STICK IN
LAWN

MICROFILMED
FBI-07376
JAN 22 1997

DAVID BOUCK

2013



VIEW OF
NORTH WELL



VIEW OF
NORTH
WELL

MICROFILMED
JAN 22 1997

13-07376

DAVID BOUCK

353



VIEW OF
SOUTH
WELL

MICROFILMED
JAN 22 1997

13-07376

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07376

Priority: January 18, 1983

Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 13.0 AF

This is to certify, that DAVID BOUCK
WESTON ID 83286

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 18, 1983; and has submitted Proof of Beneficial Use on January 22, 1988. An examination indicates that the works have a diversion capacity of 0.180 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.04 CFS	11.8 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.04 CFS	13.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 26, Township 15S, Range 38E
FRANKLIN County

PLACE OF USE: STOCKWATER

TWN RGE SEC

15S 38E 26

SESE

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

MICROFILMED


JAN 22 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 13-07376

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of January, 1997.


Acting for KARL J. DREHER, Director



MICROFILMED

JAN 27 1997

RECEIVED
JAN 22 1988

no \$ incl. 89
Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 13-7376 /

Name(s) of Permit Holder: David J Bouck

Post Office Address: Weston Idaho 83286 /

Telephone No. 747-3268

Source of Water: Surface water *g.w.

Extent of Use:

Domestic 1 / (number of households)

Stockwater 100 head Dairy (number and type of stock)

Irrigation none (acres)

Other/Remark _____

Well is 12-14 ft. deep - hand-dug.
Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: * unknown 1979

Measuring Device: Required? Yes / No
Installed? Yes / No

Fee enclosed \$ none
(See License Examination Fee Schedule)

Flow Measurement Port: Required? Yes / No
Installed? Yes / No

* per telephone
2-3-1988

Person to contact to accompany the Department representative during the field examination:

David J Bouck
(Name)

747 3268

(Telephone Number)

Weston, Idaho

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

FEB 24 1988

20 Jan 88

David J Bouck - owner /

(over)

Date

Signature of Permit Holder (and title, if appropriate)

I trust the information on the reverse side
is sufficient; if not please feel free to contact
me at any time. One of the "domestic" locations
~~that~~^{use} has been eliminated since the ~~the~~
first application was entered thus no
fee is appropriate. Thank you
for your patience and your explanation

Sincerely

David J Bouck

RECEIVED

FEB 24 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant David Bouck Phone 747-3268

Post office address Weston, Idaho 83286

2. Source of water supply Ground Water which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 15S

Range 38E B.M. Franklin County, additional points of diversion if any: _____

NE¹ NE⁴ SEC 35 T15S R38E SE $\frac{1}{4}$ SE $\frac{1}{4}$ Sect. 26 T15S R38E *

4. Water will be used for the following purposes:

Amount 0.08 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Livestock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated: * Changes as per tele-con with Mr. Bouck 1-21-1983 HWJ

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Two hand dug wells

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 24-60 inches; proposed depth of well is 14 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: * NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 35 Township 15S
(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 15S
Range 38E B.M.


(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 300 head dairy

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

If water is to be used for other purposes describe: Domestic purposes for two families

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David J. Bonck
(Applicant)

Proposed Priority 1/18/1983

Received by EMC Date 1/18/83 Time _____

Preliminary check by HWT Fee \$ 30.00

Receipted by BP Date 1/21/83 # 2330

Publication prepared by BP Date 1/26/83

Published in Preston Citizen

Publication dates 2/3 - 2/10/83

Publication approved EW Date 3-7-83

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC. XC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 13-7376, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 88.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 23rd day of March, 1983.

L. Glen Saxton
Chief, Operations Bureau

11-11-11

4875 FEB 28 1983

No 1779

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO, }
County of Franklin } ss.

J. Walter Ross

being duly sworn,

deposes and says:

That he is the Co-Publisher of THE PRESTON CITIZEN, a weekly newspaper published at Preston, in the County of Franklin and State of Idaho; that said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Preston; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period of time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

Feb 3, 1983, and ending

with the issue of Feb 10, 1983.

Fee \$ 16.25

Subscribed and sworn to before me this 28th day
of Feb, 1983.

Notary Public, Residing at Preston, Idaho

My Commission Expires June 7, 1984

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

13-7376

BOUCK, DAVID

WESTON, ID 83286

Source: GROUNDWATER

Date Filed: 01/18/1983

Diversion Pt: NESE Sec 26 T 15S R 38E

Use: STOCKWATER (0.04 CFS)

Use: DOMESTIC (0.08 CFS)

In: SESE Sec 26 T 15S R 38E NENE Sec 35 T 15S R 38E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before FEBRUARY 21, 1983.

KEN DUNN, Dir.

Published 2/3 & 2/10/83.

Legal No. 1779 -26L- Published February 3, 10, 1983.

RECEIVED
MAR 4 1983

Department of Water Resources
Eastern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

January 10, 1997

DAVID BOUCK
WESTON ID 83286

RE: WATER RIGHT NO. 13-07376

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
JAN 22 1997

MEMORANDUM

DATE: January 9, 1997
TO: Water Right File 13-07376
FROM: Shelley W. Keen *swk*
RE: Phone call from David Bouck

David Bouck, holder of permit 13-07376, called me this afternoon to discuss the licensing of his permit. He needed to make three decisions before the license could be issued.

- Should the license include a third well?
- Should he pay an examination fee so that the right can be licensed for more than .04 cfs?
- Was a second house on the system when he submitted his proof of beneficial use statement?

Mr. Bouck explained to me that he has two diversion and distribution systems. The first diverts from the north well (NESE) and delivers to the dairy and one home. The second system diverts from the "domestic" well (SESE) and serves one home. The third well reported by the examiner, the "south" well (SESE), is not used. Mr. Bouck is not sure of the exact timing, but he believes that there may have been only one home prior to the date he submitted proof. Based on this information, Mr. Bouck requested that we issue a license for the first system for .04 cfs and that we view the second system as an exempt domestic use under the provision of Sections 42-113 and 42-227, Idaho Code. No amendment is necessary. No exam fee is required.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 9, 1996

DAVID BOUCK
4216 W 800 S
WESTON ID 83286

RE: Water Right No. 13-07376

Dear Mr. Bouck:

Thank you for calling this morning to inquire about Water Right 13-07376. Your concern is that IDWR has proposed to issue your water right license for the domestic use in only one home.

As we discussed, the application filed in 1983 indicated domestic use for "two families." However, the Proof of Beneficial Use statement you submitted in 1988 indicated only one home. When our field examiner verified your use in May of 1995, he found groundwater being diverted and used in two homes.

A water right license cannot be issued for development that occurred after the Proof of Beneficial Use was submitted. The initial recommendation for your license was limited to domestic use for one home because your Proof of Beneficial Use indicated only one home. However, based on your statement that water was being used for two homes prior to 1988 and that there ensued only a brief period during which water was not used in two homes, I have revised the licensing recommendation to show domestic use for two homes.

A revised Application for Amendment form is enclosed. The amendment is required because of the addition of a third well. Please look over the form carefully and, if you concur with the information presented, sign and return the form with the \$50.00 amendment fee.

As we also discussed, an examination fee is required with the Proof of Beneficial Use statement for every groundwater appropriation of more than .04 cfs. You did not include an examination fee with your Proof of Beneficial Use. If you want a water right for 0.12 cfs as recommended by the field examiner, you must submit an examination fee of \$50.00 plus a \$25.00 late fee within 30 days. This is in addition to the amendment fee.

Please note that a water right filing is not required for the use of groundwater for domestic purposes for a single family as long as the use does not exceed 13,000 gallons per day and does


MICROFILMED
JAN 22 1997

David Bouck
Water Right 13-07376
December 9, 1996
Page 2

not exceed half an acre of irrigation. Therefore, your use of groundwater for a second home does not violate water appropriation statutes if you decide it should not be included as part of Water Right 13-07376.

If you have any questions, please contact me at 208-327-7946.

Respectfully,

A handwritten signature in cursive script that reads "Shelley Walter Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley Walter Keen
Water Rights Supervisor

Enclosure

MICROFILMED
JAN 22 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 3, 1996

DAVID BOUCK
WESTON ID 83286

RE: WATER RIGHT NO. 13-07376

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED

JAN 22 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 13-07376

DATE 7/24/96

REVIEWER: S H A R L A

NAME Change OK

Address Change NO

SOURCE Change OK

Is change/clarification of originally intended source? NO

If not, prepare Notice of Intent to Void NO

POINT OF DIV add 3rd well

Amendment required yes - (2) pld's are

PLACE OF USE Change OK

Amendment required NO in SESE, S26

Does map agree with written description? yes no

OVERLAPS P/D P/U no other rts.

RATE OF DIV

Permitted Rate .12 cfs

Fee limit .04 cfs

Measured NO cfs

Theoretical .18 cfs

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/
NATURE OF USES NO NO

$300 \times 35 \times 365 / 325,850 = 11.8$

Use Stack .04
Dom .04

Volume Calculation
11.8 af
1.2 Standard af

SUBTOTAL 13.0 af

Flow rate .04 cfs X 365 days X 1.98 af = 29.0

Total volume recommended 13.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS 1/1 home

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo 1 home

1st Amend Letter P39 P38

2nd Amend Letter P42

no response
call to find out
when 2nd home
was added -
proof of blu said
2nd unit eliminated



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 4, 1996

David Bouck
Weston, ID 83286

RE: Permit No. 13-07376

Dear Mr. Bouck:

In January of 1988, you filed a Proof of Beneficial Use statement for the above referenced permit in which you stated that there was only one home using groundwater for domestic and stockwater purposes. You further stated that one of the domestic locations originally identified on the application for permit had been eliminated.

In May of 1995 when the department's field examiner made his inspection, he found two homes diverting from a total of 3 wells. Before we issue a final license on this permit, could you please provide information as to when the second dwelling was constructed and began using water from a third well.

Once you provide the information so that we have a complete picture of development under the permit, we can issue a water right license. If you have any questions, give me a call at 327-5452.

Sincerely,

A handwritten signature in cursive script that reads "Sharla Curtis".

SHARLA CURTIS
Water Resource Agent

MICROFILMED

JAN 22 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAR 8 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 13-07376

1. Owner: DAVID BOUCK Phone No. (208) 747-3268

Current Address: WESTON, IDAHO 83286

2. Accompanied by: OWNER EXAM DATE: 5/4/95

Address: N/A Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: POSSIBLE - TWIN LAKES CANAL CO. SHARES

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
N. WELL		NE	NE	SE	26	15S	38E	FRANKLIN	U.S.G.S. TOPO MAP
S. WELL		SE	SE	SE	26	15S	38E	FRANKLIN	U.S.G.S. TOPO MAP
D. WELL		SE	SE	SE	26	15S	38E	FRANKLIN	U.S.G.S. TOPO MAP


2. Place(s) of Use:

Indicate Method of Determination ON SITE INSPECTION

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15S	38E	35	D ₁																
15S	38E	26																D ₁	

MICROFILMED
JAN 22 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE PHOTO'S*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
DOMESTIC	MYERS	1			1 1/4
NORTH WELL	GOULD	1 1/2			1 1/2
SOUTH WELL	GOULD	1 1/2			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: NONE

MICROFILMED

JAN 22 1957

E. NARRATIVE/REMARKS/COMMENTS

ON 5/4/95 AT APPROXIMATELY 1500 HRS A FIELD EXAM
WAS CONDUCTED ON PERMIT # 13-07376.

WATER FROM THIS PERMIT IS USED FOR DOMESTIC USE
FOR TWO HOMES AND A MAXIMUM NUMBER OF COWS
AT 300 HEAD. THE SYSTEM CONSISTS OF TWO HAND
DIG WELLS AND ONE 6" DOMESTIC WELL. THE
WHOLE SYSTEM IS BURIED. THE 2 STOCKWATER WELLS ARE CONNECTED
BY A COMMON MAINLINE TO HYDRANTS IN DAIRY BARN.

DOMESTIC WELL: 1 HP MYERS PUMP SUBMERSIBLE
1 1/4" OUT PUT PIPE
30 PSI ON 50 PSI OFF
STATIC WATER AT 11'

NORTH WELL: 1 1/2 HP PUMP (GOULD) SUBMERSIBLE
1 1/2" OUT PUT PIPE (1 1/4" MAIN LINE)
70 PSI SYSTEM PRESSURE
STATIC WATER 6'
60" DIAMETER PIPE (WELL)

SOUTH WELL: 1 1/2 HP. GOULD SUBMERSIBLE PUMP
70 PSI SYSTEM PRESSURE
1 1/2" OUT PUT PIPE
STATIC WATER AT 6'
48" DIAMETER WELL CASING

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
JAN 22 1997

F. FLOW CALCULATIONS☒ Additional Computation Sheets Attached

Measured Method:

DOMESTIC WELL - 0.075
 NORTH WELL - 0.0536
 SOUTH WELL - 0.0536
0.182 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

300 DAIRY COWS $0.0391 \times 300 = 11.73$
 DOMESTIC $1.2 \times 2 = 2.4$
14.3 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC (2)	1/1	12/31	0.08	~~14.2~~ 2.4
STOCK WATER	1/1	12/31	0.04	11.73
Totals:			0.12 cfs	14.3 AFA

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name DON SIMPKINS Date 12/14/95Reviewer [Signature] Date 2/15/96

SEAL

MICROFILMED

JAN 22 1997

DOMESTIC WELL

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{1} \\ Eff &= \text{Efficiency} = \underline{.70} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Drawdown}) \\ &\text{Static Water Level} = \underline{11} \text{ ft.} \\ &\text{Assumed Drawdown} = + \underline{2} \text{ ft.} \\ &\text{Lift} = \underline{13} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{30} \text{ psi}$$

$$Q_{cfs} = \left[\frac{1}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{13}{Lift} + \left(\frac{30}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{6.1698} \right] \div \left[\underline{82.24} \right]$$

$$Q_{cfs} = \underline{0.075} \text{ cfs}$$

MICROFILMED

JAN 22 1957

13-07376

THEORETICAL PUMP FLOW CALCULATIONS

$$\text{Formula: } Q_{\text{cfs}} = [(\text{Hp})(8.814)(\text{Eff})] \div [\text{Lift} + (\text{psi} \times 2.308)]$$

SYSTEM: NORTH WELL

$$\begin{aligned}\text{Hp} &= \text{Horsepower} = \underline{1\frac{1}{2}} \\ \text{Eff} &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Drawdown}) \\ &\text{Static Water Level} = \underline{6} \text{ ft.} \\ &\text{Assumed Drawdown} = + \underline{5} \text{ ft.} \\ &\text{Lift} = \underline{11}\end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$\text{psi} = \text{Operating Pressure} = \underline{70} \text{ psi}$$

$$Q_{\text{cfs}} = [\underline{1.5}_{\text{Hp}} \times 8.814 \times \underline{.7}_{\text{eff}}] \div [\underline{11}_{\text{Lift}} + (\underline{70}_{\text{psi}} \times 2.308)]$$

$$Q_{\text{cfs}} = [\underline{9.2547}] \div [\underline{172.56}]$$

$$Q_{\text{cfs}} = \underline{0.0536} \checkmark \text{ cfs SYSTEM } \underline{NORTH WELL}$$

SYSTEM: SOUTH WELL

$$\begin{aligned}\text{Hp} &= \text{Horsepower} = \underline{1.5} \\ \text{Eff} &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Drawdown}) \\ &\text{Static Water Level} = \underline{6} \text{ ft.} \\ &\text{Assumed Drawdown} = + \underline{5} \text{ ft.} \\ &\text{Lift} = \underline{11}\end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$\text{psi} = \text{Operating Pressure} = \underline{70} \text{ psi}$$


$$Q_{\text{cfs}} = [\underline{1.5}_{\text{Hp}} \times 8.814 \times \underline{.7}_{\text{eff}}] \div [\underline{11}_{\text{Lift}} + (\underline{70}_{\text{psi}} \times 2.308)]$$

$$Q_{\text{cfs}} = [\underline{9.2547}] \div [\underline{172.56}]$$

$$Q_{\text{cfs}} = \underline{0.0536} \checkmark \text{ cfs SYSTEM } \underline{SOUTH WELL}$$

MICROFILMED
JAN 22 1987

PERMIT NO. 13-07376



DAVID BOUCK
LIVESTOCK — DOMESTIC


10/3

STOCKWATER
PLACE OF
USE



DOMESTIC
USE
RESIDENCE

WELL
BURIED
BENEATH
STICK IN
LAWN




MICROFILM FB-07376

JAN 22 1997

DAVID BOUCK

2 of 3

VIEW OF
NORTH WELL



VIEW OF
NORTH
WELL



MICROFILMED
APR 22 1987

13-07376

DAVID BOUCK

353

VIEW OF
SOUTH
WELL



MICROFILMED
1962 2 2 1957

13-07376

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Eastern Region

Department of Water Resources

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

APRIL 6, 1988

DAVID J. BOUCK

WESTON ID 83286

RE: Permit No. 13-7376

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

JAN 22 1987

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 13-7376

Date: 2-3-88

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
✓ Groundwater
2/14 1. well log in file
2/16 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

AA Is a measuring device or access port required?
AA Has one been installed?
AA Waiver or modification of measuring device requested

Remarks: Proof acceptable

_____ Priority Calculation:
Date proof received _____
Date proof due _____ + _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

FILED

FEB 24 1988

January 19, 1988

David Bouck
Weston, ID 83286

Dear Mr. Bouck:

Re: Permit No. 13-7376

In answer to your letter dated January 2, 1988, enclosed is a copy of the above referenced permit along with the proof of beneficial use form and instructions and the request for extension of time form and instructions.

I understand that you received the certified letter mailed to you. This notification letter is part of the requirement as set forth in the Idaho Code. Basically, what the letter is asking concerning this water right, is whether this proposed project (see permit) has been completed? That is, the permit proposes the use of water from a well for livestock and two domestic uses. If you have drilled a well and are diverting water for these uses, then complete and return the proof form. If you need additional time in which to complete this project, then you may want to make a request for additional time in which to complete this project. To do this, you would need to complete and return the request for extension of time form and \$15 fee.

When submitting the proof of beneficial use form, a fee becomes necessary when the uses of water are more than one domestic use and/or livestock or the total diversion of water is greater than 0.04 cfs (18 gpm). In your case, if you have one domestic use and livestock, no fee is required. If you have two domestic uses and livestock and your use of water is greater than 0.04 cfs, then a \$50 filing fee is required.

If you should decide to submit proof and, if necessary, fee; then the department will conduct a field inspection to determine the extent of use and based on the findings of the field inspector, a water right license will be issued. If you should decide to submit the extension of time request, the department will review and determine if additional time can be granted based on the provisions set forth in the Idaho Code.

RECEIVED

FEB 24 1988

David Bouck

2

January 19, 1988

If you still have questions concerning this matter, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 24 1988

RECEIVED

JAN 06 1988

2 Jan 1988

Weston Idaho

83286

Department of Water Resources

State of Idaho
Dept of Water Resources
State Office
1301 N. Orchard Street
Boise, Idaho

Re: Permit no. 13-7376

Attn: Rita Fleck

Dear Mrs. Fleck,

This day I received via Certified Mail a communication from you (dated 31 Dec 87) discussing a PROOF DUE Notice on some sort of water permit.

You will find ~~to~~ me cooperative to the accomplishment of what ever it is that you need that we must supply. The only problem is that I don't know and can't figure out what it is that you are talking about! Please answer back being a bit more descriptive with respect to the permit (no. 13-7376). It might be helpful if I knew dates?, purpose of the water use, location etc!

Thank you


Sincerely,

David J. Boruck

Weston, Id 83286

MICROFILMED
FEB 24 1988

D Bouck
Weston, Md.



State of Idaho
Department of Water Resources
State office

1301 N. Orchard Street

Boise, Idaho 83706 2237

Attn: Mrs Fleck

138137
CERTIFIED MAIL
December 31, 1987

BOUCK, DAVID
WESTON, ID 83286

PROOF DUE NOTICE

RE: Permit No. 13-7376

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BOUCK, DAVID
WESTON, ID 83286

MARCH 29, 1983

RE: PERMIT NO. 13-7376

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWS

APPLICATION NUMBER: 13 7378

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

☒ Fee.

☒ Yes ☒ No

☒ Yes ☒ No

☒ Yes ☒ No

☒ Yes ☒ No*

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____

In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

☐ Yes ☐ No

☐ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

☒ Yes ☐ No*

☐ Yes ☒ No

In form for advertising.

Final date for protests: Feb 21, 1983 ✓

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3-4-83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No

☐ Yes ☒ No

☐ Yes ☒ No

Measuring device required.

Access port required.

Will water be delivered by watermaster? If yes, what district? _____

☒ Yes ☒ No

Date of priority recommended. 1-18-1983

Special conditions of approval or cover letter. _____

Code 26

By: Ernest Carlson

Date: March 8, 1983

STATE OFFICE REVIEW:

return receipt

SL/LIT

26 04

☐ See attached sheet for more information.

By: Reyn

Date: 3/17/83

RECEIVED

MAR 14 1983

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

February 28, 1983

RE: Claim to a Water Right No. 13-4214 HULL
13-4215 HANSEN
13-4216 AUGER
13-4217 JENSEN
Application for Permit No. 13-7373 BENNETT
13-7375 BLM
13-7376 BOUCK
13-7377 KOLLER
13-7378 GRIFFETH
13-7379 CHRISTENSEN
13-7380 CHRISTENSEN

Preston Citizen
P.O. Box 472
Preston, ID 83263

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on February 3 and 10, 1983.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

13-7376

BOUCK, DAVID

WESTON, ID 83286

Source: GROUNDWATER

Date Filed: 01/18/1983

Diversion Pt: NESE Sec 26 T 15S R 38E

Use: STOCKWATER	(0.04 CFS)
DOMESTIC	(0.08 CFS)

In: SESE Sec 26 T 15S R 38E NENE Sec 35 T 15S R 38E