

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 96-7973 Priority June 23, 1981 Amount 0.04 cfs

THIS IS TO CERTIFY, that Robert Wells Gowdy
of Bayview, Idaho, has complied with the terms and conditions of Permit
No. 96-7973 issued pursuant to Application for Permit dated June 23, 1981,
and has submitted proof to the Department of Water Resources on May 21, 1985,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.04 cfs of water from a spring,
tributary to sinks, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Domestic (1 Unit)	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 26,
Twp 54N, Rge 2W in the County of Bonner

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
54N	2W	35	X																

MICROFILMED

MAR 20 1987

Total number of acres irrigated _____

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of DECEMBER, 19 86.

MICROFILMED

MAR 20 1987

Acting for the Director

Norman C Young

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Robert Wells Gowdy Phone 263 6885 mobile 7143

Post office address Lakeview Landing, Bayview Idaho 83803

2. Source of water supply Spring which is a tributary of SINKS

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 54N

Range 2W B.M. Banner County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for domestic purposes from JAN 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 1000 FT of pipe From spring
To a 500 gal storage Tank

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage JAN 1 to Dec 31 inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 35 Township 54N

Range 2W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Robert Wells Gourd
(Applicant)

MICROFILMED

MICROFILMED

Proposed priority 6/23/1981

Received by LB Date 6/23/81 Time 4:30
Preliminary check by YR Fee \$ 30.00
Receipted by LB Date 6/23/81 (18202)
Publication prepared by mm Date 7/2/81
Published in Amppoint Bee
Publication dates 7/8-15/81
Publication approved mm Date 8/7/81
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by YR RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 96-7973, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 24th day of September, 19 81.

J. Glen Saxton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

State of Idaho

ss.

County of Bonner,

Pete Thompson being first duly sworn on oath deposes and says that he is publisher of the Sandpoint Daily Bee, and News Bulletin, newspapers printed and published at Sandpoint, in Bonner County, Idaho; that the said newspapers have been continuously and uninterruptedly published in said Bonner County during a period of 12 months prior to the first publication of the hereto attached notice of publication in the case of _____

legal notice
as it was published in the regular and entire issue of the said paper for a period of 2 consecutive weeks, commencing on 8 day of 7, 1981 and ending on the 15 day of 7, 1981 and that said notice was published in said newspaper.

Pete Thompson

Subscribed and sworn to before me this 3 day of Aug, 1981.

Adelle M. Thompson

Notary Public for Idaho,

Residing at Sandpoint, Idaho

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given the the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

Application No. 96-7973

GOWDY, ROBERT WELLS
LAKEVIEW LANDING,
BAYVIEW, ID 83803

Source: SPRING tributary
to SINKS

Date Filed: 06/23/1981

Amount: 0.04 CFS

Diversion Point: SESE Sec.
26 T 54N R 02W, BONNER
Co.

Use: DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: NENE Sec. 35
T 54N R 02W

Diversion Means: TANK
AND PIPELINE.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id., 83814 on or before JULY 27, 1981.

A. Kenneth Dunn
Director

Publ. Jly 8, 15-21

RECEIVED

JUL 7 1981

Department of Water Resources
Northern District Office

MICROFILMED

**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 31, 1986

RE: Permit No. 96-7973

Robert Wells Gowdy
Box 227
Bayview, ID 83803

Dear Mr. Gowdy:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 20 1987

RECEIVED

SEP 24 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 96-7973

1. Owner: Robert Wells Crowdy Phone No. 683-2118

Current Address: P.O. Box 227, Bayview, Idaho 83803

2. Accompanied by: _____ EXAM. DATE: 8-14-86

Address: _____ Phone No. _____

Relationship to Permit Holder: SAME

3. Source: Spring tributary to Sinks

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached


2. Other water rights with same point of diversion: NONE

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 20 1987

Scale: 1" = NTS

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Concrete rock ~~catch~~ catch through $\approx 6''$ PVC to 100gal cistern Through $1\frac{1}{4}''$ plastic gravity feed to 500gal holding tank then $1\frac{1}{4}''$ plastic (will be changed this fall 1" galv.) to home.

$\frac{1}{2}$ ac lawn & garden

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
-	-	-	-	-	$1\frac{1}{4}''$

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SE	SE	26	54N	2W	Bonner	Map - A p p t.

6. **Place(s) of Use:**

Indicate Method of Determination Map

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
54N	2W	35	D $\frac{1}{2}$																$\frac{1}{2}$
																			$\frac{1}{2}$

Total =

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

None

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$Q = .04 \text{ cfs}$ via permit

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$V_{Dom + \frac{1}{2}ac} = 1.2 AF$
lawn & garden

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Dom + Eac lawn & garden	1/1	12/31	.04 cfs	1.2 AF
Totals:			.04 cfs	1.2 AF

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Jennifer Argraves

Signature

Jennifer Argraves

Certification Date

Field Report Preparation Date


CONSULTANT SEAL

Karl Walker
12/17/86


K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED


MAR 20 1987



P E
L A K E
N O R M A L



SCALE 1:24,000



CONTOUR INTERVAL 40 FEET
 1" REPRESENTS 20 FEET CONTOURS
 ELEVATION MEAN SEA LEVEL
 DATUM IS LAKE ELEVATION 2048 FEET

WITH NATIONAL MAP ACCURACY STANDARDS
 Y, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
 PHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST



QUADRANGLE LOCATION

ROAD CLASSIFICATION
 Primary highway, all weather, hard surface
 Light-duty road, all weather, improved surface
 Unimproved road, fair or dry weather
 U. S. Route

MICROFILMED

MAR 20 1987

COCOLALLA, IDAHO
 N4800—W11630/7.5

1968

AMS 2680 II SE—SERIES V89

TWP. 54N RGE. 8W SEC. 10 MAP # D-56 MAP SCALE 1:24,000
 DATE OF FIELD EXAM 7-7-73 FIELD REPORT MAP PERMIT # 26-7973

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 96-7973
Name(s) of Permit Holder(s): Robert Wells Gowdy
Post Office Address: Box 227
Bay View ID 83803

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 1/17/1981 (date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7-26-84
Date

Robert Wells Gowdy
Signature of Permit Holder

Robert 'I' Gowdy

P.O. box 227

BRAYTON ID. 83803

MICROFILMED

DEC 22 1988



RECEIVED

JUL 30 1984



Department of Water Resources

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE**

BOISE, IDAHO 83720

REMARKS
ATTACHMENT TO 219A

PERMIT # 96-7973
INITIALS

DATE

7/25/86

Unable to find Road to get to
home, Need P.R., check Court
house, make spt.

J.A.

8/1/86

From Atha - J.D. Restaurant
Appt. 9:00AM 8-14-86

J.A.

MICROFILMED
MAR 20 1987

July 29, 1986

Mr. Robert Gowdy
P.O. Box 227
Bayview, Id. 83803

Re: 96-7973

Dear Mr. Gowdy:

I have tried to conduct the required on-site examination of your water system, but was unable to locate your home. To facilitate the licensing process, please contact:

Mr. Tom D. King
Senior Water Rights Examiner
Department of Water Resources
4055 Government Way
Coeur d'Alene, Id. 83814
Phone: (208) 765-4639

to set up a convenient time for your water rights examination.

Sincerely,

JENNIFER ARGRAVES
Water Rights Examiner

JA/pms

MICROFILMED

MAR 20 1987

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7973.

Name(s) of Permit Holder: Robert Wells Gowdy

Post Office Address: P.O. box 227 Brayview, Idaho 83803

Tel. No. _____

Source of Water: Spring located, SE 1/4 of SE 1/4 sec 26, T54N, R2W

Extent of Use: ☒ Domestic 1 (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-15-85

Date

MICROFILMED

Robert W Gowdy

Signature of Permit Holder

R W Gowd
P.O. box 227
Brayview, ID, 83803



RECEIVED



MAY 21 1985

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

96-2923-

GOWDY, ROBERT WELLS

LAKEVIEW LANDING, BAYVIEW, ID 83803

Source: SPRING tributary to SINKS

Date Filed: 06/23/1981

Amount: 0.04 CFS

Diversion Point: SESE Sec 26 T 54N R 02W. BONNER Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NENE Sec 35 T 54N R 02W

Diversion Means: TANK AND PIPELINE.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JUNE 21, 1985

ROBERT GOWDY
P.O. BOX 227
BAYVIEW ID 83803

RE: Permit No. 96-7973

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

GOWDY, ROBERT WELLS
LAKEVIEW LANDING
BAYVIEW, ID 83803

SEPTEMBER 29, 1981

RE: PERMIT NO. 96-7973

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED