



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lanark Cemetery Dist Jan Carson
(Applicant) Sec.



(PARIS)
3768 III NW
SCALE 1:24 000

PARIS 1.6 MI.
LOGAN, UTAH 62 MI. INTERIOR—GEOLOGICAL SURVEY



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

ROAD CL

Medium-duty

Unimproved

U. S. Route



QUADRANGLE LOCATION

MICROFILMED
MAY 16 1995

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
LOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
COPYING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

11-07384



Fig. 1 - Point of diversion.



Fig. 2 - Place of use.

11-07384
MICROFILMED
MAY 16 1995

4015

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Bear Lake

ss.

Rosa S. Moosman
being duly sworn,

deposes and says:

That he is the editor of THE NEWS-EXAMINER, a weekly newspaper published at Montpelier, in the County of Bear Lake and State of Idaho; and said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Montpelier; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

August 16, 1990, and ending
with the issue of August 23, 1990

Rosa S. Moosman
Fees, 35.42

Subscribed and sworn to before me this 29 day
of August, 1990
Renee C. Smith

Notary Public, Residing at Montpelier, Idaho

My Commission Expires May 21, 1994

RECEIVED

SEP 12 1990

Department of Water Resources
Eastern District OfficeNOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

11-07384

LANARK CEMETARY DISTRICT
1185 LANARK RD.

OVID, ID 83260

Source: GROUNDWATER

Diversion Pt: SWNW Sec. 27 T 13S R
43E

Use: IRRIGATION (.040 CFS)

Total Diversion: (.040 CFS)

Date Filed: 5/8/90

In: T13S R43E S27 SWNW

2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before September 3, 1990.

R. KEITH HIGGINSON, Director

Legal No. 4015 Published Aug. 16 and
23, 1990.

MICROFILMED

DEC 07 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 11-07384

Priority: May 9, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

7.0 AF

This is to certify, that LANARK CEMETARY DISTRICT
1185 LANARK RD
OVID ID 83260

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 8, 1990; and has submitted Proof of Beneficial Use on December 2, 1992. An examination indicates that the works have a diversion capacity of 0.050 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	7.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 27, Township 13S, Range 43E
BEAR LAKE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13S	43E	27	SENW	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 2ND day of MAY, 1995.

Acting for

R. Keith Higginson, Director

MAY 16 1995

APPROVED

State of Idaho
Department of Water Resources

RECEIVED

APR 26 1995

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 11-07384

Date of Priority: May 9, 1990

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

7.0 AF

Comes now

LANARK CEMETARY DISTRICT

1185 LANARK RD

OVID ID 83260

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 11-07384, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.04 CFS	7.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SENEW, Sec. 27, Township 13S, Range 43E
BEAR LAKE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13S	43E	27	SENEW	2		2

Total number of acres irrigated: 2

RECEIVED

MAY 16 1995

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Ovid, this 20th day of April, 1995.

John Conroy Sec.
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 11-07384

FOR DEPARTMENT USE ONLY

Preliminary check by _____ Fee = 50.00 Received by JW # C032540 Date 4-26-95

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 11-07384 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness my hand this 2ND day of MAY, 1995.

Acting for

R. Keith Higginson, Director

RECEIVED
MAY 16 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 11-07384)
IN THE NAME OF LANARK CEMETARY DISTRICT) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before December 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, on December 1, 1992, the permit lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on December 2, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 11-07384 be REINSTATED with an advance in priority to May 9, 1990.

Dated this 4th day of December, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
DEC 08 1992

Amt. of Fee \$ _____
Date _____
Receipt No. _____
Receipt by _____

RECEIVED

DEC 2 1992

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 11-07384 Telephone No. 208-945-2415
2. Name(s) of Permit Holder(s): LAWARK CEMETARY DISTRICT
3. Mailing Address: 1185 LAWARK RD OWID, ID 83260
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Westlake Drilling Date Drilled: 10/11 to 10/16/90

OPTIONAL:

Pump horsepower: 1.5 Pressure (psi): 50 Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 2 (No. of acres) Other _____

6. Total rate and/or volume for which proof is submitted 1.02 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes _____ No Installed? _____ Yes _____ No

OR

Flow Measurement Port: Required? _____ Yes _____ No Installed? _____ Yes _____ No

8. Fee Enclosed: \$ _____ (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Joan Passey 945-2415
Name Telephone No.
1185 LAWARK RD OWID, ID 83260
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 08 1992

12/30/92
Date

Joan S Passey Sec Lawark Cemetery Dist
Signature (and title, if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 11-07384

Proposed Priority: May 8, 1990 Maximum Diversion Rate: 0.04 CFS
This is to certify, that LANARK CEMETARY DISTRICT

1185 LANARK RD.

OVID, ID 83260

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/15 to 10/15	0.04 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SWNW Sec. 27, Township 13S, Range 43E BEAR LAKE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
13S	43E	27	SWNW	2		2

Total number of acres irrigated: 2

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1992.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

3rd day of December, 1990.

for R. Keith Higginbotham, Director

DEC 07 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant LANARK CEMETARY DISTRICT Phone 945-2415
Post office address 1185 LANARK RD, OVID, ID 83260
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SW 1/4 of NW 1/4, Govt. Lot _____
Sec. 27 Township 13S Range 43E B.M. _____ County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for IRRIGATION purposes from 4/15 to 10/15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL AND PUMP TO
SPEINKLER SYSTEM
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8" inches; proposed depth of well is 150' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of water to the proposed beneficial use is
5 years (minimum 1 year).

* As per telephone conversation Joan Passey.
31 July 1990/DMD

MICROFILMED

DEC 07 1990

RECEIVED

12. Remarks:

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use?

11. a. Who owns the property at the point of diversion? LAUREL CEMENTING DISTRICT

10. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated.

[illegible]

ponding place of use below. See instructions for standard symbols.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

9. Description of place of use:

e. Other; describe fully.

d. Domestic; show number of households.


c. Municipal; show name of municipality.

b. Stockwatering; list number and kind of livestock.

a. Hydropower; show total feet of head and proposed capacity in kW.

8. Description of proposed uses (if irrigation only, go to item 9):

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lanark Cemetery Dist John Cassidy
(Applicant) Sec.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by AW Date 5-8-90 Time 10:30 AM Preliminary check by DMD
Fee \$ 30.00 Received by AW # EG14271 Date 5-8-90
Publication prepared by RB Date 8-16-90 Published in News-Examiner
Publication approved by AW Date 9/19/90

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. _____, and said application is hereby

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

DEC 02 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

May 3, 1995

LANARK CEMETARY DISTRICT
1185 LANARK RD
OVID ID 83260

RE: WATER RIGHT NO. 11-07384

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment.

Should you have any questions regarding these documents, please contact me.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MICROFILMED
MAY 16 1995

FROM S.W. Keen

DATE March 27, 1995

TO File 11-07384

SUBJECT Phone conversation with Joan Passey

Joan Passey called to discuss the pre-licensing amendment. She is going to check her records and respond within 30 days.

MICROFILMED

Shelly Walter Keen
SIGNATURE

MAY 16 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 22, 1995

LANARK CEMETARY DISTRICT
1185 LANARK RD
OVID ID 83260

RE: WATER RIGHT NO. 11-07384

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor


SK:rl

Enclosure

RECEIVED

MAY 16 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 11-07384 DATE 11-07384
3/14/95

NAME	Change	OK	Or Address Change?
PRIORITY DATE	✓	—	Advance? <u>YES</u> Advanced to: <u>5-9-1990</u> Order to reinstate needed? <u>DONE</u> Incorrect fee for rate recommended? <u>NA</u>
SOURCE	—	✓	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	✓	—	Amendment needed? <u>Change to SENV of 27</u> Overlaps? _____
PLACE OF USE	✓	—	Amendment needed? <u>CHANGE TO SENV of 27</u> Overlaps? _____
DIV RATE	—	✓	Permit/fee limits: <u>.04 CFS</u> Meas Q = _____ Theo Q = <u>.05</u> Recommend: <u>.04</u> <u>1.5 HP X 8.8 X .7</u> <u>2 X .02 = .04</u> <u>105 + (2.31 X 40) = .05 CFS</u> Combined rates exceed capacity _____
ANNUAL VOLUME	—	✓	Volume Limit: _____ Season: <u>B/3.5 (4-15 to 10-15)</u> Calculations: <u>2 X 3.5 = 7 gfa</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	—	✓	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	—	✓	Multiple p/d(s) in ¼ ¼? _____ Other _____
CONDITIONS	—	✓	Watermaster control - District _____ Measuring/Locking Devices _____ <u>R30</u> Irrigation Overlap _____ Other _____ Water Quality _____ Heat/Cool/Fish verified _____
COMMENTS:			

COMMENTS: Amend P/E and P/U

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	
<u>Drigation</u>	<u>.04</u>	<u>7.0</u>	Adjustment Memo Needed	<u>NO</u>
			LICENSE	
			AMENDMENT LETTER	<u>P37 + P38 + S05</u>
			SECOND AMENDMENT LETTER	<u>P47</u>

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

DEC 1 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 11-07384

1. Owner: LANARK CEMETARY DISTRICT

Phone No. (208) 945-2415

Current Address: 1185 LANARK ROAD, OVID, ID 83260

2. Accompanied by: JOAN DASSEN

EXAM DATE: 6-3-1993

Address: SAME

Phone No. _____

Relationship to Permit Holder: SECRETARY

3. Source: GROUNDWATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: -

2. Other water rights with the same point of diversion: -

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	SE	NW	27	13S	43E	BEAR LAKE	USGS, ONSITE


2. Place(s) of Use:

Indicate Method of Determination USGS, ONSITE

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
13S	43E	27								2									2
Total =>																			2 ac.

MAY 16 1995

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe i.d. as applicable.



Scale 1" = _____
 _____ Copy of USGS Quadrangle Attached Showing location(s) of _____
 _____ point(s) of diversion and place(s) of use (required).
 _____ Aerial Photo Attached of _____
 _____ (required for irrigation of 10+ acres)
 _____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No. *	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
00000000		1.5			

*Code to correspond with No. on map and aerial photo

Flow info supplied by John Passer

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Static H₂O at 95' (From well log)

RECORDED

MAY 16 1995

E. NARRATIVE/REMARKS/COMMENTS

WELL AND SUB. PUMP TO PIPELINES FOR IRRIGATION OF LAUREL
CEMETERY. ONE HALF OF LAND IS PRESENTLY UNDER PLANTS. THE OTHER HALF
IS BEING FARMED. SYSTEM IS IN PLACE FOR ENTIRE PLACE OF USE.

*AMEND AS SHOWN

Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED
MAY 16 1995

MAY 16 1985

SEAL

Field Examiner's Name Paul E. Meyer Date 11-21-94
Reviewer John C. Wilson Date 11/28/94

I. AUTHENTICATION

<u>X</u>	Change P.D. as reflected above	<u> </u>	Add P.D. as reflected above	<u> </u>	None
<u>X</u>	Change P.U. as reflected above	<u> </u>	Add P.U. as reflected above	<u> </u>	Other

2. Recommended Amendments

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (af)
Levee Protection	4-15	0.04	7.0
Totals:	10-15	0.04	7.0

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$$V_{LR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 240 \times 3.5 \text{ dca} = 7 \text{ dca}$$

1. Volume Calculations for Irrigation:

G. VOLUME CALCULATIONS


$$53710.0 = 53720.0 \times 72 \text{ ab } 74/20.0 \text{ by } 0.011111$$

$$\text{Osmolality} = \frac{1.5 \text{ mO} (2.14) \cdot 750}{95,114 + (40 \text{ mO} \times 2.308)} = 0.05 \text{ os}$$


Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached



(PARIS)
3768 III NW
SCALE 1:24 000



CONTOUR INTERVAL 20 FEET
DOTTED LINES REPRESENT 5-FOOT CONTOURS
DATUM IS MEAN SEA LEVEL

PARIS 1.6 MI.
LOGAN, UTAH 62 MI.



QUADRANGLE LOCATION

Microfilm
MAY 16 1995
Unimproved
U. S. Route

THIS MAP COMPLIES WITH NATIONAL MAP ACCURACY STANDARDS
LOGICAL SURVEY, DENVER, COLORADO 80225, OR WASHINGTON, D. C. 20242
DESCRIBING TOPOGRAPHIC MAPS AND SYMBOLS IS AVAILABLE ON REQUEST

11-07384




Fig. 1 - Point of diversion.



Fig. 2 - Place of use.

11-07384
MICROFILMED
MAY 16 1995

December 4, 1992

LANARK CEMETARY DISTRICT
1185 LANARK RD.
OVID ID 83260

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 11-07384

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
DEC 08 1992

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 11-07384

Reviewed by kg

Date 12/3/92

GENERAL CONSIDERATIONS

TYPES OF USE

yes Name same as permit?
yes Address same as permit?
no Proof timely received?
If not, complete calculation below.

irrigate - 2
yes Correct Uses?

SOURCE OF WATER

 Surface water source
✓ Ground water source

yes Drilling permit required?
yes Copy in the file? Drilling Permit No. 11-90-E-012
100 Amount paid for permit yes Correct?
yes Well log in the file?

LICENSE EXAMINATION FEE

NA Required?
 Amount Submitted
 Correct?

MEASURING DEVICE

NA Required?
 Installed?
 Waiver requested?

PRIORITY CALCULATION

Date proof received 12/2/92 336
Date proof due 12/1/92 - 335
No. of days late = 1
Priority Date 5/8/90 + 128
New Priority Date 5/9/90 129
kg

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address

needs an order

Proof Made 12/2/92
12/4/92 kg

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Lanark Cemetery District</u> Address <u>1185 Lanark Rd.</u> <u>Ovid, Idaho 83260</u> Owner's Permit No. <u>11-90-E-012</u> <u>11-07384</u>		7. WATER LEVEL Static water level <u>95</u> feet below land surface. Flowing? ☐ Yes ☐ No G.P.M. flow Artesian closed-in pressure <u> </u> p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u> </u> of Quality <u>good</u> <i>Describe artesian or temperature zones below:</i>																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td><u>50</u></td><td><u>135</u></td><td><u>4</u></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>50</u>	<u>135</u>	<u>4</u>																																																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																								
<u>50</u>	<u>135</u>	<u>4</u>																																																																																								
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other <u> </u> (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>8 1/2</u></td><td><u>0</u></td><td><u>138</u></td><td></td><td></td></tr><tr><td><u>6</u></td><td></td><td><u>144</u></td><td></td><td></td></tr><tr><td></td><td><u>0</u></td><td><u>4</u></td><td><u>soil clay gravel</u></td><td></td></tr><tr><td></td><td><u>4</u></td><td><u>11</u></td><td><u>shale rock</u></td><td></td></tr><tr><td></td><td><u>11</u></td><td><u>25</u></td><td><u>siltstone</u></td><td></td></tr><tr><td></td><td><u>25</u></td><td><u>28</u></td><td><u>shale</u></td><td></td></tr><tr><td></td><td><u>28</u></td><td><u>68</u></td><td><u>sandstone (soft)</u></td><td></td></tr><tr><td></td><td><u>68</u></td><td><u>77</u></td><td><u>limestone Hard (med. dk. gray)</u></td><td></td></tr><tr><td></td><td><u>77</u></td><td><u>78</u></td><td><u>broken</u></td><td></td></tr><tr><td></td><td><u>78</u></td><td><u>83</u></td><td><u>limestone (dusty yellow)</u></td><td></td></tr><tr><td></td><td><u>83</u></td><td><u>91</u></td><td><u>limestone (yellowish gray)</u></td><td></td></tr><tr><td></td><td><u>91</u></td><td><u>96</u></td><td><u>limestone (mod. yellowish br.)</u></td><td></td></tr><tr><td></td><td><u>96</u></td><td><u>111</u></td><td><u>siltstone</u></td><td></td></tr><tr><td></td><td><u>111</u></td><td><u>138</u></td><td><u>limestone</u></td><td></td></tr><tr><td></td><td><u>138</u></td><td><u>140</u></td><td><u>fractured</u></td><td><u>X</u></td></tr><tr><td></td><td><u>140</u></td><td><u>144</u></td><td><u>limestone</u></td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	<u>8 1/2</u>	<u>0</u>	<u>138</u>			<u>6</u>		<u>144</u>				<u>0</u>	<u>4</u>	<u>soil clay gravel</u>			<u>4</u>	<u>11</u>	<u>shale rock</u>			<u>11</u>	<u>25</u>	<u>siltstone</u>			<u>25</u>	<u>28</u>	<u>shale</u>			<u>28</u>	<u>68</u>	<u>sandstone (soft)</u>			<u>68</u>	<u>77</u>	<u>limestone Hard (med. dk. gray)</u>			<u>77</u>	<u>78</u>	<u>broken</u>			<u>78</u>	<u>83</u>	<u>limestone (dusty yellow)</u>			<u>83</u>	<u>91</u>	<u>limestone (yellowish gray)</u>			<u>91</u>	<u>96</u>	<u>limestone (mod. yellowish br.)</u>			<u>96</u>	<u>111</u>	<u>siltstone</u>			<u>111</u>	<u>138</u>	<u>limestone</u>			<u>138</u>	<u>140</u>	<u>fractured</u>	<u>X</u>		<u>140</u>	<u>144</u>	<u>limestone</u>	
Bore Diam.	Depth		Material		Water Yes No																																																																																					
	From	To																																																																																								
<u>8 1/2</u>	<u>0</u>	<u>138</u>																																																																																								
<u>6</u>		<u>144</u>																																																																																								
	<u>0</u>	<u>4</u>	<u>soil clay gravel</u>																																																																																							
	<u>4</u>	<u>11</u>	<u>shale rock</u>																																																																																							
	<u>11</u>	<u>25</u>	<u>siltstone</u>																																																																																							
	<u>25</u>	<u>28</u>	<u>shale</u>																																																																																							
	<u>28</u>	<u>68</u>	<u>sandstone (soft)</u>																																																																																							
	<u>68</u>	<u>77</u>	<u>limestone Hard (med. dk. gray)</u>																																																																																							
	<u>77</u>	<u>78</u>	<u>broken</u>																																																																																							
	<u>78</u>	<u>83</u>	<u>limestone (dusty yellow)</u>																																																																																							
	<u>83</u>	<u>91</u>	<u>limestone (yellowish gray)</u>																																																																																							
	<u>91</u>	<u>96</u>	<u>limestone (mod. yellowish br.)</u>																																																																																							
	<u>96</u>	<u>111</u>	<u>siltstone</u>																																																																																							
	<u>111</u>	<u>138</u>	<u>limestone</u>																																																																																							
	<u>138</u>	<u>140</u>	<u>fractured</u>	<u>X</u>																																																																																						
	<u>140</u>	<u>144</u>	<u>limestone</u>																																																																																							
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other <u> </u>		RECEIVED DEC 23 1991 Department of Water Resources Eastern District Office																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>.280</u> inches</td><td><u>6 ID</u> inches</td><td><u>+ 1 1/2</u> feet</td><td><u>138</u> feet</td></tr><tr><td><u> </u> inches</td><td><u> </u> inches</td><td><u> </u> feet</td><td><u> </u> feet</td></tr><tr><td><u> </u> inches</td><td><u> </u> inches</td><td><u> </u> feet</td><td><u> </u> feet</td></tr><tr><td><u> </u> inches</td><td><u> </u> inches</td><td><u> </u> feet</td><td><u> </u> feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation <u> </u> inches by <u> </u> inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u> </u> perforations</td><td><u> </u> feet</td><td><u> </u> feet</td></tr><tr><td><u> </u> perforations</td><td><u> </u> feet</td><td><u> </u> feet</td></tr><tr><td><u> </u> perforations</td><td><u> </u> feet</td><td><u> </u> feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name <u> </u> Type <u> </u> Model No. <u> </u> Diameter <u> </u> Slot size <u> </u> Set from <u> </u> feet to <u> </u> feet Diameter <u> </u> Slot size <u> </u> Set from <u> </u> feet to <u> </u> feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel <u> </u> Placed from <u> </u> feet to <u> </u> feet Surface seal depth <u>135</u> Material used in seal: ☒ Cement grout ☐ Bentonite ☐ Puddling clay ☐ <u> </u> Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>well cap</u>				Thickness	Diameter	From	To	<u>.280</u> inches	<u>6 ID</u> inches	<u>+ 1 1/2</u> feet	<u>138</u> feet	<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet	<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet	<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet	Number	From	To	<u> </u> perforations	<u> </u> feet	<u> </u> feet	<u> </u> perforations	<u> </u> feet	<u> </u> feet	<u> </u> perforations	<u> </u> feet	<u> </u> feet																																																							
Thickness	Diameter			From	To																																																																																					
<u>.280</u> inches	<u>6 ID</u> inches			<u>+ 1 1/2</u> feet	<u>138</u> feet																																																																																					
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet																																																																																							
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet																																																																																							
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet																																																																																							
Number	From	To																																																																																								
<u> </u> perforations	<u> </u> feet	<u> </u> feet																																																																																								
<u> </u> perforations	<u> </u> feet	<u> </u> feet																																																																																								
<u> </u> perforations	<u> </u> feet	<u> </u> feet																																																																																								
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td></td><td></td><td></td><td></td></tr><tr><td>W</td><td></td><td>X</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td><td></td><td></td></tr></table> County <u>Bear Lake</u> Subdivision Name <u> </u> Lot No. <u> </u> Block No. <u> </u> SE NW 1/4 Sec 27 T. 13 S. R. 43 E.		N					W		X		E											S					10. Work started <u>10/11/90</u> finished <u>10/16/90</u>																																																															
N																																																																																										
W		X		E																																																																																						
S																																																																																										
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Westlake Drilling Firm No. 114</u> <u>184 N. 7st</u> Address <u>Montpelier, Idaho</u> Date <u>10/31/90</u> Signed by (Firm Official) <u>Elroy Westlake</u> and (Operator) <u>Elroy Westlake</u>		11. DEC 08 1992																																																																																								

September 30, 1992

LANARK CEMETARY DISTRICT
1185 LANARK RD.
OVID ID 83260

PROOF DUE NOTICE

RE: PERMIT NO. 11-07384

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED
DEC 1 1992

DEC 08 1992

Drilling Permit No. 1-90-E-012

Water Right Permit No. 11-07384

Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

RECEIVED

MAY - 8 1990

Department of Water Resources
Eastern District Office

1. Applicant LANARK CEMETARY DISTRICT
2. Mailing Address 1185 LANARK RD
OVID, ID 83260 Telephone 945-2415
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location SW 1/4 NW 1/4, or Gov't lot No. _____,
Sec. 27, Twp. 13S, Rge. 43E, County BEAR LAKE,
Street Address of Well Site _____,
Lot, block and subdivision _____
4. Proposed use of well:
☐ Single family or stockwater use (less than 13,000 gallons per day)
☒ Irrigation (more than 1/2 acre)
☐ Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
☐ Other (describe fully) _____
5. Well construction information:
A. ☒ New well ☐ Deepen ☐ Replace - See Condition 9.
B. Proposed surface diameter _____ Maximum depth _____
C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Construction Start Date ASAP
7. Anticipated Well Driller WESTLAKE
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Joan J. Passey Date 5-7-90
Title Sec Lanark Cemetery Dist
(Owner, Firm Representative, Other)

RECEIVED

DEC 08 1992

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

APPROVED

Date

October 11, 1990

If approved, this permit authorizes the construction of a well subject to the following conditions. **READ CAREFULLY!**

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well-construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

Iturik A. Reed

MANAGER
GROUNDWATER PROTECTION SECTION

Signature of Authorized Department Representative

Title

Receipt No. E014277 Received by HWS Fee 100.45 Date 5-08-90

EXTENSION OF DRILLING PERMIT

Extension approved by

Approval Date

This extension is good for 60 days beyond the above extension approval date. DEC 08 1992

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 3, 1990

LANARK CEMETARY DISTRICT
1185 LANARK RD.
OVID, ID 83260

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 11-07384

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.


You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

MICROFILMED

DEC 07 1990

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,



JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

DEC 07 1990

4015

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

County of Bear Lake

ss.

Rosa S. Moosman
being duly sworn,

deposes and says:

That he is the Editor of THE NEWS-EXAMINER, a weekly newspaper published at Montpelier, in the County of Bear Lake and State of Idaho; and said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Montpelier; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

August 16, 1990, and ending
with the issue of August 23, 1990

Rosa S. Moosman
Fees, 35.42

Subscribed and sworn to before me this 29 day
of August, 1990
Renee C. Smith

Notary Public, Residing at Montpelier, Idaho

My Commission Expires May 21, 1994

RECEIVED

SEP 12 1990

Department of Water Resources
Eastern District OfficeNOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed in appropriate jurisdictional waters of the State of Idaho:

11-07364

LANARK CEMENTATION DISTRICT
1185 LANARK RD.
OVID, ID 83422

Source: GROUNDWATER
Diversion Pt: SWNW Sec. 27 T12S R. 43E

Use: IRRIGATION (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 6/8/90
In: T12S R43E S27 SWNW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Third Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before September 3, 1990.

B. KEITH HIGGINS, Director
Legal No. 4015 Published Aug. 16 and 23, 1990.

MICROFILMED

DEC 07 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 6, 1990

THE NEWS-EXAMINER
P.O. BOX 278
MONTPELIER, ID 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 3, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

DEC 07 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

DEC 07 1990

Source: GROUNDWATER

```

Use:  IRRIGATION      ( .040 CFS)
      Total Diversion: ( .040 CFS)

```

In: T13S R43E S27 SWNW

2.0 ACRES TOTAL

DEC 07 1990

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, Eastern Region, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 3, 1990.

R. KEITH HIGGINSON, Director

Published 8/16/1990 & 8/23/1990

MICROFILMED

DEC 07 1990

09-Aug-1990

LANARK CEMETARY DISTRICT
1185 LANARK RD.
OVID, ID 83260

RE: Application for Permit No. 11-7384

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the News-Examiner on AUGUST 16 & 23, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

DEC 07 1990