

No 3161

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

County of Bear Lake

ss.

Theresa Starnum

being duly sworn,

deposes and says:

That he is the Editor of THE NEWS-EXAMINER, a weekly newspaper published at Montpelier, in the County of Bear Lake and State of Idaho; and said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Montpelier; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

October 2, 1986, and ending
with the issue of October 9, 1986.

Fees, \$23.66 Theresa Starnum

Subscribed and sworn to before me this 10th day
of Oct, 1986.

Kenneth Dunn
Notary Public, Residing at Montpelier, Idaho

My Commission Expires June 2, 1992.

RECEIVED

OCT 20 1986

Department of Water Resources
Eastern District Office

NOTICE OF CORRECTION

Notice is hereby given that Application No. 11-7358 in the name of State of Idaho Dept. of Parks and Rec., Statehouse, Boise, Idaho was incorrectly advertised on Sept. 18, 1986. The Point of Diversion was advertised as being within SWSE Sec. 13 T 16S R 44E and the Place of Use as SWSE Sec. 13 T 16S R 44 E NENW Sec. 24 T 16S R 44 E.

WHEREAS the actual point of diversion is within the SWSE Sec. 13 T 16S R 44E and the place of use is within the SWSE Sec. 13 T 16S R 44E NENW Sec. 24 T 16S R 44E.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before Oct. 20, 1986.

A. Kenneth Dunn
Director
Legal No: 3161 -26L- Published Oct. 2 and Oct. 9, 1986.

MICROFILMED

DEC 10 1986

Department of Water Resources

Permi 4th
 11-7358
 T16S R44E

p/u

R44E R45E

11-07358

Bear Lake Sands

12 12

5989

x6143

Porcupine

Hollow

Peterson

Gravel Pit

Park

STATE

BEACH

NORTH

24

Chokecherry

Hollow

6400

6974x

25

BM

5945

34

34

34

34

Porcupine

Hollow

Spring

18

Hollow

Peterson

TRAIL

JEEP

Hollow

19

Quarry

Chokecherry

Hollow

7000

TRAIL

JEEP

30

7074x

7070x

35

35

35

BEAR LAKE CO
 RICH CO

BEAR LAKE CO
 RICH CO

INTERIOR—GEOLOGICAL SURVEY, RESTON, VIRGINIA—1978
 LAKETOWN 17 MI. R. 6 E. 479000m E.


ROAD CLASSIFICATION

Primary highway

Light duty road, hard or

Mapped, edited, and published by the Geological Survey

Control by USGS and USC&GS



Sec. 18

Permit #
11-07358
T86S, R44E
Sec 13+24

Sec. 19

Sec 13

aprox

Sect. Bd

Sec 24

P/4

camp supply

P/2

Storage Tank

11-7358



Looking North & West
at East side of pump
house. show well
Flow meter and Cl_2 system




Pump and Cl_2
Control boxes

Permit #
11-07358



Tank Fill
Piping
Well located
in this corner

looking West at Pump House



Pump house
10,000 gal
Storage
Tank

looking North West at storage tank
and pump house


Permit #
11-07358

Pump installed is a SP 8-15

Performance Curves

MODEL
SP 8

NOM. FLOW RATE
40 GPM
FLOW RANGE
22 to 56 GPM
PUMP OUTLET
2" NPT




DIMENSIONS AND WEIGHTS

MODEL NO.	HP	LENGTH (L)	APPROX. UNIT SHIPPING WT. (LBS.)
SP 8-3	1	27 ⁷ / ₈ "	35
SP 8-5	1 ¹ / ₂	33 ³ / ₄ "	43
SP 8-7	2	41 ⁷ / ₈ "	54
SP 8-9	3	47 ⁵ / ₈ "	70
SP 8-12	5	58 ⁵ / ₈ "	91
SP 8-15	5	63 ⁵ / ₈ "	97
SP 8-21	7 ¹ / ₂ *	75 ³ / ₄ "	164
SP 8-25	7 ¹ / ₂ *	82 ³ / ₄ "	172
SP 8-30	10*	94 ³ / ₈ "	201

* A 6" minimum well diameter is required for the SP 8-21 (7¹/₂ HP), SP 8-25 (7¹/₂ HP) and SP 8-30 (10 HP) models.

Specifications are subject to change without notice.



3³/₄"

5¹³/₃₂"

MICROFILMED
MAR 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 11-7358
RECEIVED
AUG 25 1986

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Idaho Dept. of Parks & Recreation Phone 334-3840
Post office address Statehouse Mail, Boise, ID 83720
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NA $\frac{1}{4}$, Govt. Lot NA
Sec. 13 Township 16 S. Range 44 E. B.M. Bear Lake County; additional
points of diversion if any: None * As per tele- con with Mr. Mews 8-29-86 HWJ
4. Water will be used for the following purposes:
Amount 0.20 for Recreation purposes from May 1 to Sept. 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 6" diameter well approx. 175'
deep. A 5 hp. 1 phase pump with 10,000 storage tank

b. Height of storage dam None feet; active reservoir capacity N.A. acre-feet; total
reservoir capacity N.A. acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is 175' feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application for the proposed beneficial use is
2 years years (minimum 1 year).

MICROFILMED
DEC 15 1986
Department of Water Resources

N.A.

a. Hydropower; show total feet of head and proposed capacity in KW.

• V • N

b. Stockwatering; list number and kind of livestock.

V.N.

c. Municipal; show name of municipality.

V.N.

d. Domestic; show number of households.

e. Other; describe fully. _____ Supply water for campground, day use and shower and restroom

facilities at Bear Lake State Park (East side).

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: *D for Domestic*) in the corresponding column.


ponding place of use below. See instructions for standard symbols.

[illegible]

T. 15 S.
T. 16 S.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R. 44 E R. 45 E.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

DECEMBER 15 1906
Department of Water Resources

My H. Mears
(Applicant)

CHIEF, DEVELOPMENT BUREAU

Department of Water Resources
DEC 13 1986
MICROFILMED

D. H. Saylor
Chief, Operations Bureau

Witness my hand this 14th day of November, 1986.

- e. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
Use of water under this permit shall be non-consumptive.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

December 1, 1988

- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

Idaho No. 11-7358, and said application is hereby APPROVED

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by <i>[Signature]</i>	Date <u>8/27/86</u>	Time <u>12:30 PM</u>	Proposed Priority <u>8/25/86</u>
Received by <i>[Signature]</i>	Date <u>8/25/86</u>	Time <u>1:50 PM</u>	Preliminary check by <u>HUS</u>
Fee \$ <u>300.00</u>	Received by <i>[Signature]</i>	Date <u>8-29-86</u>	Date <u>9-18 + 9-25-86</u>
NOC	Received by <i>[Signature]</i>	# <u>39861</u>	Published in <u>NEWS EXAMINER</u>
NOC published by <i>[Signature]</i>	Date <u>9-24-86</u>	Date <u>9-3-86</u>	Date <u>10-21-86</u>
Publication approved	Date <u>10-2 + 10-9-86</u>		

No 3161

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,

County of Bear Lake

ss.

Theresa Starnes

being duly sworn,

deposes and says:

That he is the Editor of THE NEWS-EXAMINER, a weekly newspaper published at Montpelier, in the County of Bear Lake and State of Idaho; and said paper has been and is in general circulation in the county aforesaid, and in the vicinity of Montpelier; that the advertisement, a copy of which is attached hereto, was published in said newspaper once a week for 2 consecutive weeks in the regular and entire issue of said paper during the period and time of publication, and was published in the newspaper proper and not a supplement; that said paper has been established and regularly published for more than seventy-eight consecutive weeks prior to the date of first publication of said advertisement.

Such notice was published in the issue beginning with

October 2, 1986 and ending with the issue of October 9, 1986.

Fees, \$23.66 Theresa Starnes

Subscribed and sworn to before me this 10th day of Oct, 1986.

Kim D. Allen
Notary Public, Residing at Montpelier, Idaho

My Commission Expires June 2, 1992.

RECEIVED

OCT 20 1986

Department of Water Resources
Eastern District Office

NOTICE OF CONNECTION

Notice is hereby given that Application No. 11-7358 in the name of State of Idaho Dept. of Parks and Rec., Statehouse, Boise, Idaho was incorrectly advertised on Sept. 18, 1986. The Point of Diversion was advertised as being within SWSE Sec. 13 T 16S R 44E and the Place of Use as SWSE Sec. 13 T 16S R 44 E NENW Sec. 24 T 16S R 44 E.

WHEREAS the actual point of diversion is within the SWSE Sec. 13 T 16S R 44E and the place of use is within the SWSE Sec. 13 T 16S R 44E NENW Sec. 24 T 16S R 44E.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 130 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before Oct. 20, 1986.

A. Rasmussen
Director
Legal No: 3161-361. Published Oct. 2 and Oct. 9, 1986.

MICROFILMED

DEC 10 1986

Department of Water Resources

INTER-DEPARTMENT MEMO — 1

FROM Michele Davis

DATE November 3, 1986

TO File

SUBJECT Advertising

The legal advertisement published 9/18/86 had errors in it, so was cancelled before the second advertising. A notice of correction was written and published on 10/2/86 and 10/9/86.

MICROFILMED

DEC 10 1986


Department of Water Resources

M. Davis

SIGNATURE

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
—	Franklin	5	232/1139003	Franklin	2"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Rockwell			3	377756/2		124 2424 gal


2. Measurements:

Flow meter indicated 142424 gal
 Rockwell
 Pump outlet is at 50 psi. Gauge installed

Permi 1/2#
 11-7358
 T16S R44E p/u


R44E R45E

11-07358



BEAR LAKE CO
 RICH CO

BEAR LAKE CO
 RICH CO



Sec. 18

Permit #
11-07358
T86S, R44E
Sec 13+24

Sec. 19

Sec 13

aprox

Sect. B

Sec 24

R/4

11-7358



Looking North & West
at East side of pump
house. Show well
Flow meter and Cl² system



Pump and Cl²
Control boxes

Permit #
11-07358



Fill
Piping

cated
concrete

looking West at Pump House



looking North West at storage tank
and pump house

Permit #
11-07358

Permit # 11-07358

E. NARRATIVE/REMARKS/COMMENTS

Supply water for domestic use in campground day use and Shower and Restroom facilities at Bear Lake State Park (East Side)

Water is pumped up hill from the diversion to a 10,000 storage tank - the supply line for the campground then runs back by the point of diversion and into the camp.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Recreation</u>	<u>5/1</u>	<u>9/30</u>	<u>0.20</u>	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.20</u>	_____

2. Recommended Amendments

____ Change P.D. as reflected above

____ Add P.D. as reflected above

____ None

____ Change P.U. as reflected above

☒ Add P.U. as reflected above☒ Other*Change nature of use.***I. AUTHENTICATION**Field Examiner's Name Lee L. Simmons Date 7-23-98Reviewer Dennis M. Dean Date 3 February 99

SEAL

MEMORANDUM

March 1, 1991

TO: File 11-7358

FROM: Mark Slifka

This water right file was "held up" due to an inappropriate well log. The driller drilled it illegally -- not licensed. However, since he probably lives in Utah and is not currently licensed in Idaho, we are limited to what we can do to bring enforcement action that would be of any benefit to Idaho.

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name

Address

Owner's Permit No. 11-7358

2. NATURE OF WORK

☐ New well

☐ Deepened

☐ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☐ Domestic☐ Irrigation☐ Test☐ Municipal

☐ Industrial☐ Stock☐ Waste Disposal or Injection

☐ Other (specify type)

4. METHOD DRILLED

☐ Rotary☐ Air☐ Hydraulic☐ Reverse rotary

☐ Cable☐ Dug☐ Other

5. WELL CONSTRUCTION

Casing schedule: ☐ Steel ☐ Concrete ☐ Other

Thickness

Diameter

From

To

inches

inches

feet

feet

inches

inches

feet

feet

inches

inches

feet

feet

Was casing drive shoe used?

☐ Yes

☐ No

Was a packer or seal used?

☐ Yes

☐ No

Perforated?

☒ Yes

☐ No

How perforated?

☐ Factory

☐ Knife

☐ Torch

Size of perforation

inches by

inches

Number

From

To

perforations

feet

feet

perforations

feet

feet

perforations

feet

feet

Well screen installed?

☐ Yes

☐ No

Manufacturer's name

Type

Model No.

Diameter

Slot size

Set from

feet to

feet

Diameter

Slot size

Set from

feet to

feet

Gravel packed?

☐ Yes

☐ No

Size of gravel

Placed from

feet to

feet

Surface seal depth

Material used in seal:

☐ Cement grout

☐ Bentonite

☐ Puddling clay

Sealing procedure used:

☐ Slurry pit

☐ Temp. surface casing

☐ Overbore to seal depth

Method of joining casing:

☐ Threaded

☐ Welded

☐ Solvent Weld

☐ Cemented between strata

Describe access port

7. WATER LEVEL

Static water level

feet below land surface.

Flowing?

☐ Yes

☐ No

G.P.M. flow

Artesian closed-in pressure

p.s.i.

Controlled by:

☐ Valve

☐ Cap

☐ Plug

Temperature

°F.

Quality

Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump☐ Bailer☐ Air☐ Other

Discharge G.P.M.

Pumping Level

Hours Pumped

9. LITHOLOGIC LOG

Bore Diam.

Depth

Material

Water

From

To

Yes

No

0

2

Top soil

2

61

Shale

61

71

Limestone

71

87

Shale

87

108

Gravel & Shale

108

178

Limestone

10.

Work started

finished

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name

Wright Drilling

Firm No.

Address

Date

Signed by (Firm Official)

and

(Operator)

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

Subdivision Name

Lot No.

Block No.

County

1/4

1/4 Sec.

T.

N/S, R.

E/W.

To File 11-7358

Kenneth Wright

Nibley UT - has not been
Licensed in ID since 1983.

The Driller "Scott Harding"
has never been licensed or
permitted in Idaho.

Well was drilled
illegally.

① Drilling Permit not
required since well constructed
6/87 to 8/87.

gib.

February 12, 1990

Idaho Department of Parks and Recreation
Statehouse Mail
Boise, ID 83720

Gentlemen:

Re: Permit No. 11-7358
Bear Lake State Park (East Side)

The proof of beneficial use form has been received and the next step is for the department to conduct a field inspection to confirm the use and determine the extent of beneficial use.

An agent from our Eastern Regional office will contact you to schedule a convenient time.

If you have any questions concerning this matter, please contact this office or the Eastern Regional office at 525-7161.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

c: Eastern Region

MICROFILMED

MAR 02 1990



IDAHO DEPARTMENT of PARKS & RECREATION

Cecil D. Andrus, Governor

Yvonne S. Ferrell, Director

January 6, 1989

Jodi I. Schultz
Clerical Assistant
Department of Water Resources
Statehouse Mail
Boise, ID 83720

RECEIVED
JAN 09 1989

RE: Permit No. 11-7358

Department of Water Resources

Dear Ms. Schultz:

Enclosed is the Well Driller's report and Pump Curve data for the above referenced well.

If you need more information or have any questions, please give me a call at 334-2154.

Sincerely,

Roger R. Ford
Development Technician

bgm4159J

Enclosure

MICROFILMED

MAR 02 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 18, 1983

Kenneth S. Wright
Wright Drilling Co.
2800 S. Main
Nibley, UT 84321

Dear Mr. Wright:

Enclosed is your Idaho Well Driller's Certificate of License No. 422 for the year ending June 30, 1983, and a card for your wallet.

Departmental Receipt No. 9898 in the amount of \$25 covering the fee (is enclosed/has previously been given to you).

Also enclosed is driller's plate No. 422 which is to be securely attached to your rig in a visible place.

A supply of Idaho Well Driller Reports are also enclosed. A report for each well drilled should be sent to our Idaho Falls Office within 30 days after the well is completed.

Sincerely,

JOHN E. BEAL, Supervisor
Construction Permits Section

JEB:ldt

Enclosures

RECORDED

MAR 02 1990

NAME & ADDRESS

WRIGHT, KENNETH S.
2800 South Main Street
Nibley, UT 84321

Phone: (801) 753-3787

License No. 422 issued 1/18/83

PLACE & DATE OF TEST

Idaho Falls - 7/6/81
H8174

RESTRICTED

MAR 02 1990

E. Certification by a registered professional engineer that the project was constructed as approved or as-built drawings within one month of project completion.

RECEIVED
JAN 09 1989

C. Well information:

Well driller Wright Drilling Location: Department of Water Resources #20130

Longitude 111° 15' Well log Attached

Test pump information: 5 HP Water level after pumping (if multiple wells are within 200 yards of each other, they must be pumped simultaneously) 97'

Maximum pumping rate 50 gpm. Other test pump method or data Pumped 50 gpm for 1 hr draw down stabilized at 4" recover less than 1 min. Test Pumped at 100 gpm drawdown stabilized in 1 hr at 18" recovery less than 1 min.

Number of hours for pump test Pump run at 50 gpm or more ~ 4 hrs immediate recovery

Pump curves Attached

sample to

D. Chemical tests* Sample to Bill Smith Bacteria tests* Bill Smith

E. Miscellaneous:

Hydrostatic test results 100 gpm at 100 feet

Pitless adapter test results okay Chlorine residual remaining after 24 hours of disinfection greater than 5 ppm

Form of chlorine applied (liquid or hypochloride) liquid

Points of application in system through sanitary seal plug

* The necessary sample bottles and forms can be obtained from the State Labs in Pocatello and Idaho Falls. Pay particular attention to the sampling instructions since strong acids are used as preservatives in several bottles. After the initial testing, one bacteria sample shall be collected monthly to insure a permanently safe water supply. This one monthly sample is analyzed free of charge.

MICROFILMED

MAR 02 1990


Deborah D. Davis
Signature of Project Engineer

Aug 7 1987
Date

Performance Curves

MODEL
SP 8

NOM. FLOW RATE
40 GPM
FLOW RANGE
22 to 56 GPM
PUMP OUTLET
2" NPT




DIMENSIONS AND WEIGHTS

MODEL NO.	HP	LENGTH (L)	APPROX. UNIT SHIPPING WT. (LBS.)
SP 8-3	1	27 ⁷ / ₈ "	35
SP 8-5	1 ¹ / ₂	33 ³ / ₄ "	43
SP 8-7	2	41 ⁷ / ₈ "	54
SP 8-9	3	47 ⁵ / ₈ "	70
SP 8-12	5	58 ⁵ / ₈ "	91
SP 8-15	5	63 ⁵ / ₈ "	97
SP 8-21	7 ¹ / ₂ *	75 ³ / ₄ "	164
SP 8-25	7 ¹ / ₂ *	82 ³ / ₈ "	172
SP 8-30	10*	94 ³ / ₈ "	201

* A 6" minimum well diameter is required for the SP 8-21 (7¹/₂ HP), SP 8-25 (7¹/₂ HP) and SP 8-30 (10 HP) models.

Specifications are subject to change without notice.



3³/₄"
5¹³/₃₂"

MICROFILMED

MAR 02 1990



2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 8" - 6"

DATE: 6-19-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

[illegible]

REMARKS 1st Set up rig on location

SF 8-3 (1 HP)

REMARKS 2nd:

MICROFILMED

MAR 02 1990

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore St Park*

CASING SIZE: *8"-6"*

DATE: *6-23-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
<i>9</i>	<i>9'</i>	<i>19'</i>	<i>10'</i>	<i>Shale</i>	<i>2'</i>		<i>8'</i> <i>19-4</i>	
2nd								

REMARKS 1st:

REMARKS 2nd:

MICROFILMED

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 8"-6"

DATE: 6-24-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
7	19	28"	9	Shale	2'		1	
2nd								

REMARKS 1st: Changed Tool's - made up heavy set of tools; poured socket

REMARKS 2nd:

MICROFILMED

MAR 02 1990

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore St. Park*

CASING SIZE: *8" - 6"*

DATE: *6-26-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
7	35	45	10	Shale	2'			
2nd								

REMARKS 1st:

REMARKS 2nd:

MICROFILMED

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 8" = 6"

DATE: 6-29-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
10	45	61	16	Shale	2			
2nd								

REMARKS 1st:

REMARKS 2nd:

MICROFILMED

MAR 02 1990

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore St. Park

CASING SIZE: 8"-6"

DATE: 7-1-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
6	68'	75'	7'	~~Shale~~	2			
				Gray Limestone	61	71		
				Shale	71			
2nd								

REMARKS 1st: Drilling better at 71, Cable Brake
at Socket. I went to Logan to get
Fishing tools

REMARKS 2nd:

MICROFILMED

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore St. Park*

CASING SIZE: *4"-6"*

DATE: *7-2-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
	7	7:55	75	shale	71			
2nd								

REMARKS 1st *making up fishing tools; fishing for tools finally got a hold of tools*

REMARKS 2nd:

MICROFILMED
MAR 02 1990

MAR 02 1990

MAR 02 1990

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore state Park

CASING SIZE: 8"-6"

DATE: 7-14-87

1st DRILLER:

Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st		135	17					
8	117	100	17	Grey Limestone	108			
2nd								

REMARKS 1st:

REMARKS 2nd:

MICROFILMED

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 8"-6"

DATE: 7-16-87

1st DRILLER: Scott Handing

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
8	135	142	7	Grey Limestone	108			
2nd								

REMARKS 1st:

REMARKS 2nd:

MICROFILMED

MAR 02 1990

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: East Shore State Park

CASING SIZE: 4"

DATE: 7-27-87

1st DRILLER: Scott Harding

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
10	142	147	5	gray Limestone	109			
2nd								

REMARKS 1st:

REMARKS 2nd:

MICROFILMED

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore State Park*

CASING SIZE: *6"*

DATE: *7-28-87*

1st DRILLER: *Scott Harding*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
<i>12 1/2</i>	<i>147</i>	<i>154</i>		<i>Gray Limestone</i>	<i>108</i>			
2nd								

REMARKS 1st:

REMARKS 2nd:

RECORDED

MAR 02 1990



Wright Drilling Co.

2800 SOUTH MAIN
NIBLEY, UTAH 84321
PHONE 753-3787

WELL OWNER: *East Shore State Park*

CASING SIZE: *6"*

DATE: *7-29-87*

1st DRILLER: *Scott*

1st HELPER:

2nd DRILLER:

2nd HELPER:

Hours Worked	DEPTH OF HOLE			CHARACTER OF MATERIAL	Depth Encountered		PIPE TALLEY	
	Start of Shift	End of Shift	Feet Drilled		From	To	Joint	Total
1st								
<i>10</i>	<i>154</i>	<i>178</i>	<i>24</i>	<i>Gray Limestone</i>	<i>108</i>			
2nd								

REMARKS 1st: *drilling better this morning at 155-164 slower down at 164. Blasted 15 batters in 50 minutes. Bailer is 17' long.*

REMARKS 2nd: *6" wide water level didn't drop.*

NOT FILMED

MAR 02 1990

MAR 02 1990

December 15, 1988

Idaho Dept. of Parks and Recreation
Statehouse Mail
Boise, ID 83720

RE: Permit No. 11-7358

Gentlemen:

The department received your proof of beneficial use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by January 15, 1989. Upon receipt of the well information, the department will continue processing the proof by notifying the region that a field exam is needed.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

JODI I. SCHULTZ
Clerical Assistant

MICROFILMED

MAR 02 1990

To: File 11-7358

From: Groundwater Protection

Date: 12/14/88

Drilling Permit: ☐ Not Applicable
☐ Found and in file
☒ Not Found

?

Well Drillers Report:

☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☒ Not found

?

Follow-up

☒ Request from permit holder the well
drillers report and/or the name of the
well driller, And date drilled.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

MICROFILMED

MAR 02 1990

RECEIVED

NOV 30 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Fee Received \$50.00

Date 12/1/88

Receipt # 1003708

Receipt by EP

Reviewed by 12/1/88

Sent to region 12/1/88

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 11-07358

Name(s) of Permit Holder: IDAHO DEPARTMENT OF PARKS AND RECREATION

Post Office Address: STATEHOUSE MAIL, BOISE, IDAHO 83720

Telephone No. 334-2154

Source of Water: GROUNDWATER

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation _____ (acres) Other/Remark DOMESTIC WATER FOR

DAY USE AREA, R.V. DUMP STATION AND FUTURE CAMPGROUND

Total rate and/or volume for which proof is submitted 0.20 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: MAY 1, 1988

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

KIRK RICH - PARK MANAGER

945-2790

(Name)

(Telephone Number)

BOX 252, PARIS, IDAHO 83261

(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 02 1990

11-29-88
Date

Marjorie H. News - Chief, Development
Signature of Permit Holder (and title, if appropriate) Bureau

STATE OF IDAHO
DEPT. OF PARKS & REC.
STATEHOUSE
BOISE, ID 837200000

September 30, 1988

138476

PROOF DUE NOTICE

RE: PERMIT NO. 11-07358

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

MAR 02 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 11-7358
Name(s) of Permit Holder(s): STATE OF ID., Dept. Parks & Rec.
Post Office Address: Statehouse Mall
Boise, Id. Tel. No. 234-3840

- ☒ I hereby certify that construction of diversion works on the above referenced permit began on 6-23-87 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

6-26-87

Date

Michael H. News
Signature of Permit Holder

PLACE
STAMP
HERE

RECEIVED

JUN 29 1987

MICROFILMED

MAR 02 1990



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
NOVEMBER 14, 1986

STATE OF IDAHO
DEPT. OF PARKS & REC.
STATEHOUSE
BOISE, ID 83720

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 11-7358

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUNDWATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUNDWATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL OF INTERFERENCE.

PLEASE NOTE THE REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED A FORM ENTITLED "INSTRUCTIONS FOR PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

GARY SPACKMAN
SUPERVISOR, WATER ALLOCATION SECTION

GS: SC
ENCLOSURES

MICROFILMED

DEC 15 1986

Department of Water Resources

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWJ

APPLICATION NUMBER: Dept. of Parks

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: Oct 6, 1986 / Nov Oct 29, 1986
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 10-20-86
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 11
W05 25 Aug 1986 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Ernest Carlson

Date: 22 Oct 86

STATE OFFICE REVIEW:

L05, L17

26 27

- ☐ See attached sheet for more information.

By: fw

Date: 11/13/86

RECEIVED

RECEIVED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

September 24, 1986

Idaho Department of Parks & Recreation
Statehouse Mail
Boise, Idaho 83720

Re: Application for permit No. 11-7358

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 11-7358. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the News Examiner. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When the permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Assistant Regional Supervisor

EC/md

MICROFILMED

DEC 15 1986

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 24, 1986

The News-Examiner
P. O. Box 278
Montpelier, Idaho 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 20, 1986.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

DEC 10 1986

Department of Water Resources

NOTICE OF CORRECTION

Notice is hereby given that Application No. 11-7358 in the name of State of Idaho Dept. of Parks and Rec., Statehouse, Boise, Idaho was incorrectly advertised on Sept. 18, 1986. The Point of Diversion was advertised as being within SWSE Sec. 13 T 16S R 44E and the Place of Use as SWSE Sec. 13 T 16S R 44 E NENW Sec. 24 T 16S R 44 E.

WHEREAS the actual point of diversion is within the SWSE Sec. 13 T 16S R 44E and the place of use is within the SWSE Sec. 13 T 16S R 44E NENW Sec. 24 T 16S R 44E.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before Oct. 20, 1986.

A. Kenneth Dunn
Director

Legal No: 3161 -26L- Published Oct. 2 and Oct. 9, 1986.

RECEIVED
DEC 1 1986
Department of Water Resources

NOTICE OF CORRECTION

Notice is hereby given that Application No. 11-7358 in the name of State of Idaho Dept. of Parks & Rec., Statehouse, Boise, Idaho was incorrectly advertised on Sept. 18, 1986. The Point of Diversion was advertised as being within SWSE Sec 13 T 165 R 44E and the Place of Use as SWSE Sec 13 T 165 R 44E NENW Sec 24 T 165 R 44E.

WHEREAS the actual point of diversion is within the SWSE Sec 13 T 165 R 44E and the place of use is within the SWSE Sec 13 T 165 R 44E NENW Sec 24 T 165 R 44E.

Any protests against the granting of this permit as a result of this correction must be filed with the Idaho Department of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402, on or before Oct. 20, 1986.

A. Kenneth Dunn

Director

Published Oct. 2 and Oct. 9, 1986

RECEIVED
OCT 15 1986
DEPARTMENT OF WATER RESOURCES
IDAHO FALLS, IDAHO

September 11, 1986

Idaho Department of Parks & Recreation
Statehouse Mail
Boise, Idaho 83720

Re: Applications for permit No. 11-7358

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 11-7358. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the News Examiner. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When the permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt, no. 39861 for the amount of \$30.00

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Assistant Regional Supervisor

EC/md

MICROFILMED
DEC 15 1986
Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 3, 1986

The News-Examiner
P. O. Box 276
Montpelier, Idaho 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 6, 1986.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

RECEIVED
SEP 11 1986
DEPARTMENT OF WATER RESOURCES
EASTERN REGION
IDAHO FALLS, IDAHO

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed to appropriate
the public waters of the State of Idaho:

11-7358

STATE OF IDAHO

DEPT. OF PARKS & REC., STATEHOUSE, BOISE, ID 83720

Source: GROUNDWATER

Diversion Pt: SNSE Sec 13 T 16S R 44E

Use: RECREATION (0.2 CFS)

Date Filed: 08/25/1986

In: SNSE Sec 13 T 16S R 44E NENW Sec 24 T 16S R 44E

The permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of Sec. 42-203A,
Idaho Code and/or the public interest criteria of Sec. 42-203C,
Idaho Code. Protests must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho,
83402 on or before October 6, 1986.

KEN DUNN

Director

Published 9/18/86 & 9/25/86.

RECEIVED
DEC 1 1986
Department of Water Resources

NOTICE OF APPLICATION

FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

11-7358

STATE OF IDAHO

DEPT. OF PARKS & REC.,

STATEHOUSE, BOISE, ID 83720

Source: GROUNDWATER

Diversion Pt.: SWSE Sec 13 T(165)R

44 E

Use: RECREATION (0.2 CFS)

Date Filed: 08/25/1986

In: SWSE Sec 13 T(165)R 44E NENW

Sec 24 T(165)R 44 E

The permits will be subject to all

prior water rights. Protests may be

submitted based on the criteria of Sec.

42-203A, Idaho Code and/or the

public interest criteria of Sec. 42-

203C, Idaho Code. Protests must be

filed with the Director, Dept. of

Water Resources, 150 Shoup Ave.,

Suite 15, Idaho Falls, Idaho, 83402 on

or before October 6, 1986.

KEN DUNN

Director

Legal No. 3156 —28L— Publish

Sept. 18, 25, 1986.

Department of Water Resources

DEPT. OF PARKS & REC.

STATEHOUSE, BOISE, ID 83720