


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

MICROFILMED



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Vigil E. Emery
(Applicant)

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Administration
WELL DRILLER'S REPORT

RECEIVED
OCT 31 1988

State law requires that this report be filed with the State Reclamation Engineer
within 30 days after completion or abandonment of the well.

1. WELL OWNER Name <u>Michael Johnson</u> Address <u>Dayton, Idaho</u> Owner's Permit No. _____		7. WATER LEVEL Department of Water Administration County District Office Static water level <u>68.62</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.A. flow _____ Temperature _____ ° F. Quality _____ Artesian closed-in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																							
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____		8. WELL TEST DATA ☐ Pump ☐ Sailer ☒ Other ATZ Discharge G.P.M. <u>20</u> Drawdown <u>No Measure</u> Head Pumps <u>4</u>																																																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yield</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td rowspan="2">8"</td><td>0</td><td>3</td><td>Soil</td><td></td></tr><tr><td>3</td><td>5</td><td>Broken Rock (Lava)</td><td></td></tr><tr><td rowspan="2">6"</td><td>5</td><td>15</td><td>Broken Lava</td><td></td></tr><tr><td>15</td><td>20</td><td>Hard Lava</td><td></td></tr><tr><td rowspan="2">6"</td><td>20</td><td>60</td><td>Hard Lava</td><td></td></tr><tr><td>60</td><td>68</td><td>Mud And Broken Lava</td><td></td></tr><tr><td rowspan="2">6"</td><td>68</td><td>85</td><td>Hard Lava</td><td></td></tr><tr><td>85</td><td>88</td><td>Yellow Mud, Broken Lava, water #</td><td></td></tr><tr><td rowspan="2">6"</td><td>88</td><td>90</td><td>Hard Lava</td><td></td></tr><tr><td>90</td><td>95</td><td>brown Cinders, Sand & water #</td><td></td></tr><tr><td rowspan="2">6"</td><td>95</td><td>100</td><td>Hard Lava</td><td></td></tr><tr><td>100</td><td>102</td><td>Red Cinders, sand & water #</td><td></td></tr><tr><td rowspan="2">6"</td><td>102</td><td>110</td><td>Red Mud, Sand & Water</td><td></td></tr><tr><td>110</td><td>125</td><td>Hard, Cracked Lava & Water #</td><td></td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yield	From	To	8"	0	3	Soil		3	5	Broken Rock (Lava)		6"	5	15	Broken Lava		15	20	Hard Lava		6"	20	60	Hard Lava		60	68	Mud And Broken Lava		6"	68	85	Hard Lava		85	88	Yellow Mud, Broken Lava, water #		6"	88	90	Hard Lava		90	95	brown Cinders, Sand & water #		6"	95	100	Hard Lava		100	102	Red Cinders, sand & water #		6"	102	110	Red Mud, Sand & Water		110	125	Hard, Cracked Lava & Water #	
Hole Diam.	Depth		Material		Water Yield																																																																				
	From	To																																																																							
8"	0	3	Soil																																																																						
	3	5	Broken Rock (Lava)																																																																						
6"	5	15	Broken Lava																																																																						
	15	20	Hard Lava																																																																						
6"	20	60	Hard Lava																																																																						
	60	68	Mud And Broken Lava																																																																						
6"	68	85	Hard Lava																																																																						
	85	88	Yellow Mud, Broken Lava, water #																																																																						
6"	88	90	Hard Lava																																																																						
	90	95	brown Cinders, Sand & water #																																																																						
6"	95	100	Hard Lava																																																																						
	100	102	Red Cinders, sand & water #																																																																						
6"	102	110	Red Mud, Sand & Water																																																																						
	110	125	Hard, Cracked Lava & Water #																																																																						
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other																																																																									
5. WELL CONSTRUCTION Diameter of hole <u>6"</u> inches Total depth <u>125'</u> feet Casing schedule: ☒ Steel ☐ Concrete Thickness Diameter From To <u>1/4</u> inches <u>65/80D</u> inches <u>-1'</u> feet <u>21'9"</u> feet <u>1/4</u> inches <u>51/20D</u> inches <u>19'6"</u> feet <u>124'10"</u> feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☒ Factory ☐ Knife ☐ Torch Size of perforation <u>1/8"</u> inches by <u>3"</u> inches Number From To <u>1/8"x6"</u> <u>80</u> perforations <u>103'</u> feet <u>124'10"</u> feet <u>1/8"x3"</u> <u>160</u> perforations <u>83'</u> feet <u>103'</u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ feet Placed from _____ feet to _____ feet Surface seal? ☐ Yes ☒ No To what depth <u>20'</u> feet Material used in seal ☐ Cement grout ☐ Puddling clay																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location.  County <u>Caribou</u> NW 1/4 SE 1/4 Sec. 19 T. 9 S. R. 42 E. 2W		10. <u>10/16/72</u> <u>10/27/72</u> Work started _____ finished _____																																																																							
		11. DRILLER'S CERTIFICATION This well was drilled under my supervision and this report is true to the best of my knowledge. <u>Ivan Boris</u> _____ Driller's or Firm's Name <u>Box 86, Grace Idaho</u> Address <u>Ivan Boris</u> Signed By <u>10/29/72</u> Date																																																																							

RECEIVED

OCT 11 1988

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

1. WELL OWNER

Name Dale Kirby
Address 301 South ... east
Soda Springs, Idaho 83470
Owner's Permit No. _____

7. WATER LEVEL

Static water level 20 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ F. Quality _____
Artesian closed in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

8. WELL TEST DATA

☐ Pump ☐ Bailor ☒ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
12"	0	15	Overburden, & broken lava	#	
12"	15	61	Hard massive basalt	#	
6"	61	61	Hard massive basalt	#	
6"	61	61	Brown sticky clay (mud)		#
6"	61	61	very little water at 61'		
6"	61	96	Broken lava	#	
6"	96	100	Hard lava w/ broken seams	#	
6"	100	116	Hard massive lava	#	
6"	116	132	Softer broken lava	#	
6"	132	147	Hard fractured lava	#	

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 1/2 inches Total depth 147 feet

Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
8" I.B.	inches	feet	feet
250"	8 3/4" inches	+ 1 feet	15 feet
258"	5 3/4" inches	55 feet	147 feet

Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 3/16 inches by 14 inches

Number 80 From 105 feet To 147 feet
perforations feet feet
perforations feet feet
perforations feet feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet


Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal? ☒ Yes ☐ No To what depth 15 feet
Material used in seal ☒ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

NW 1/4 of NE 1/4 Sec. 19
T. 9 S. R. 42 E. E.M.

Sketch map location must agree with written location.



County Caribou

NW 1/4 NE 1/4 Sec. 19 T. 9 S. R. 42 E.

10.

Work started 2-20-1974 finished 5-4-1974

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Nelson Drilling 215

Driller's or Firm's Name Number

Box 344 Soda Springs, Idaho 83470

Address

Signed By Ray Nelson 4-6-1974


Date

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>JAY LOWE</u> Address <u>SODA SPRINGS, IDAHO 83276</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>72</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>50</u> °F. Quality <u>SUGAR SODA TASTE</u> Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																																																		
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Other <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>5</u></td> <td><u>2 ft. 72474</u></td> <td><u>1</u></td> </tr> </tbody> </table>	Discharge G.P.M.	Draw Down	Hours Pumped	<u>5</u>	<u>2 ft. 72474</u>	<u>1</u>																																																																																																																												
Discharge G.P.M.	Draw Down	Hours Pumped																																																																																																																																	
<u>5</u>	<u>2 ft. 72474</u>	<u>1</u>																																																																																																																																	
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>12 1/4</u></td> <td><u>0</u></td> <td><u>5</u></td> <td><u>Overburden</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>5</u></td> <td><u>7</u></td> <td><u>Brn. Mud. L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>7</u></td> <td><u>11</u></td> <td><u>Hard Massive L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>11</u></td> <td><u>17</u></td> <td><u>Very Porous L212 - Cinders</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>17</u></td> <td><u>20</u></td> <td><u>Hard Massive L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td><u>7 3/8</u></td> <td><u>18</u></td> <td><u>21</u></td> <td><u>"</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>21</u></td> <td><u>31</u></td> <td><u>Broken L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>31</u></td> <td><u>73</u></td> <td><u>Hard Massive L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>73</u></td> <td><u>89</u></td> <td><u>Brn. Mud. Very little water</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>89</u></td> <td><u>106</u></td> <td><u>Broken L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>106</u></td> <td><u>111</u></td> <td><u>Hard Massive L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>111</u></td> <td><u>117</u></td> <td><u>Broken Porous L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td></td> <td></td> <td><u>W/B. N. Mud</u></td> <td></td> <td></td> </tr> <tr> <td>"</td> <td><u>113</u></td> <td><u>116</u></td> <td><u>Hard L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td><u>6"</u></td> <td><u>116</u></td> <td><u>146</u></td> <td><u>"</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>146</u></td> <td><u>150</u></td> <td><u>Softer Fractured L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>150</u></td> <td><u>156</u></td> <td><u>Hard Massive L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>156</u></td> <td><u>158</u></td> <td><u>Porous L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>158</u></td> <td><u>164</u></td> <td><u>Hard Broken L212</u></td> <td></td> <td>☒</td> </tr> <tr> <td>"</td> <td><u>164</u></td> <td><u>165</u></td> <td><u>Mud</u></td> <td></td> <td>☒</td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water		From	To	Yes	No	<u>12 1/4</u>	<u>0</u>	<u>5</u>	<u>Overburden</u>		☒	"	<u>5</u>	<u>7</u>	<u>Brn. Mud. L212</u>		☒	"	<u>7</u>	<u>11</u>	<u>Hard Massive L212</u>		☒	"	<u>11</u>	<u>17</u>	<u>Very Porous L212 - Cinders</u>		☒	"	<u>17</u>	<u>20</u>	<u>Hard Massive L212</u>		☒	<u>7 3/8</u>	<u>18</u>	<u>21</u>	<u>"</u>		☒	"	<u>21</u>	<u>31</u>	<u>Broken L212</u>		☒	"	<u>31</u>	<u>73</u>	<u>Hard Massive L212</u>		☒	"	<u>73</u>	<u>89</u>	<u>Brn. Mud. Very little water</u>		☒	"	<u>89</u>	<u>106</u>	<u>Broken L212</u>		☒	"	<u>106</u>	<u>111</u>	<u>Hard Massive L212</u>		☒	"	<u>111</u>	<u>117</u>	<u>Broken Porous L212</u>		☒				<u>W/B. N. Mud</u>			"	<u>113</u>	<u>116</u>	<u>Hard L212</u>		☒	<u>6"</u>	<u>116</u>	<u>146</u>	<u>"</u>		☒	"	<u>146</u>	<u>150</u>	<u>Softer Fractured L212</u>		☒	"	<u>150</u>	<u>156</u>	<u>Hard Massive L212</u>		☒	"	<u>156</u>	<u>158</u>	<u>Porous L212</u>		☒	"	<u>158</u>	<u>164</u>	<u>Hard Broken L212</u>		☒	"	<u>164</u>	<u>165</u>	<u>Mud</u>		☒
Hole Diam.	Depth		Material	Water																																																																																																																															
	From	To		Yes	No																																																																																																																														
<u>12 1/4</u>	<u>0</u>	<u>5</u>	<u>Overburden</u>		☒																																																																																																																														
"	<u>5</u>	<u>7</u>	<u>Brn. Mud. L212</u>		☒																																																																																																																														
"	<u>7</u>	<u>11</u>	<u>Hard Massive L212</u>		☒																																																																																																																														
"	<u>11</u>	<u>17</u>	<u>Very Porous L212 - Cinders</u>		☒																																																																																																																														
"	<u>17</u>	<u>20</u>	<u>Hard Massive L212</u>		☒																																																																																																																														
<u>7 3/8</u>	<u>18</u>	<u>21</u>	<u>"</u>		☒																																																																																																																														
"	<u>21</u>	<u>31</u>	<u>Broken L212</u>		☒																																																																																																																														
"	<u>31</u>	<u>73</u>	<u>Hard Massive L212</u>		☒																																																																																																																														
"	<u>73</u>	<u>89</u>	<u>Brn. Mud. Very little water</u>		☒																																																																																																																														
"	<u>89</u>	<u>106</u>	<u>Broken L212</u>		☒																																																																																																																														
"	<u>106</u>	<u>111</u>	<u>Hard Massive L212</u>		☒																																																																																																																														
"	<u>111</u>	<u>117</u>	<u>Broken Porous L212</u>		☒																																																																																																																														
			<u>W/B. N. Mud</u>																																																																																																																																
"	<u>113</u>	<u>116</u>	<u>Hard L212</u>		☒																																																																																																																														
<u>6"</u>	<u>116</u>	<u>146</u>	<u>"</u>		☒																																																																																																																														
"	<u>146</u>	<u>150</u>	<u>Softer Fractured L212</u>		☒																																																																																																																														
"	<u>150</u>	<u>156</u>	<u>Hard Massive L212</u>		☒																																																																																																																														
"	<u>156</u>	<u>158</u>	<u>Porous L212</u>		☒																																																																																																																														
"	<u>158</u>	<u>164</u>	<u>Hard Broken L212</u>		☒																																																																																																																														
"	<u>164</u>	<u>165</u>	<u>Mud</u>		☒																																																																																																																														
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Aug ☐ Other																																																																																																																																			
5. WELL CONSTRUCTION Diameter of hole <u>7 7/8" x 6"</u> inches Total depth <u>165</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>.522</u> inches</td> <td><u>8" E.D.</u> inches</td> <td><u>1</u> feet</td> <td><u>18</u> feet</td> </tr> <tr> <td><u>.280</u> inches</td> <td><u>6" E.D.</u> inches</td> <td><u>94</u> feet</td> <td><u>114</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18'</u> Material used in seal ☒ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing ☒ Overbore to seal depth	Thickness	Diameter	From	To	<u>.522</u> inches	<u>8" E.D.</u> inches	<u>1</u> feet	<u>18</u> feet	<u>.280</u> inches	<u>6" E.D.</u> inches	<u>94</u> feet	<u>114</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																																															
Thickness	Diameter	From	To																																																																																																																																
<u>.522</u> inches	<u>8" E.D.</u> inches	<u>1</u> feet	<u>18</u> feet																																																																																																																																
<u>.280</u> inches	<u>6" E.D.</u> inches	<u>94</u> feet	<u>114</u> feet																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																																																
Number	From	To																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																	
_____ perforations	_____ feet	_____ feet																																																																																																																																	
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Caribou</u> <u>NW 1/4 NE 1/4 Sec. 17 T. 9 N/S. R. 42 E/W</u>	10. Work started <u>5-30-74</u> finished <u>6-15-74</u> 11. DRILLERS CERTIFICATION Firm Name <u>Nelson Drilling</u> Firm No. <u>215</u> Address <u>Box 344 Soda Springs Idaho</u> Date <u>6-15-74</u> Signed by (Firm Official) <u>R. Nelson</u> and _____ (Operator)																																																																																																																																		

RECEIVED

OCT 11 1988

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Virgil E. Emery
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Virgil and/or Verda Empey and/or Roger A. Empey Phone 547-3482 or 5474008
Post office address P.O. Box 602, Soda Springs 83276

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 19 Township 9S
Range 42E B.M. Caribou County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .10 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Stockwater purposes from 1-1- to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .16 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well with pump with pipelines
to home and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 130 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 19 Township 9S
Range 42E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 4 horses and 4 cows

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

[illegible]

5

None

Who owns the property at the point of diversion


Applicant

11

the applicant, describe the arrangement enabling the

marks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nigel E. Emery
(Applicant)

Proposed Priority 3/22/83

Received by S.M. Date 3-22-83 Time 5:00

Preliminary check by HWS Fee \$ 50.00 # 25537

Received by S.M. Date 3-23-83

Publication prepared by BP Date 3/30/83

Published in Carbon County Sun

Publication dates 4/7 & 4/8/83

Publication approved and Date 5-10-83

Protests filed by: none

Copies of protests forwarded by

Hearing held by

Recommended for approval denial by BMC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 11-7312, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore July 1, 1988.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 17th day of June, 1983.

A. Allen Saylor
Chief, Operations Bureau

Affidavit of Publication

County of Caribou } ss.
State of Idaho }

Mark Steele

being first duly sworn on his
oath, states:

That he is Publisher
of the Caribou County Sun, a
newspaper of general circula-
tion in Caribou County, Idaho,
published weekly at Soda
Springs in said County that said
newspaper has been published
in said County uninterruptedly
and continuously for over sev-
enty-eight consecutive weeks,
prior to the first publication of
the annexed notice or advertise-
ment;

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof


for 2 successive weekly
issues thereof, the date of the
first publication being the

7th day of
April, 1983

The date of the last publication
being the 14th day of
April, 1983



Subscribed and sworn to be-
fore me this 28th day
of April, 1983


Notary Public, residing
at Soda Springs, Idaho
(SEAL)

My Commission expires the
1st day of March
1984.

PUBLIC NOTICE

First Time Published

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

11-7312

EMPEY, VIRGIL & or
VERDA & or ROGER A.
P.O. BOX 602, SODA
SPRINGS, ID 83276

Source: GROUNDWATER

Date Filed: 03-22-1983

Diversion Point: NWNE Sec
19 T 09S R 42E

Use: IRRIGATION (0.10
CFS) STOCKWATER (0.02
CFS) DOMESTIC (0.04 CFS)

In: NWNE Sec 19 T 09S R
42E FOR 5 ACRES

13-7386

RIGBY, M. KEITH
RT. 1, BOX 7, GRACE, ID
83241

Source: SPRING trib. to
STEVES CREEK

Date Filed: 03-23-1983

Diversion Point: NWNW
NENW Sec 20 T 11S R 40E

Use: DOMESTIC (0.04 CFS)

In: NENW Sec 20 T 11S R
40E

13-7387

JORGENSEN, CARL B. & or
PATRICIA
HC 72 BOX 2410, BAN-
CROFT, ID 83217

Source: TROUT CREEK,
NORTH FORK trib. to BEAR
RIVER

Date Filed: 03-25-1983

Diversion Point: NWNE Sec
10 T 11S R 41E

Use: POWER (20.00 CFS)

In: NENW Sec 09 T 11S R
41E

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 150
Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 on or before APRIL
25, 1983.

KEN DUNN, Director
Published April 7, and 14, 1983
in the Caribou County Sun.

MAY 9 1983

Department of Water Resources
Eastern District Office

January 3, 1989

RE: Permit No. 11-7312

Virgil &/or Verda &/or Roger A. Empey
P.O. Box 602
Soda Springs, ID 83276

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161, or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:CW

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 11-7312
Name(s) of Permit Holder(s): Virgil, Verda & Roger Empey
Post Office Address: P.O. Box 602, Soda Springs,
ID 83276 Tel. No. 547-3485

☒ I hereby certify that construction of diversion works for the above referenced permit began on Aug. 20, 1983. I understand that I must
(date)
continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

Date

Signature of Permit Holder

Virgil, ^{Id} Verda, Ton Roger Emery
P.O. Box 602
Soda Springs, ID 83276

PLACE
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
SEP 8 1982
Department of Water Resources

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 11-7312

Date: 10/3/88

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change _____ If yes, prepare a data entry
☒ Proof received timely
_____ Reinstated

Source of Water:

☐ Surface water
☒ Groundwater
☒ 1. well log in file *See file - Groundwater Protection Sheet*
☒ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

MA Priority Calculation:
Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

RECEIVED
MAY 18 1988

STATE OF IDAHO

Department of Water Resources DEPARTMENT OF WATER RESOURCES

For Office Use Only

Fee Received \$50.00

Date 5-16-88

Receipt # C000661

Receipt by [Signature]

Reviewed by [Signature]

Sent to region [Signature]

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 11-7312

Name(s) of Permit Holder: Virgil and/or Verda Empey and/or Roger A. Empey

Post Office Address: P.O. Box 602, Soda Springs, Idaho 83276

Telephone No. 547-3482 or 547-4008

Source of Water: groundwater

Extent of Use:

Domestic 1 (number of households) Stockwater 4 horses and 4 cows (number and type of stock)

Irrigation 5 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted .16 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: 17th day of June, 1983

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$50.00 by check
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Virgil Empey
(Name)

547-3482
(Telephone)

P.O. Box 602 (261 Court St.) Soda Springs, Idaho 83276
(Address)

RECEIVED
OCT 11 1988

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-10-88
Date

Virgil Empey, Verda Empey, Roger A. Empey
Signature of Permit Holder (and title, if appropriate)

To: File 11-7312

From: Groundwater Protection

Date: 9/2 1988

Drilling Permit: ☒ Not Applicable
☐ Found and in file
☐ Not Found

Well Drillers Report:

3
☐ Not found, due to reported age of well
probably not available
☐ Found and is in file
☐ Not found

Follow-up

☐ Request from permit holder the well
drillers report and/or the name of the
well driller.
☐ Ask permit holder when well was drilled
and notify holder of drilling permit
requirement if after July 01, 1987.

*Any or none of these logs could
be for this well. ?*

No follow up recommended.

MICROFILMED

OCT 11 1988



State law requires that this report be filed with the state Reclamation Engineer within 30 days after completion or abandonment of the well.


1. WELL OWNER Name <u>Donna J. ...</u> Address <u>1 South ...</u> <u>15 ...</u> Owner's Permit No. <u>...</u>	7. WATER LEVEL Static water level <u>70</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow <u>...</u> Temperature <u>...</u> F. Quality <u>...</u> Artesian closed in pressure <u>...</u> P.S.I. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) <u>...</u>	8. WELL TEST DATA ☐ Pump ☐ Sailer ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Remarks</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Draw Down	Remarks																																																						
Discharge G.P.M.	Draw Down	Remarks																																																								
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Description</th> <th rowspan="2">Date</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>12"</td> <td>0</td> <td>10</td> <td>Overburden, ...</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>10</td> <td>15</td> <td>Hard ...</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>15</td> <td>21</td> <td>Hard ...</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>21</td> <td>21</td> <td>Broken sticky ...</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>21</td> <td>21</td> <td>very little water at</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>21</td> <td>26</td> <td>Broken Lava</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>26</td> <td>100</td> <td>Hard lava w/ broken ...</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>100</td> <td>110</td> <td>Hard massive lava</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>110</td> <td>122</td> <td>Softer broken lava</td> <td>1/74</td> </tr> <tr> <td>12"</td> <td>122</td> <td>147</td> <td>Hard fractured lava</td> <td>1/74</td> </tr> </tbody> </table>	Hole Diam.	Depth		Description	Date	From	To	12"	0	10	Overburden, ...	1/74	12"	10	15	Hard ...	1/74	12"	15	21	Hard ...	1/74	12"	21	21	Broken sticky ...	1/74	12"	21	21	very little water at	1/74	12"	21	26	Broken Lava	1/74	12"	26	100	Hard lava w/ broken ...	1/74	12"	100	110	Hard massive lava	1/74	12"	110	122	Softer broken lava	1/74	12"	122	147	Hard fractured lava	1/74
Hole Diam.	Depth		Description	Date																																																						
	From	To																																																								
12"	0	10	Overburden, ...	1/74																																																						
12"	10	15	Hard ...	1/74																																																						
12"	15	21	Hard ...	1/74																																																						
12"	21	21	Broken sticky ...	1/74																																																						
12"	21	21	very little water at	1/74																																																						
12"	21	26	Broken Lava	1/74																																																						
12"	26	100	Hard lava w/ broken ...	1/74																																																						
12"	100	110	Hard massive lava	1/74																																																						
12"	110	122	Softer broken lava	1/74																																																						
12"	122	147	Hard fractured lava	1/74																																																						
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Dug ☐ Other	(Continuation of Lithologic Log)																																																									
5. WELL CONSTRUCTION Diameter of hole <u>6 1/2</u> inches Total depth <u>147</u> feet Casing schedule: ☐ Steel ☐ Concrete <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>8 1/2" inches</td> <td>8 1/2" inches</td> <td>0</td> <td>15</td> </tr> <tr> <td>8 1/2" inches</td> <td>8 1/2" inches</td> <td>15</td> <td>147</td> </tr> </tbody> </table> Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>3/16</u> inches by <u>14</u> inches Number <u>60</u> perforations From <u>105</u> feet To <u>147</u> feet perforations <u> </u> feet <u> </u> feet perforations <u> </u> feet <u> </u> feet Well screen installed? ☐ Yes ☒ No Manufacturer's name <u> </u> Type <u> </u> Model No. <u> </u> Diameter <u> </u> Slot size <u> </u> Set from <u> </u> feet to <u> </u> feet Diameter <u> </u> Slot size <u> </u> Set from <u> </u> feet to <u> </u> feet Gravel packed? ☐ Yes ☒ No Size of gravel <u> </u> Placed from <u> </u> feet to <u> </u> feet Surface seal? ☒ Yes ☐ No To what depth <u>15</u> feet Material used in seal ☒ Cement grout ☐ Pudding clay	Thickness	Diameter	From	To	8 1/2" inches	8 1/2" inches	0	15	8 1/2" inches	8 1/2" inches	15	147	(Continuation of Lithologic Log)																																													
Thickness	Diameter	From	To																																																							
8 1/2" inches	8 1/2" inches	0	15																																																							
8 1/2" inches	8 1/2" inches	15	147																																																							
6. LOCATION OF WELL NW 1/4 of NE 1/4 Sec. 15 T. 9 S. R. 42 E. S. 15 Sketch map location must agree with written location. County <u>Caribou</u> <u>NW 1/4 Sec. 15, T. 9 S., R. 42 E.</u>	10. DRILLER'S CERTIFICATION Work started <u>4-1-74</u> Finished <u>4-1-74</u> This well was drilled under my supervision and this report is true to the best of my knowledge. Nelson Drilling <u>215</u> Driller's or Firm's Name <u> </u> Number <u> </u> Box <u>344 Soda Springs, Idaho 83427</u> Address <u>Ray Nelson</u> <u>4-6-1974</u> <u> </u> <u> </u>																																																									

SEE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>JAY LEWIS</u> Address <u>3024 Spruce, Idaho 83426</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>7 1/2</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow _____ Temperature <u>50</u> F. Quality <u>SLIGHTLY SALTY TASTE</u> Artesian closed-in pressure _____ P.S.I. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Other <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Draw Down</th> <th>Remarks</th> </tr> <tr> <td><u>5</u></td> <td><u>2 1/2 - 7 1/2</u></td> <td><u>1</u></td> </tr> </table>	Discharge G.P.M.	Draw Down	Remarks	<u>5</u>	<u>2 1/2 - 7 1/2</u>	<u>1</u>																																																																																																					
Discharge G.P.M.	Draw Down	Remarks																																																																																																										
<u>5</u>	<u>2 1/2 - 7 1/2</u>	<u>1</u>																																																																																																										
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____ ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>12 1/4</u></td> <td><u>0</u></td> <td><u>5</u></td> <td><u>OVERBURDEN</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>5</u></td> <td><u>7</u></td> <td><u>BRN. CLAY - SILT</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>7</u></td> <td><u>11</u></td> <td><u>HARD MASSIVE L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>11</u></td> <td><u>17</u></td> <td><u>VERY POROUS L212 - SANDY</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>17</u></td> <td><u>20</u></td> <td><u>HARD MASSIVE L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>7 1/2</u></td> <td><u>21</u></td> <td><u>21</u></td> <td><u>"</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>21</u></td> <td><u>31</u></td> <td><u>BROKEN L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>31</u></td> <td><u>73</u></td> <td><u>HARD MASSIVE L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>73</u></td> <td><u>89</u></td> <td><u>BROKEN L212 - LITTLE MUD</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>89</u></td> <td><u>106</u></td> <td><u>BROKEN L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>106</u></td> <td><u>111</u></td> <td><u>HARD MASSIVE L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>111</u></td> <td><u>112</u></td> <td><u>BROKEN POROUS L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>112</u></td> <td><u>113</u></td> <td><u>W/B.M. MUD</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>113</u></td> <td><u>116</u></td> <td><u>HARD L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>6"</u></td> <td><u>116</u></td> <td><u>146</u></td> <td><u>"</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>146</u></td> <td><u>150</u></td> <td><u>SOFTER FRACTURED L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>150</u></td> <td><u>156</u></td> <td><u>HARD MASSIVE L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>156</u></td> <td><u>158</u></td> <td><u>Porous L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>158</u></td> <td><u>164</u></td> <td><u>HARD BROKEN L212</u></td> <td><u>N</u></td> </tr> <tr> <td><u>"</u></td> <td><u>164</u></td> <td><u>165</u></td> <td><u>MUD</u></td> <td><u>N</u></td> </tr> </tbody> </table>	Hole Diam.	Depth		Material	Water	From	To	<u>12 1/4</u>	<u>0</u>	<u>5</u>	<u>OVERBURDEN</u>	<u>N</u>	<u>"</u>	<u>5</u>	<u>7</u>	<u>BRN. CLAY - SILT</u>	<u>N</u>	<u>"</u>	<u>7</u>	<u>11</u>	<u>HARD MASSIVE L212</u>	<u>N</u>	<u>"</u>	<u>11</u>	<u>17</u>	<u>VERY POROUS L212 - SANDY</u>	<u>N</u>	<u>"</u>	<u>17</u>	<u>20</u>	<u>HARD MASSIVE L212</u>	<u>N</u>	<u>7 1/2</u>	<u>21</u>	<u>21</u>	<u>"</u>	<u>N</u>	<u>"</u>	<u>21</u>	<u>31</u>	<u>BROKEN L212</u>	<u>N</u>	<u>"</u>	<u>31</u>	<u>73</u>	<u>HARD MASSIVE L212</u>	<u>N</u>	<u>"</u>	<u>73</u>	<u>89</u>	<u>BROKEN L212 - LITTLE MUD</u>	<u>N</u>	<u>"</u>	<u>89</u>	<u>106</u>	<u>BROKEN L212</u>	<u>N</u>	<u>"</u>	<u>106</u>	<u>111</u>	<u>HARD MASSIVE L212</u>	<u>N</u>	<u>"</u>	<u>111</u>	<u>112</u>	<u>BROKEN POROUS L212</u>	<u>N</u>	<u>"</u>	<u>112</u>	<u>113</u>	<u>W/B.M. MUD</u>	<u>N</u>	<u>"</u>	<u>113</u>	<u>116</u>	<u>HARD L212</u>	<u>N</u>	<u>6"</u>	<u>116</u>	<u>146</u>	<u>"</u>	<u>N</u>	<u>"</u>	<u>146</u>	<u>150</u>	<u>SOFTER FRACTURED L212</u>	<u>N</u>	<u>"</u>	<u>150</u>	<u>156</u>	<u>HARD MASSIVE L212</u>	<u>N</u>	<u>"</u>	<u>156</u>	<u>158</u>	<u>Porous L212</u>	<u>N</u>	<u>"</u>	<u>158</u>	<u>164</u>	<u>HARD BROKEN L212</u>	<u>N</u>	<u>"</u>	<u>164</u>	<u>165</u>	<u>MUD</u>	<u>N</u>
Hole Diam.	Depth		Material	Water																																																																																																								
	From	To																																																																																																										
<u>12 1/4</u>	<u>0</u>	<u>5</u>	<u>OVERBURDEN</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>5</u>	<u>7</u>	<u>BRN. CLAY - SILT</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>7</u>	<u>11</u>	<u>HARD MASSIVE L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>11</u>	<u>17</u>	<u>VERY POROUS L212 - SANDY</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>17</u>	<u>20</u>	<u>HARD MASSIVE L212</u>	<u>N</u>																																																																																																								
<u>7 1/2</u>	<u>21</u>	<u>21</u>	<u>"</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>21</u>	<u>31</u>	<u>BROKEN L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>31</u>	<u>73</u>	<u>HARD MASSIVE L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>73</u>	<u>89</u>	<u>BROKEN L212 - LITTLE MUD</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>89</u>	<u>106</u>	<u>BROKEN L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>106</u>	<u>111</u>	<u>HARD MASSIVE L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>111</u>	<u>112</u>	<u>BROKEN POROUS L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>112</u>	<u>113</u>	<u>W/B.M. MUD</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>113</u>	<u>116</u>	<u>HARD L212</u>	<u>N</u>																																																																																																								
<u>6"</u>	<u>116</u>	<u>146</u>	<u>"</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>146</u>	<u>150</u>	<u>SOFTER FRACTURED L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>150</u>	<u>156</u>	<u>HARD MASSIVE L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>156</u>	<u>158</u>	<u>Porous L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>158</u>	<u>164</u>	<u>HARD BROKEN L212</u>	<u>N</u>																																																																																																								
<u>"</u>	<u>164</u>	<u>165</u>	<u>MUD</u>	<u>N</u>																																																																																																								
4. METHOD DRILLED ☐ Cable ☒ Rotary ☐ Aug ☐ Other																																																																																																												
5. WELL CONSTRUCTION Diameter of hole <u>7 1/2</u> inches Total depth <u>165</u> feet Casing schedule: ☒ Steel ☐ Concrete <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>5/8</u> inches</td> <td><u>8 1/2</u> inches</td> <td><u>1</u> feet</td> <td><u>18</u> feet</td> </tr> <tr> <td><u>3/8</u> inches</td> <td><u>8 1/2</u> inches</td> <td><u>18</u> feet</td> <td><u>116</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>15'</u> Material used in seal ☒ Cement grout ☐ Pudding clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing ☒ Overbore to seal depth	Thickness	Diameter	From	To	<u>5/8</u> inches	<u>8 1/2</u> inches	<u>1</u> feet	<u>18</u> feet	<u>3/8</u> inches	<u>8 1/2</u> inches	<u>18</u> feet	<u>116</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet																																																																																				
Thickness	Diameter	From	To																																																																																																									
<u>5/8</u> inches	<u>8 1/2</u> inches	<u>1</u> feet	<u>18</u> feet																																																																																																									
<u>3/8</u> inches	<u>8 1/2</u> inches	<u>18</u> feet	<u>116</u> feet																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																									
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																									
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Garibay</u> <u>19</u> T. <u>7</u> N. R. <u>42</u> E.	10. Work started <u>5-30-79</u> Finished <u>6-5-79</u> 11. DRILLER'S CERTIFICATION Firm Name <u>Nelson Drilling Firm Inc.</u> Address <u>Box 341 3024 Spruce</u> <u>Idaho 83426</u> Signed by (Firm Official) <u>R. Nelson</u> and _____ Dated _____																																																																																																											

FROM Rita Fleck
 TO File 11-7312
 SUBJECT Drilling Info.

DATE 8-2-88

Verda Empey called to inform the Dept. that they bought this piece of property in 7, 1982 and the well was in place. She thinks Nelson Drilling of Soda Springs (347-3802) drilled the well.

Mrs. Empey stated that the well may have been drilled in 1974 since the double wide trailer ~~into~~ ~~put in at the~~ is a 1974 model. **RECEIVED**

OCT 11 1988

Well is 165 ft deep
 Pump at 115 ft.

SIGNATURE

August 29, 1988

Virgil, Verda and Roger Empey
P. O. Box 602
Soda Springs, ID 83276

RE: Permit No. 11-7312

Dear Permit Holder:

The department received your Proof of Beneficial Use form, however, before completing processing, additional information is needed.

If you have a well driller's report, please send a copy to the department. If you do not have one, please let me know who drilled the well and when it was drilled.

Please remit the requested information by September 29, 1988 to keep your permit from losing priority.

If you have any questions, feel free to call me.

Sincerely,

RITA FLECK
Secretary/Records Manager

c: E. Region

MICROFILMED

OCT 11 1988

To: File 11- 7312

From: Groundwater Protection

Date: 7/19/88

Drilling Permit: X Not Applicable
 Found and in file
 Not Found

Well Drillers Report:

 Not found, due to reported age of well
 probably not available
 Found and is in file
 X Not found

Follow-up

 X Request from permit holder the well
 drillers report and/or the name of the
 well driller.
 Ask permit holder when well was drilled
 and notify holder of drilling permit
 requirement if after July 11, 1987.



MICROFILMED

OCT 11 1988

FROM Virgil Empey

P.O. Box 602

Soda Springs, ID 83276



138494
CERTIFIED MAIL
April 30, 1988

EMPEY, VIRGIL & VERDA & ROGER
P.O. BOX 602
SODA SPRINGS, ID 83276

PROOF DUE NOTICE

RE: Permit No. 11-7312

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before July 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MAILED

OCT 11 1988

P.O. Bx. 602
Soda Springs, ID 83276
Sept. 7, 1983

RECEIVED

SEP 8 1983

Department of Water Resources

Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

To Whomever it may concern:

The map that was included with Permit #11-7312 has the wrong place of diversion. This 5 acre lot we got the permit for is on the South end NOT the North. We are sending a copy of the map with the correction on it. Will you please make this change in your files. ✓

No response req'd


DET

9-23-83

Sincerely,

Nigel E. Emper

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Walter E. Emery
(Applicant)

August 11, 1983

RE: Permit No. 11-7312

Virgil &/or Verda Empey
&/or Roger A. Empey
P.O. Box 602
Soda Springs, ID 83276

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

The 1982 Idaho Legislature added a requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed instructions entitled "Making Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWT

APPLICATION NUMBER: _____

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*

Field check by: _____

Date: _____

Comments: _____

Field check required.

Critical groundwater area.

Request dam safety information. Sent by: _____ Date: _____

In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No
☒ Yes ☐ No*
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. _____

In form for advertising.

Final date for protests: April 25, 1983 ✓

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 5-9-83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No
☐ Yes ☒ No
☐ Yes ☒ No
☒ 3-22-83. Date of priority recommended.
Special conditions of approval or cover letter. _____

STATE OFFICE REVIEW:

By: Ernest Carlson

Date: June 3, 1983

SLW/LH

26

RECEIVED
JUN 14 1983

☐ See attached sheet for more information.

By: Rep

Date: 6/15/83

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

April 27, 1983

RE: Application for Permit No. 11-7312 EMPEY
13-7386 RIGBY
Claim to a Water Right No. 27-4097 WINSHELL

Caribou County Sun
P.O. Box 815
Soda Springs, ID 83276

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on April 7 and 14, 1983.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

IDENT. NO. 11 7312

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

MARCH 30, 1983

Caribou County Sun
P. O. Box 815
Soda Springs, Idaho 83276

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before APRIL 25, 1983.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

FILED

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before APRIL 25, 1983.

KEN DUNN, Dir.

Published 4/7 & 4/14/83.

11-7312

EMPEY, VIRGIL &/or VERDA &/or ROGER A.

P.O. BOX 602, SODA SPRINGS, ID 83276

Source: GROUNDWATER

Date Filed: 03/22/1983

Diversion Pt: NWNE Sec 19 T 09S R 42E

Use: IRRIGATION	(0.10 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.04 CFS)

In: NWNE Sec 19 T 09S R 42E FOR 5 ACRES

PUBLIC NOTICE

First Time Published

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

11-7312

EMPEY, VIRGIL & or
VERDA & or ROGER A.

P.O. BOX 602, SODA
SPRINGS, ID 83276

Source: GROUNDWATER

Date Filed: 03-22-1983

Diversion Point: NWNE Sec
19 T 09S R 42E

Use: IRRIGATION (0.10
CFS) STOCKWATER (0.02
CFS) DOMESTIC (0.04 CFS)

In: NWNE Sec 19 T 09S R
42E FOR 5 ACRES