


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

Douglas R. Ainsworth

(Applicant)

Valleyview Subdivision

Affidavit of Publication

County of Caribou }
State of Idaho } ss.

Mark Steele

being first duly sworn on his
oath, states:

That he is Publisher
of the Caribou County Sun, a
newspaper of general circula-
tion in Caribou County, Idaho,
published weekly at Soda
Springs in said County that said
newspaper has been published
in said County uninterruptedly
and continuously for over sev-
enty-eight consecutive weeks,
prior to the first publication of
the annexed notice or advertise-
ment;

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof

for 2 successive weekly
issues thereof, the date of the
first publication being the

24th day of

February, 1983

The date of the last publication

being the 3rd day of
March, 1983

Mark Steele
Subscribed and sworn to be-

fore me this 4th day
of March, 1983

Clayton A. Hule
Notary Public, residing
at Soda Springs, Idaho
(SEAL)

My Commission expires the
1st day of March
1984.

MAR 17 1983

Department of Water Resources
Eastern District Office

PUBLIC NOTICE

First Time Published

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

11-7309

VALLEYVIEW SUBDIVI-
SION WATER ASSOC.
STAR ROUTE, SODA
SPRINGS, ID 83276

Source: GROUNDWATER

Date Filed: 02-09-1983

Diversion Point: NESW Sec 03
T 09S R 41E

Use: IRRIGATION (0.20
CFS) STOCKWATER (0.03
CFS) DOMESTIC (0.19 CFS)

In: NESW NWSW SWSW
SESW NWSE Sec 03 T 09S R
41E FOR 10 ACRES

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 150
Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 on or before
MARCH 14, 1983.

KEN DUNN, Director

Published Feb. 24 and March
3, 1983 in the Caribou County
Sun.

MICROFILMED



(Include distance from pump to measuring device, if applicable.)

(2 pts.)
Point(s) of diversion: NE 1/4 SW 1/4 Sect. 3 T9S R4E

Place(s) of Use

[illegible]

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None
☐ Other

Examiner's Signature

Checked by

Approved by _____

Date 6-11-84

Date 15 Nov 1984

Date 4-14-86

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 11-7309 Priority February 9, 1983 Amount 0.29 cfs

THIS IS TO CERTIFY, that Valleyview Subdivision Water Assoc.
of Soda Springs, Idaho, has complied with the terms and conditions of Permit
No. 11-7309 issued pursuant to Application for Permit dated February 9, 1983,
and has submitted proof to the Department of Water Resources on May 11, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.29 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u> from <u>April 1</u> to <u>November 1</u> at <u>0.17</u> cfs and			<u>25.5</u> acre feet
<u>Stockwater</u> from <u>January 1</u> to <u>December 31</u> at <u>0.03</u> cfs and			<u>0.5</u> acre feet
<u>Domestic</u> from <u>January 1</u> to <u>December 31</u> at <u>0.19</u> cfs and			<u>10.2</u> acre feet
<u>(17 Units)</u>	<u>(both dates inclusive)</u>		

Subject, however, to the condition that no more than 0.29 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
36.2 acre feet per year, said waters to be diverted within the (2 pts) NE $\frac{1}{4}$ SW $\frac{1}{4}$,
Section 3, Twp 9S, Rge 41E in the County of Caribou

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
9S	41E	3									5	1.5	1			1			8.5

Total number of acres irrigated 8.5

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9TH day of MAY, 19 86.

Acting for the Director

1145

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT **APPROVED**

To appropriate the public waters of the State of Idaho

1. Name of applicant Valleyview Subdivision Water Assoc. Phone 547-4690
c/o Douglas R. Ainscough
Post office address Star Route, Soda Springs, Idaho 83276

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 9S
Range 41E B.M. Caribou County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.19 for Domestic purposes from 1-1 to 12-31 (To supply water to the subdivision (both dates inclusive) year round)
(cfs or acre-feet per annum)
Amount 0.20 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.03 for Livestock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.42 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. We have a 7½ hp pump in a 8" casing (which is our main pump) and a 5 hp pump in a 10" casing which is a standby for our 7½ hp pump (see remarks)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 10 & 8 inches; proposed depth of well is 100 feet.
castings

7. Time required for the completion of the works and application of the water to the proposed beneficial was installed in 1972 and is in use presently use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SW¼
(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 9S

Range 41E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 15 horses, 130 sheep

(4) Name of municipality to be served Valleyview Subdivision, or number of families to be supplied with domestic water 17 families at present

(5) If water is to be used for other purposes describe: _____

TWP	RANGE	SEC.	NE¼								NW¼				SW¼				SE¼			
			NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%				
9S	41E	3																				
10																						
TOTALS			SE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%	NE%	NW%	SW%	SE%				

01

Who owns the property at the point of diversion Valley View Subdivision

Who owns the land to be irrigated or place of use


If the property is owned by a person other than the applicant, describe the arrangement enabling the

Applicant to make this filing

marks 6A, we have a 20,000 gallon holding tank from which the water

is diverted to homeowners.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Valley View Subdivision
C/O Douglas R. Cunningham
(Applicant)

Proposed Priority 2/09/1983

Received by

CW

2-22-83

Date 2-9-83

Time 3:15p

Fee \$ 45.00

KCW

Preliminary check by

Received by

CW

Date 2-11-83

#23387

Publication prepared by

BP

Date 2-16-83

Published in

Caribou County Sun

Publication dates

2/24 & 3/3/83

Publication approved

CW

Date 3-21-83

Protests filed by:

None

Copies of protests forwarded by

Hearing held by

Date

Recommended for

approval

denial

by

BMC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 11-7309

, and said application is hereby

APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore

April 1

, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 31st day of March, 1983.

Chief, Operations Bureau

J. Munson

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant % Douglas RAINSCOUGH Valley View Subdivision Watwawa Phone 547-4690
Post office address STAR ROUTE, Soda Springs 2da 83276
2. Source of water supply Ground Water which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 3 Township 9S
Range 41E B.M. Caribou County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.19 for domestic (to supply water to the subdivision year around) purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.20 for irrigation purposes from April 1 to NOV 1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount 0.03 for LIVE STOCK purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.42 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. We have a 7½ hp pump in a 8" casing (which is our main pump) and a 5 hp pump in a 10" casing which is a stand by for our 7½ hp pump
See Remarks

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.

- c. Proposed well diameter is 10" & 8" casing inches; proposed depth of well is 100 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is Was installed in 1972 and is in use presently years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation: SW ¼
(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 3 Township 9S
Range 41E B.M.

- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.

- (3) List number of each kind of livestock to be watered 15 horses, 130 sheep

- (4) Name of municipality to be served Valley View Subdivision, or number of families to be supplied with domestic water 17 families at present

- (5) If water is to be used for other purposes describe: _____

MILITARY

10. Remarks

Remarks	Remarks
to A, we have a 20,000 gallon holding tank) from which this water is diverted to (remains)	

applicant to make this filing.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

b. Who owns the land to be irrigated or place of use

9. a. Who owns the property at the point of diversion

c. Describe any other water rights used for the same purposes as described above.

Total number of acres to be irrigated


[illegible]

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

7 MS 71 3/4

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

NE $\frac{1}{4}$ SW $\frac{1}{4}$ Sec 3 Township 9S R41E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Douglas R. Ainsworth

(Applicant)

Valleyview Subdivision

RECEIVED
MAY 11 1983
SALT LAKE CITY

Director

Witness my hand this _____ day of _____, 19____.

d. Other: _____

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

_____ fore _____, 19____.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

1. Approval of said application is subject to the following limitations and conditions:

of Idaho No. _____, and said application is hereby _____.

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Recommended for approval denial by _____

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: _____

Publication approved _____ Date _____

Publication dates 2/24 & 3/3/83

Published in Carbon County Sun

Publication prepared by BP Date 2/16/83

Received by AW Date 2-11-83 Fee \$ #23387

Preliminary check by KW Fee \$ 45.00

Received by AW Date 2-9-83 Time 5:15p

Affidavit of Publication

County of Caribou }
State of Idaho } ss.

Mark Steele

being first duly sworn on his
oath, states:

That he is Publisher
of the Caribou County Sun, a
newspaper of general circula-
tion in Caribou County, Idaho,
published weekly at Soda
Springs in said County that said
newspaper has been published
in said County uninterruptedly
and continuously for over sev-
enty-eight consecutive weeks,
prior to the first publication of
the annexed notice or advertise-
ment;

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof

for 2 successive weekly
issues thereof, the date of the
first publication being the

24th day of

February, 1983

The date of the last publication

being the 3rd day of
March, 1983

Subscribed and sworn to be-

fore me this 4th day
of March, 1983

Clendy Hule
Notary Public, residing
at Soda Springs, Idaho
(SEAL)

My Commission expires the

1st day of March

1984.

MAR 17 1983

Department of Water Resources
Eastern District Office

PUBLIC NOTICE

First Time Published

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s)
have been filed to appropriate the
public waters of the State of
Idaho:

11-7369
MALLENVIEW SUBDIVI-
SIGN WATER ASSOC.
STAR ROUTE SODA
SPRINGS, ID 83276

Source: GROUNDWATER

Date Filed: 02-09-1983

Diversion Point: NESW Sec 03
T 09S R 41E

Use: IRRIGATION (0.20
CFS) STOCKWATER (0.03
CFS) DOMESTIC (0.19 CFS)

In: NESW, NWSW, SWSW
SESW, NWSE Sec 03, T 09S R
41E, FOR 10 ACRES.

The permit(s) will be subject to
all prior water rights. Protests
must be filed with the Director,
Dept. of Water Resources, 150
Shampa Ave., Suite 15, Idaho Falls,
Idaho 83402, on or before
MARCH 14, 1983.

KEN DLINN, Director

Published Feb. 24 and March
3, 1983 in the Caribou County
Sun.



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

May 14, 1986

RE: Permit No. 11-7309

Valleyview Subdivision Water Assoc.
Star Rt.,
Soda Springs, ID 83276

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 21, 1986

RE: Permit No. 11-7309

Valleyview Subdivision Water Assoc.
Star Rt.
Soda Springs, ID 83276

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

RECEIVED

NOV 21 1984

11-7309

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	Department of Water Resources	REMARKS
☐ Appointment letter mailed:				
☐ Telephone call made (List Telephone No. used)				
☐ Appointment scheduled for: (Date, time, location)				

EXAMINATION

Date 9-15-83 Accompanied by Mrs. Douglas Ainscough Total Q measured 0.29 cfs ^{theoretical} ✓
 Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____
 If source is surface water, estimate total flow of source _____
 Methods of measurement Theoretical Meets permit requirements? _____

Measurement calculations: $\frac{7.5 \text{ hp} \times 8.814 \times 80\%}{100 \text{ ft} \times 1.18 + (35 \text{ psi} \times 2.308)} = \frac{52.884}{180.78} = 0.29 \text{ cfs}$ ✓
 allow 0.19 cfs for domestic use (17 units) ✓ 1/4 acre for each of 17 homes $V = 8.5 \text{ acres} \times 3.0 \text{ cfs/acre} = 25.5 \text{ cfs}$ ✓
 and 20.4 afa (17 x 1.2 afa) allow 0.6 afa/unit 8.5 acres $8.5 \times 0.02 \text{ cfs} = 0.17 \text{ cfs}$ ✓
 15 horses + 130 sheep - allow 0.02 cfs 32 units = 0.5 cfs

$$V = 17 \times 0.6 \text{ AF} = 10.2 \text{ AF}$$

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
(Main Division)	7 1/2	NA	NA					
(Backup)	5	NA	NA					

System Description 2 wells in close proximity; one with 7 1/2 hp + second with 5 hp pump (backup)
pumps set at 100' + line to storage tank to serve 17 homes, irrigate approx. 8.5 acres and water livestock.

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
Domestic (17 units) ✓	0.19 ✓	20.4 10.2	1-1 ✓	12-31 ✓
Irrigation ✓	0.17 cfs ✓	25.5 ✓	4-1 ✓	11-1 ✓
Stock water (15 horses + 130 sheep)	0.02 cfs	0.5 ✓	1-1 ✓	12-31 ✓
	ALLOW 0.03 per permit			
Total	0.29 cfs ✓	36.2 AF 46.4		

Remarks _____

MICROFILMED

6
 The Joint
 South Carolina
 R. Walker

Date _____


~~none~~

☒ None

[illegible]

(2 pts.)

SCHEMATIC DIAGRAM OF SYSTEM



MAP (Attach Aerial Photo)

DECLASSIFIED (01

PERMIT NO. 11-7509

Valleyview Substation
(Name)

Accompanied by: Mrs. Ainscough

EXAMINATION: DATE: 7-15-82

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
	7 1/2			
	5			

Measuring Device Type: throtical

Meter # _____ Annubar # _____ Size # _____

Remarks: _____

Measurement calculations:

2 wells in same area

7 1/2 hp Set at 100ft to storage
+ tank
shp

17 homes - ok
Stack - ok
Irrig - 1/2 acre/hour

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____ Length _____

Home locations as of 6-6-84

NWSE - 2
NWSW - 3
NESE - 10
SCSW - 2



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

June 2, 1983

Valleyview Subdivision Water Users Assoc.
Star Route Soda
Soda Springs, ID 83276

RE: Permit #11-7309

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWF:JK

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below of Permit No. 11-7309

Name(s) of Permit Holder: Valley View Subdivision Water Assoc

Post Office Address: Star Route Soda Springs, 2da 83276

Tel. No. 547-4690

Source of Water: Ground Water

Extent of Use:

- ☒ Domestic 17 at Present (number of households)
- ☒ Stockwater 15 horses, 130 head (number and type of stock)
- ☒ Irrigation 6 (acres)
- ☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

May 6-1983
Date

Valley View Subdivision
Douglas E. Ainsworth
Signature of Permit Holder

Valley View Subdiv
Daguerre
STAR Route
Soda Springs, IDA 83274



MAY 21 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

VALLEYVIEW SUBDIVISION WATER ASSOC.
STAR ROUTE
SODA SPRINGS, ID 83276

APRIL 12, 1983

RE: PERMIT NO. 11-7309

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

APR 13 1983

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KC Wilson

APPLICATION NUMBER: 11 7309

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: CW

Date: 2-28-83

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: March 14, 1983
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3-17-83 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 2-09-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

STAFF OFFICE REVIEW:

By: Ernest Carlson

Date: March 23, 1983

☐ See attached sheet for more information.

By: Keely

Date: 3-30-83

RECEIVED
MAR 29 1983

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup - Suite 15
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

March 14, 1983

RE: Application for Permit No. 11-7309 VALLEYVIEW SUBDIVISION
Claim to a Water Right No. 24-4067 NATE N-1 RANCH
24-4068 "
24-4069 "

Caribou County Sun
P.O. Box 815
Soda Springs, ID 83276

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on February 24 and March 3, 1983.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary



STATE OF IDAHO

RECEIVED

MAR 10 1983

DEPARTMENT OF HEALTH AND WELFARE

Department of Water Resources
Eastern District Office

DIVISION OF ENVIRONMENT
150 North 3rd Avenue
Pocatello, Idaho
83201

9 March 1983

Ernest Carlsen, Asst. Rgnl. Supervisor
Department of Water Resources
150 Shoup
Idaho Falls, Idaho 83401

Re: Application #11-7309
(Caribou County)

Dear Mr. Carlsen:

We have reviewed the subject application submitted by Valleyview Subdivision Water Association, Soda Springs, for a permit to appropriate the public waters of the State of Idaho to supply domestic water to Valleyview Subdivision.

There are no objections to the application inasmuch as it is an existing system.

Sincerely,

Elmer W. (Bill) Smith, P.E.
Environmental Engineer

EWS/md
CC: Dick Rogers, Boise
George Spinner, Soda Springs

February 28, 1983

RE: Application for Permit No. 11-7309 VALLEYVIEW SUBDIVISION WATER ASSOC.

Department of Health & Welfare
150 North 3rd
Pocatello, Idaho 83201

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is March 14, 1983, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure



February 16, 1983

Douglas R. Ainscough
Star Route
Soda Springs, ID 83276

Dear Mr. Ainscough:

Initial processing has begun on the Application for Permit that you recently submitted to this office. However, for our records we need a clearer, more permanent copy. For your convenience I have enclosed a typed copy of your application. Please sign it and return it to this office as soon as possible.

Thank you for your cooperation.

Sincerely,

BARBARA L. POWERS
Secretary

Enclosure

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 16, 1983

Caribou County Sun
P. O. Box 815
Soda Springs, Idaho 83276

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a sales proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before MARCH 14, 1983.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MARCH 14, 1983.

KEN DUNN, Dir.

Published 2/24 & 3/3/83.

11-7309

VALLEYVIEW SUBDIVISION WATER ASSOC.

STAR ROUTE, SODA SPRINGS, ID 83276

Source: GROUNDWATER

Date Filed: 02/09/1983

Diversion Pt: NESW Sec 03 T 09S R 41E

Use: IRRIGATION	(0.20 CFS)
STOCKWATER	(0.03 CFS)
DOMESTIC	(0.19 CFS)

In: NESW NWSW SWSW SESW NWSE Sec 03 T 09S R 41E FOR 10 ACRES