

11-7293




pressure tank
& control panel
located in home.

MICROFILMED

SEP 14 1989

11-7293



Verification of Stockwater Use.

MICROFILMED
SEP 14 1989

11-7293

T-9S

R-12E

Sec. 32


P.U.

P.O.

MICROFILMED

SEP 14 1988

FOSTER DITCH



11-7293

T-98

R-42E

Sec. - 32

P.O.

9 acres

5

1

33

215

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 11-07293

Priority: July 15, 1982

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.03 CFS
12.7 AF

This is to certify, that STEVEN CHRISTENSEN

P.O. BOX 891

SODA SPRINGS, ID 83276

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated July 13, 1982; and has submitted Proof of Beneficial Use on August 3, 1987. An examination indicates that the works have a diversion capacity of .210 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.03 CFS	12.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESE, Sec. 32, Township 09S, Range 42E
CARIBOU County

PLACE OF USE: IRRIGATION


<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
09S 42E 32	SESE 9			9

Total number of acres irrigated: 9

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 1st day of SEPTEMBER, 1989.


Keith Higginson, Director

RECORDED

SEP 14 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 11-7293 IN THE
NAME OF STEVEN CHRISTENSEN

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before August 1, 1987; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on August 1, 1987 the permit lapsed for failure of the permit holder to submit proof of beneficial use together with the examination fee; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting the proof of beneficial use and the examination fee on August 3, 1987;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 11-7293 be REINSTATED and the priority advanced to July 15, 1982.

Dated this 28th day of September, 1987.

MICROFILMED

OCT 09 1987

L. Glen Saxton
L. GLEN SAXTON
Chief, Operations Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Steven Christensen Phone 547-3066

Post office address Box 891 Soda Springs, Idaho 83276

2. Source of water supply ground water which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 32 Township 9S

Range 12E B.M. Caribou County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 20 for irrigation purposes from April 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 20 cubic feet per second and/or b. 20 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. One five horse irrigation
pump

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____, inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

[illegible]

01

Name

Steve Christensen

Stefan Christensen

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the

applicant to make this filing

This water to irrigate the acres of pasture

Received by all Date 7-13-82 Time 10:40A.
Preliminary check by 7/14/1982 S.M. Fee \$ 30.00
Received by BP Date 7-14-82 # 22386
Publication prepared by BP Date 7-15-82
Published in Caribou County Sun
Publication dates 7-22 & 7-29-82
Publication approved all Date 8-17-82
Protests filed by: all
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by all all

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 11-7293, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 87.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 26th day of August, 1982.

D. Allen Saylor
Chief, Operations Bureau

Affidavit of Publication

County of Caribou }
State of Idaho } ss.

Mark Steele

being first duly sworn on his
oath, states:

That he is ~~Publisher~~
of the Caribou County Sun, a
newspaper of general circula-
tion in Caribou County, Idaho,
published weekly at Soda
Springs in said County that said
newspaper has been published
in said County uninterruptedly
and continuously for over sev-
enty-eight consecutive weeks,
prior to the first publication of
the annexed notice or advertise-
ment;

That the annexed notice was
published as per clipping at-
tached in the regular and entire
edition of said newspaper and
not in any supplement thereof

for 2 successive weekly
issues thereof, the date of the
first publication being the

22nd day of
July, 19 82

The date of the last publication
being the 29th day of
July, 19 82

Subscribed and sworn to be-
fore me this 30th day
of July, 19 82

Wendy Hule
Notary Public, residing
at Soda Springs, Idaho
(SEAL)

My Commission expires the
1st day of March
19 84

PUBLIC NOTICE

First Time Published

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the
following application(s) have
been submitted for permit to
appropriate the public waters of
the State of Idaho:

11-7293

CHRISTENSEN, STEVEN
BOX 891, SODA SPRINGS, ID
83276

Source: GROUNDWATER

Date Filed: 07-13-1982

Amount: 0.20 CFS

Diversion Point: SESE Sec 32
T 09S R 42E, CARIBOU Co.

Use: IRRIGATION (0.20
CFS) from 04-01 to 11-01

Place of Use: SESE Sec 32 T
09S R 42E for 10 ACRES

Diversion Means: PUMP

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 150 Shoup
Ave., Idaho Falls, Idaho 83402 on
or before AUGUST 9, 1982.

A. KENNETH DUNN
Director

Published July 22 and 29, 1982
in the Caribou County Sun.

RECEIVED

AUG 16 1982

Department of Water Resources
Eastern District Office

PUBLIC NOTICE

First Time Published

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

11-7293

**CHRISTENSEN, STEVEN
BOX 891, SODA SPRINGS, ID
83276**

Source: GROUNDWATER

Date Filed: 07-13-1982

Amount: 0.20 CFS

**Diversion Point: SESE Sec 32
T. 09S R 42E, CARIBOU Co.**

**Use: IRRIGATION (0.20
CFS) from 04-01 to 11-01**

**Place of Use: SESE Sec 32 T
09S R 42E for 10 ACRES**

Diversion Means: PUMP

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before AUGUST 9, 1982.

A. KENNETH DUNN

Director

**Published July 22 and 29, 1982
in the Caribou County Sun.**

September 5, 1989

STEVEN CHRISTENSEN
P.O. BOX 891
SODA SPRINGS, ID 83276

RE: PERMIT NO. 11-07293

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure



July 6, 1989

STEVEN CHRISTENSEN
P.O. BOX 891
SODA SPRINGS, ID 83276

RE: PERMIT NO. 11-07293

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
JUL 11 1989
SODA SPRINGS, ID

POINT OF DIVERSION OVER

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
1107293	09S	42E	32	SE	SE			GROUNDWATER	CHRISTENSEN, S

RECORDED
SEP 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

11-7293
Permit No.

Christensen

Try to Complete

w/ 11-7294

(Spring time)

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ ~~Computer Data Proof Report~~
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index SD/ 10-28-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index SD/ 10-28-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? 7-13-1988 (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ ~~Corrected Computer Data Proof Report~~ with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 7-18-1988 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent KCW 8/26/88 (Initial and date)

Exam Reviewed by Manager of Regional Office SA 10-16-1989 (Initial and date)

Exam Date Entered in Computer _____ (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original

Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 20 1989

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 11-7293

1. Owner: STEVEN CHRISTENSEN

Phone No. _____

Current Address: P.O. Box 891, Soda Springs, Idaho

2. Accompanied by: OWNER

EXAM. DATE: 7-18-88

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NO

☐ Copies Attached


2. Other water rights with same point of diversion: NO

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = No Scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Used to submerge pump/motor to 80 gallon pressure tank
located in basement of house. Well water is used for domestic
purposes and irrigation.

Of migration line is through $3/8"$ garden hose to 5 ft
south of 5 domestic water operation.

Well depth = 150'

☒ See Remarks on page 4 for continuation

~~Well depth = 150'~~☒ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	JACUZZI	5	PF10.52	JACUZZI	37416

**Code to correspond with No. on map and aerial photo*

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gauge		Ashcroft			160 psi	

2. Measurements:

~~18 psi~~ ~~5 psi~~ ~~6 psi~~ ~~15 psi~~ ~~24 psi~~

5 - Rainbird sprinkles with 5/32" nozzles.

Pave = 12.6 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = AV = \left(\frac{\pi (0.16/12)^2}{4} \right) \left(\sqrt{64.4 (2.308) (12.6 \text{ psi})} \right) 5 \text{ hd.} = 0.03 \text{ c.f.s.}$$

2. Alternate Method for Checking Purposes:

Theoretical: $Q = \frac{(5 \text{ hp}) (8.814) (0.85)}{150' + 2.308 (12.6 \text{ psi})} = 0.21 \text{ c.f.s.}$

☒ PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (9)(3.0) = 27$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (0.03)(214)(1.9835) = 12.73$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 12.73 \text{ AFA}$$

2. Volume Calculations for Other Uses:

RECEIVED
SEP 14 1989

SEP 14 1989

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Stockwater use: 5 - horses, 2 - cows at time of action, normally less
12 - head of cows.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use From To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
Irrigation	4-1 11-31	0.03	12.73

2. Recommended Amendments

☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
☒ Add P.D. as reflected above
☐ Other
☒ None

J. AUTHENTICATION

Field Examiner's Name: Richard Lewis
 Signature: [Signature]
 Certification Date: 8-5-88
 Field Report Preparation Date: _____



CONSULTANT SEAL

Steve McCarty
8/5/88

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Reviewed: Stephen McCarty 8/2/89

11-7293





pressure tank
& control panel
located in home.

MD

SEP 14 1983

11-7293



VERIFICATION OF STOCKWATER USE.

RECEIVED
ATLANTA

SEP 14 1939

RIVER

11-7293

T-95

R-42E

Sec. 32

Creek

P.u.

P.O.

ROSE DITCH

MUNRO'S DITCH

MAINTAINED

FOSTER DITCH

GRAIN BIN 5843T

BURN PIT

BORROW PIT

MARSH

MARSH

BOUNDARY

CEM.

DITCH

RIVER

11-7293

T-95

R-42E

Sec. 32

Creek

P.u.

P.O.

ROSE DITCH

MUNRO'S DITCH

MAINTAINED

FOSTER DITCH

GRAIN BIN 5843T

BURN PIT

BORROW PIT

MARSH

MARSH

BOUNDARY

CEM.

DITCH

11-7293

T-98

R-42E

Sec.-32

94443

P.O. ✓

5

4

33

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

OCTOBER 21, 1987

STEVE CHRISTENSEN
P.O. BOX 891
SODA SPRINGS ID 83276

RE: Permit No. 11-7293

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

Enclosure

RECEIVED
OCT 21 1987

SEP 16 1987

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 11-7293

DATE: 8-14-87

Date proof received

Proof due

Number of day proof late

Priority date

New priority date

* Aug. 3, 1987
- Aug. 1
2
+ July 13, 1982
July 15, 1982

Remarks:

Note that this is the date the fee was paid.

RECEIVED

OCT 09 1987

RECEIVED

AUG 03 1987

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

For Office Use Only
Fee Received \$51.00
Date 8-31-87
Receipt # 44151
Receipt by [Signature]
Reviewed by [Signature]
Sent to region [Signature]

NO JUL 22 1987
No ✓ Rec'd D.T.B.
Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 11-7293

Name(s) of Permit Holder: Steve Christensen

Post Office Address: P.O. Box 891

Soda Springs, Idaho 83276 Telephone No. 208-547-3066

Source of Water: Six inch well on property

Extent of Use:

Domestic one (number of households) Stockwater 10 steers 5 horses (number and type of stock)

Irrigation ten acres (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 20 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: March 1, 1981

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 50.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Steven or Lorna Christensen 547-3066
(Name) (Telephone Number)

2886 8 mile road Soda Springs, Idaho
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

7-18-87
Date

Steven Christensen
Signature of Permit Holder (and title, if appropriate)

OCT 09 1987

Steve Christensen
Box 891
of the Springs, Idaho
83226-0891

RECEIVED
AUG 03 1987

Department of Water Resources


POCATELLO, ID 832
PM
30 JUL
1987

Department of Water Resources
State House
Boise,
Idaho
83722

MICROFILMED
OCT 09 1987

Friendship
with Morocco
1287-1987
USA 22

STEVE CHRISTENSEN
BOX 891
SOD SPRINGS ID 83276



RECEIVED
OCT 0 1987

State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho
83720

RECEIVED

JUL 23 1987

Department of Water Resources

Dear Sirs,

We didn't receive a License Examination Fee Schedule and didn't know if we were to send a fee or not.

Please let us know if there is one and how much we are to send if there is.

Thank you.

Steven Christensen

P. O. Box 891

Soda Springs, Id.

83276

ENCLOSURED

OCT 09 1987

● T A T E O F I D A H O ●

DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MAY 31, 1987

CHRISTENSEN, STEVEN
BOX 891
SODA SPRINGS, ID 83276

138513

PROOF DUE NOTICE

RE: PERMIT NO. 11-7293

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 1, 1987. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME. YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

OCT 09 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 19, 1985

Steven Christensen
Box 891
Soda Springs, ID 83276

Re: Permit Nos. 29-7650 and 11-7293

Dear Mr. Christensen:

I have received and reviewed your response to my letter dated September 1, 1985.

A review of Department files shows that proof of beneficial use has not been submitted on either permit. The files also show that the proof due date for both permits is on or before August 1, 1987.

The proof of beneficial use should only be submitted to the Department now if the development under either permit is complete to the extent you intend to develop it.

Enclosed are the proof of beneficial use forms which you requested. If you have questions, please contact the Department.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

1s

Enclosure

MAILED
OCT 09 1985



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

SEPTEMBER 1, 1985

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 334-4440

11-7293
29-7650
RECEIVED
SEP 12 1985

DEAR PERMIT HOLDER:

Department of Water Resources

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

which property
also like to
use forms.
P.O. Box 891

Dear Sir,

DISCREPANCY
OCT 09 1987

We have property with water rights in Soda Springs & Donney Id. We would like to know you are referring to and would obtain the proof of beneficial use forms. Thank you. Steve Christensen
Soda Springs, Idaho 83276-0891

AFTER 8 DAYS RETURN TO

Steve Christman

Box 891

Bole Springs, Idaho

83276-0891 ZIP CODE



MICROFILMED

OCT 09 1987

State of Idaho
Department of Water Resources
Boise, Idaho
83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CHRISTENSEN, STEVEN
BOX 891
SODA SPRINGS, ID 83276

SEPTEMBER 02, 1982

RE: PERMIT NO. 11-7293

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS MUST BE STARTED WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED. THE PROJECT MUST THEN BE DILIGENTLY CONSTRUCTED UNTIL COMPLETED. TO MAINTAIN THE PERMIT IN A VALID STATUS YOU MUST COMPLETE AND RETURN THE ENCLOSED POSTCARD WHEN CONSTRUCTION IS COMMENCED, NO LATER THAN ONE YEAR FROM THE DATE OF APPROVAL OF THE PERMIT.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MAILED 11-10-82

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Steve McCormick

APPLICATION NUMBER: 11 7293

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: Aug. 9, 1982
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8-16-82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 7-13-1982 Date of priority recommended.
☒ Special conditions of approval or cover letter. _____

By: Ernest Carlson Date: 8-17-82

STATE OFFICE REVIEW:

- SLW/LIZ 24
☐ See attached sheet for more information.
By: Tolson Date: 8/24/82

RECEIVED
AUG 13 1982

August 10, 1982

RE: Application for Permit No. 11-7293 CHRISTENSEN

Caribou County Sun
P.O. Box 815
Soda Springs, Idaho, 83276

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application(s). The legal notice was to have been published in your paper on July 22 and 29, 1982.

Your cooperation in this matter is greatly appreciated.

Very truly yours,

COLLEEN WRAY
Adm. Secretary

11-7293

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave.
Idaho Falls, Idaho 83402
(208) 525-7161

JULY 15, 1982

Caribou County Sun
P. O. Box 815
Soda Springs, Idaho 83276

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 9, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.



NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 150 Shoup Ave., Idaho Falls, Idaho 83402 on or before AUGUST 9, 1982.

A. KENNETH DUNN

Director

Published 7/22 & 7/29/82.

11-7293

CHRISTENSEN, STEVEN

BOX 891, SODA SPRINGS, ID 83500A SPRINGS, ID 83276

Source: GROUNDWATER

Date Filed: 07/13/1982

Amount: 0.20 CFS

Diversion Point: SESE Sec 32 T 09S R 42E, CARIBOU Co.

Use: IRRIGATION (0.20 CFS) from 04/01 to 11/01

Place of Use: SESE Sec 32 T 09S R 42E FOR 10 ACRES

Diversion Means: PUMP