

Identification No. 11-7017

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Approve the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant BEAR LAKE WEST, INC.
post office address Hotel Ben Lomond, Ogden, Utah

2. Source of water supply ground water which is a tributary of _____

3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 16 S
Range 43 E B.M. Bear Lake County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Bear Lake at a point in SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 16 S Range 43 E B.M. U.S. Survey

4. Water will be used for the following purposes:

Amount 150 for Domestic purpose from Jan 1 to Dec. 31 (both dates inclusive)
Amount 27 for Domestic purpose from _____ to _____ (both dates inclusive)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)

5. Total quantity to be appropriated:

a. 0.27 cubic feet per second and/or
b. 150 acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 8" well, 150 g.p.m. pump,
6" pipes and 1" laterals to homesites (storage will also be provided)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____

c. Period of year during which storage will occur _____ to _____ inclusive.

d. Proposed well diameter is 8 inches; proposed depth of well is 350 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 2 years

b. Estimated construction cost is \$ 50,000.00

8. Description of proposed uses:

a. If water is not for irrigation:

1. Give the place of water SW $\frac{1}{4}$ of Section 27 Township 16 S
Range 43 E B.M. _____


2. Amount of power to be generated _____ hp under _____ feet of head

3. List number of each kind of livestock to be watered _____

4. Name of municipality to be served Bear Lake West or number of families to be supplied with domestic water 300 Potential

5. If water is to be used for other purposes describe _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 4 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Halliday, Jr.
(Applicant)
Bear Lake West, Inc.

11, 1947

March 2, 1978

Re: Permit No. 11-7017 & 11-7035

Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

Enclosed is a copy of the DENIED application for extension of time submitted in connection with Permit No. 11-7017. We suggest that you submit proof of beneficial use on the portion of your project that has been completed and at the time you are ready to continue with the development of the remainder of the project a new application for permit will have to be filed. A proof of beneficial use form has been enclosed for your use.

Also enclosed is a copy of the APPROVED application for extension of time on Permit No. 11-7035. The time within which to submit proof of beneficial use of water has been extended to April 1, 1983.

If you have any questions, please do not hesitate to contact us.

Sincerely,

BOBBY D. FLEENOR

BOF:JFR

Encls.

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT
NO. 11-7017 IN THE NAME
OF BEAR LAKE WEST, INC.

ORDER OF REINSTATEMENT

WHEREAS, on March 4, 1971, the Director of the Department of Water Resources issued Permit No. 11-7017 with a condition of approval that proof of construction of works and application of water to beneficial use be submitted on or before April 1, 1978; and,

WHEREAS, on January 31, 1978, the Department sent a proof due notice to the permit holder; and,

WHEREAS, on April 10, 1978, the Department sent a lapse notice to the permit holder since neither proof of beneficial use nor a request for extension of time had been received from the permit holder; and,


WHEREAS, on April 25, 1983, proof of beneficial use was submitted by the permit holder; and,

WHEREAS, amendments to Section 42-218A, Idaho Code, effective April 8, 1983, provide that the Director may reinstate a permit upon which proof has been submitted subsequent to the sixty day period after the notice of lapsing; and,

WHEREAS, permit holder has shown adequate cause that the permit can be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that permit No. 11-7017 be reinstated; and It Is Further ordered that the priority be advanced to April 25, 1983.

Dated this 15th day of March, 1984.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR EXTENSION OF TIME

RECEIVED

FEB 21 1983

Department of Water Resources
Eastern States Office

State of Idaho

County of Baca Lake

Permit No. 11-7017

Baca Lake Water Inc. a Fish Lake
(Name) (Address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder, of Permit to
Appropriate the Public Waters of the State of Idaho No. 11-7017.

That under the terms and conditions of said permit, work thereunder was required
to be completed on or before April 1, 19 78.

That he has heretofore performed the following work described under said permit:

The well has been drilled, & the pump
installed. One 50,000 gal storage facility
has been completed

Costing \$

That he is unable to complete the remainder of the work within the required time for
the following reasons, to-wit: One extension has already

been granted for 5 years. Baca Lake Dist
Inc. has developed only a small fraction
of the potential no. of domestic units & units/units

Wherefore, he asks that the Department of Water Resources extend the time for the
completion of obligations under said permit to April 1, 19 83.

[Signature]
(Signature)

Subscribed and sworn before me this 17 day of FEB, 19 78.

seal

Frank W. Johnson
Notary Public residing at
OGDEN UTAH

My commission expires MY COMMISSION EXPIRES OCT. 2, 1979

ACTION OF THE DIRECTOR OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above application for extension of time be DENIED
pursuant to Sec. 42-204, Idaho Code, which states that a permit holder may only
be granted one extension of time, not exceeding five years.

Witness my hand this 28 day of February, 19 78.

[Signature]

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

MAR 14 1973

APPLICATION FOR EXTENSION OF TIME

Department of Water Administration
Eastern District Office

State of Idaho)
County of Bear Lake)

Permit No. 11-7017

Bear Lake West, Inc. of Box 63, Fish Haven, Idaho
(name) (address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 11-7017.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before 1 April, 19 73.

That he has heretofore performed the following work described under said permit:

The well has been dug, a pump house has been built, and approximately 3000 feet
of main has been laid. Additional watermain, a storage reservoir, and service
laterals will be constructed in 1973 and the balance in 1974 (Additional cost \$40,000 ±)

Costing \$ 20,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Housing construction is presently slow. Although only two

residences are in place at this time, lot sales have far exceeded construction

starts. We expect more construction starts in the near future.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to 1 April, 19 75.

Dean J. Bullard, Pres
(signature) *

Subscribed and sworn before me this 9th day of March, 19 73.

seal

Shirley D. Foster
(notary public)

My commission expires May 25, 1974

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

I, R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit
No. 11-7017 to April 1, 1974.

Witness my hand this 23 day of March, 19 73.

R. Keith Higgins
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

Identification No. 11-7017
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION
APPLICATION FOR PERMIT

APPROVED

To Approve the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant BEAR LAKE WEST, INC.
post office address Hotel Ben Lomond, Ogden, Utah
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 27 Township 16 S
Range 43 E B.M. Bear Lake County: additional points of diversion if any: _____
b. If water is not consumed, it will be discharged into Bear Lake at a point in SE $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 27 Township 16 S Range 43 E B.M. U.S. Survey
4. Water will be used for the following purposes:
Amount 150 for Domestic purpose from Jan 1 to Dec. 31 (both dates inclusive)
Amount 27 for Domestic purpose from _____ to _____ (both dates inclusive)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated:
a. 0.27 cubic feet per second and or
b. 150 acre feet per annum
6. Proposed diverting works
a. Description of ditches, flumes, pumps, headgates, etc. 8" well, 150 g.p.m. pump,
6" pipes and 1" laterals to homesites (storage will also be provided).
b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 350 feet
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 2 years
b. Estimated construction cost is \$ 50,000.00
8. Location of proposed works
a. Water is not for irrigation
b. Water is for irrigation of water 750 $\frac{1}{4}$ of Section 27 Township 16 S
Range 43 E B.M. U.S. Survey
c. Amount of power to be generated _____ hp under _____ feet of head
d. Number of water wheels or water turbines to be watered _____
9. Estimated water party to be served Bear Lake West or number of families to be
served with this water 300 Potential
10. Water to be used for other purposes describe _____

11 7017

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:


[illegible]

Total number of acres to be irrigated.

c. Describe any other water rights used for the same purposes as described above.

9. a. Who owns the property at the point of diversion. Leslie C. Kimball
b. Who owns the land to be irrigated or place of use Leslie Kimball and Donald Erickson
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Purchase agreements dated in March 1970, for purchase of property's by Bear Lake West, Inc. (Patrick G. O'Keefe and Dennis F. Bullock)
10. Remarks Plans are: to construct a nine hole golf course with adjacent homesites. Irrigation and other outside uses, will be taken care of by existing water rights in the adjacent canal.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 4 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James H. Ballentine, Jr.
(Applicant)
Bear Lake Water, Inc.

11 1042

11 7017

Received by 1 Date 8-6-70 Time 8:00 AM
Preliminary check by 2 Fee \$ 25.00
Received by 3 Date 8-10-70
Publication prepared by 4 Date 11-4-70
Published in Idaho Examiner
Publication dates 11-12 & 11-19, 1970
Publication approved 5 Date 12-9-70
Priority reduced to _____ Reason _____

Notice of Correction
1-28-71 & 2-4-71 dr
2-24-71 dr

APPROVED

Protests filed by _____
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Deane D. Smith

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 11-7017, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:
- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 73.
 - c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 4th day of March, 19 73.

R. Keith Higinbotham
Director

THE NEWS-EXAMINER
MONTPELIER, IDAHO

Deposited

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,)
County of Bear Lake,) ss.

W. Jerome Taylor

being first duly sworn, deposes and says
he is Publisher and Foreman of the
News-Examiner; that the said News-Examiner
is a weekly newspaper published at Montpelier,
County of Bear Lake, State of Idaho, of general
circulation in said County and State.

That the notice attached was published in
the said News-Examiner, and not in a
supplement, for two
successive weeks, commencing with the issue
dated January 28, 1971
and ending with the issue
dated February 4, 1971

W. Jerome Taylor
Publisher and Foreman.

Subscribed and sworn to before me this 19th day of February, 1971

For 2 Bury
Notary Public.

**NOTICE OF CORRECTION
APPLICATING FOR
WATER PERMIT**

Notice is hereby given that Application for Permit No. 11-7017 in the name of Bear Lake West, Inc., Hotel Ben Leonard, Utah, was advertised incorrectly.

The application was originally advertised as proposing the appropriation of 0.27 cubic feet per second of water from a ground water source to be used for domestic purposes in the NE¼ and NW¼ of Sec. 27, T. 16S, R. 42E, B. M. Whereas, the actual place of use is within the SW¼ and SE¼ of Sec. 27, T. 16S, R. 42E, B. M.

Any protest against the granting of the above permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before February 15, 1971.

R. KEITH HIGGINSON
Director

Published in The News-Examiner, Montpelier, Idaho, on January 28 and February 4, 1971.

(J-22; 1-4)

THE NEWS-EXAMINER
MONTPELIER, IDAHO

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,) ss.
County of Bear Lake,)

W. Jerome Taylor

being first duly sworn, deposes and says
he is Publisher and Foreman of the
News-Examiner; that the said News-Examiner
is a weekly newspaper published at Montpelier,
County of Bear Lake, State of Idaho, of general
circulation in said County and State.

That the notice attached was published in
the said News-Examiner, and not in a
supplement, for two
successive weeks, commencing with the issue
dated November 12, 1930,
and ending with the issue

dated November 19, 1930
W. Jerome Taylor
Publisher and Foreman.

Subscribed and sworn to before me this 4th day of December, 1930

Notary Public.

11-20-17

**NOTICE OF APPLICATION FOR
WATER RIGHTS IN THE PUBLIC WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Bear Lake West, Inc., Hotel Ben Leonard, Ogden, Utah, has on August 6, 1928, submitted Application No. 11-7017 to appropriate the public waters of a ground water source.

The application proposes a maximum diversion and appropriation of 0.37 cubic feet per second of water to be diverted by well, pump and pipe within the SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 27, T. 14S, R. 42E, B. M., Bear Lake County, and is to be used within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 27, T. 14S, R. 42E, B. M. for domestic purposes from January 1 to December 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before November 14, 1929.

R. KEITH HIGGINSON
Director

Published in The News-Examiner, Montpelier, Idaho, on November 13 and November 14, 1929.

**NOTICE OF APPLICATION FOR
PERMIT TO APPROPRIATE THE
PUBLIC WATERS OF THE
STATE OF IDAHO**

Notice is hereby given that Bear Lake West, Inc., Hotel Des Lomond, Ogden, Utah, has on August 6, 1970, submitted Application No. 11-7017 to appropriate the public waters of a ground water source.

The application proposes a maximum diversion and appropriation of 8.27 cubic feet per second of water to be diverted by well, pump and pipe within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 27, T. 16S, R. 43E; B. M., Bear Lake County, and is to be used within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 27, T. 16S, R. 43E, B. M. for domestic purposes from January 1 to December 31.

Any permit issued pursuant to this application will be subject to ALL PRIOR WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest against this application must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before November 30, 1970.

R. KEITH HIGGINSON
Director

Published in The News-Examiner, Montpelier, Idaho, on November 19 and November 24, 1970.

825(19)

**NOTICE OF CORRECTION
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that Application for Permit No. 11-7017 in the name of Bear Lake West, Inc., Hotel Ben Lomond, Utah, was advertised incorrectly.

The application was originally advertised as proposing the appropriation of 0.27 cubic feet per second of water from a ground water source to be used for domestic purposes in the NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B. M. Whereas, the actual place of use is within the SW $\frac{1}{4}$ and SE $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B. M.

Any protest against the granting of the above permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before February 15, 1971.

R. KEITH HIGGINSON
Director

Published in The News-Examiner,
Montpelier, Idaho, on January 28
and February 4, 1971.

(JCS: 44)

MEMORANDUM

TO: EASTERN REGION

FROM: KAY WALKER

RE: PERMIT NO. 11-7017

DATE: 16-MAR-1989

=====

We should go ahead and examine the system developed under this permit. We did receive the examination fee information sheet. We will have to limit the license on this permit to 0.04 cfs unless they pay their exam fee and a late fee at time of licensing.

Please note that even though the examination fee sheet describes a rate of diversion of 27 cfs the permit is limited to 0.27 cfs. If they do pay an exam fee it would only be \$100. plus the late fee of \$25. Maybe Eric's letter of 6/21/88 scared them off when he told them the fee for this exam would be \$600.

I have entered an "N" flag into the data base. Thanks. Kay



CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

State of Idaho

DEPARTMENT OF WATER RESOURCES

Eastern Region

RECEIVED

JAN 03 1989

11-7017
Mailing Address:
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

Department of Water Resources

June 21, 1988

Bear Lake West H.O.A
P.O. Box 396
Fish Haven, ID 83287

Attention: President, BLW H.O.A

Re: 11-7017

Dear Mr. Sorensen:

We have received the Examination Fee Information Sheet you recently sent us regarding Water Permit 11-7017. As stated in our letter of February 26, 1988, this permit lapsed on June 10, 1988 for failure to pay the field exam fee. Submitting the information sheet without the fee did not protect the permit from lapsing. If you forgot to enclose the fee with the June Fee Information Sheet, dated June 1, we can reinstate the permit if you submit the correct fee within 30 days of this letter. The fee for the amount of water you requested is \$600.00. If you do not feel the system, as it is currently operating, is capable of this amount of water, you may reduce your filing and reduce the fee per attached schedule.

We will withhold further action on this permit for 30 days or until we receive the correct examination fee. If you have any questions, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script, appearing to read "Eric S. Verner", is written over the word "Sincerely,".

Eric S. Verner
Water Resource Agent

ESV:jt

4/86

RECEIVED
JUN - 1 1988

RECEIVED
JUN 6 1988

For Office Use Only

Fee Received _____

Date _____

Receipt # _____

Receipt by _____

no # encl of
Department of Water Resources
STATE OF IDAHO
Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED
OCT 24 1988

1. Permit No. 11-7017

Department of Water Resources

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Bear Lake West HOA

3. Post Office Address: P.O. Box 396 Fish Haven, ID
83287 Telephone No. _____

4. Source of Water: 8" well 203 ft in depth

5. Extent of Use:

Domestic 411 (No. of households) Stockwater N/A (No. and type of stock)

Irrigation N/A (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 27 cfs 150 acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1971

8. Person to contact to accompany the department representative during the field examination:

Jim Allen

(Name)

Fish Haven, ID 83287

(Address)

208-945-2871

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

5/27/88
Date

Lincoln B. Andersen, Pres. BLW HOA
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS

BEAR LAKE WEST INC. 11-7017
BOX 996
FISH HAVEN, ID 83261

R. KEITH HIGGINSON
Director

January 27, 1988^{2.}

Dear Permit Holder:

LAPSE NOTICE License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be of no further force nor effect on February 8, 1988, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on December 8, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before April 6, 1988, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Enclosed is a fee information sheet that must be completed and submitted to the Department to keep the permit in good standing. If you have questions, please contact any office of the Department.

Sincerely,

L. GLEN SAXTON, Chief
Operations Bureau

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

Cecil Andrus
Governor

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

A. Kenneth Dunn
Director

April 17, 1987

11-7017
BEAR LAKE WEST INC.
BOX 396
FISH HAVEN, ID 83261

Dear Permit Holder:

On December 9, 1986 this Department sent you a certified letter explaining the recent statutory changes in the licensing procedure that will pertain to the above referenced permit. The new statutes provide the permit holder with a choice of who will perform the licensing field examination. You may either choose a certified water rights examiner from the private sector, or select the Department. If you elect to have the examination done by the Department there is now a fee for this service based on the amount of water being diverted.

The letter advised you had a period of 60 days to notify the Department of your decision. You were to notify the Department by returning the examination fee information form which accompanied the certified letter and the appropriate examination fee, provided you wanted the Department to do the examination. As indicated in the certified letter, failure to return the form and submit the examination fee, within 60 days would cause the priority of your permit to be advanced.

Our records indicate you did not respond within the 60 day period. Starting with February 9, 1987 the priority of your permit will be advanced one day for each day your response is late. Failure to submit a completed examination fee information form, with the examination fee, by February 9, 1988 will result in the permit being lapsed.

As always our staff is available to assist you or answer questions concerning the above matter. For your convenience, we have enclosed another examination fee information form.

Respectfully submitted,

Ernest Carlsen
Assistant Regional Manager

EC/md

Enclosure



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

DEC 10 1986


150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

Department of Water Resources

11-7017
BEAR LAKE WEST INC.
BOX 396
FISH HAVEN, ID 83261

December 8, 1986

EXAMINATION FEE NOTICE



Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this Department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the Department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the Department, but you must within sixty (60) days of the date of this letter return to the Department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the Department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the Department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing of certified water right examiners will be available from this Department when examiners have been certified.

If your permitted use, in fact, has already been examined by the Department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the Department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.


FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following Department office:

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83401
Phone: 525-7161

Very Truly Yours,



Ronald D. Carlson
Eastern Regional Manager

Enclosures

March 22, 1984

RE: Permit No. 11-7017

Bear Lake West, Inc.
Box 396
Fish Haven, ID 83261

Gentlemen:

We acknowledge receipt of the statement of beneficial use postcard and the supporting documentation for reinstating the above referenced permit. Enclosed is a copy of the Order of Reinstatement. Please note that the priority date has been advanced to April 25, 1983.

Before a license can be issued, a field examination will be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you or a representative may show him the system.

If you have any questions regarding this matter, please contact this office or our Eastern Regional Office at 525-7161.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc
Enclosure

MICROFILMED

Reinstatement Review

P.N. ~~51773~~ 11-7017

Proof Due Date : 4-1-78

DATE Proof Received: ~~7-15-83~~ 4/25/83

Additional Info Submitted:

1. H&W Field Survey (Report of Water Supply) 1976
2. Engineer's Report on Pumps
3. Pump Specifications
4. Copy of well drillers Report -drilled June 12, 1977

Reason for not sending in proof timely stated in letter dated July 8, 1983; appears to be acceptable.

sc 3/1/84

MICROFILMED

RECEIVED

Bear Lake West

P. O. Box 396
FISH HAVEN, IDAHO 83261

General Offices — Phone (208) 945-2221
Sales Offices — (208) 945-2286 or 945-2287

July 8, 1983

Mr. L. Glen Saxton
Chief, Operations Bureau
State of Idaho
Department of Water Resources
Statehouse
Boise, Idaho 83720

Dear Mr. Saxton:

Pursuant to your letter dated May 20, 1983, please find enclosed documents evidencing beneficial use of Water Permit No. 11-7017 prior to April 1, 1978.

On May 9, 1983, Bear Lake West received confirmation on a Plan of Reorganization under Chapter 11 of the Bankruptcy Code. August 26, 1981, and prior to that time, the Company was disorganized, understaffed, and had tremendous financial problems and did not file the proof of beneficial use on time. Management has undergone various changes also during this period. Because of all of these past internal problems, would you be so kind to reinstate the Water Permit No. 11-7017 because it was and is in actual use.

Sincerely,



RON W. LOFTHOUSE
Controller

RWL/jp

enc.

RECEIVED

D R A F T

REPORT OF WATER SUPPLY

Year 1976

Place Bear Lake West County Bear Lake Census Population _____

Ownership Blane Hancey, Box 10, Logan, Utah

Supply used by Public

Population served _____

FIELD SURVEY DATA

DESCRIPTION OF SUPPLY: Give a brief description of the source and the main features of treatment, pumping equipment, storage available, adequacy of system, distribution or direct pumping, supervision of additions and extensions from a public health viewpoint, adequacy of pressures, separation between sewers and water mains, laboratory and related controls of quality. If supply is untreated or chlorinated only, describe protection against entrance of contamination. Attach additional sheets if necessary.

General - The system consists of a well, reservoir, and booster pump. Fire hydrants are located on 6" lines only. Another well and reservoir will be added in the future.

Well #1 - A _____ HP submersible pump provides water for the existing system. The system is provided with a gate valve, air release valve and pressure gauge that does not appear to be working. There is no check valve in the pump house. The casing sits 6" above the floor and has a sanitary seal.

The building itself sits on ground level and is heated and lighted. The door needs repair. There is no floor drain and there are numerous mice droppings.

Reservoir - The reservoir is concrete, provided with an overlapping, locked cover, and has an unscreened air vent. The overflow and drain discharge locations are unknown.

(Continued - Attached Sheet)

PUBLIC HEALTH DEFECTS: Describe briefly the sanitary defects such as by-passes, cross connections, emergency intakes to unsafe supplies, inadequate protection against sources of pollution, inadequacy of treatment, defective structural features, possibility of flooding, deficient operating practices, inadequate sanitary control of additions or extensions to system, lack of proper plumbing regulations and enforcement, inadequate control of water in distribution system. Attach additional sheets if necessary.

See Conclusions and Recommendations

Engineer Monty G. Marchus Date of investigation May 18, 1976

Description of Supply (Continued)

Bear Lake West

Booster Pump - The ____ HP booster pump is located in a locked building that is heated and lighted. The building is inadequately protected against surface runoff. The system is provided with a gate valve, check valve, and unscreened air release valve. The method of controlling the booster pump is unknown. The pressure gauge is inoperative.

MICROFILMED

GREAT BASIN ENGINEERING

3505 Grant Ave.
OGDEN, UTAH 84403

Phone 394-4515

LETTER OF TRANSMITTAL

10

BEAR LAKE WEST INC.

P.O. BOX 10

LOGAN, UTAH 84321

DATE SEPT. 9, 1976	JOB NO.
ATTENTION MR. BLAINE HANCEY	
RE BEAR LAKE WEST WATER SYSTEM	

GENTLEMEN:

WE ARE SENDING YOU ☒ Attached ☐ Under separate cover via _____ the following items:

- ☐ Shop drawings ☒ Prints ☐ Plans ☐ Samples ☐ Specifications
☐ Copy of letter ☐ Change order ☐ _____

COPIES	DATE	NO.	DESCRIPTION
1			INFORMATION ON WELL No. 1 PUMP
1			INFORMATION ON PUMP AT RESERVOIR No. 1

THESE ARE TRANSMITTED as checked below:

- ☐ For approval ☐ Approved as submitted ☐ Resubmit _____ copies for approval
☒ For your use ☐ Approved as noted ☐ Submit _____ copies for distribution
☒ As requested ☐ Returned for corrections ☐ Return _____ corrected prints
☐ For review and comment ☐ _____
☐ FOR BIDS DUE _____ 19 _____ ☐ PRINTS RETURNED AFTER LOAN TO US

REMARKS _____

COPY TO _____

SIGNED:

Kent L. Jones

SPECIFICATIONS

2.00 Pipe

This specification covers rigid polyvinyl chloride pipe and fittings, and hereafter called PVC pipe and fittings. PVC pipe shall be manufactured of Type I, Grade L, 2000 psi design stress compound, designated as PVC 1120 and will conform to ASTM D-1784 compound specifications. This pipe will have a maximum hydrostatic working pressure of 200 psi, and will bear the National Sanitary Foundation (NSF) Seal of Approval. Gasketed couplers or integral belled gasket couplers will be used in lieu of solvent welding. The coupler must not display any lack of conformity, i.e., out-of-roundness, off center alignment, irregular end cut; and it shall be homogeneous throughout and free from visible cracks, holes, and foreign inclusions. The coupling shall have a positive pipe stop that will automatically and accurately position the pipe ends within the coupling. The pipe stop shall also permit the thermal expansion or contraction of the pipe ends. A sample of each type of fitting to be used in this system shall be submitted for the engineer's approval and his approval obtained before the purchase of the fittings. The use of white pipe is preferred to reduce heat generated by sun rays.

2.01 Service Connections

All service connections shall be made by means of PVC saddle tees with a stainless steel band and heavy duty lugs and bolt, with coupon retaining steel cutter (Hays Continental "FASTTAP" 714-60F or approved equal). The service line shall be 1 inch CTS Polyethelene tubing as defined by ASTM D-1248-68 as PE Type III (3306). Pipe shall be permanently imprinted with manufacturers brand name, pipe size, commercial standard notation, NSF identification mark of approval, recommended working pressure and production code. The pipe shall have a working pressure of 160 psi at 73.4 F., and must be capable of maintaining a minimum pressure of 340 psi at 73.4 F. for 1000 hours with a minimum burst pressure of 630 psi. Pipe surfaces shall be mirror smooth, and shall be free from bumps and irregularities.

2.02 Pumps

Well No. 1 - The pump located at the site of Well No. 1 is presently supplying pressure within Zone I. Upon completion of Reservoir No. 1, this pump will supply that reservoir directly, resulting in a gravity-pressure system thereafter. The design criteria called for was 90 gpm at 455 feet of total head. The pump in use is a turbine submersible, Fairbanks-Morse Model No. 1506 XL10, which has 15 horse-power, 10 stages, and is 3 phase. Rated capacities are 0 gmp @ 625 feet of head; 75 gpm @ 525 feet of head; and 100 gpm @ 450 feet of head.

Reservoir No. 1 - A pump will be located at the site of Reservoir No. 1 to supply pressure to Zone II until the completion of Reservoir No. 2, at which time this pump will supply directly into the second reservoir, and Zone II will become a gravity-pressure system. The minimum design criteria for this pump is a capability of 65 gpm @ a total head of 300 feet.

Attn: Karl Jones

Great Basin Engineering
3505 Grant Ave
Ogden, Utah 84403

BERKELEY PUMP COMPANY

TWO STAGE CENTRIFUGAL PUMPS

MOTOR DRIVE



DIMENSIONS	4700
DATE	3-25-70
PAGE	1
SUPERSEDES	
NEW	

Pump @ RESERVOIR #1




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Model	Fig.	Suction	Discharge	L	Q	X	Y	Z
1. XPL2	1	2" NPT	3"	7"	6 1/2"	4-1/16"	3"	
1. XPL2	1	2" NPT	3"	7"	6 1/2"	4-1/16"	3"	
1. XPH2	1	2" NPT	3"	7"	6 1/2"	4-1/16"	3"	
1. XPH2	1	2" NPT	3"	7"	6 1/2"	4-1/16"	3"	
2. WPL2	3	2" x 6"	2" x 4"	9/16"	6"	7-1/8"	4"	
2. WPH2	2	2" x 7"	2" x 6"	5/8"	8 3/4"	6-1/8"	1 1/2"	
2. ZP2	4	2" x 7"	2" x 6"	5/8"	9 1/8"	6"	1 1/2"	
2. EP2	4	3" x 7 1/2"	2 1/2" x 6"	9/16"	10"	7-1/8"		

Model	Fig.	Frame	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
1. XPL2	1	182C	8 3/4"	5 1/2"	4 1/2"	3 1/2"	2 1/2"	2 1/2"	5/16"	13/32"																		
1. XPL2	2																											
1. XPH2	1	184C	8 3/4"	6 3/4"	4 1/2"	3 1/2"	2 1/2"	2 1/2"	5/16"	13/32"																		
1. XPH2	2																											
1. XPH2	1	213C	10 1/2"	7"	5 1/2"	4 1/2"	3 1/2"	2 1/2"	5/16"	13/32"																		
1. XPH2	2																											
1. XPH2	1	215C	10 1/2"	8 1/2"	5 1/2"	4 1/2"	3 1/2"	2 1/2"	5/16"	13/32"																		
1. XPH2	2																											
1. XPH2	1	256C	12 3/4"	12 1/2"	6 1/2"	5"	4 1/2"	3 1/2"	3/4"	17/32"																		
1. XPH2	2																											
1. XPH2	1	284C	13 3/4"	12 1/2"	7"	5 1/2"	4 1/2"	3 1/2"	3/4"	17/32"																		
1. XPH2	2																											
1. XPH2	1	286C	13 3/4"	13 1/2"	7"	5 1/2"	4 1/2"	3 1/2"	3/4"	17/32"																		
1. XPH2	2																											
1. XPH2	1	324C	15 3/4"	13 1/2"	8"	6 1/2"	5 1/2"	4 1/2"	7/8"	21/32"																		
1. XPH2	2																											
1. XPH2	1	326C	15 3/4"	15 1/2"	8"	6 1/2"	5 1/2"	4 1/2"	7/8"	21/32"																		
1. XPH2	2																											
1. XPH2	1	213C	10 1/2"	7"	5 1/2"	4 1/2"	3 1/2"	2 1/2"	5/16"	13/32"																		
1. XPH2	2																											

* Dimension varies with motor manufacturer, contact factory.

The above dimensions are approximate and not to be used for construction purposes. Certified dimension print will be furnished upon request.

CLOSE COUPLED CENTRIFUGAL PUMP WITH 10 H.P.
 3/60/230-460 VOLT 3500 R.P.M. MOTOR
 60 G.P.M. @ 300' D.H.
 TYPE "A" TWO STAGE MOTOR DRIVE



CENTRIFUGAL PUMPS


3450 RPM

CURVE 4700
 DATE June 10, 1963
 PAGE 7

SUPERSEDES
 Section 2205 No 4.00
 Dated 1-4-54

Supersedes C-599
 Date 4-49

Case: C B L-446, L-447
 Impeller: C B LH M-269/S-2045 Full Dia. 7-7/16"
 RH M-269A/S-2046



C-4869 BASED ON T-682


Date 12-1-51

MODEL

1 1/2 WP2

Supersedes C-206
 Date 4-49

Case: C B M-200
 Impeller: C B LH M-186/S-2377 Full Dia. 6-15/16"
 RH M-186/S-2378



C-4874 BASED ON T-173

Date 12-1-51

MODEL

2WPL2

MICROFILMED

3

BERKELEY

TYPE "A" TWO STAGE HORIZONTAL CENTRIFUGAL PUMPS

FOR FIRE, INDUSTRIAL, FARM AND GENERAL APPLICATION
CAPACITIES: 30 To 400 GPM • HEADS: To 650 Feet

APPLICATION: Berkeley two stage centrifugal pumps are designed for applications beyond the pressure range of single stage centrifugal pumps and for specific conditions requiring limited speeds. High pressure and high efficiency, combined with rugged and compact construction, make these pumps ideal for water supply from wells and streams, hydraulic mining, booster service and other special and general purpose applications.


CONSTRUCTION: The pump, bracket and case are bolted together to form an integral, compact unit, alignment is assured by tenon fits. Impellers are mounted back to back to minimize end thrust. The stuffing box is subjected to only one-half of differential pump pressure plus suction pressure. Renewable wear rings protect case and suction cover against wear when liquids containing abrasives are handled. For salt water or corrosive liquids, pump parts of special alloys can be furnished. Also available with seal construction and replaceable shaft sleeves, or with grease lubricated stuffing box.

SELECTION: Selections are made according to performance curves. When used as a booster pump, the incoming pressure added to pump pressure must not exceed maximum case pressure as indicated in Table 1.


DRIVERS: Berkeley two stage centrifugal pumps are available with electric motors (1750 and 3450 RPM), air-cooled engines and belt, or coupling drives.

ORDERING: When ordering refer to price list for specific pump. Order by complete model number. On engine or motor drive pumps, specify complete driver requirements. All models are available with discharge nozzle in any of four positions, 90 degrees apart.


MOTOR DRIVE



ENGINE DRIVE



BELT DRIVE



MODEL	SUCT. SIZE	DISCHARGE	MAX. CASE PRESS.
1 1/2 T-2	2" N.P.T.	1 1/2" N.P.T.	250 lbs.
1 1/2 X-2	2" N.P.T.	1 1/2" N.P.T.	300 lbs.
1 1/2 W-2	2" Flg.	1 1/2" Flg.	300 lbs.
2Z-2	2 1/2" Flg.	2" Flg.	350 lbs.
2W-2	2 1/2" Flg.	2" Flg.	350 lbs.
2E-2	2 1/2" Flg.	2" Flg.	300 lbs.
2 1/2 E-2	3" Flg.	2 1/2" Flg.	350 lbs.

TABLE 1

BERKELEY PUMP COMPANY

P.O. Box 7, Station A
Berkeley, California 94712

556 Tift Street
Atlanta, Georgia 30310

P.O. Box 5146
Amarillo, Texas 79107

P.O. Box 336
Grand Island, Nebraska 68801

2740 N.W. 22nd Place
Portland, Oregon 97210

REPRODUCED

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

MAR 14 1973

APPLICATION FOR EXTENSION OF TIME

Department of Water Administration
Eastern District Office

State of Idaho)
County of Bear Lake)

Permit No. 11-7017

Bear Lake West, Inc.
(name)

of Box 63, Fish Haven, Idaho
(address)

State of Idaho, being first duly sworn, upon his oath deposes and says:

That he is the holder, or the duly authorized agent of the holder *, of Permit to Appropriate the Public Waters of the State of Idaho No. 11-7017.

That under the terms and conditions of said permit, work thereunder was required to be completed on or before 1 April, 19 73.

That he has heretofore performed the following work described under said permit:

The well has been dug, a pump house has been built, and approximately 3000 feet of main has been laid. Additional watermain, a storage reservoir, and service laterals will be constructed in 1973 and the balance in 1974 (Additional cost \$40,000 ±)

Costing \$ 20,000.00

That he is unable to complete the remainder of the work within the required time for the following reasons, to-wit: Housing construction is presently slow. Although only two residences are in place at this time, lot sales have far exceeded construction starts. We expect more construction starts in the near future.

Wherefore, he asks that the Department of Water Administration extend the time for the completion of obligations under said permit to 1 April, 19 75.

Donna J. Bullard, Pres.
(signature) *

Subscribed and sworn before me this 9th day of March, 19 73.

seal

My commission expires Aug 25, 1974

Shirley A. Fister
(notary public)

ACTION OF THE DEPARTMENT OF WATER ADMINISTRATION

R. KEITH HIGGINSON, Director of the Idaho Department of Water Administration, State of Idaho, hereby approve the above application for extension of time for Permit No. 11-7017 to April 1, 1978.

Witness my hand this 23 day of March, 19 73.

R. Keith Higgins
Director

* IF OTHER THAN HOLDER, Power of Attorney must be supplied. Forms are available through the Department of Water Administration, Statehouse - Annex 2, Boise, Idaho, 83707.

7017

REPORT OF WELL DRILLER
State of Idaho

RECEIVED

JUL 7 1971

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name BEAR LAKE WEST

Address 2520 SO STATE STREET
SALT LAKE CITY 114 34115

Owner's Permit No. _____

NATURE OF WORK (check): Replacement well ☐

New well ☒ Deepened ☐ Abandoned ☐

Water is to be used for: DOMESTIC

METHOD OF CONSTRUCTION: Rotary ☐ Cable ☒
Dug ☐ Other _____

(explain)

CASING SCHEDULE: Threaded _____ Welded ☒

10 1/2" Diam. from 1 ft. to 4.5 ft.

8 3/4" Diam. from 1 ft. to 1.30 ft.

6 3/4" Diam. from 1.24 ft. to 1.80 ft.

"Diam. from _____ ft. to _____ ft.

Thickness of casing: .250 Material: _____

Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☒ No ☐ Type of
perforator used: TORCH

Size of perforations: 6" by 1/4"

194 perforations from 7.3 ft. to 12.8 ft.

70 perforations from 1.24 ft. to 1.78 ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☐

Manufacturer's name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION: Well gravel packed? Yes ☐

No ☐ size of gravel _____ Gravel

placed from _____ ft. to _____ ft. Surface seal

provided? Yes ☒ No ☐ To what depth?

4.5 ft. Material used in seal: CEMENT GRAVEL

Did any strata contain unusable water? Yes ☐

No ☒ Type of water: _____

Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☒ No ☐

Cemented in place? Yes ☒ No ☐

Locate well in section

LOCATION OF WELL: County BEAR LAKE

W 1/4 SE 1/4 Sec. 27 T. 16 N. S. R. 43 E

Size of drilled hole: 8" Total
depth of well: 203 Standing water
level below ground: 58-6 Temp.
Fahr. _____ ° Test delivery: 90 gpm

or _____ cfs Pump? ☒ Bail ☐

Size of pump and motor used to make test:

300 GPM TURBINE

Length of time of test: 3 Hrs. 25 Min.

Drawdown: 115 ft. Artesian pressure: ft.

above land surface _____ Give flow _____ cfs

or _____ gpm. Shutoff pressure: _____

Controlled by: Valve ☐ Cap ☐ Plug ☐

No control ☐ Does well leak around casing?

Yes ☐ No ☐

DEPTH MATERIAL WATER

FROM TO YES OR N

FEET FEET

0 1 BLACK SILT

1 6 BOWLERS

6 16 TAN CLAY

16 18 BOWLERS

18 36 RED CLAY

36 42 " " SOME GRAVEL

42 45 RED & WHITE CLAY & GRAVEL

45 73 WHITE ROCK HARD

73 75 " " LOOSE YES

75 92 " " HARD

92 118 " " CRACKED YES

118 121 " " LOOSE YES

121 133 " " CRACKED YES

133 147 " " BROKEN YES

147 155 " " SOLID

155 160 " " CRACKED YES

160 165 " " SOLID

165 180 " " CRACKED LOOSE YES

180 192 " " CRACKED YES

192 198 " " LOOSE ROCK YES

198 203 " " SOLID

Work started: JULY 31 1970

Work finished: JUNE 12 1971

Well Driller's Statement: This well was
drilled under my supervision and this report
is true to the best of my knowledge.

Name: WESTLAKE DRILLING CONTRACTOR

Address: BENNINGTON IDAHO

Signed by: Bert Westlake

License No. 114 Date: JUNE 26

1971

Use other side for additional remarks

May 20, 1983

Bear Lake West, Inc.
P. O. Box 396
Fish Haven, ID 83261

Gentlemen:

Re: Permit No. 11-7017

The Department received your proof of beneficial use postcard in connection with the above-referenced permit on April 25, 1983. The permit lapsed on April 1, 1978, so the 60-day late period during which the permit can be readily reinstated has passed.

Pursuant to Section 42-218a, Idaho Code, (copy enclosed) the permit can now be reinstated only if you submit the following:

- a). Evidence to show that beneficial use of the water did commence during the authorized permit period of March 4, 1971 to April 1, 1978. This evidence could be in several forms such as a convincing combination of a well driller's log, pumping or power records, affidavits, aerial photos, receipts, etc.
- b). Reasonable cause why the proof of beneficial use was filed late.

Your proof of beneficial use postcard together with any information which may have been submitted with it will remain on file in this office for 60 days to allow you an opportunity to assemble and submit the additional required information.

Please feel free to contact this office if you have additional questions.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

Enclosure

RECEIVED
MAY 21 1983

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 11-7017

~~11-7035~~

Name(s) of Permit Holder: BEAR LAKE WEST, INC.

Post Office Address: P.O. BOX 396

Fish Haven, Idaho 83261

Tel. No. 945-2221

Source of Water: Two (2) Wells

Extent of Use: ☒ Domestic (411) 55 hook ups (number of households)
☐ Stockwater _____ (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Apr. 1 22, 1983


Date

Bear Lake West
B. W. Johansen ^{OK}
 Signature of Permit Holder

BEAR LAKE WEST, ID.

P.O. Box 396

Fish Haven, Idaho 83226



MICROFILMED



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED
APR 25 1983
LIBRARY OF CONGRESS

IDENT. NO. 11-7017

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG[illegible]



**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES**

Carl B. Anderson
Chairman

R. Keith McGowan
Director

Statehouse
Boise, Idaho 83726
(208) 334-2216

April 10, 1978

Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

You are hereby notified that under the provisions of Section 42-218a of the Idaho Code, Permit No. 11-7017 has lapsed since you have not notified us that you have completed the project by the date required on your permit. You were provided forms for that purpose in our notice to you dated January 31, 1978 .

Your permit cannot be reinstated unless you submit the proof of beneficial use affidavit, enclosed, or show other reasonable cause why the permit should be reinstated within 60 days from the date of this lapse notice.

A handwritten signature in cursive script, reading "C. Stephen Allred", is written over a horizontal line.

C. STEPHEN ALLRED
Director

CSA:jfr

Encl.

March 2, 1978

Re: Permit No. 11-7017 & 11-7035

Bear Lake Nat. Inc.
Box 57
Fish Haven, Idaho 83261

Gentlemen:

Enclosed is a copy of the DENIED application for extension of time submitted in connection with Permit No. 11-7017. We suggest that you submit proof of beneficial use on the portion of your project that has been completed and at the time you are ready to continue with the development of the remainder of the project a new application for permit will have to be filed. A proof of beneficial use form has been enclosed for your use.

Also enclosed is a copy of the APPROVED application for extension of time on Permit No. 11-7035. The time within which to submit proof of beneficial use of water has been extended to April 1, 1983.

If you have any questions, please do not hesitate to contact us.

Sincerely,

BOBBY D. FLEENOR

BOF:JFR

Encls.

January 31, 1978

CERTIFIED MAIL

135365

Re: Permit No. 11-7017 & 11-7035

Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

One of the conditions of approval of your water Permit No. 11-7017 & 11-7035 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1978. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



C. STEPHEN ALLEN
Director

CRA:jfr

Enc: Proof affidavit



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 384-4815 / 3905 GRANT AVENUE OGDEN UTAH 84403

March 9, 1973

RECEIVED

MAR 14 1973

Department of Water Administration
Eastern District Office


Mr. Norman C. Young
Department of Water Administration
240 South Holmes Avenue
Idaho Falls, Idaho 83401

Dear Mr. Young:

RE: Well Permit No. 11-7017; Bear Lake West, Inc.
Proof of Application of Water to Beneficial
Use.

Enclosed is the application for an extension of time for the
above referenced well permit, as per your letter of March 5,
1973.


Very truly yours,


Jay R. Anderson

se
Encl.

cc: Bear Lake West, Inc.

11 7017



VALLEY PROFESSIONAL BUILDING
2520 South State Street
Salt Lake City, Utah 84115

March 24, 1973

Re: Permit No. 11-7017

Bear Lake West, Inc.
Box 63
Fish Haven, Idaho 83261

Gentlemen:

Enclosed please find a copy of the approved application for extension of time in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to April 1, 1978.


Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF:cd

Enclosure

11 7017



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 394-4512 3505 GRANT AVENUE, OGDEN, UTAH 84403

RECEIVED

March 1, 1973

MAR 5 1973

Mr. R. Keith Higginson
Director - Department of Water Administration
Statehouse Annex No. 2
Boise, Idaho 83707

Department of Water Administration
Eastern District Office

Dear Sir:


RE: Permit No. 11-7017; Proof of Application of Water
to Beneficial Use.

On behalf of Bear Lake West, Inc., we request a two year extension before submitting the evidence of the extent of development as proof of application of water to beneficial use. This action would extend the deadline for submission of proof from April 1, 1973 to April 1, 1975.

We request this extension due to the fact that housing construction is presently slow. Although only two residences are in place at this time, lot sales have far exceeded construction starts. We feel that this extension is necessary in order to adequately submit proof of application of water to beneficial use.

Bear Lake West, Inc. has asked us to act as their agent in this matter.

Very truly yours,


J. R. Anderson

e

cc: Bear Lake West, Inc.
Mr. Stephen Bastian
Mr. Jerry O'Neal

11 7017

March 5, 1973

Re: Permit No. 11-7017 - Bear Lake West, Inc.

Mr. J. R. Anderson
Great Basin Engineering &
Surveying, Inc.
3505 Grant Avenue
Ogden, UT 84403

Dear Mr. Anderson:

We are in receipt of your letter requesting an extension of time on the above referenced permit. Before this Department can consider your request, it must be filed on the appropriate form. Enclosed is the necessary form for filing an extension of time.

If we can be of further assistance, please do not hesitate to contact this office.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:bs

11 7017

Enclosure

January 31, 1973 CERTIFIED MAIL # 11-7017 5

Re: Permit No. 11-7017

Bear Lake West, Inc.
Valley Professional Bldg.
2520 South State St.
Salt Lake City, Utah 84115

Gentlemen:

One of the conditions of approval of your water Permit No. 11-7017 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before April 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.

R. KEITH HIGGINSON
Director

Enc: Proof affidavit

11 7017

March 8, 1971

Re: Permit No. 11-7017

BEAR LAKE WEST, INC.
Hotel Ben Lomond
Ogden, Utah

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

Enclosed is a copy of your approved Application for Permit No. 11-7017. We direct your attention to the conditions of approval as listed on the fourth page.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:kh

Enc: informational letter
receipt #5032 (\$25.00)

11 7017

NOTICE OF CORRECTION
APPLICATION FOR WATER PERMIT

Notice is hereby given that Application for Permit No. 11-7017 in the name of Bear Lake West, Inc., Hotel Ben Leonard, Ogden, Utah, was advertised incorrectly.

The application was originally advertised as proposing the appropriation of 0.27 cubic feet per second of water from a ground water source to be used for domestic purposes in the NE $\frac{1}{4}$ and NW $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B.M. Whereas, the actual ~~planned~~ place of use is within the SW $\frac{1}{4}$ and SE $\frac{1}{4}$ of Sec. 27, T. 16S, R. 43E, B.M.

Any protest against the granting of the above permit must be filed with the Idaho Department of Water Administration, Statehouse, Boise, Idaho, on or before February 15, 1971.

R. KEITH HIGGINSON
Director

Published in the News-Examiner, Montpelier, Idaho, on January 28 and February 4, 1971.

December 31, 1970

Re: Permit No. 11-7017

Great Basin Engineering & Surveying Inc.
3505 Grant Avenue
Ogden, Utah 84401

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

Please forgive our error of December 22, 1970. As stated in that letter, please find enclosed a copy of the map originally submitted with the above referenced permit. Again, please note that we have indicated North on the map and deleted that portion outside of Section 27.

If you should have any further questions in reference to this matter, please feel free to contact us.
Very truly yours,

Donald W. McElowney
Appropriation Supervisor

DWM:CH

Enc: copy of above referenced map

11 7017

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2
Boise, Idaho 83707
(208) 384-2215



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

December 22, 1970

Re: Permit No. 11-7017

GREAT BASIN ENGINEERING & SURVEYING, INCORPORATED
3505 Grant Avenue
Ogden, Utah 84401

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

Pursuant to your letter of December 16, 1970, please find enclosed a copy of the map originally submitted with the above referenced permit. Please note that we have indicated North on the map and deleted that portion outside of Section 27. We now have sufficient information to complete the processing of your application. If you should have any questions in reference to this matter, please feel free to contact us.

Very truly yours,

Dorian Clay
Appropriation Examiner

cc: to

Enc: copy of above referenced map

NOTHING ENCLOSED

11 7017

December 22, 1970

Re: Permit No. 11-7017

GREAT BASIN ENGINEERING & SURVEYING, INCORPORATED
3505 Grant Avenue
Ogden, Utah 84401

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

Pursuant to your letter of December 16, 1970, please find enclosed a copy of the

map originally submitted with the above referenced permit. Please note that we have indicated North on the map and deleted that portion outside of Section 27.

We now have sufficient information to complete the processing of your application.

If you should have any questions in reference to this matter, please feel free to contact us.


Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

Enc: copy of above referenced map

11 7017



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 384-4818 3508 GRANT AVENUE, OGDEN, UTAH 84401

December 16, 1970

State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Attn: Dorian Clay
Appropriation Examiner

Gentlemen:

We are in receipt of your letter dated December 11, 1970. We hereby verify the actual place of use for this well will be in the $S\frac{1}{2}$ of Sec. 27, T16S, R43E, Boise Base and Meridian.

Please send a copy of the original application so we can determine what caused this problem you have pointed out. Thank you.

Very truly yours,


R. Anderson

JRA/e

11 7017

December 11, 1970

Re: Application for Permit No. 11-7017

Bear Lake West, Inc.
Hotel Ben Lomond
Ogden, Utah

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

In the final evaluation of the above referenced application, it is noted that the map submitted on page three of the application is in error, and our letter of October 13, 1970 would also be in error. In reviewing the plate submitted with the application, we find that the actual place of use will be in the S $\frac{1}{4}$, Sec. 27, T. 16S, R. 43E, B.M., instead of the N $\frac{1}{4}$, Sec. 27, T. 16S, R. 43E, B.M.

Please verify this by return mail, as we will have to readvertise this application.

Your assistance in this matter is appreciated.

Very truly yours,

Horian Clay,
Appropriation Examiner

BC/DG

11 7017

November 4, 1970

Re: Application No. 11-7017 - Bear Lake West, Inc.

News Examiner
P.O. Box 278
Montpelier, Idaho 83254

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of the same has been paid."

(signature of claimant)

Very truly yours,

Donald W. McKidowney
Appropriation Supervisor

DWM:DR
Enc: Legal notice

Bill submitted 12-9-70 By de

11 7017

NOTICE OF APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO

Notice is hereby given that Bear Lake West, Inc., Hotel Ben Lomond,
Ogden, Utah, has on August 6, 1970,
submitted Application No. 11-7017 to appropriate the public waters of
a ground water source

~~THE /P/ROPOSED /U/SE /O/F~~


The application proposes a maximum diversion and appropriation of 0.27
cubic feet per second ~~add /add/~~ of water to be diverted by well, pump and
pipe within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 27,
T. 16S, R. 43E, B.M., Bear Lake County,

and is to be used within the NE $\frac{1}{4}$, NW $\frac{1}{4}$, Sec. 27, T. 16S, R. 43E, B.M. for
of domestic purposes from Jan. 1 to Dec. 31

Any permit issued pursuant to this application will be subject to ALL PRIOR
WATER RIGHTS and subject to the CONTROL OF A STATE WATERMASTER. Any protest
against this application must be filed with the Idaho Department of Water Adminis-
tration on or before November 30, 1970.
Statehouse, Boise, Idaho,

R. KEITH HIGGINSON
Director

Published in the News Examiner, Montpelier, Idaho,
on November 12 and November 19, 1970



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 384-6515 3808 GRANT AVENUE OGDEN UTAH 84401

October 20, 1970

State of Idaho
Department of Water Administration
Statehouse - - Annex 2
Boise, Idaho 83707

Attn: Mr. Dorian Clay

Re: Bear Lake West
Application No. 11-7017

Gentlemen:

In reply to your letter dated October 13, 1970, we submit the following information.

It is expected all of the water from this well will be utilized in the North half of Section 27, T16S, R43E. Within this area there will be developed approximately 350 single family lots, together with a clubhouse for the proposed golf course and a small commercial development near the highway.

We are certain that as this project develops another well will be needed for this Section and for the other Sections which you mentioned in your letter.

If you have any further questions, please let us know.

Very truly yours,

J. R. Anderson
J. R. Anderson

JRA/e

cc: Bear Lake West, Inc.

11 7017

October 13, 1970

Re: Application for Permit No. 11-7017

Bear Lake West, Inc.
Hotel Men Lomond
Opden, Utah

ATTENTION: J. R. Anderson

Dear Mr. Anderson:

In reviewing your application for permit, we find that we must once again correspond with you to clarify your place of use on the above referenced permit. Under item 8a, 1, of the application, you have indicated that the water is to be used in Sec. 27, T. 16 S, R. 43 E. This description would exclude that portion of Sec. 28, and that portion of Sec. 31, T. 15 N, R. 5 E, that is listed on your map on page 3.

As soon as you have clarified this issue, we shall continue with the processing of this application.

Very truly yours,

Dorian Clay
Appropriation Examiner

DC:cm

UTAH POWER & LIGHT COMPANY

100 WEST NORTH TEMPLE STREET
SALT LAKE CITY, UTAH 84110

October 9, 1970

Mr. Dorian Clay
Appropriation Examiner
State of Idaho
Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: Applications for Permit
Nos. 11-7017 and 11-7018

Dear Mr. Clay:

Enclosed is our check in the amount of \$2.00 in payment
for copies of the above applications which you sent us under date of
October 6.

Very truly yours,

J. Golden Haigh

J. Golden Haigh
Hydrologic Section

cc
encl.

October 6, 1970

Re: Application for Permit Nos. 11-7017
11-7018

Mr. J. C. Haight
Hydrologic Section
Utah Power and Light Co.
P.O. Box 898
Salt Lake City, Utah

Dear Mr. Haight:

As requested in our telephone conversation of October 6, 1970, please find enclosed a copy of application no. 11-7017 and 11-7018. The fee for these copies will be \$2.00.


If we may be of any further assistance, please feel free to contact us.

Very truly yours,

Dorian Clay,
Appropriation Examiner

DC/DG
Enc: copies

11 7017



GREAT BASIN ENGINEERING & SURVEYING, INC.

PHONE 384-4515 3505 GRANT AVENUE, OGDEN, UTAH

RECEIVED

AUG 27 1970

August 25, 1970

Department of Water Administration

State of Idaho
Department of Water Administration
Statehouse -- Annex 2
Boise, Idaho 83707

Attn: Mr. Dorian Clay

RE: Bear Lake West,
well application


Gentlemen:

We have been requested by Bear Lake West, Inc. to furnish the information requested in your letter of August 18, 1970.

The amount of water intended for appropriation is 120 gallons per minute, or 0.267 CFS.

If further information is required, please let us know. Thank you.

Very truly yours,


J. R. Anderson

JRA/e
cc: Bear Lake West, Inc.

11 7017

August 18, 1970

Bear Lake West Inc.
Hotel Ben Lamond
Ogden, Utah

C ATTENTION: Dennis Bullock

C Dear Mr. Bullock:

We are in receipt of your application for permit and check in the amount of \$25.00.

O We have begun processing of this application. However, before we can take final action, we will need to know your rate of diversion. That is, the amount of water that you are intending to appropriate in cubic feet/second. We would appreciate

P this information as soon as possible.

P If we can be of any further assistance in this matter, please feel free to contact us.

Very truly yours,

Y Dorian Clay,
Appropriation Examiner

DC/DC