

August 30, 1962

*Re: License No. 31216  
25470*

Della Britenbaker  
City Clerk  
Soda Springs, Idaho

Dear Mrs. Britenbaker:

Enclosed is departmental receipt No. 31216 in the amount of \$1.00 covering the fee for making a copy of Water License No. 25470 which was mailed to you previously.

Very truly yours,

GEO. N. CARTER  
State Reclamation Engineer  
By

(Mrs.) Edna P. Rule  
Chief Clerk

EPR:mr

Enc. receipt  
claim

25470

| Dist. From Initial Point | Depth | Depth of Observations | Revolutions | Time in Seconds | Velocity     |               |               | Area | Mean Depth | Width | Discharge | REMARKS                                                                                                                              |
|--------------------------|-------|-----------------------|-------------|-----------------|--------------|---------------|---------------|------|------------|-------|-----------|--------------------------------------------------------------------------------------------------------------------------------------|
|                          |       |                       |             |                 | At Point     | Mean in Vert. | Mean in Sec'n |      |            |       |           |                                                                                                                                      |
| 0                        | 0     |                       |             |                 |              |               |               |      |            |       |           | This measurement was made on the ditch leading to Soda Springs Municipal Power Plants at the bridge below the P.D.-as a check on the |
| 1                        | 0.5   |                       |             |                 |              |               | 1.26          | 2.0  | 1.00       | 2.00  | 2.52      |                                                                                                                                      |
| ✓ 2                      | 2.0   | 1.2                   | 20          | 17 1/2          | 2.53         | 2.53          | 2.22          | 4.00 | 2.35       | 2.00  | 10.43     |                                                                                                                                      |
| 3                        | 2.7   | 2.16                  |             |                 |              |               |               |      |            |       |           |                                                                                                                                      |
| ✓ 4                      | 2.7   | 0.54<br>2.16          | 20          | 22<br>12 1/2    | 2.42<br>1.40 | 1.91          |               |      |            |       |           |                                                                                                                                      |
| 5                        | 2.7   |                       |             |                 |              |               |               |      |            |       |           |                                                                                                                                      |
| ✓ 6                      | 2.7   | 0.54<br>2.16          | 20          | 21<br>12 1/2    | 2.30<br>1.40 | 1.85          | 1.88          | 5.40 | 2.7        | 2.00  | 10.152    |                                                                                                                                      |
| 7                        | 2.7   |                       |             |                 |              |               |               |      |            |       |           |                                                                                                                                      |
| ✓ 8                      | 2.5   | 0.6<br>2.0            | 20<br>20    | 18<br>12        | 2.00<br>1.34 | 1.67          | 1.76          | 5.20 | 2.50       | 2.00  | 9.152     |                                                                                                                                      |
| ✓ 9                      | 2.0   | 1.2                   | 20          | 16              | 1.78         | 1.78          | 1.72          | 2.25 | 2.25       | 1.00  | 3.870     |                                                                                                                                      |
| 10                       | 0.7   |                       |             |                 |              |               | 0.89          | 3.00 | 1.00       | 3.00  | 2.67      | cfs:<br>MEAN VELOCITY DISCHARGE                                                                                                      |
| 11                       | 0.3   |                       |             |                 |              |               |               |      |            |       | 38.80     |                                                                                                                                      |

12 0

25470

R-41E.

T.  
8  
S.

36

Soda

R-42E.

6

SODA SPRINGS

Combined generating capacity - Capable  
of utilizing the quantity of water  
applied for, if both plants operated  
simultaneously.

Quantity of Water -

A current meter measurement  
of the water in the power-canal  
when little more than the safe freeboard  
was being maintained was 38.8 c.f.s.  
It is the opinion of the engineer that  
this canal does not have the capacity to  
carry 100 c.f.s.,

# Affidavit of Publication

County of Caribou,

State of Idaho

Charlotte Wilcox being first duly sworn

on her oath, states:

That she is principal clerk Caribou County of the Soda Springs Sun, a newspaper of general circulation printed and published in Caribou County, Idaho, published weekly at Soda Springs in said County, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice was published as per clipping attached in the regular and entire edition of said newspaper and

not in any supplement thereof for three successive weekly issues thereof, the date of the first publication being the

16th day of December, 1954,

the date of the last publication being the 30th

day of December, 1954. Charlotte Wilcox

Subscribed and sworn to before me this 6th

day of January, 1955.

(SEAL)

S. J. Chambers  
Notary Public, residing at Soda Springs, Idaho.  
My Commission expires the 1st day of July, 1956.

COST. \_\_\_\_\_ lines at \_\_\_\_\_ cents a line for the first

insertion and \_\_\_\_\_ cents a line for each of \_\_\_\_\_

subsequent insertions, total \$ \_\_\_\_\_

## STATE OF IDAHO DEPARTMENT OF RECLAMATION

NOTICE OF APPLICATION TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO IN ACCORDANCE WITH THE PROVISIONS OF SECTION 42-203, IDAHO CODE.

Notice is HEREBY GIVEN, That the City of Soda Springs made application on the 27th day of November, 1954, for a Permit to appropriate fifty (50) cubic feet per second of the flood waters of Soda Creek, a tributary of Bear River, for the generation of electric power.

That the point of diversion of said waters is described as follows: S 54 degrees 20' W, 2180 feet from the Northeast corner of Section 36, Township 8 South, Range 41 East B.M. and is in the Northwest Quarter of the Northeast Quarter (NW $\frac{1}{4}$  NE $\frac{1}{4}$ ) of Section 36, Township 8 South, Range 41 East B. M. That the place of use of said water is described as follows: N 71 degrees 10' E, 155 feet distant from the Southwest corner of Section 31, Township 8 South, Range 42 East B. M. and is in the Southwest Quarter of the Southwest Quarter (SW $\frac{1}{4}$  SW $\frac{1}{4}$  of Section 31, Township 8 South, Range 42 East B.M.

Appropriations under this application are subject to requirements of future upstream irrigation developments.

That any protests against the approval of this application must be filed in the Department of Reclamation, at Boise, Idaho, within forty (40) days from the date of this notice, and such protest shall state the name and address of the protestant, and shall clearly set forth his objections to the approval of said application.

Dated this 6th day of December, 1954.

/s/ MARK R. KULP  
State Reclamation  
Engineer

Date of first publication: December 16, 1954  
Date of last publication: December 30, 1954  
Last date for protest: January 15, 1955

SERVICE OF THE FOREGOING, by copy, is hereby acknowledged, this 14th day of December, 1954.

CITY OF SODA SPRINGS

/s/ By A. L. OZBURN

Mayor

/s/ Attest: DELLA MORRIS  
City Clerk

25470

app  
STATE OF IDAHO  
DEPARTMENT OF  
RECLAMATION

The Caribou County Sun  
Soda Springs, Idaho  
Dec 23-1954

NOTICE OF APPLICATION TO  
APPROPRIATE THE PUBLIC  
WATERS OF THE STATE OF  
IDAHO IN ACCORDANCE WITH  
THE PROVISIONS OF SECTION  
42-203, IDAHO CODE.

(correction made, Range 42, in this  
issue)

Notice is HEREBY GIVEN, That  
the City of Soda Springs made ap-  
plication on the 27th day of No-  
vember, 1954, for a Permit to ap-  
propriate fifty (50) cubic feet per  
second of the flood waters of  
Soda Creek, a tributary of Bear  
River, for the generation of elec-  
tric power.

That the point of diversion of  
said waters is described as fol-  
lows: S 54 degrees 20' W, 2180  
feet from the Northeast corner  
of Section 36, Township 8  
South, Range 41 East B.M. and  
is in the Northwest Quarter of  
the Northeast Quarter (NW¼  
NE¼) of Section 36, Township  
8 South, Range 41 East B. M.

That the place of use of said  
water is described as follows:  
N 71 degrees 10' E, 155 feet dis-  
tant from the Southwest corner  
of Section 31, Township 8  
South, Range 42 East B. M. and  
is in the Southwest Quarter of  
the Southwest Quarter (SW¼  
SW¼ of Section 31, Township  
8 South, Range 42 East B.M.

Appropriations under this ap-  
plication are subject to require-  
ments of future upstream irri-  
gation developments.

That any protests against the  
approval of this application must  
be filed in the Department of Rec-  
lamation, at Boise, Idaho, within  
forty (40) days from the date of  
this notice, and such protest shall  
state the name and address of  
the protestant, and shall clearly  
set forth his objections to the ap-  
proval of said application.

Dated this 6th day of Decem-  
ber, 1954.

/s/ MARK R. KULP  
State Reclamation  
Engineer

Date of first publication: Decem-  
ber 16, 1954

Date of last publication: Decem-  
ber 30, 1954

Last date for protest: January 15,  
1955

SERVICE OF THE FOREGO-  
ING, by copy, is hereby acknow-  
ledged, this 14th day of Decem-  
ber, 1954.

CITY OF SODA SPRINGS

/s/ By A. L. OZBURN

Mayor

/s/ Attest: DELLA MORRIS  
City Clerk

25470

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

TRANSFER OF WATER RIGHT

TRANSFER NO. 4550  
WATER RIGHT NO(S). 11-02091/11-02156/11-02161

This is to certify that: CITY OF SODA SPRINGS  
9 W 2ND S  
SODA SPRINGS ID 832760000

has requested a change to the above captioned water right(s). This change in water right(s) is authorized pursuant to the provisions of Section 42-222, Idaho Code, provided the conditions listed below are met.

| <u>BENEFICIAL USE</u> | <u>PERIOD OF USE</u> | <u>DIVERSION RATE</u> |                 |
|-----------------------|----------------------|-----------------------|-----------------|
| Right No. 11-02091 :  |                      |                       |                 |
| POWER                 | 01/01 to 12/31       | 50.00 CFS             |                 |
| Right No. 11-02156 :  |                      |                       |                 |
| POWER STORAGE         | 01/01 to 12/31       |                       | 240.0 AF        |
| POWER FROM STORAGE    | 01/01 to 12/31       |                       | 240.0 AF        |
| Right No. 11-02161 :  |                      |                       |                 |
| POWER                 | 01/01 to 12/31       | 40.00 CFS             |                 |
|                       | <b>TOTAL:</b>        | <b>90.00 CFS</b>      | <b>240.0 AF</b> |

DATE OF PRIORITY:

Right No. 11-02091 : 06/05/1930  
Right No. 11-02156 : 07/23/1936  
Right No. 11-02161 : 11/27/1954

SOURCE

SODA CREEK

TRIBUTARY OF

BEAR RIVER

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 36, Township 08S, Range 41E  
CARIBOU County

PLACE OF USE: POWER

TWN RGE SEC

08S 42E 31 Lot 4(SWSW)

CONDITIONS/REMARKS:

1. Use of water under this water right will be regulated by the watermaster of State Water District No. 11B.

MAY 30 1995

TRANSFER NO. 4550  
WATER RIGHT NO(S). 11-02091/11-02156/11-02161

CONDITIONS/REMARKS:

2. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
3. Approval of this transfer in no way grants any right-of-way or easement for use of a delivery system owned by person(s) other than the right owner.
4. The change authorized by this transfer shall be accomplished within one (1) year of the date of this approval.
5. Failure to comply with the conditions of this transfer is cause for the director to issue an order to show cause why the approval of the transfer should not be rescinded.
6. The storage of water under Right No. 11-02156 is contingent upon continued certification by the Department of Water Resources under the dam safety provisions of the Idaho Code, authorizing storage.
7. Place of use is Powerplant No. 4.

Dated this 18<sup>th</sup> day of May, 1995



Chief, Water Alloc. Bureau

RECORDED

MAY 30 1995

State of Idaho  
License and Certificate of Water Right

Water License No. 25470 Amount 40 c.f.s.  
Water District No. Priority November 27, 1954

THIS IS TO CERTIFY that CITY OF SODA SPRINGS  
of Soda Springs, Idaho, made application for a permit to appropriate the  
public waters of the State of Idaho, dated November 27, 1954; that Permit No. 25470  
was issued under said application; that Certificate of Completion of works, with a carrying capacity of  
40 second feet, was issued thereunder on November 26, 1957, showing that said works  
were completed on the 4th day of March, 1957; and that on the 4th  
day of March, 1957, Max W. Snell, Sup't of Power and Water  
for the City of Soda Springs

of Soda Springs, State of Idaho, made proof to the satisfaction of the  
State Reclamation Engineer of Idaho, of the right to use the waters of Soda Creek  
, a tributary of Bear River, for the purpose of POWER  
, under Use Permit No. 25470 of the Department of Reclamation  
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,  
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume  
10 of Licenses at page 6224, on the 26th day of November, 1957;  
The right hereby confirmed dates from November 27, 1954;

The Point of Diversion is located  
in the NW 1/4 NE 1/4, Sec. 36, Tp. 8 S., R. 41 E., B. M. County Caribou  
That the amount of water to which such right is entitled and hereby confirmed, for the purposes  
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall  
not exceed 40 cubic feet per second.

Description and location of use:

| Twp. | Range | Sec. | Forty-acre Tract                                | No. Acres<br>Described in Permit | No. Acres<br>Actually Irrigated |
|------|-------|------|-------------------------------------------------|----------------------------------|---------------------------------|
|      |       |      | FOR POWER: FOR THE CITY OF SODA SPRINGS, IDAHO. |                                  |                                 |

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place  
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this  
26th day of November, 1957.

(SEAL) MARK R. KULP  
State Reclamation Engineer.  
By: E. N. Humphrey  
Deputy State Reclamation Engineer

State of Idaho  
License and Certificate of Water Right

Water License No. 22394

Amount .08 c.f.s.

Water District No.

Priority September 12, 1951

THIS IS TO CERTIFY that EDWARD A. STRAW  
of Stites, Idaho, made application for a permit to appropriate the  
public waters of the State of Idaho, dated September 12, 1951; that Permit No. 22394  
was issued under said application; that Certificate of Completion of works, with a carrying capacity of  
.08 second feet, was issued thereunder on September 20, 1956, showing that said works  
were completed on the 17th day of August, 1956; and that on the 18th  
day of October, 1956, EDWARD STRAW

of Stites, State of Idaho, made proof to the satisfaction of the  
State Reclamation Engineer of Idaho, of the right to use the waters of South Fork  
, a tributary of Clearwater River, for the purpose of Irrigation  
, under Use Permit No. 22394 of the Department of Reclamation  
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,  
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume  
10 of Licenses at page 6223, on the 26th day of November, 1957;

The right hereby confirmed dates from September 12, 1951;

The Point of Diversion is located  
in the NW 1/4 SE 1/4, Sec. 8, Tp. 31 N., R. 4 E., B. M. County Idaho

That the amount of water to which such right is entitled and hereby confirmed, for the purposes  
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall  
not exceed .08 cubic feet per second.

Description and location of use:

| Twp.  | Range | Sec. | Forty-acre Tract                | No. Acres<br>Described in Permit | No. Acres<br>Actually Irrigated |
|-------|-------|------|---------------------------------|----------------------------------|---------------------------------|
| 31 N. | 4 E.  | 8    | NW 1/4 SE 1/4                   | 4                                | 4                               |
|       |       |      | Total number of acres irrigated | - -                              | 4                               |

The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place  
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this  
26th day of November, 1957.

MARK R. KULP

State Reclamation Engineer.

(SEAL)

By: E. N. Humphrey  
Deputy State Reclamation Engineer

of notice 12-6 1954  
of Publication or Posting 12-80 1954  
Date for Protest 1-15 1955

IF PROTESTED

of Notice of Hearing 19  
of Hearing 19  
of Appeal Filed 19

# APPLICATION FOR PERMIT To Appropriate the Public Waters of the State of Idaho

APPLICATION No. 33138  
PERMIT No. 25470  
DISTRICT No.

11-2161

1. Name of Applicant: CITY OF SODA SPRINGS

Postoffice address: Soda Springs

County: Caribou

State: Idaho

I. If applicant is a corporation, give:

- (a) Date and place of incorporation:
- (b) Amount of capital stock:
- (c) Amount paid in:
- (d) Names and addresses of directors:

II. The financial resources of the applicant are:

- (b) Treasury stock:
- (d) Other resources:

(a) Cash on hand:

(c) Bonds to be issued:

2. Quantity of water claimed: of flood waters, 50 cubic feet per second.

3. Source of water supply: Soda Creek which is a tributary of Bear River.

4. Location of point of diversion: S 54° 20' W, 2180 feet distant from the N E corner of Section 36, T. 8S, R. 41 E, B.M., and is in the NW  $\frac{1}{4}$ , NE  $\frac{1}{4}$  of Section 36, T. 8S, R. 41 E, B.M., County of Caribou.

5. Water is to be used for Power Purposes

6. If for mining, milling, power or manufacturing purposes, give:

(a) Point of use of water: N 71° 10' E <sup>155</sup>/feet distant from SW corner of Section 31, T. 8S, R. 42 E, B.M., in the SW  $\frac{1}{4}$  SW  $\frac{1}{4}$  of Section 31, T. 8S, R. 42 E, B.M.

(b) Amount of power generated: 500 H.P., under 81.50 feet head.

(c) Water is to be returned to Soda Creek at a point East, 215 feet distant from the SW corner of Section 31, T. 8S, R. 42 E, B.M., in the SW  $\frac{1}{4}$  SW  $\frac{1}{4}$  of Section 31, T. 8S, R. 42 E, B.M.

7. Estimated cost of works: \$120,000

8. Kind of works: Ditch, concrete Flume, Penstock, Power House

9. Height of dam feet; length of dam at top feet; length of dam at bottom feet; material used in dam: See Permit 17348

10. Size of headgate: Width See 17348 feet; height See 17348 feet.

11. Ditch: Width at bottom 6 feet; width at water line 15 feet; depth of water 3 feet; dimensions of flume: Reinforced concrete 5'-6" X 3'-6" Diameter of pipe 42 inches; length of conduit 0.265 miles. Average grade per mile 5.28 feet.

12. The time required for the completion of such work is Under this / new application 2 years.

13. The time required for the complete application of the water to the proposed use is None additional years.

14. The land to be irrigated is described in the following tabulation: See remarks.

15. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are: None

17348, Yes

16. (a) Is reservoir to be used? Built under Permit If so, fill in (b) and (c) below:

(b) Name of Reservoir and number of Storage Permit: Soda Creek

(c) Date of filing of Application for Storage Permit and Name of Applicant: City of Soda Springs;

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public water of the State of Idaho as herein set forth.

City of Soda Springs      Applicant.

By ALLEN H. TIGERT Agent.

Date of first receipt at Department of Reclamation: 9:00 A.M. Nov. 27, 1954

Returned to applicant for correction:

Corrected application received:

## Approval of State Reclamation Engineer

The number of this permit is 25470

Recorded in Book 90 Page 25470 Approved Mar. 4, 1955

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$1000 to be filed on or before May 4, 1955

Work to begin on or before \_\_\_\_\_ and to continue diligently and uninterruptedly to completion, unless temporarily interrupted by circumstances over which permit holder has no control.

One-fifth of the work above specified to be completed on or before **March 4, 1956**

The whole of said work to be completed on or before March 4, 1957

Beneficial use of water appropriated in accordance herewith, to be made on or before March 4, 1957

WITNESS My hand this 4th day of March, 1955

MARK R. KULP  
*State Reclamation Engineer.*

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLIE, Governor of the State of Idaho,  
and IRA H. MASTERS, Secretary of State of the State of Idaho, have caused this instrument to  
be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 4th

day of March, 19 55.

STATE OF IDAHO

(SEAL)

By ROBERT E. SMYLIE  
Governor.

By IRA H. MASTERS  
*Secretary of State.*

14. REMARKS: This application is for the use of an additional 50 second feet of water over and above the 50 second feet of water dedicated under Permit 17348. The additional water is to be derived from excess flood waters when and if available in Soda Creek for power uses. To put this additional water to beneficial use it is required to widen the bottom of the canal from 4 feet to 6 feet and widen the bottom of the concrete Flumes from 5 feet x 3 feet-6" inside dimension to 6'-9" x 3'-6" inside dimension, or for a total capacity of 100 second feet of water.

(Continued Below)

| Twp. | Range | Sec. | (Continued Below)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                        |                                                                        |                                                                        | Totals |
|------|-------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------|--------|
|      |       |      | NE $\frac{1}{4}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | NW $\frac{1}{4}$                                                       | SW $\frac{1}{4}$                                                       | SE $\frac{1}{4}$                                                       |        |
|      |       |      | NE $\frac{1}{4}$  NW $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | NE $\frac{1}{4}$  NW $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ | NE $\frac{1}{4}$  NW $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ | NE $\frac{1}{4}$  NW $\frac{1}{4}$  SW $\frac{1}{4}$  SE $\frac{1}{4}$ |        |
|      |       |      | <p>REMARKS</p> <p>It is also necessary to extend the existing canal about 1400 feet by use of a concrete flume having an insidedimension of 5'-6" x 3'-6" and capacity of 65 second feet. The penstock for proposed now power plant is 42 inches diameter and 265 feet long. When and if 100 second feet of water is available in Soda Creek, 35 second feet may be used in the power plant No. 3 built under permit 17348 and 65 second feet in the proposed now Plant No. 4.</p> <p>A reservoir dam serving also as a diversion dam was constructed under Permit 17348 together with a canal, concrete flumes, penstock, and power house. The canal had a bottom width of 4 feet; side slopes 1<math>\frac{1}{2}</math> to 1; water depth 3 feet; width or water line 13 ft. The canal including 2 concrete flumes 5' x 3'-6" inside dimension is about 0.77 miles long. The penstock is 36" diameter and 435' long. The power house (point of use and return) was located N. 41° 30' W, 720 feet from S E corner Section 36, T 8S; R41 E, B.M. The map of power diversion accompanying Permit 17348 shows the location of the power plant (Power about No. 3) incorrectly. A revised map showing the actual location at N. 41° 30' W. 720 feet from SE corner Section 36, T8S, R41E, BM, is not available.</p> <p>NOTE: The rights herein granted for the use of the waters, stream bed and other lands of the State of Idaho necessary for the construction and operation of the Dam and Reservoir are subject to the condition that the project shall be operated in such manner as will not prevent or interfere with the future upstream diversion and use of such waters for irrigation and other Beneficial Consumptive Uses.</p> |                                                                        |                                                                        |                                                                        |        |

Permit No. 25470

## Certificate of Completion of Works

TO ALL WHOM IT MAY CONCERN:

This is to certify that CITY OF SODA SPRINGS of Soda Springs, County of Caribou, and State of Idaho, the holder of Permit No. 25470, issued upon Application No. 33138 bearing date of priority of November 27, 1954, authorizing the diversion of 50 second feet of the waters of Soda Creek tributary of Bear River County of Caribou, State of Idaho, for Power purposes, has fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use 40 second feet of the waters of Soda Creek tributary of Bear River that the point of diversion of said waters NW $\frac{1}{4}$ NE $\frac{1}{4}$  of Section 36, Township 8 South, Range 41 East, B.M. and that the proposed use of said water is described as follows, to-wit: For generation of power for the City of Soda Springs, Idaho. Proof of Completion of Works made: March 4, 1957

Witness my hand this 26th day of November, A.D. 1957

MARK R. KULP  
State Reclamation Engineer  
By: E. N. Humphrey  
Deputy State Reclamation Engineer

Proof of Completion of Works made: March 4, 1957  
Certificate of Completion of Works issued: November 26, 1957.

LICENSE ISSUED FOR 40 SEC. FT.

Page - 6224

MEMORANDUM

TO: FILE 11-02166  
FROM: PAM SKAGGS  
RE: TRANSFER # 4550  
DATE: 2/28/95

=====

Original Transfer Application, Form and correspondence  
regarding the above referenced Transfer is located within  
file # 11-02091.

MICROFILMED  
MAY 3 0 1995



State of Idaho

# DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

December 16, 1986

Roy G. Rainey, Administrator  
City of Soda Springs  
9 West, 2nd South  
Soda Springs, ID 83276

Re: License No. 11-2161

Dear Roy:

This letter is in response to a letter you sent to the Director of the Department of Water Resources, dated October 22, 1986. In the letter, you referred to a memorandum written by Bob Fleenor of this office, which stated that the field measurement of flows in the canal delivering water to the city hydropower plant was in error. You also requested that the license be amended to add an additional 10 cfs to the license.

I have reviewed Water Right No. 11-2161 in detail. I have also reviewed Water Right No. 11-2091, which must be interpreted in conjunction with No. 11-2161. Right No. 11-2091 was filed to deliver water to the old power plant No. 3, located upstream from Hooper Springs Park. A license was issued for 50 cfs.

License No. 11-2161 was filed to supply water to power plant No. 4, which is located just downstream from Hooper Springs Park. The measurement of the flow in the conveyance canal at the time of licensing of No. 11-2161 is the measurement in question.

A plan view of the power development for power plant No. 4, drawn by Henry L. Singer, a professional engineer, depicts the system and also lists the hydraulic properties of the canal prior to the split of the conveyance works to power house No. 3 and power house No. 4. The calculated capacity of the ditch upstream from the junction was 100 cfs. After the split, the estimated flow capacity of the concrete flume conveying water to power plant No. 4 was 67 cfs.

The examiner for License No. 11-2161 measured the flow at a bridge below the diversion dam. Therefore, he measured 38.8 cfs prior to the split of the conveyance works to the two power houses. Filing No. 11-2091 was licensed for 50 cfs for delivery

**Microfilm**


MAY 30 1995

to power house No. 3, and Filing No. 11-2161 was licensed for 40 cfs for delivery to power house No. 4, totaling 90 cfs capacity in the conveyance ditch. Although the calculations of the examiner were erroneous, the optimum flow rate that can be calculated using his measurement notes is approximately 57 cfs. A combination of Right No. 11-2091 and Right No. 11-2161 equals 90 cfs, 33 cfs in excess of the measured amount. As a result, the flow rate under License No. 11-2161 cannot be adjusted upward.

Of greater concern to the city may be the abandonment of power house No. 3 without a subsequent transfer of a portion of those water rights to power house No. 4. Apparently, License 11-2161 is the only right appurtenant power house No. 4, which limits the diversion to 40 cfs. The city should clarify the record by filing a transfer of the place of use from the location of power house No. 3 to power house No. 4 if greater than 40 cfs is being diverted through the concrete flume to power house No. 4.

If you have questions, please feel free to contact me.

Sincerely,



GARY SPACKMAN  
Supervisor, Water Allocation

GS:jf

MICROFILMED

MAY 30 1995

KIRK L. HANSEN  
Mayor

EDIE TRACY  
President

LaRAE RASMUSSEN  
Clerk-Treasurer

ROY G. RAINEY  
City Administrator

## City of Soda Springs

County Seat and Commercial Center of  
Caribou County  
Founded May 20, 1863  
9 West Second South - Phone 547-2151  
SODA SPRINGS, IDAHO 83276

Councilmen

Wm. Bart Conlin  
T.M. Thomas  
Robert K. Torgesen  
Edie Tracy

October 22, 1986

RECEIVED  
OCT 23 1986

Department of Water Resources

A. Kenneth Dunn, Director  
Department of Water Resources  
450 West State Street  
Boise, ID 83720

Dear Director Dunn;


You may recall that this City has engaged in a protracted law suit with Lois Kackley relative to the use of a power canal and water rights immediately north of the City on Soda Creek.

In reviewing material recently relative to that litigation our attention was drawn to a memorandum from Bob Fleenor dated May 7, 1985, to you concerning our water right 11-2161 (Old No. 25470) on page 2. Mr. Fleenor notes an error made by representatives of your Department in calculating the ditch capacity which caused the license to be reduced by 10 cfs.

It is respectfully requested that Water License 11-2161 (Old No. 25470) be corrected to allow diversion of the requested 50 cfs when such an amount of water is available in Soda Creek.

We appreciate your past cooperation and look forward to your reply.

Sincerely,

  
Roy G. Rainey  
City Administrator

RGR/kg

PHOTOFILMED

MAY 30 1995

LICENSE No. 11-2161  
 CALCULATION OF FLOW USING  
 PREVIOUS MEASUREMENT NOTES

by: GARY SPACKMAN

Date: November 28, 1986


| Dist.<br>from<br>Init.<br>Point | Depth | Depth<br>of<br>Meas. | * Velocity   | Mean<br>Velocity | Mean<br>Depth | WIDTH | FLOW<br>RATE |
|---------------------------------|-------|----------------------|--------------|------------------|---------------|-------|--------------|
| 0                               | 0     |                      |              |                  |               |       |              |
| 1                               | 0.5   |                      |              | **) 1.28         | 1.3           | 3     | 4.99         |
| 2                               | 2.0   | 1.2                  | 2.56         |                  |               |       |              |
| 3                               | 2.7   |                      |              |                  |               |       |              |
| 4                               | 2.3   | 0.54<br>2.16         | 2.04<br>3.57 | 2.80             | 2.6           | 2     | 14.56        |
| 5                               | 2.7   |                      |              |                  |               |       |              |
| 6                               | 2.7   | 0.54<br>2.16         | 2.13<br>3.57 | 2.85             | 2.7           | 2     | 15.39        |
| 7                               | 2.7   |                      |              |                  |               |       |              |
| 8                               | 2.5   | 0.5<br>2.0           | 2.49<br>3.21 | 3.10             | 2.4           | 2     | 14.80        |
| 9                               | 2.0   | 1.2                  | 1.78         | **) 0.89         | 0.75          | 3     | 2.00         |
| 10                              | 0.7   |                      |              |                  |               |       |              |
| 11                              | 0.3   |                      |              |                  |               |       |              |
| 12                              | 0     |                      |              |                  |               |       |              |

Total **MICROFILMED** 51.82 cfs

MAY 30 1995

\* Velocity =  $\frac{\text{Rev.}}{\text{Sec.}} \times 2.218 + 0.022$

\*\* Assumed average velocity in triangular section =  $\frac{1}{2}$  measured.



MICROFILMED  
MAY 30 1995

|   | Dist. From Initial Point | Depth | Depth of Observations | Revolutions | Time in Seconds | Velocity     |               |               | Area | Mean Depth | Width | Discharge | REMARKS                                                                                                                                                         |
|---|--------------------------|-------|-----------------------|-------------|-----------------|--------------|---------------|---------------|------|------------|-------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |                          |       |                       |             |                 | At Point     | Mean in Vert. | Mean in Sec'n |      |            |       |           |                                                                                                                                                                 |
|   | 0                        | 0     |                       |             |                 |              |               |               |      |            |       |           | This measurement was made on the ditch leading to Soda Springs Municipal Power Plant's at the bridge below the P.D. - as a check on the stream's canal capacity |
|   | 1                        | 0.5   |                       |             |                 |              |               | 1.26          | 2.0  | 1.00       | 2.00  | 2.52      |                                                                                                                                                                 |
| ✓ | 2                        | 2.0   | 12                    | 20          | 17 1/2          | 2.53         | 2.53          |               |      |            |       |           |                                                                                                                                                                 |
|   | 3                        | 2.7   |                       |             |                 |              |               | 2.22          | 4.70 | 2.35       | 2.00  | 10.43     |                                                                                                                                                                 |
| ✓ | 4                        | 2.7   | 2.54<br>2.16          | 20          | 22<br>12 1/2    | 2.42<br>1.40 | 1.91          |               |      |            |       |           |                                                                                                                                                                 |
|   |                          | 2.7   |                       |             |                 |              |               |               |      |            |       |           |                                                                                                                                                                 |
| ✓ | 5                        | 2.7   | 2.54<br>2.16          | 20          | 21<br>12 1/2    | 2.30<br>1.40 | 1.85          | 1.88          | 5.40 | 2.7        | 2.00  | 10.15     |                                                                                                                                                                 |
|   | 7                        | 2.7   |                       |             |                 |              |               |               |      |            |       |           |                                                                                                                                                                 |
| ✓ | 8                        | 2.5   | 2.5<br>2.0            | 20          | 18<br>12        | 2.00<br>1.34 | 1.67          | 1.76          | 5.20 | 2.15       | 2.00  | 9.15      |                                                                                                                                                                 |
| ✓ | 9                        | 2.5   | 12                    | 20          | 16              | 1.78         | 1.78          | 1.72          | 2.25 | 2.25       | 1.00  | 3.81      |                                                                                                                                                                 |
|   | 10                       | 2.7   |                       |             |                 |              |               | 0.89          | 3.00 | 1.00       | 3.00  | 2.67      | 65:<br>MEAN VELOCITY      DISCHARGE                                                                                                                             |
|   | 11                       | 2.3   |                       |             |                 |              |               |               |      |            |       | 38.60     |                                                                                                                                                                 |

12 0

25470

NO. \_\_\_\_\_ OF \_\_\_\_\_ SHEETS

MICROFILMED  
MAY 30 1995

October 1, 1957

Re: Permit No. 25470  
City of Soda Springs

Mr. Max W. Snell  
Sup't. of Power and Water  
City of Soda Springs  
Soda Springs, Idaho

Dear Mr. Snell:

The capacity of the canal leading to the two power plants does not have a capacity of 100 cubic feet per second or the amount necessary to carry the 20 c.f.s. under License No. 17348 and the 50 c.f.s. claimed under Permit No. 25470. A measurement made August 21, 1957, with the canal partly full, was 38.80 cubic feet per second. Proofs of application to beneficial use indicate a maximum capacity of 90 cubic feet per second, therefore, a License and Certificate of Water Right can be issued under Permit No. 25470 for 40 cubic feet per second.

Upon receipt of the statutory fee of \$5.00, a license will be issued confirming the right with priority of November 27, 1954, to the use of 40 cubic feet per second of water from Soda Creek for generation of power for the City of Soda Springs, with the point of diversion in the NW $\frac{1}{4}$ NE $\frac{1}{4}$  of Section 36, Township 8 South, Range 41 East, B.M.

Very truly yours,

Mark R. Kulp  
State Reclamation Engineer

MRK:nls

cc: Mr. Francis J. Rasmussen  
Attorney At Law  
Soda Springs, Idaho

MICROFILMED 5476  
MAY 30 1995

UNCONFIRMED

MAY 10 1995

MEASUREMENT FOR SODA CREEK  
City of Soda Springs Upper Power Canal

PAGE 1

MEASUREMENT LOCATION  
MEASURED BY

DN

LEGAL DESCRIPTION

SEC

TWP

RANGE

V = 2.218N + .022 FOR <= 1  
V = 2.224N + .016 FOR > 1

| DISTANCE FROM<br>INITIAL POINT<br>FEET | DEPTH<br>FEET | AREA<br>SQ. FT. | REVOLUTIONS | TIME<br>SEC | VELOCITY<br>FT/SEC | DISCHARGE<br>CFS |
|----------------------------------------|---------------|-----------------|-------------|-------------|--------------------|------------------|
| .000                                   | .000          | .000            | 0           | .000        | .000               | .000             |
| 2.000                                  | 1.200         | 2.400           | 20          | 17.500      | 2.558              | 6.139            |
| 4.000                                  | 2.300         | 4.600           | 20          | 22.000      |                    |                  |
| 6.000                                  | 2.700         | 5.400           | 20          | 12.500      | 2.805              | 12.908           |
| 8.000                                  | 2.500         | 3.750           | 20          | 21.000      |                    |                  |
| 10.000                                 | 2.000         | 4.000           | 20          | 12.500      | 2.854              | 15.412           |
| 12.000                                 | .000          | .000            | 0           | 18.000      |                    |                  |
|                                        |               |                 |             | 12.000      | 3.105              | 11.644           |
|                                        |               |                 |             | 16.000      | 2.795              | 11.184           |
|                                        |               |                 |             | .000        | .000               | .000             |
| TOTALS                                 |               | 20.150          |             |             |                    | 57.287           |

The calculation of flow made on 8-20-1957  
is erroneous. The correct Q is 57.3 <sup>ft<sup>3</sup></sup>/<sub>sec</sub> rather than 38.8 <sup>ft<sup>3</sup></sup>/<sub>sec</sub>.

Bobby D. Fleenor 3/27/1985

August 30, 1962

Re License No. ~~31216~~  
25470

Della Britenbaker  
City Clerk  
Soda Springs, Idaho

Dear Mrs. Britenbaker:

Enclosed is departmental receipt No. 31216 in the amount of \$1.00 covering the fee for making a copy of Water License No. 25470 which was mailed to you previously.

Very truly yours,

GEO. N. CARTER  
State Reclamation Engineer  
By

(Mrs.) Edna P. Rule  
Chief Clerk

EPR:mr

Enc. receipt  
claim

25470

August 17, 1962

Re: License No. 25470

Della Britenbaker  
City Clerk  
Soda Springs, Idaho

Dear Mrs. Britenbaker:

Enclosed is a copy of Water License and  
Certificate of Water Right No. 25470.

This is the only valid permit right found  
in the name of City of Soda Springs. The city also owns  
various decreed water rights.

There is a fee of \$1.00 for the copy enclosed  
which should remit to this department.

Very truly yours,

GEO. N. CARTER  
State Reclamation Engineer

By:

RALPH W. THOMAS, Deputy  
State Reclamation Engineer

RT:ew

Enc. copy of Water License

25476

DR. ALLEN TIGERT  
Mayor

GEORGE DUPIN  
Chairman

DELLA BRITENBEKER  
Clerk-Treasurer

MAX SNELL  
Supt. Light and Water Dept.

## CITY OF SODA SPRINGS

SODA SPRINGS, IDAHO

### Councilmen

KENNETH CHATTERTON  
GEORGE DUPIN  
EARL GUNNELL  
ARTHUR KELLY

Aug. 10, 1962

RECEIVED

AUG 17 1962

Department of Reclamation

Mr. George N. Carter  
State Reclamation Engineer  
Department of Reclamation  
Boise, Idaho

Dear Sir:

Would it be possible to get a copy of the permits for use of beneficial use of waters involving the City of Soda Springs?

If there is any charge for these, please bill the City, and We will forward a check to you.

Thank you kindly.

Yours truly,

*Della Britenbeker*  
\_\_\_\_\_  
City Clerk for the Mayor and City Council

~~254618~~ - 22518

~~5339~~ 25470 - 25468 licensed page 6224 40 cfs

25470

November 26, 1957

Re: Permit No. 25470

Mr. Max W. Snell  
Sup't of Power and Water  
City of Soda Springs  
Soda Springs, Idaho

Dear Mr. Snell:

Enclosed is the Certificate of Completion of Works and the License and Certificate of Water Right issued under Permit No. 25470 to the City of Soda Springs, Idaho, confirming the right with priority of November 27, 1954, to the use of 40 second feet of water from Soda Creek, with the point of diversion in the NW $\frac{1}{4}$  of Section 36, Township 8 South, Range 41 East, B.M., for generation of power for the City of Soda Springs.

Enclosed also is departmental receipt #28875 for \$14.00, issued as receipt of the fee for the Certificate of Completion of Works. Departmental receipt #28862 for \$5.00 was issued and handed to you as receipt of the fee for the License.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

EPR:nls  
Enc.

25470

November 20, 1957

Re: Permit No. 25470  
City of Soda Springs

Mr. Max W. Snell  
Sup't of Power and Water  
City of Soda Springs  
Soda Springs, Idaho

Dear Mr. Snell:

Our letter to you of November 6, 1957, regarding the fourteen dollar fee for the Certificate of Completion of Works on Permit No. 25470 perhaps was not clear as to the fees connected with the final certificates. There are two certificates; one of which is the "Certificate of Completion of Works" and the other the "License and Certificate of Water Right." As we explained, the Certificate of Completion of Works, for which the fee is fourteen dollars, had never been issued under Permit No. 25470 and before the License and Certificate of Water Right (for which the fee is paid, receipt #28862) can be issued, it is necessary that it be.

We, therefore, return your warrant for \$9.00 and ask that you return it with an additional warrant for \$5.00, making the total \$14.00, or you may send a warrant for the total amount of \$14.00 whichever is most suitable for your bookkeeping system.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

EPR:nls  
Enclosure Warrant No. 3095 D

25470

DR. ALLEN TIGERT, Mayor  
ARTHUR KELLY, Chairman  
DELLA MORRIS, Clerk  
MAX SNELL, Utilities Supt.

## City of Soda Springs

SODA SPRINGS, IDAHO

### Councilmen

EARL GUNNELL  
KENNETH CHATTERTON  
ARTHUR A. KELLY  
FRANK LALLATIN

Nov. 18, 1957

Department of Reclamation  
Boise, Idaho

Dear Sirs:

Attached, find check in the amount of \$9.00 to finish payment of amount due for license for Certificate of Completion of Works for Permit #25470.

Mr. Max Snell paid \$5.00 receipted on receipt No. 28862 dated Nov. 4, 1957.

Yours truly,

Della Morris  
City Clerk

25470

November 6, 1957

Re: Permit No. 25470  
City of Soda Springs

Mr. Max W. Snell  
Sup't of Power and Water  
City of Soda Springs  
Soda Springs, Idaho

Dear Mr. Snell:

We refer you to our letter of October 1, 1957, in which we stated that a License of Permit No. 25470 could be issued upon receipt of a five dollar fee.

The statutes require that upon proof of completion of works that a certificate of completion will be issued. The fee, for which is based at the rate of five dollars for the first ten cubic feet filed on and thirty cents for each additional foot or fraction thereof. In reviewing the jacket file and record of Permit No. 25470, we found that the proof of completion of works was made on the same date, March 4, 1957, as the beneficial use proof was made but that a Certificate of Completion of Works has never been issued nor were you informed that it was necessary. Therefore, before the license can be issued, for which we have the fee, it is necessary that the sum of fourteen dollars (\$14.00) be remitted for the Certificate of Completion of Works which confirms proof of the diversion of 40 cubic feet per second of water for power purposes at the City of Soda Springs.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

25470

Chief Clerk

EPR:mls

Per 28862 given \$

October 1, 1957

Re: Permit No. 25470  
City of Soda Springs

Mr. Max W. Snell  
Sup't. of Power and Water  
City of Soda Springs  
Soda Springs, Idaho

Dear Mr. Snell:

The capacity of the canal leading to the two power plants does not have a capacity of 100 cubic feet per second or the amount necessary to carry the 20 c.f.s. under License No. 17348 and the 50 c.f.s. claimed under Permit No. 25470. A measurement made August 21, 1957, with the canal partly full, was 38.80 cubic feet per second. Proofs of application to beneficial use indicate a maximum capacity of 90 cubic feet per second, therefore, a License and Certificate of Water Right can be issued under Permit No. 25470 for 40 cubic feet per second.

Upon receipt of the statutory fee of \$5.00, a license will be issued confirming the right with priority of November 27, 1954, to the use of 40 cubic feet per second of water from Soda Creek for generation of power for the City of Soda Springs, with the point of diversion in the NW $\frac{1}{4}$ NE $\frac{1}{4}$  of Section 36, Township 8 South, Range 41 East, B.M.

Very truly yours,

Mark R. Kulp  
State Reclamation Engineer

MRK:nls

cc: Mr. Francis J. Rasmussen  
Attorney At Law  
Soda Springs, Idaho

25470

|   | Dist. From Initial Point | Depth | Depth of Observations | Revolutions | Time in Seconds | Velocity     |               |               | Area | Mean Depth | Width | Discharge | REMARKS                                                                                                                                             |
|---|--------------------------|-------|-----------------------|-------------|-----------------|--------------|---------------|---------------|------|------------|-------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
|   |                          |       |                       |             |                 | At Point     | Mean in Vert. | Mean in Sec'n |      |            |       |           |                                                                                                                                                     |
|   | 0                        | 0     |                       |             |                 |              |               |               |      |            |       |           | This measurement was made on the ditch leading to Soda Springs Municipal Power Plants at the bridge below the P.D.-as a check on the canal capacity |
|   | 1                        | 0.5   |                       |             |                 |              |               | 1.26          | 2.0  | 1.00       | 2.00  | 2.52      |                                                                                                                                                     |
| ✓ | 2                        | 2.0   | 1.2                   | 20          | 17 1/2          | 2.53         | 2.53          | 2.22          | 4.70 | 2.35       | 2.00  | 10.93     |                                                                                                                                                     |
|   | 3                        | 2.7   |                       |             |                 |              |               |               |      |            |       |           |                                                                                                                                                     |
| ✓ | 4                        | 2.7   | 0.54<br>2.16          | 20          | 22<br>17 1/2    | 2.42<br>1.40 | 1.91          |               |      |            |       |           |                                                                                                                                                     |
|   | 5                        | 2.7   |                       |             |                 |              |               |               |      |            |       |           |                                                                                                                                                     |
| ✓ | 6                        | 2.7   | 0.54<br>2.16          | 20          | 21<br>12 1/2    | 2.30<br>1.40 | 1.85          | 1.88          | 5.40 | 2.7        | 2.00  | 10.152    |                                                                                                                                                     |
|   | 7                        | 2.7   |                       |             |                 |              |               |               |      |            |       |           |                                                                                                                                                     |
| ✓ | 8                        | 2.5   | 0.6<br>2.0            | 20<br>20    | 18<br>12        | 2.00<br>1.34 | 1.67          | 1.76          | 5.20 | 2.60       | 2.00  | 9.152     |                                                                                                                                                     |
| ✓ | 9                        | 2.5   | 1.2                   | 20          | 16              | 1.78         | 1.78          | 1.72          | 2.25 | 2.25       | 1.00  | 3.870     |                                                                                                                                                     |
|   | 10                       | 0.7   |                       |             |                 |              |               | 0.89          | 3.00 | 1.00       | 3.00  | 2.67      | TOTAL AREA<br>2.55:<br>MEAN VELOCITY      DISCHARGE                                                                                                 |
|   | 11                       | 0.3   |                       |             |                 |              |               |               |      |            |       | 38.50     |                                                                                                                                                     |

12 0

25470

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE, IDAHO  
REPORT OF ENGINEER

Permit No. 25470This proof is for Beneficial Use

In Water District No. \_\_\_\_\_

1. Name of applicant City of Soda Springs2. Source of water supply: Soda Creek3. Location of point of diversion: Is in the NW $\frac{1}{4}$ NE $\frac{1}{4}$  of Section 36T. 8 S R. 41 E., B.M. County of Caribou

4. Describe works as they exist, giving dimensions and capacities of same: The works consist of a concrete diversion dam - a mile or more of canal - and 2 power plants - one new - one old - ~~old~~ plant G.E. Generator #6001674 & Turbine Unit - ~~New~~ unit - Westinghouse #1-23-V 291

5. Water is used for: Power

6. State whether or not water has been turned into works of diversion: Yes. - The new unit #4 was in operation

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

SW $\frac{1}{4}$ SW $\frac{1}{4}$  of Sec. 31., Twp. 8 S., Rge. 42 E., B.M.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? \_\_\_\_\_

Remarks: \_\_\_\_\_

Max W. Snell was present during engineers examination except that the engineer returned the next day to determine if the canal leading to the two major generating plants has the capacity to carry the water covered in this permit, which is in addition to a like amount already licensed - or a total of 100 c.f.s.

This examination was made on the 20<sup>th</sup> day of August, 1957.(Signed) James H. Marr

Examiner.

25470

City of Soda Springs (Max W. Shell, Sup't. of Power & Water)  
Soda Springs, Idaho

Permit No. 25470

Examination for Beneficial Use

County Caribou

36-8S.-A1E

Qz 50.0 c.f.s.

Sz Soda Creek.

P.D. = NW. 1/4, Sec. 36, T. 8 S. - R. 41 E

Use = Power

Filed = Nov. 27, 1954

Due = March 4, 1957

### INSTRUCTIONS TO EXAMINERS

1. Always carefully note the location of the point of diversion and accurately plat same.
2. When proof is for beneficial use, carefully check up the number of acres actually irrigated in each forty and accurately plat same.
3. Make a map showing the correct location of streams and ditches, and the irrigated lands, and any adjacent permanent landmarks, such as towns, lakes, large streams and public roads.
4. If any unusual conditions are discovered, make plain statement of them under remarks.
5. Always see the holder, if possible, and go over the whole ground with him and make your report only upon actual existing facts and conditions.
6. Give general characteristics of soils, topography, and crops raised.

80 c.f.s. Use year  
Capacity 90 c.f.s.

# 3 1736

G.E. #6021674 Generator

107 KVA - 70'

c.f.s. 46 - 1045 c.f.s.

36" I.D. Penstock

# 4 Westinghouse

KVA 450 - 380 KW Bu. Line

A.C. Generator

# 1-23-V-291

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE

REPORT OF ENGINEER

PERMIT NO. 25470


REPORT ON PROOF OF Beneficial Use

City of Soda Springs, Soda Springs, Idaho  
( Max W. Snell, Sup't. of Power and Water)

40 ofs  
mr &

R-41E.

T.  
8  
S.



R-42E.

SODA SPRINGS.

Combined generating capacity - Capable  
of utilizing the quantity of water  
applied for, if both plants operated  
simultaneously.

Quantity of Water -

A current meter measurement  
of the water in the power-canal  
when little more than the safe freeboard  
was being maintained was 38.8 cfs.  
It is the opinion of the engineer that  
this canal does not have the capacity to  
carry 100 cfs.

March 26, 1957

RE: Permit No. 25470  
City of Soda Springs

Mr. Francis J. Rasmussen  
Attorney at Law  
Soda Springs, Idaho

Dear Mr. Rasmussen:

We acknowledge receipt of the affidavit of publication in the caribou County Sun in connection with the Permit above captioned and sincerely appreciate your prompt attention in regard to this matter.

Before final action is taken in the matter, the law requires that a field examination be made by an engineer from this department.

We cannot tell just when this examination will be made, but our field engineer will try and contact Mr. Snell, the Superintendent of Power and Water of the City of Soda Springs at the time he makes the examination so that arrangements may be made to show him over the grounds.

Very truly yours,

MARK R. KILP  
State Reclamation Engineer  
By

Chief Clerk

EPR  
cc: Mr. Max W. Snell  
Sup't. of Power & Water  
City of Soda Springs, Soda Springs, Idaho

25470

RECEIVED  
MAR 2 1957

Department of Reclamation

**NOTICE OF PROOF OF  
COMPLETION OF WORKS**

**and  
APPLICATION OF WATER TO  
BENEFICIAL USE**

Notice is hereby given that at 2:00 P.M., on the 4th day of March, 1957, at Soda Springs, County of Caribou, State of Idaho, before S. E. Matthews, Notary Public, proof will be submitted of the completion of works for the diversion of 50.0 cubic feet per second of waters from Soda Creek, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. 25470 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are City of Soda Springs, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 50.0 cubic feet per second.

3. The use to which said water has been applied is Power purposes, and the amount applied to beneficial use is 50.0 cubic feet per second.

The point of diversion of said water is NW $\frac{1}{4}$ NE $\frac{1}{4}$ , Sec. 36. T. 8. S.—R. 41 E. B.M.

5. The place where said water is used is SW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 31, T. 8 S.—R. 42 E. B.M.

6. the Date of priority which said user is prepared to establish is Nov. 27, 1954.

MARK R. KULP  
State Reclamation  
Engineer

(Pub. Jan. 31, Feb. 7, 14, 21, 1957)

**Affidavit of Publication**

County of Caribou SS.  
State of Idaho,

sworn on h.er oath, states:

Katherine Martin.....being first duly

That....s.he is owner.....of the  
(Printer, Foreman or Principal Clerk)

Caribou County Sun, a newspaper of general circulation in Caribou County, Idaho, published weekly at Soda Springs in said County, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement there-

of for...four.....successive weekly  
issues thereof, the date of the first publication being

the....31st.....day of...January....,

1957....The date of the last publication being the

....21.....day of...February....., 19..57..

*Katherine Martin*

Subscribed and sworn to before me this...20th

day of...March....., 19..57..  
(SEAL)

*S. E. Matthews*

Notary Public, residing at  
Soda Springs, Idaho.  
My Commission expires the

1....day of...July....,  
19..60..

COST:..50.....lines at....13.....cents a line for

first insertion and....10.....cents a line for each of  
three.....subsequent insertions. Total \$.....21.50

25470

March 12, 1957

RE: Permit No. 25470

Mr. Francis J. Rasmussen  
Attorney at Law  
Soda Springs, Idaho

Dear Mr. Rasmussen:

We acknowledge receipt of the depositions of Mr. Snell, the holder of the Permit and also the two witnesses, but to date we have not received the affidavit of publication from the Caribou County Sun. If you have not already received it will you please get it and forward to us as we need it to complete this file.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

EPR

25470

FRANCIS J. RASMUSSEN

Attorney at Law  
Soda Springs, Idaho

March 11, 1957

RECEIVED  
MAR 12 1957

Department of Reclamation

State of Idaho  
Department of Reclamation  
Boise, Idaho

Re: City of Soda Springs, Idaho  
Permit No. 25470

Dear Sir:

Please find enclosed three (3) Proof of Completion of Works and three (3) Proof of Application of Water to Beneficial Use forms on Permit No. 25470 for the City of Soda Springs, all duly signed and notarized.

Sincerely Yours,



Francis J. Rasmussen  
Attorney for City

FJR:mh  
Enclosures

25470

Collected for you by the State of Idaho  
as per B.P.

PERMIT NO. 25470

RECEIVED  
MAR 12 1957

Department of Reclamation

## Proof of Completion of Works

## DEPOSITION OF HOLDER

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. Max W. Snell; I reside at Soda Springs, Idaho and am the Superintendent of Power &amp; Water of the City of Soda Springs, Idaho

Ques. 2. If acting in behalf of a corporation, state its name, principal place of business, your position with reference to same, and your authority for appearing in its behalf.

Ans. The City of Soda Springs, Idaho, a municipal corporation at Soda Springs, Idaho and am its Supt. of Power &amp; Water; I am appearing on behalf of said City by resolution of the City Council of said City.

Ques. 3. State number and date of permit, amount of water you are authorized to divert, source, and point of diversion.

Ans. No. 25470: Approved March 4th, 1955. 50 Cubic Feet Per Second; Pt. of Diversion: S. 54° 20' W 2180 feet distant from NE Cor. of Sec. 36, T. 8 S., R. 41 E., B. M., in Caribou County, Idaho

Ques. 4. State purpose for which water is to be used, and, if for irrigation, state the number of acres and give description of the land you intend to reclaim.

Ans. Power purposes. (No land to be reclaimed)

Ques. 5. State whether or not the water has been turned into your works of diversion, and, if so, when and to what extent.

Ans. Yes; In June 1956; 55 second feet.

Ques. 6. State whether or not the works of diversion are fully completed, and whether or not they comply in all respects with the terms of the permit.

Ans. All fully completed and comply with all terms of the permit.

Ques. 7. If the works of diversion do not comply with all the terms of your permit, state fully those particulars in which there is any variance.

Ans. ---

Ques. 8. Give description of works, state dimensions and capacity of each part, and give cost of same.

Ans. Concrete diversion dam on Soda Creek about 1 Mile North of the place of use; conducted by a canal to place of use, which canal is 5½' wide at the top and bottom and 3' high. Total cost Approximately \$150,000.00

(Sign here.)

Max W. Snell

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, in Soda Springs

County of Caribou, State of Idaho, on this 4th day of March A. D. 1957.

S. J. Danaher

Notary Public.

My Commission expires July 1st, 1960.

25470

PERMIT NO.....

# Proof of Completion of Works

## DEPOSITION OF WITNESS

*In compliance with Sec. 5594, Compiled Statutes of Idaho.*

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. T. E. Thompson, of Soda Springs, Idaho; Occupation: Farmer & Water Master

Ques. 2. Are you acquainted with City of Soda Springs, a municipal corporation, the

holder of Permit No. 25470 authorizing the diversion of 50 second-feet of the waters of Soda Creek distant from N.E. Cor. of Sec. 36, T. 8 S., R. 41 E., B.M., at S 54° 20' W, 2180 feet for Power purposes? How long have you known him, and where does he reside?

Ans. Yes. The City of Soda Springs, Idaho is in Caribou County. I have been a resident thereof for many years.

Ques. 3. Have you read or heard read said Permit No. 25470, and are you familiar with its terms and conditions?

Ans. Yes.

Ques. 4. (If for irrigation purposes). Are you acquainted with the land proposed to be irrigated under said permit? If so, describe same, state its character, and give your estimate of the amount of water required for its profitable cultivation.

Ans.

Ques. 5. Are the works of diversion fully completed and of sufficient capacity to convey the entire amount of water set out in the permit from point of diversion to place of use? If so, when were they so completed?

Ans. Yes, in June 1956.

Ques. 6. Describe the works of diversion as they existed on the date stated in answer to Question 5, and give your estimate of their capacity on that date.

Ans. A concrete diversion dam on Soda Creek about 1 Mile North of the place of use; conducted by a canal to place of use, which canal is 5½ feet wide at the top and bottom and 3' high.

(Sign here)

T. E. Thompson

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in Soda Springs, County of Caribou, State of Idaho, on this 4th day of March A. D. 1957.

My Commission expires July 1st, 1960.

[Signature]

Notary Public.

25470

PERMIT NO. 25470

RECEIVED  
MAR 12 1957

# Proof of Completion of Works

Department of Reclamation

## DEPOSITION OF WITNESS

In compliance with Sec. 5594, Compiled Statutes of Idaho.

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. Russell H. Crouse, Residing at Soda Springs, Idaho, I am a mining engineer

Ques. 2. Are you acquainted with... City of Soda Springs, a municipal corporation, the

holder of Permit No. 25470 authorizing the diversion of... 50 second-feet of the waters of Soda Creek distant from NE Cor. of Sec. 36, T. 8 S., R. 41 E., B.M. in for power purposes? How long have you known him, and where does he reside?

Ans. The City of Soda Springs, Idaho - I became a resident thereof in January 1952. I am familiar with said City.

Ques. 3. Have you read or heard read said Permit No. 25470, and are you familiar with its terms and conditions?

Ans. Yes

Ques. 4. (If for irrigation purposes). Are you acquainted with the land proposed to be irrigated under said permit? If so, describe same, state its character, and give your estimate of the amount of water required for its profitable cultivation.

Ans.

Ques. 5. Are the works of diversion fully completed and of sufficient capacity to convey the entire amount of water set out in the permit from point of diversion to place of use? If so, when were they so completed?

Ans. Yes, in June 1956

Ques. 6. Describe the works of diversion as they existed on the date stated in answer to Question 5, and give your estimate of their capacity on that date.

Ans. Concrete diversion dam on Soda Creek about 1 Mile North of the place of use; conducted by a canal to place of use, which canal is 5 1/2' wide at the top and bottom and 3' high.

(Sign here.)

Russell H. Crouse

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me, at my office in Soda Springs, Caribou, County of the State of Idaho, on this 4th day of March A. D. 1957.

My Commission expires July 1st, 1960

[Signature]

Notary Public.

25470

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE, IDAHO

Permit No. 25470

## Proof of Application of Water to Beneficial Use

### Deposition of Holder

Ques. 1. State your name, residence, occupation and postoffice address.

Ans. Max W. Snell; I reside at Soda Springs, Idaho and am the Superintendent of Power & Water of the City of Soda Springs, Idaho

Ques. 2. If acting in behalf of corporation, state its name, principal place of business (if a foreign corporation, give name of postoffice of statutory agent), your position with reference to same, and your authority for appearing in its behalf. The City of Soda Springs, Idaho, a municipal corporation at Soda Springs, Idaho; and am its Supt. of Power & Water; I am appearing on behalf of said City by resolution of the City Council of said City.

Ques. 3. State number and date of permit, and date of priority you propose to establish under the permit.

Ans. No. 25470; approved March 4th, 1955; Priority as of <sup>Nov. 27, 1954</sup> ~~March 4, 1955~~

Ques. 4. State source of water supply and give exact location of point of diversion.

Ans. Soda Creek; Point of Diversion: S. 54° 20' W, 2180 feet distant from the N E corner of Sec. 36, T. 8 S., R. 41 E., B. M., in Caribou County, Ida.

Ques. 5. Describe your works of diversion, and state amount of water they are capable of conveying from point of diversion to place of use, and give name of canal or ditch or other works by which water is conducted to such place of use. If a well, state depth of well, depth and size of casing and depth to water. If pump is used, state discharge of pump and tell how it was measured or determined. If sprinkler irrigation, give number and size of nozzles and operating pressure.

Ans. Concrete Dam at pt. of Diversion; capable of diverting 90 Second feet of water to Power Canal No. 3; which is reduced to 60 second feet capacity at Plant No. 3 and canal continues to Plant No. 4 capable of conducting 60 second feet of water.

Ques. 6. State for what purpose water is used and describe place of use. (If for irrigation, name each subdivision in which used, and number of acres in each subdivision that have actually been irrigated with said water.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Used for Power Purposes at: N. 71° 10' E, 155 feet distant from SW corner of Sec. 31, T. 8 S., R. 42 E., B. M., in the SW 1/4-SW 1/4 of Sec. 31, T. 8 S., R. 42 E., B. M., in Caribou County, Idaho.

25470

Ques. 7. If for other than irrigation purposes; state how applied, amount of horse power generated, etc.

Ans. Used for Power Purposes for City of Soda Springs, Idaho.

Maximum efficiency: 400 Kilo-watts.

Ques. 8. What is the minimum amount of water required for the purpose specified above?

Ans. 10 second feet of water.

Ques. 9. If you are not the person or representative of the corporation to whom above mentioned permit was originally issued, please state how ownership was acquired by present holder.

Ans. I represent the City of Soda Springs, Idaho.

Ques. 10. State when, how, in what amount and to what extent the water diverted under above mentioned permit has been used.

Ans. In June 1956 full use was made of the canal, water and generator.  
At which time 55 second feet of water was conducted and used at place  
of use.

Ques. 11. State when, how, in what amount and to what extent waters other than those diverted under the above mentioned permit have been diverted and applied to beneficial use upon the lands herein described. Give full particulars regarding such other appropriations and rights claimed thereunder.

Ans. No irrigation - Water used for power purposes only.

(Sign)

May W. Suel

I hereby certify that the foregoing testimony was read to the above subscribed before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed

and sworn to before me, at my office in Soda Springs, County of Caribou

State of Idaho, on this 4th day of March, A. D. 1957.

My commission expires July 1st, 1960

[Signature]  
Notary Public

25470

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE, IDAHO

RECEIVED  
MAR 12 1957  
Department of Reclamation

PERMIT NO. 25470

## Proof of Application of Water to Beneficial Use

### Deposition of Witness

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. T. E. Thompson; I am over the age of 21 years and a resident of Soda Springs, in Caribou County, Idaho. I am a farmer and a local Water Master.

Ques. 2. Are you acquainted with City of Soda Springs, Idaho, the holder of Permit No. 25470? How long have you known him and where does he reside?

Ans. Yes. For many years.

Ques. 3. Have you read or heard read said Permit No. 25470, and are you familiar with its provisions and conditions?

Ans. Yes

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Soda Creek. Pt. of Diversion: S 54° 20' W., 2180 feet distant from N.E. Corner of Sec. 36, T. 8 S., R. 41 E., B.M., in the NW 1/4-NE 1/4 of said Section, Township and Range. Concrete diversion dam on Soda Creek about 1 Mile North of the place of use; water is conducted by a canal to place of use, which canal is 5 1/2 feet wide at the top and bottom and 3' high.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. 60 second feet of water; I have seen 56 second feet of water being so conveyed.

Ques. 6. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Water is being used for Power Purposes. Point of Use: N 71° 10' E., 155 feet distant from SW corner of Section 31, T. 8 S., R. 42 E., B. M., in Caribou County, Idaho.

25470

Ques. 7. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. The water is put to use through a penstock and to a turbine.

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans. \_\_\_\_\_

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. No.

Ques. 10. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I have observed the use of said water for power purposes on numerous occasions up to the present time; I estimate the amount of water in use to be 56 second feet at the present time.

(Signed) \_\_\_\_\_

J. E. Thompson

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Seda Springs,

County of Caribou, State of Idaho, on this 4th day of March,

A. D. 19 57.

S. J. Chambers

Notary Public.

My commission expires July 1st, 1960

25470

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE, IDAHO

RECEIVED  
JUN 12 1937  
Department of Reclamation

PERMIT NO. 25470

## Proof of Application of Water to Beneficial Use

### Deposition of Witness

The deposition of two witnesses, on this form, taken separately, required in each case.

Ques. 1. State your name, age, residence, occupation and postoffice address.

Ans. Russell H. Crouse, age 32; residence, Soda Springs, Idaho.  
By occupation a Mining Engineer.

Ques. 2. Are you acquainted with City of Soda Springs, the holder of Permit No. 25470? How long have you known him and where does he reside?

Ans. Yes, for about  
5 Years

Ques. 3. Have you read or heard read said Permit No. 25470, and are you familiar with its provisions and conditions?

Ans. Yes

Ques. 4. State source of water supply, place of diversion, and describe works for conveying water from point of diversion to place of use.

Ans. Soda Creek. Pt. of Diversion: S 54°20'W., 2180 feet distant from N.E. Corner of Sec. 36, T. 8 S., R. 41 E., B. M., in the NW $\frac{1}{4}$ -NE $\frac{1}{4}$  of said Section, Township and Range.  
Concrete diversion dam on Soda Creek about 1 Mile North of the place of use; conducted by a canal to place of use, which canal is 5 $\frac{1}{2}$ ' wide at the top and bottom and 3' high.

Ques. 5. How many second feet of water do you estimate said works will safely conduct to place of use, and how much water have you seen being so conveyed?

Ans. 60 second feet of water; I have seen 56 second feet of water being so conveyed.

Ques. 6. State for what purpose water is used and at what place. (If for irrigation, give each subdivision in which water has been used and number of acres irrigated in each subdivision.) State whether cultivated or natural meadow land and the nature of all improvements which have been made as a direct result of said use.

Ans. Water is being used for Power Purposes.  
Point of Use: N. 71°10' E., 155 feet distant from SW corner of Section 31, T. 8 S., R. 42 E., B. M., in Caribou County, Idaho.

25470

Ques. 7. If for power or other purposes than irrigation, state how water has been applied and to what extent.

Ans. The water put to use through a penstock and to a turbine.

Ques. 8. (If for irrigation) state character of land that has been reclaimed, and give your estimate of the amount of water required for its profitable cultivation.

Ans. \_\_\_\_\_

Ques. 9. Have you any interest in the works, water or lands above mentioned? If so, in what way and to what extent?

Ans. No.

Ques. 10. State when, how, in what amount and to what extent you have witnessed the application to beneficial use of water diverted under said permit.

Ans. I observed the use of said water for power purposes on March 4, 1957; at which time I estimated the amount of water in use to be 56 second feet.

(Signed)

Russell H. Course

I hereby certify that the foregoing testimony was read to the above subscriber before its signing, that I believe him to be the person he represents himself to be, and that said testimony was subscribed and sworn to before me in Soda Springs,

County of Caribou, State of Idaho, on this 4th day of March

A. D. 19 57.

[Signature]

Notary Public.

My commission expires July 1st, 1960.

25470

February 4, 1957

RE: Permit No. 25470  
City of Soda Springs

Caribou County Sun  
Soda Springs, Idaho

Gentlemen:

We acknowledge receipt of a copy of the publication of Notice of proof of Completion of Works and Application of Water to Beneficial Use on Permit No. 25470 in the name of City of Soda Springs, published in your January 31, 1957 issue.

In checking the publication we find that the signature of MARK R. KULP, is mis-spelled. It being printed -MARK R. COOK- and should be MARK R. KULP

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

EPR:vem

25470

RECEIVED  
JAN 28 1957

NOTICE TO ACCOMPANY THIS LETTER MUST BE MADE IN DUPLICATE

(Date) January 26 '57  
(P. O.) Soda Springs, Idaho

TO THE STATE RECLAMATION ENGINEER:

Boise, Idaho

Dear Sir:

You are hereby authorized to have the attached notice published at my expense in the

Caribou County Sun of Soda Springs, Idaho published in  
the county in which the works are situated.

City of Soda Springs  
By Max Snell  
Supt. Power & Water

(In case of canals or other works designed to divert and carry more than 50 cubic feet of water per second, the following certificate must be signed by a well-known and competent engineer.)

I hereby certify that the facts set forth in the attached notice are true.

Engineer.

25470

NOTICE OF PROOF OF COMPLETION OF WORKS  
and  
APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at \_\_\_\_\_ M., on the 4<sup>th</sup>  
day of March, 1957, at Soda Springs, County  
of Caribou, State of Idaho, before S.E. Matthews  
Natary Public, proof will be submitted of the completion  
of works for the diversion of 50.0 cubic feet per second of ~~underground~~  
Soda Creek waters from a ~~well~~, and of the application to beneficial use of said water, in  
accordance with the terms and conditions of Permit No. 25470 heretofore  
issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding  
said permit are City of Soda Springs, Idaho

2. Said works of diversion will be fully completed on the date set for  
such completion, and the amount of water which said works are capable of  
conveying to the place of use is 50.0 cubic feet per second.

3. The use to which said water has been applied is Power  
\_\_\_\_\_ purposes, and the amount applied to beneficial use is  
50.0 cubic feet per second.

4. The point of diversion of said water is NW<sup>1</sup>NE<sup>1</sup>, Sec. 36, T.8S.-R.41E.

5. The place where said water is used is SW<sup>4</sup>SW<sup>4</sup>, Sec. 31, T.8S.-R.42E.

6. The date of priority which said user is prepared to establish is  
Nov. 27, 1954.

25470

State Reclamation Engineer

STATE OF IDAHO  
DEPARTMENT OF RECLAMATION  
BOISE, IDAHO

RE: Permit No. 25470  
City of Soda Springs

Date: January 25, 1957

Caribou County Sun  
Soda Springs, Idaho

Gentlemen:

Enclosed you will find notice for publication once a week for four consecutive weeks prior to **March 4th, 1957** the date set for proof, the expense of the publication to be paid by the applicant, City of Soda Springs, c/o Max Snell, Power/ <sup>Superintendent</sup> of Soda Springs Idaho, to whom you should furnish proof of publication on or prior to the date set for proof.

Please acknowledge receipt of this notice, and furnish this office with a copy of the first publication, in order that we may check same.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

EPR:vem  
Encl.

25470

NOTICE OF PROOF OF COMPLETION OF WORKS  
and  
APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 2:00 P.M., on the 4th day of March, 1957, at Soda Springs, County of Caribou, State of Idaho, before S.E. Matthews Notary Public, proof will be submitted of the completion of works for the diversion of 50.0 cubic feet per second of ~~underground~~ Soda Creek waters from ~~across~~ and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. 25470 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are City of Soda Springs, Idaho

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 50.0 cubic feet per second.

3. The use to which said water has been applied is Power purposes, and the amount applied to beneficial use is 50.0 cubic feet per second.

4. The point of diversion of said water is NW 1/4, Sec. 36, T. 8S. - R. 41E. B.M.

5. The place where said water is used is SW 1/4, Sec. 31, T. 8S. - R. 42E. B.M.

6. The date of priority which said user is prepared to establish is Nov 27, 1954.

MARK R. KULP  
State Reclamation Engineer

25470

January 25, 1957

RE: Permit No. 25470

Mr. Max Snell  
Power Superintendent  
City of Soda Springs  
Soda Springs, Idaho

Dear Sir:

We have made up your Notice of Completion of Works and Beneficial Use proofs here in the office to be made March 4th, 1957 before S.E. Matthews, Notary Public.

We are enclosing Form 11 for your completion and signature, which is the authorization for us to publish the Notice at the expense of the City of Soda Springs. The Form to be returned to us for our files.

We shall send a copy of the Notice to the Caribou County Sun with instructions to publish it once a week for four weeks prior to that date and to send you the affidavit of publication together with statement of costs.

At the time set, you should appear on behalf of the City of Soda Springs, before Mr. Matthews, Notary Public, together with two disinterested witnesses who are familiar with the terms of the Permit and the work done thereunder for the purpose of executing the enclosed depositions.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

EPR:vem

Encl

cc. S.E. Matthews  
Soda Springs, Idaho

25470

XX

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

January 2, 1957

City of Soda Springs  
Soda Springs  
Idaho

Dear Sir:

We enclose herewith blank notice for proof of completion of works and application of water to beneficial use under your Permit No. 25470. This notice should be filled out in duplicate and returned to this office at least 40 days before the date upon which you wish to make this proof, in order to allow time for the four weeks' publication required by law.

This proof must be submitted before a Notary Public or other officer authorized by law to administer oaths.

The date for proof, as set out in your permit, is not later than 3-4-57.

Very truly yours,

MARK R. KULP

State Reclamation Engineer

25470

March 7, 1955

RE: Permit No. 25470

Mr. A. L. Osborn, Mayor  
Soda Springs  
Idaho

Dear Mr. Osborn:

We enclose Permit No. 25470 and direct your attention to the limitations and conditions as given on the fourth page under Approval of the State Reclamation Engineer.

We also enclose departmental receipt No. 27071 for the \$17.25 filing fee.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

A:cu  
Enc.

25470

# City of Soda Springs

A. L. OZBURN, Mayor  
DELLA MORRIS, Clerk  
Dr. ALLEN TIGERT, Chairman

Founded in 1870 On The Old Oregon Trail  
Ft. Connor Established On Original Site In 1863  
IDAHO'S NATURAL SODA WATER CITY  
Health Giving Mineral Springs  
COUNTY SEAT OF CARIBOU COUNTY  
SODA SPRINGS, IDAHO

Councilmen  
Dr. ALLEN H. TIGERT  
EARL GUNNELL  
EDWIN M. SMITH  
J. E. GURVIN

Feb. 28, 1955

RECEIVED  
MAR 2 1955  
Department of Reclamation

State of Idaho  
Department of Reclamation  
Boise, Idaho

Att: M-Jeanne L. Anderson, Chief Clerk      Re: Application No. 33138

Dear Madam:

Attached, please find affidavit of publication, from the Caribou County Sun,  
as per your letter of Feb. 24th.

Yours truly,

City of Soda Springs, Idaho

*Della Morris*

City Clerk.

25470

# Affidavit of Publication

County of Caribou,  
State of Idaho

Charlotte Wilcox being first duly sworn

on her oath, states:

That she is principal clerk Caribou County of the Soda Springs Sun, a newspaper of general circulation printed and published in Caribou County, Idaho, published weekly at Soda Springs in said County, that said newspaper has been published in said county uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement:

That the annexed notice was published as per clipping attached in the regular and entire edition of said newspaper and

not in any supplement thereof for three successive weekly issues thereof, the date of the first publication being the

16th day of December, 1954.

the date of the last publication being the 30th

day of December, 1954. Charlotte Wilcox

Subscribed and sworn to before me this 6th

day of January, 1955.

(SEAL)

S. J. Schaubert  
Notary Public, residing at Soda Springs, Idaho.  
My Commission expires the 1st day of July, 1955.

COST. \_\_\_\_\_ lines at \_\_\_\_\_ cents a line for the first

insertion and \_\_\_\_\_ cents a line for each of \_\_\_\_\_

subsequent insertions, total \$ \_\_\_\_\_

## STATE OF IDAHO DEPARTMENT OF RECLAMATION

NOTICE OF APPLICATION TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO IN ACCORDANCE WITH THE PROVISIONS OF SECTION 42-203, IDAHO CODE.

Notice is HEREBY GIVEN, That the City of Soda Springs made application on the 27th day of November, 1954, for a Permit to appropriate fifty (50) cubic feet per second of the flow of waters of Soda Creek, a tributary of Bear River, for the generation of electric power.

That the point of diversion of said waters is described as follows: S 54 degrees W, 2180 feet from the Northeast corner of Section 36, Township 8 South, Range 42 East B.M. and is in the Northeast quarter of the Northeast quarter (NE 1/4 NE 1/4) of Section 36, Township 8 South, Range 42 East B.M. That the place of said water is described as follows: N 71 degrees E, 100 feet distant from the Northeast corner of Section 36, Township 8 South, Range 42 East B.M. and is in the Southwest quarter of the Southwest quarter (SW 1/4 SW 1/4) of Section 36, Township 8 South, Range 42 East B.M.

Appropriations under this application are subject to requirements of future upstream irrigation developments.

That any protests against the approval of this application must be filed in the Department of Reclamation, at Boise, Idaho, within forty (40) days from the date of this notice, and such protest shall state the name and address of the protestant, and shall clearly set forth his objections to the approval of said application.

Dated this 6th day of December, 1954.

/s/ MARK R. KULP  
State Reclamation  
Engineer

Date of first publication: December 16, 1954

Date of last publication: December 30, 1954

Last date for protest: January 15, 1955

SERVICE OF THE FOREGOING, by copy, is hereby acknowledged, this 14th day of December, 1954.

CITY OF SODA SPRINGS

/s/ By A. L. OZBURN

Mayor

/s/ Attest: DELLA MORRIS  
City Clerk

25470

February 24, 1955

RE: Application No. 33138

Mr. A. L. Osborn, Mayor  
Soda Springs  
Idaho

Dear Mr. Osborn:

There were no protests filed in connection with the application of Soda Springs to appropriate 50 second feet of flood water from Soda Creek for power purposes.

Therefore, upon receipt of the affidavit of publication, which the Caribou County Sur was instructed to send to you, application can be approved and Permit issued.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

A:hll

25470

*CRMO*

**STATE OF IDAHO  
DEPARTMENT OF  
RECLAMATION**

NOTICE OF APPLICATION TO  
APPROPRIATE THE PUBLIC  
WATERS OF THE STATE OF  
IDAHO IN ACCORDANCE WITH  
THE PROVISIONS OF SECTION  
42-203, IDAHO CODE.

Notice is HEREBY GIVEN, That  
the City of Soda Springs made ap-  
plication on the 27th day of No-  
vember, 1954, for a Permit to ap-  
propriate fifty (50) cubic feet per  
second of the flood waters of  
Soda Creek, a tributary of Bear  
River, for the generation of elec-  
tric power.

That the point of diversion of  
said waters is described as fol-  
lows: S 54 degrees 20' W, 2180  
feet from the Northeast corner  
of Section 36, Township 8  
South, Range 41 East B.M. and  
is in the Northwest Quarter of  
the Northeast Quarter (NW¼  
NE¼) of Section 36, Township  
8 South, Range 41 East B. M.

That the place of use of said  
water is described as follows:  
N 71 degrees 10' E, 155 feet dis-  
tant from the Southwest corner  
of Section 31, Township 8  
South, Range 42 East B. M. and  
is in the Southwest Quarter of  
the Southwest Quarter (SW¼  
SW¼ of Section 31, Township  
8 South, Range 42 East B.M.

Appropriations under this ap-  
plication are subject to require-  
ments of future upstream irri-  
gation developments.

That any protests against the  
approval of this application must  
be filed in the Department of Rec-  
lamation, at Boise, Idaho, within  
forty (40) days from the date of  
this notice, and such protest shall  
state the name and address of  
the protestant, and shall clearly  
set forth his objections to the ap-  
proval of said application.

Dated this 6th day of Decem-  
ber, 1954.

/s/ MARK R. KULP  
State Reclamation  
Engineer

Date of first publication: Decem-  
ber 16, 1954

Date of last publication: Decem-  
ber 30, 1954

Last date for protest: January 15,  
1955

SERVICE OF THE FOREGO-  
ING, by copy, is hereby acknow-  
ledged, this 14th day of Decem-  
ber, 1954.

CITY OF SODA SPRINGS

/s/ By A. L. OZBURN  
Mayor

/s/ Attest: DELLA MORRIS  
City Clerk

*The Caribou County Sun*  
*Soda Springs, Idaho*  
*Dec 23 1954*

*(correction made, Range 42, in this  
issue)*

*25470*

December 17, 1954

RE:

Caribou County Sun  
Soda Springs  
Idaho

Gentlemen:

We have checked notice in connection with application of the City of Soda Springs, appearing in your issue of December 16 and find same to be correct with one exception.

In the second paragraph, 16th line, it should be Range 42 East instead of 4 East.

Please make this correction in your subsequent issues.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

A:hll

25470

**STATE OF IDAHO**  
**DEPARTMENT OF**  
**RECLAMATION**

**NOTICE OF APPLICATION TO  
APPROPRIATE THE PUBLIC  
WATERS OF THE STATE OF  
IDAHO IN ACCORDANCE WITH  
THE PROVISIONS OF SECTION  
42-203, IDAHO CODE.**

Notice is HEREBY GIVEN, That the City of Soda Springs made application on the 27th day of November, 1954, for a Permit to appropriate fifty (50) cubic feet per second of the flood waters of Soda Creek, a tributary of Bear River, for the generation of electric power.

That the point of diversion of said waters is described as follows: S 54 degrees 20' W, 2180 feet from the Northeast corner of Section 36, Township 8 South, Range 41 East B.M. and is in the Northwest Quarter of the Northeast Quarter (NW $\frac{1}{4}$  NE $\frac{1}{4}$ ) of Section 36, Township 8 South, Range 41 East B. M.

That the place of use of said water is described as follows: N 71 degrees 10' E, 155 feet distant from the Southwest corner of Section 31, Township 8 South, Range 42 East B. M. and is in the Southwest Quarter of the Southwest Quarter (SW $\frac{1}{4}$  SW $\frac{1}{4}$  of Section 31, Township 8 South, Range 42 East B.M.

Appropriations under this application are subject to requirements of future upstream irrigation developments.

That any protests against the approval of this application must be filed in the Department of Reclamation, at Boise, Idaho, within forty (40) days from the date of this notice, and such protest shall state the name and address of the protestant, and shall clearly set forth his objections to the approval of said application.

Dated this 6th day of December, 1954.

/s/ MARK R. KULP  
State Reclamation  
Engineer

Date of first publication: December 16, 1954

Date of last publication: December 30, 1954

Last date for protest: January 15, 1955

SERVICE OF THE FOREGOING, by copy, is hereby acknowledged, this 14th day of December, 1954.

CITY OF SODA SPRINGS  
/s/ By A. L. OZBURN

Mayor

/s/ Attest: DELLA MORRIS

City Clerk

12-16-54

*Caribou County Sun*

and the SODA SPRINGS SUN

Soda Springs, Idaho

December 14, 1954

Mark R. Kulp  
State Reclamation Engr.  
Boise, Idaho

Dear Mr. Kulp:

This will acknowledge receipt of your notice for publication for the City of Soda Springs, to be published Dec. 16, 23 and 30.

Sincerely,

*Charlotte Wilcox*

RECEIVED  
DEC 16 1954

Department of Reclamation

25470

December 13, 1954

RE: Application No. 33138

Caribou County Sun  
Soda Springs  
Idaho

Gentlemen:

We enclose herewith notice for publication, which please publish once a week for three weeks commencing with your next issue.

The cost of publication is to be paid by the City of Soda Springs to whom please send affidavit of publication together with statement of costs.

Please acknowledge receipt of this notice.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

A:hll  
Enc.

25470

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

NOTICE OF APPLICATION TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO  
IN ACCORDANCE WITH THE PROVISIONS OF SECTION 42-203, IDAHO CODE.

Notice is HEREBY GIVEN, That the City of Soda Springs made application on the 27th day of November, 1954, for a Permit to appropriate fifty (50) cubic feet per second of the flood waters of Soda Creek, a tributary of Bear River, for the generation of electric power.

That the point of diversion of said waters is described as follows:

S 54° 20' W, 2180 feet from the Northeast corner of Section 36, Township 8 South, Range 41 East B.M. and is in the Northwest Quarter of the Northeast Quarter (NW 1/4 NE 1/4) of Section 36, Township 8 South, Range 41 East B.M.

That the place of use of said water is described as follows:

N 71° 10' E, 155 feet distant from the Southwest corner of Section 31, Township 8 South, Range 42 East B.M. and is in the Southwest Quarter of the Southwest Quarter (SW 1/4 SW 1/4) of Section 31, Township 8 South, Range 42 East B.M.

Appropriations under this application are subject to requirements of future upstream irrigation developments.

That any protest against the approval of this application must be filed in the Department of Reclamation, at Boise, Idaho, within forty (40) days from the date of this notice, and such protest shall state the name and address of the protestant, and shall clearly set forth his objections to the approval of said application.

Dated this 6th day of December, 1954.

*Mark R. Kulp*  
MARK R. KULP  
State Reclamation Engineer

Date of first publication

Date of last publication

Last date for protest: January 15, 1955

SERVICE OF THE FOREGOING, by copy, is hereby acknowledged, this \_\_\_\_\_ day of December, 1954.

CITY OF SODA SPRINGS

BY A. L. Ozburn

ITS Mayor  
Della Morris

City Clerk

25470

STATE OF IDAHO

DEPARTMENT OF RECLAMATION

NOTICE OF APPLICATION TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF IDAHO  
IN ACCORDANCE WITH THE PROVISIONS OF SECTION 42-203, IDAHO CODE.

Notice is HEREBY GIVEN, That the City of Soda Springs made application on the 27th day of November, 1954, for a Permit to appropriate fifty (50) cubic feet per second of the flood waters of Soda Creek, a tributary of Bear River, for the generation of electric power.

That the point of diversion of said waters is described as follows:

S 54° 20' W, 2180 feet from the Northeast corner of Section 36, Township 8 South, Range 41 East B.M. and is in the Northwest Quarter of the Northeast Quarter (NW $\frac{1}{4}$ NE $\frac{1}{4}$ ) of Section 36, Township 8 South, Range 41 East B.M.

That the place of use of said water is described as follows:

N 71° 10' E, 155 feet distant from the Southwest corner of Section 31, Township 8 South, Range 42 East B.M. and is in the Southwest Quarter of the Southwest Quarter (SW $\frac{1}{4}$ SW $\frac{1}{4}$ ) of Section 31, Township 8 South, Range 42 East B.M.

Appropriations under this application are subject to requirements of future upstream irrigation developments.

That any protests against the approval of this application must be filed in the Department of Reclamation, at Boise, Idaho, within forty (40) days from the date of this notice, and such protest shall state the name and address of the protestant, and shall clearly set forth his objections to the approval of said application.

Dated this 6th day of December, 1954.

*Mark R. Kulp*  
MARK R. KULP  
State Reclamation Engineer

Date of first publication

Date of last publication

Last date for protest: January 15, 1955

SERVICE OF THE FOREGOING, by copy, is hereby acknowledged, this \_\_\_\_\_ day of December, 1954.

CITY OF SODA SPRINGS

BY

ITS

*W. G. Johnson*  
Mayor  
*Wella Morris*  
City Clerk

825476

December 13, 1954

RE: Application No. 33138

Mr. A. L. Osborn, Mayor  
Soda Springs  
Idaho

Dear Mr. Osborn:

We have sent to the Caribou County Sun, notice of the application of the City of Soda Springs to appropriate 50 second feet of flood water from Soda Creek with instructions to publish once a week for three weeks and to send you the affidavit of publication together with statement of costs.

If there are no protests, the application will be approved and Permit issued in regular course. Should there be a protest, you will be notified in order that the matter may be given full consideration by this Department.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

Ashll  
cc Mr. W. L. Senger

25470

December 6, 1954

RE: Application No. 33138

Mr. A. L. Ozborn, Mayor  
Soda Springs  
Idaho

Dear Mr. Ozborn:

We enclose duplicate notice for publication in connection with the application of the City of Soda Springs to appropriate 50 second feet of flood water from Soda Creek for power purposes.

Please acknowledge service on the original and retain the duplicate for your own file. Also return Form 11 which is your authorization for us to have the notice published at your expense in the designated county newspaper.

This is in accordance with the statutes which require publication once a week for three weeks on all applications exceeding 25 cubic feet per second.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

A:hll  
Enc.

825470

# City of Soda Springs

A. L. OZBURN, Mayor  
DELLA MORRIS, Clerk  
Dr. ALLEN TIGERT, Chairman

Founded in 1870 On The Old Oregon Trail  
Ft. Cenner Established On Original Site In 1863

IDAHO'S NATURAL SODA WATER CITY  
Health Giving Mineral Springs  
COUNTY SEAT OF CARIBOU COUNTY  
SODA SPRINGS, IDAHO

Councilmen  
Dr. ALLEN H. TIGERT  
EARL GUNNELL  
EDWIN M. SMITH  
J. E. GURVIN

Nov. 26, 1954

State of Idaho  
Department of Reclamation  
Boise, Idaho

RECEIVED  
NOV 27 1954

Department of Reclamation

Dear Sirs:

Attached, please find check in the amount of \$17.25 to cover filing fees  
as per your letter dated Nov. 24, 1954.

Yours truly,

Della Morris  
City Clerk.

25476

November 24, 1954

Mr. A. L. Ozborn, Mayor  
Soda Springs  
Idaho

Dear Mayor Ozborn:

Mr. H. L. Senger has filed the application of the City of Soda Springs for permit to appropriate 50 cubic feet per second of the flood waters of Soda Creek.

The filing fee on this amount is \$17.25 for which you may send us your check.

Very truly yours,

MARK R. KULP  
State Reclamation Engineer  
By

Chief Clerk

A:br  
CC: Mr. H. L. Senger

J 25476

**NOTICE OF PROOF OF  
COMPLETION OF WORKS**

**APPLICATION OF WATER TO  
BENEFICIAL USE**

Notice is hereby given that at 2:00 P.M., on the 4th day of March, 1957, at Soda Springs, County of Caribou, State of Idaho, before S. E. Matthews, Notary Public, proof will be submitted of the completion of works for the diversion of 50.0 cubic feet per second of waters from Soda Creek, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. 25470 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are City of Soda Springs, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 50.0 cubic feet per second.

3. The use to which said water has been applied is Power purposes, and the amount applied to beneficial use is 50.0 cubic feet per second.

The point of diversion of said water is NW $\frac{1}{4}$ NE $\frac{1}{4}$ , Sec. 36. T. 8. S.—R. 41 E. B.M.

5. The place where said water is used is SW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 31, T. 8 S.—R. 42 E. B.M.

6. the Date of priority which said user is prepared to establish is Nov. 27, 1954.

**MARK R. KULP**  
State Reclamation  
Engineer

(Pub. Jan. 31, Feb. 7, 14, 21, 1957)

**NOTICE OF PROOF OF  
COMPLETION OF WORKS**

and

**APPLICATION OF WATER TO  
BENEFICIAL USE**

Notice is hereby given that at 2:00 P.M., on the 4th day of March, 1957, at Soda Springs, County of Caribou, State of Idaho, before S. E. Matthews, Notary Public, proof will be submitted of the completion of works for the diversion of 50.0 cubic feet per second of waters from Soda Creek, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. 25470 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are City of Soda Springs, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 50.0 cubic feet per second.

3. The use to which said water has been applied is Power purposes, and the amount applied to beneficial use is 50.0 cubic feet per second.

The point of diversion of said water is NW $\frac{1}{4}$ NE $\frac{1}{4}$ , Sec. 36. T. 8 S.—R. 41 E. B.M.

5. The place where said water is used is SW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 81, T. 8 S.—R. 42 E. B.M.

6. the Date of priority which said user is prepared to establish is Nov. 27, 1954.

**MARK R. COOK**

State Reclamation  
Engineer

(Pub. Jan. 31, Feb. 7, 14, 21, 1957)

## LEGAL NOTICES

### NOTICE OF ROOF OF COMPLETION OF WORKS and APPLICATION OF WATER TO BENEFICIAL USE

Notice is hereby given that at 2:00 P.M., on the 4th day of March, 1957, at Soda Springs, County of Caribou, State of Idaho, before S. E. Matthews, Notary Public, proof will be submitted of the completion of works for the diversion of 50.0 cubic feet per second of waters from Soda Creek, and of the application to beneficial use of said water, in accordance with the terms and conditions of Permit No. 25470 heretofore issued by the Department of Reclamation of the State of Idaho.

1. The name and postoffice address of the person or corporation holding said permit are City of Soda Springs, Idaho.

2. Said works of diversion will be fully completed on the date set for such completion, and the amount of water which said works are capable of conveying to the place of use is 50.0 cubic feet per second.

3. The use to which said water has been applied is Power purposes, and the amount applied to beneficial use is 50.0 cubic feet per second.

The point of diversion of said water is NW $\frac{1}{4}$ NE $\frac{1}{4}$ , Sec. 36. T. 8. S.—R. 41 E. B.M.

5. The place where said water is used is SW $\frac{1}{4}$ SW $\frac{1}{4}$ , Sec. 31, T. 8 S.—R. 42 E. B.M.

6. the Date of priority which said user is prepared to establish is Nov. 27, 1954.

MARK R. COOK  
State Reclamation  
Engineer

(Pub. Jan. 31, Feb. 7, 14, 21, 1957)