

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 63-32242

Priority: February 10, 2006

Maximum Diversion Rate: 0.60 CFS

This is to certify, that MISSION AVIATION FELLOWSHIP
1849 N WABASH AVE
REDLANDS CA 92374

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
HEATING	01/01 to 12/31	0.60 CFS
COOLING	01/01 to 12/31	0.60 CFS

LOCATION OF POINTS OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 24, Twp 03N, Rge 02W, B.M. CANYON County


PLACE OF USE: HEATING and COOLING

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N 02W 24				X													

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **April 01, 2007**.
2. Subject to all prior water rights.
3. Water bearing zone to be appropriated is from 60 to 200 feet.
4. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
6. Use of water under this right shall be non-consumptive.
7. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
8. Heating and cooling uses are for a small business.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 7th day of April, 2006.


KARL J DREHER, Director

Ident. No. 63-32242

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED

MAR 31 2006

To appropriate the public waters of the State of Idaho

DEPARTMENT OF
WATER RESOURCES

1. Name of Applicant Mission Aviation Fellowship Phone 1-800-357-2623
Mailing address 1849 N. Wabush Avenue, Redlands CA 92374
2. Source of water supply Well Water which is a tributary of _____
3. Location of point of diversion is Township 3N Range 2W Sec. 24 in the SV SE NE Govt. Lot _____, B.M., Canyon County;
additional points of diversion if any: _____

4. Water will be used for the following purposes:

- .60 cfs 45 cfs 50 AF for Heating / Cooling purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) .60 cfs and/or (b) 50
cubic feet per second acre feet per annum

6. Proposed diverting works:

- a. Describe type and size of devices used to divert water from the source 1 1/2 hp pump from production well through heat exchanger to injection well.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
- c. Proposed well diameter is 12 inches; proposed depth of well is 200 feet
- d. Is ground water with a temperature of greater than 85°F being sought? No
- e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in kW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. HVAC closed-loop water source heat pumps

RECEIVED

FEB 10 2006

WATER RESOURCES
WESTERN REGION

RECEIVED

JAN 12 2006

WATER RESOURCES
WESTERN REGION

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2W	24				G									X				
3N	2W	24				L									X				

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? Mission Aviation Fellowship
- b. Who owns the land to be irrigated or place of use? Mission Aviation Fellowship
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: Owners Representative is:
Jeff Fulcher
Ticker Engineering
9384 W. Overland Rd.
Buise, ID 83709
208-658-0218

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Jeff Fulcher, V.P. of Relocation
Jeff Fulcher Owners Rep.
 Signature of Applicant (and title, if applicable)


Received by DB Date 1-12-06 Time 11:00 AM Preliminary check by _____
 Fee \$ 250 - Received by DB # W033742 Date 1-12-06
 Publication prepared by sk Date 3-2-9-06 Published in PRESS TRIBUNE
 Publication approved sk Date 3-2-06

Received amended version 2-10-2006 By AM. DAN.

The lat/long you provided was 43° 34' 60.000" N; 116° 31' 0.000" W

Here are the results:

SE quarter of the NE quarter of Section 24, Township 03N, Range 02W
IDTM NAD83 coordinates: Easting=2296818; Northing=1378897



Choose the map-display background:

Photo

Topo



NO
GOV'T LOTS
DAN
2-14-06

63-32242

Mission Aviation - T.I.

JOB NAME		MISSION AVIATION			
FLOOR / AREA NUMBER		FIRST			
JOB NUMBER		05145			
COMPUTED BY	OTTO GABIOLA	DATE	1/17/06		
CHECKED BY	INSERT NAME HERE	DATE	9/18/03		
ROOM TO OUTSIDE DELTA T (WINTER)		75 DEG F			
SUMMER ROOM TEMPERATURE		72 DEG F			
GLASS 'U' FACTOR (WINTER)		0.300 BTU/HR*FT^2*F			
GLASS 'U' FACTOR (SUMMER)		0.300 BTU/HR*FT^2*F			
SKYLIGHT 'U' FACTOR (WINTER)		0.000 BTU/HR*FT^2*F			
SKYLIGHT 'U' FACTOR (SUMMER)		0.000 BTU/HR*FT^2*F			
FLOOR 'U' FACTOR		0.040 BTU/HR*FT^2*F			
WALL 'U' FACTOR (WINTER)		0.052 BTU/HR*FT^2*F			
ROOF 'U' FACTOR		0.026 BTU/HR*FT^2*F			
ROOF MASS (INSIDE, EVENLY DIST. OR OUTSIDE INSUL)					
IS SUSPENDED CEILING USED?		YES			
ROOF CONSTRUCTION NUMBER		10			
ROOF CLTD	8:00	12:00	4:00		
	10	17	44	DEG F	
PRINCIPAL WALL MATERIAL					
WALL MASS (INSIDE, EVENLY DIST. OR OUTSIDE INSUL)		EVEN			
WALL GROUP NUMBER		10			
WALL CLTD	8:00	12:00	4:00		
	N	5	7	14	DEG F
	S	5	7	24	DEG F
	E	7	26	36	DEG F
	W	9	7	17	DEG F
	NE	6	20	26	DEG F
	SE	6	20	34	DEG F
	SW	8	7	20	DEG F
	NW	8	6	14	DEG F
		8:00	12:00	4:00	
GLASS CLTD		0	9	14	DEG F
SHADING COEFFICIENT (WINDOWS)		0.37			
SHADING COEFFICIENT (SKYLIGHTS)		0.00			
BUILDING LATITUDE		40 DEGREES NORTH			
MAXIMUM GLASS SHGF	8:00	12:00	4:00		
	N	24	35	24	(BTU/HR*FT^2)
	S	41	149	41	(BTU/HR*FT^2)
	E	216	38	23	(BTU/HR*FT^2)
	W	23	38	216	(BTU/HR*FT^2)
	NE	126	35	23	(BTU/HR*FT^2)
	SE	180	106	23	(BTU/HR*FT^2)
	SW	23	106	180	(BTU/HR*FT^2)
	NW	23	35	126	(BTU/HR*FT^2)
MAXIMUM SKYLIGHT SHGF	8:00	12:00	4:00		
	HORIZ	122	247	122	(BTU/HR*FT^2)
OCCUPANT SENSIBLE HEAT GAIN		250 BTU/HR			
OCCUPANT LATENT HEAT GAIN		200 BTU/HR			
COOLING LOAD (400 SF/TON TYPICAL)		522 SF/TON			
HEATING LOAD		9 BTU/HR/SF			

Mission Aviation - T.I.

RM NO	ROOM NAME	GLASS AREA (FT^2)								SKY SF			WALL LENGTH (FT)							FLOOR AREA (FT^2)	MAX NO PEOPLE
		N	S	E	W	NE	SE	SW	NW	HORIZ	N	S	E	W	NE	SE	SW	NW			
100	OPEN OFFICE		68			68	272				94			14	14			1,316	9		
101	OPEN OFFICE					148								36				468	3		
102	LT OPS																	80	2		
103	LT OPS																	70	2		
104	LT LAB																	70	2		
105	OPEN OFFICE	130								75								6,207	45		
106	OPEN OFFICE		352							82								1,148	8		
107	STORAGE																	80	0		
108	PRESIDENT					136								26				406	4		
109	OPEN OFFICE					68								18				315	3		
110	VESTIBULE					160								24				218	0		
111	RECEPTION					108								28				403	10		
112	MUSEUM																	300	6		
113	IT OFFICE																	460	4		
114	IT LAB																	300	2		
115	HALLWAY																	875	0		
116	WOMENS																	285	0		
117	MENS																	210	0		
118	CHAPEL																	88	0		
119	COATS																	56	0		
120	LUNCH ROOM																	99	10		
121	STORAGE																	300	0		
122	GRAPHIC ARTS																	162	4		
123	AUDIO/VIS																	306	4		
124	LIBRARY																	99	2		
125	CONFERENCE																	99	5		
126	CONFERENCE																	256	13		
127	HALLWAY		86							22								295	0		
128	CLASSROOM		68							21								256	13		
129	CLASSROOM		68							14								340	17		
130	STORAGE																	60	0		
131	CLASSROOM		68							15								305	15		
132	MULTIPURPOSE							148								45		600	10		
133	MULTIPURPOSE							148								45		600	10		
134	MULTIPURPOSE																	3,970	300		
135	CLASSROOM				68								15					305	15		
136	CONFERENCE				68								18					205	10		
137	CONFERENCE				136								31					225	10		
138	HALLWAY																	65	0		
139	CONFERENCE																	143	7		
140	STORAGE																	66	0		
141	HALLWAY				86									23				445	0		
142	CLASSROOM																	285	0		
143	HALLWAY																	200	0		
144	STORAGE																	285	0		
145	WOMENS																	210	0		
146	MENS																	305	10		
147	KITCHEN																	371	18		
148	CONFERENCE																	250	0		
149	SERVER																	156	2		
150	OFFICE																	200	2		
151	RECEPTION																				

Mission Aviation - T.I.

152	OFFICE																	99	2	
153	STORAGE																	384	0	
154	MAIL ROOM			204								45						1,350	15	
155	FINACIAL																	288	0	
156	STORAGE			68								16						189	0	
157	OPEN OFFICE			80								20						315	2	
158	OPEN OFFICE			68				136				14				29		406	3	
159	OFFICE															12		120	2	
160	OFFICE															12		120	2	
161	OFFICE															12		120	2	
162	OPEN OFFICE			68				136				14				29		406	3	
163	OPEN OFFICE	130								75								4,465	31	
164	OPEN OFFICE			352									82					234	2	
TOTALS		260	710	420	778	688	272	296	272	0	150	248	96	182	146	14	90	94	34,244	691

Mission Aviation - T.I.

NORMAL NO PEOPLE	LIGHT LOAD (W/FT^2)	MACHINE LOAD (BTU/HR)	CLG HEIGHT (FT)	AIR CHNGS PER HR	GLASS												SKYLIGHTS				
					Q ROOF			Q WALLS			Q COND			Q SOLAR			Q COND			Q SOLAR	
					8:00	12:00	4:00	8:00	12:00	4:00	8:00	12:00	4:00	8:00	12:00	4:00	8:00	12:00	4:00	8:00	12:00
9	1.5	5,400	14.0	0.0	547	787	1,711	746	914	2,002	734	1,836	2,448	22,317	15,297	3,925	0	0	0	0	0
3	1.5	1,800	14.0	0.0	195	280	608	222	481	592	266	666	888	6,900	1,917	1,259	0	0	0	0	0
1	1.5	600	14.0	0.0	33	48	104	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	1.5	600	14.0	0.0	29	42	91	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	1.5	600	14.0	0.0	29	42	91	0	0	0	0	0	0	0	0	0	0	0	0	0	
45	1.5	27,000	14.0	0.0	2,582	3,712	8,069	526	622	957	234	585	780	1,154	1,684	1,154	0	0	0	0	0
8	1.5	4,800	14.0	0.0	478	687	1,492	455	538	1,242	634	1,584	2,112	5,340	19,406	5,340	0	0	0	0	0
0	1.5	0	14.0	0.0	33	48	104	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	1.5	925	14.0	0.0	169	243	528	142	308	379	245	612	816	6,340	1,761	1,157	0	0	0	0	0
3	1.5	1,800	14.0	0.0	131	188	410	115	249	306	122	306	408	3,170	881	579	0	0	0	0	0
0	1.5	0	14.0	0.0	91	130	283	110	238	293	288	720	960	7,459	2,072	1,362	0	0	0	0	0
6	1.5	0	14.0	0.0	168	241	524	177	384	473	194	486	648	5,035	1,399	919	0	0	0	0	0
2	1.5	0	14.0	0.0	125	179	390	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	1.5	3,000	14.0	0.0	191	275	598	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	1.5	2,000	14.0	0.0	125	179	390	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	364	523	1,138	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	119	170	371	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	87	126	273	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	37	53	114	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	23	33	73	0	0	0	0	0	0	0	0	0	0	0	0	0	
10	1.5	0	14.0	0.0	41	59	129	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	125	179	390	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	1.5	2,000	14.0	0.0	67	97	211	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	1.5	2,000	14.0	0.0	127	183	398	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	1.5	0	14.0	0.0	41	59	129	0	0	0	0	0	0	0	0	0	0	0	0	0	
5	1.5	0	14.0	0.0	41	59	129	0	0	0	0	0	0	0	0	0	0	0	0	0	
13	1.5	0	14.0	0.0	106	153	333	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	123	176	384	127	150	346	155	387	516	1,305	4,741	1,305	0	0	0	0	0
13	1.5	0	14.0	0.0	106	153	333	129	153	353	122	306	408	1,032	3,749	1,032	0	0	0	0	0
17	1.5	0	14.0	0.0	141	203	442	73	87	200	122	306	408	1,032	3,749	1,032	0	0	0	0	0
0	1.5	0	14.0	0.0	25	36	78	0	0	0	0	0	0	0	0	0	0	0	0	0	
15	1.5	0	14.0	0.0	127	182	397	81	96	222	122	306	408	1,032	3,749	1,032	0	0	0	0	0
10	1.5	0	14.0	0.0	250	359	780	351	326	652	266	666	888	1,259	5,805	9,857	0	0	0	0	0
10	1.5	0	14.0	0.0	250	359	780	351	326	652	266	666	888	1,259	5,805	9,857	0	0	0	0	0
300	1.5	0	14.0	0.0	1,652	2,374	5,161	0	0	0	0	0	0	0	0	0	0	0	0	0	
15	1.5	0	14.0	0.0	127	182	397	111	96	170	122	306	408	579	956	5,435	0	0	0	0	0
10	1.5	0	14.0	0.0	85	123	267	144	124	220	122	306	408	579	956	5,435	0	0	0	0	0
10	1.5	0	14.0	0.0	94	135	293	232	201	356	245	612	816	1,157	1,912	10,869	0	0	0	0	0
0	1.5	0	14.0	0.0	27	39	85	0	0	0	0	0	0	0	0	0	0	0	0	0	
7	1.5	0	14.0	0.0	59	86	186	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	27	39	86	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	185	266	579	184	160	282	155	387	516	732	1,209	6,873	0	0	0	0	0
50	1.5	0	14.0	0.0	424	610	1,326	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	81	117	254	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	83	120	260	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	119	170	371	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	0	14.0	0.0	87	126	273	0	0	0	0	0	0	0	0	0	0	0	0	0	
6	1.5	2,000	14.0	0.0	127	182	397	0	0	0	0	0	0	0	0	0	0	0	0	0	
18	1.5	0	14.0	0.0	154	222	482	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	1.5	15,000	14.0	0.0	104	150	325	0	0	0	0	0	0	0	0	0	0	0	0	0	
1	1.5	600	14.0	0.0	65	93	203	0	0	0	0	0	0	0	0	0	0	0	0	0	
2	1.5	1,800	14.0	0.0	83	120	260	0	0	0	0	0	0	0	0	0	0	0	0	0	

Mission Aviation - T.I.

1	1.5	600	14.0	0.0	41	59	129	0	0	0	0	0	0	0	0	0	0	0	0	0
0	1.5	0	14.0	0.0	160	230	499	0	0	0	0	0	0	0	0	0	0	0	0	0
8	1.5	1,800	14.0	0.0	562	807	1,755	332	288	509	367	918	1,224	1,736	2,868	16,304	0	0	0	0
0	1.5	0	14.0	0.0	120	172	374	0	0	0	0	0	0	0	0	0	0	0	0	0
0	1.5	0	14.0	0.0	79	113	246	122	105	187	122	306	408	579	956	5,435	0	0	0	0
2	1.5	1,200	14.0	0.0	131	188	410	156	135	239	144	360	480	681	1,125	6,394	0	0	0	0
3	1.5	1,800	14.0	0.0	169	243	528	100	87	153	367	918	1,224	579	2,717	11,775	0	0	0	0
1	1.5	600	14.0	0.0	50	72	156	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1.5	600	14.0	0.0	50	72	156	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1.5	600	14.0	0.0	50	72	156	0	0	0	0	0	0	0	0	0	0	0	0	0
3	1.5	1,800	14.0	0.0	169	243	528	87	213	280	367	918	1,224	5,435	2,717	6,919	0	0	0	0
31	1.5	18,600	14.0	0.0	1,857	2,670	5,805	526	622	957	234	585	780	1,154	1,684	1,154	0	0	0	0
2	1.5	1,200	14.0	0.0	97	140	304	538	1,325	1,738	634	1,584	2,112	28,132	4,949	2,996	0	0	0	0
653		100,725			14,246	20,478	44,517	6,138	8,227	13,759	6,653	16,632	22,176	105,975	94,062	119,395	0	0	0	0

Mission Aviation - T.I.

	Q		Q	Q	TOT SENS HEAT GAIN			Qs	TOT SENS & LAT HEAT			Qt	Q	Q	Q	Q	Q	Q	HEAT
	PEOPLE	PEOPLE	LIGHT	MACHINE				MAX				MAX	ROOF	SKY	WALLS	GLASS	FLOOR	INFIL	LOSS
4:00	SENS	LATENT	LOAD	LOAD	8:00	12:00	4:00		8:00	12:00	4:00							+INFIL	
0	2,250	1,800	6,739	5,400	38,734	33,223	24,475	38,734	40,534	35,023	26,275	40,534	2,566	0	5,070	9,180	3,948	0	20,764
0	750	600	2,397	1,800	12,530	8,290	8,295	12,530	13,130	8,890	8,895	13,130	913	0	1,388	3,330	1,404	0	7,035
0	500	400	410	600	1,543	1,558	1,614	1,614	1,943	1,958	2,014	2,014	156	0	0	0	240	0	396
0	500	400	358	600	1,488	1,500	1,549	1,549	1,888	1,900	1,949	1,949	137	0	0	0	210	0	347
0	500	400	358	600	1,488	1,500	1,549	1,549	1,888	1,900	1,949	1,949	137	0	0	0	210	0	347
0	11,250	9,000	31,786	27,000	74,533	76,638	80,996	80,996	83,533	85,638	89,996	89,996	12,104	0	3,588	2,925	18,621	0	37,238
0	2,000	1,600	5,879	4,800	19,585	34,893	22,865	34,893	21,185	36,493	24,465	36,493	2,239	0	3,104	7,920	3,444	0	16,707
0	0	0	410	0	443	458	514	514	443	458	514	514	156	0	0	0	240	0	396
0	1,000	800	2,079	925	10,900	6,928	6,885	10,900	11,700	7,728	7,685	11,700	792	0	889	3,060	1,218	0	5,959
0	750	600	1,613	1,800	7,702	5,787	5,865	7,702	8,302	6,387	6,465	8,302	614	0	718	1,530	945	0	3,807
0	0	0	1,116	0	9,064	4,277	4,014	9,064	9,064	4,277	4,014	9,064	425	0	686	3,600	654	0	5,366
0	2,500	2,000	2,064	0	10,138	7,073	7,127	10,138	12,138	9,073	9,127	12,138	786	0	1,108	2,430	1,209	0	5,532
0	1,500	1,200	1,536	0	3,161	3,216	3,426	3,426	4,361	4,416	4,626	4,626	585	0	0	0	900	0	1,485
0	1,000	800	2,356	3,000	6,547	6,631	6,954	6,954	7,347	7,431	7,754	7,754	897	0	0	0	1,380	0	2,277
0	500	400	1,536	2,000	4,161	4,216	4,426	4,426	4,561	4,616	4,826	4,826	585	0	0	0	900	0	1,485
0	0	0	4,481	0	4,845	5,004	5,618	5,618	4,845	5,004	5,618	5,618	1,706	0	0	0	2,625	0	4,331
0	0	0	1,459	0	1,578	1,630	1,830	1,830	1,578	1,630	1,830	1,830	556	0	0	0	855	0	1,411
0	0	0	1,075	0	1,163	1,201	1,348	1,348	1,163	1,201	1,348	1,348	410	0	0	0	630	0	1,040
0	0	0	451	0	487	503	565	565	487	503	565	565	172	0	0	0	264	0	436
0	0	0	287	0	310	320	360	360	310	320	360	360	109	0	0	0	168	0	277
0	2,500	2,000	507	0	3,048	3,066	3,136	3,136	5,048	5,066	5,136	5,136	193	0	0	0	297	0	490
0	0	0	1,536	0	1,661	1,716	1,926	1,926	1,661	1,716	1,926	1,926	585	0	0	0	900	0	1,485
0	1,000	800	830	2,000	3,897	3,926	4,040	4,040	4,697	4,726	4,840	4,840	316	0	0	0	486	0	802
0	1,000	800	1,567	2,000	4,694	4,750	4,965	4,965	5,494	5,550	5,765	5,765	597	0	0	0	918	0	1,515
0	500	400	507	0	1,048	1,066	1,136	1,136	1,448	1,466	1,536	1,536	193	0	0	0	297	0	490
0	1,250	1,000	507	0	1,798	1,816	1,886	1,886	2,798	2,816	2,886	2,886	193	0	0	0	297	0	490
0	3,250	2,600	1,311	0	4,667	4,714	4,894	4,894	7,267	7,314	7,494	7,494	499	0	0	0	768	0	1,267
0	0	0	1,511	0	3,220	6,965	4,061	6,965	3,220	6,965	4,061	6,965	575	0	866	1,935	885	0	4,261
0	3,250	2,600	1,311	0	5,951	8,922	6,886	8,922	8,551	11,522	9,286	11,522	499	0	881	1,530	768	0	3,679
0	4,250	3,400	1,741	0	7,360	10,336	8,072	10,336	10,760	13,736	11,472	13,736	663	0	499	1,530	1,020	0	3,712
0	0	0	307	0	332	343	385	385	332	343	385	385	117	0	0	0	180	0	297
0	3,750	3,000	1,562	0	6,674	9,645	7,369	9,645	9,674	12,645	10,369	12,645	595	0	554	1,530	915	0	3,594
0	2,500	2,000	3,073	0	7,699	12,728	17,749	17,749	9,699	14,728	19,749	19,749	1,170	0	1,880	3,330	1,800	0	8,180
0	2,500	2,000	3,073	0	7,699	12,728	17,749	17,749	9,699	14,728	19,749	19,749	1,170	0	1,880	3,330	1,800	0	8,180
0	75,000	60,000	20,330	0	96,982	97,704	100,491	100,491	156,982	157,704	160,491	160,491	7,742	0	0	0	11,910	0	19,652
0	3,750	3,000	1,562	0	6,251	6,852	11,721	11,721	9,251	9,852	14,721	14,721	595	0	554	1,530	915	0	3,594
0	2,500	2,000	1,050	0	4,480	5,059	9,879	9,879	6,480	7,059	11,879	11,879	400	0	718	1,530	615	0	3,262
0	2,500	2,000	1,152	0	5,380	6,512	15,986	15,986	7,380	8,512	17,986	17,986	439	0	1,162	3,060	675	0	5,336
0	0	0	333	0	360	372	417	417	360	372	417	417	127	0	0	0	195	0	322
0	1,750	1,400	732	0	2,542	2,568	2,668	2,668	3,942	3,968	4,068	4,068	279	0	0	0	429	0	708
0	0	0	338	0	365	377	424	424	365	377	424	424	129	0	0	0	198	0	327
0	0	0	2,279	0	3,535	4,301	10,529	10,529	3,535	4,301	10,529	10,529	868	0	920	1,935	1,335	0	5,058
0	12,500	10,000	5,223	0	18,148	18,333	19,049	19,049	28,148	28,333	29,049	29,049	1,989	0	0	0	3,060	0	5,049
0	0	0	999	0	1,080	1,115	1,252	1,252	1,080	1,115	1,252	1,252	380	0	0	0	585	0	965
0	0	0	1,024	0	1,107	1,144	1,284	1,284	1,107	1,144	1,284	1,284	390	0	0	0	600	0	990
0	0	0	1,459	0	1,578	1,630	1,830	1,830	1,578	1,630	1,830	1,830	556	0	0	0	855	0	1,411
0	0	0	1,075	0	1,163	1,201	1,348	1,348	1,163	1,201	1,348	1,348	410	0	0	0	630	0	1,040
0	2,500	2,000	1,562	2,000	6,189	6,244	6,458	6,458	8,189	8,244	8,458	8,458	595	0	0	0	915	0	1,510
0	4,500	3,600	1,900	0	6,554	6,622	6,882	6,882	10,154	10,222	10,482	10,482	723	0	0	0	1,113	0	1,836
0	0	0	1,280	15,000	16,384	16,430	16,605	16,605	16,384	16,430	16,605	16,605	488	0	0	0	750	0	1,238
0	500	400	799	600	1,964	1,992	2,102	2,102	2,364	2,392	2,502	2,502	304	0	0	0	468	0	772
0	500	400	1,024	1,800	3,407	3,444	3,584	3,584	3,807	3,844	3,984	3,984	390	0	0	0	600	0	990

Mission Aviation - T.I.

0	500	400	507	600	1,648	1,666	1,736	1,736	2,048	2,066	2,136	2,136	193	0	0	0	297	0	490
0	0	0	1,966	0	2,126	2,196	2,466	2,466	2,126	2,196	2,466	2,466	749	0	0	0	1,152	0	1,901
0	3,750	3,000	6,913	1,800	15,460	17,345	32,256	32,256	18,460	20,345	35,256	35,256	2,633	0	1,661	4,590	4,050	0	12,934
0	0	0	1,475	0	1,595	1,647	1,849	1,849	1,595	1,647	1,849	1,849	562	0	0	0	864	0	1,426
0	0	0	968	0	1,869	2,448	7,243	7,243	1,869	2,448	7,243	7,243	369	0	608	1,530	567	0	3,074
0	500	400	1,613	1,200	4,425	5,121	10,835	10,835	4,825	5,521	11,235	11,235	614	0	780	1,800	945	0	4,139
0	750	600	2,079	1,800	5,844	8,594	18,309	18,309	6,444	9,194	18,909	18,909	792	0	1,552	4,590	1,218	0	8,152
0	500	400	615	600	1,764	1,786	1,871	1,871	2,164	2,186	2,271	2,271	234	0	655	0	360	0	1,249
0	500	400	615	600	1,764	1,786	1,871	1,871	2,164	2,186	2,271	2,271	234	0	655	0	360	0	1,249
0	500	400	615	600	1,764	1,786	1,871	1,871	2,164	2,186	2,271	2,271	234	0	655	0	360	0	1,249
0	750	600	2,079	1,800	10,686	8,720	13,579	13,579	11,286	9,320	14,179	14,179	792	0	1,552	4,590	1,218	0	8,152
0	7,750	6,200	22,865	18,600	52,987	54,776	57,911	57,911	59,187	60,976	64,111	64,111	8,707	0	3,588	2,925	13,395	0	28,615
0	500	400	1,198	1,200	32,299	10,896	10,048	32,299	32,699	11,296	10,448	32,699	456	0	3,104	7,920	702	0	12,183
0	172,750	138,200	175,364	100,725	581,850	588,238	648,686	725,051	720,050	726,438	786,886	863,251	66,776	0	41,278	83,160	102,732	0	293,945

Heat Loss in
Btu/hr

Job Name: MAF

Date: 2-9-06

Sheet 1 of 1

Job Number: 0514530

Computed By: JF

Checked By: _____

DIVERSION REQUIREMENT FOR WATER LOOP HEAT PUMP

① FROM LOAD CALCULATIONS (SEE ATTACHED, HIGHLIGHTED)

$$\text{BUILDING HEAT LOAD} = 293,945 \text{ Btu/hr}$$

② FRESH AIR REQUIREMENT = 8000 CFM

$$\dot{Q} = 1.08 \text{ CFM } \Delta T = (1.08)(8000)(75^\circ\text{F}) = 648,000 \text{ Btu/hr}$$

$$\text{③ Total HEAT LOAD} = 293,945 \text{ Btu/hr} + 648,000 \text{ Btu/hr} = 941,945 \text{ Btu/hr}$$

$$\text{④ } \text{GPM} = \frac{Q}{500 \Delta T} = \frac{941,945 \text{ Btu/hr}}{(500)(7^\circ\text{F})} = 2696 \text{ GPM}$$

$$\text{⑤ } \boxed{2696 \text{ GPM} = .60 \text{ cfs}}$$

**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 11, 2006

MISSION AVIATION FELLOWSHIP
1849 N WABASH AVE
REDLANDS CA 92374

RE: Permit No. 63-32242

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.


Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4947.

Sincerely,

A handwritten signature in black ink that reads "Shelley W. Keen". The signature is written in a cursive style with a large, stylized 'S' and 'K'.

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

cc: TICKER ENGINEERING

CERTIFICATE OF SERVICE


I hereby certify that on April 11, 2006 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

63-32242

**MISSION AVIATION FELLOWSHIP
1849 N WABASH AVE
REDLANDS CA 92374**

**TICKER ENGINEERING
JEFF FULCHER
9384 W OVERLAND RD
BOISE ID 83709**

A handwritten signature in black ink, appearing to read "Kari Lynn Townsend", is written over a horizontal line. A vertical line extends upwards from the right side of the signature.

**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

M E M O R A N D U M

Date: April 06, 2006
To: Water Right File 63-32242
From: eretelle
Re: permit review

No WD (groundwater) or moratorium.

No protest.

No PoD overlap. In City of Nampa area.

Recommend approval as suggested by IDWR Western.

MEMORANDUM

Date: April 06, 2006
To: Water Right File 63-32242
From: eretelle
Re: permit review

Injection well added to database and ArcView based on application comments and map.

No WD (groundwater) or moratorium.

No protest.

No PoD overlap. In City of Nampa area.

Recommend approval as suggested by IDWR Western.

Water Application Report 63-32242

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	MISSION AVIATION FELLOWSHIP 1849 N WABASH AVE REDLANDS, CA 92374 (800) 359-7623

Representative **TICKER ENGINEERING**
JEFF FULCHER
9384 W OVERLAND RD
BOISE, ID 83709
(208)658-0218

Basis:

Status: Active

Tributary

GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
HEATING	01/01 to 12/31	0.600 CFS	
COOLING	01/01 to 12/31	0.600 CFS	
	Total Diversion:	0.600 CFS	

GROUND WATER

SW1/4SE1/4NE1/4

Sec. 24, Twp 03N, Rge 02W, B.M.

CANYON County

HEATING

[illegible][illegible]

IDAHO DEPARTMENT OF WATER RESOURCES
Water Application Report 63-32242

Conditions of Approval:Remarks:Comments:

1. dnelson 2/14/2006 Comment/Analysis

Comment: This application is for heating and cooling of a small business. The applicant has supplied information that justifies the diversion rate of 0.60 cfs, and shows that the system will be a closed loop system with no consumptive use of water. Therefore this application can be processed. The application was submitted with an annual volume instead of a rate of diversion. The applicants consultant Jeff Fulcher took the application back made the corrections and the application signed by one of the corporate officers. Mr. Fulcher brought the application back with corrections made on 2-10-2006. Therefore, the priority was advanced to that date. All of the changes were done prior to the re-signing of the application, so initialing of each change was not sought. There are several overlapping water rights, however, all these rights are for irrigation or domestic and stockwater. This application will be for a new use from a new well, so overlapping rights shouldnt be an issue. The domestic use for the building will be supplied by City water.

2. dnelson 2/14/2006 Legal Notice Remarks

Comment: Water bearing zone to be appropriated is from 60 to 200 feet.

Dates and Other Information:

Application Received Date: 2/10/2006

Application Denied Date:

Last Date of Beneficial Use:

Extension End Date:

Protest Deadline Date:

Number of Protests: 0

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Application Type: New Appropriation

Applicant Remarks:

Other Water Rights:

Time to Complete Works: 1

Transfer Affected Description:

Transfer Affected Contracts:

Old Transfer Number:

Transfer Reason:

Transfer Return Flows:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

Combined Use Limits:

Nelson, Dan

From: Jeff Fulcher [jeff@tikkerengineering.com]
Sent: Tuesday, February 14, 2006 10:15 AM
To: Nelson, Dan
Subject: MAF - Water Right Permit

Dan,

We will be pulling water from the production well at a depth between 60 and 200 feet.

Let me know if you need anything else.

Thanks,

Jeff Fulcher, P.E.
TIKKER ENGINEERING INC.

Ph-(208) 658-0218
Fax-(208) 658-0219
jeff@tikkerengineering.com

2/14/2006

<u>Basin</u>	<u>Sequence</u>	<u>Basis</u>	<u>Priority</u>	<u>Rate(cfs)</u>	<u>Source</u>	<u>Water Use(s)</u>	<u>Owner(s)</u>	<u>Source Table</u>
63	4648	Statutory Claim	7/1/1959	0.12	WASTE WATER	IRRIGATION	SANDERS, KIRK J ; SANDERS, MARLA K	wrWaterRight
63	4721	Statutory Claim	9/12/1921	0.12	WASTE WATER	IRRIGATION, STOCKWATER	QUALMAN, CARL M	wrWaterRight
63	20634	Decreed	7/16/1944	0.05	GROUND WATER	DOMESTIC	DOWNS, CHARLES W ; WEDUM, DAWN A	wrWaterRight
63	21095	Decreed	6/22/1940	0.04	GROUND WATER	DOMESTIC	FILLMORE, ESTHER V	wrWaterRight
63	21137	Decreed	1/1/1915	0.04	GROUND WATER	DOMESTIC, STOCKWATER	DYAS, MARY	wrWaterRight
63	22056	Decreed	6/1/1931	0.06	GROUND WATER	DOMESTIC, STOCKWATER	TACKETT, CHARLES R ; TACKETT, JANET	wrWaterRight
63	27031	Decreed	6/2/1940	0.06	GROUND WATER	DOMESTIC, STOCKWATER	CLARK, GLENDA M ; CLARK, RAYMOND	wrWaterRight
63	30030	Decreed	2/28/1970	0.04	GROUND WATER	DOMESTIC	C & J PACKING CO	wrWaterRight
63	30221	Decreed	7/12/1972	0.04	GROUND WATER	DOMESTIC	CLINTON, TED A	wrWaterRight

State of Idaho

Office of the Secretary of State


**CERTIFICATE OF AUTHORITY
OF
MISSION AVIATION FELLOWSHIP
dba MISSION AVIATION FELLOWSHIP, INC.**

File Number C 162611

I, BEN YSURSA, Secretary of State of the State of Idaho, hereby certify that an Application for Certificate of Authority, duly executed pursuant to the provisions of the Idaho Non-Profit Corporation Act, has been received in this office and is found to conform to law.

ACCORDINGLY and by virtue of the authority vested in me by law, I issue this Certificate of Authority to transact business in this State and attach hereto a duplicate of the application for such certificate.

Dated: 22 September 2005



Ben Ysursa
SECRETARY OF STATE

By *Shirley C. Delvec*



APPLICATION FOR CERTIFICATE OF AUTHORITY (Nonprofit)

(Instructions on back of application)

The undersigned Corporation applies for a Certificate of
Authority and states as follows:

05 SEP 22 PM 4: 23

SECRETARY OF STATE
STATE OF IDAHO

1. The name of the corporation is: Mission Aviation Fellowship
2. The name which it shall use in Idaho is: Mission Aviation Fellowship, Inc.
3. It is incorporated under the laws of: California
4. Its date of incorporation is: June 4, 1945 and its duration, if other than perpetual, is: n/a
5. The street address of its principal office is:
1849 N. Wabash Avenue, Redlands, California 92374
6. The address to which correspondence should be addressed, if different than item 5, is:
1849 N. Wabash Avenue, Redlands, California 92374
7. The street address of its registered office in Idaho is:
4152 E. Amity Road, Suite 102, Nampa, Idaho 83687
and its registered agent in Idaho at that address is: Dennis Fulton
8. Does the corporation have members? ☒ Yes ☐ No
9. The names and respective addresses of its directors and officers are:

Name	Office	Address
<u>** SEE ATTACHED**</u>		

Dated: 9/8/05
Signature: [Signature]
Typed Name: Kevin Swanson
Capacity: President

Secretary of State use only

g:\corporate\corp
form\appforauthority_nonprofit.pdf
Revised 07/2002

IDAHO SECRETARY OF STATE
09/23/2005 05:00
CK: 7787 CT: 139438 BH: 913162
1 0 38.00 = 38.00 AU NON-P 2

Web Form

C162611

OFFICERS OF MISSION AVIATION FELLOWSHIP
September 6, 2005

Kevin Swanson
President
1168A Lugonia
Redlands, CA 92374

Dennis R. Fulton
Vice President of Relocation
11227 West Mission Pointe Dr.
Nampa, ID 83651

Eugene H. Jordan
Vice President of People
1235 Via Antibes
Redlands, CA 92374

John C. Boyd
Vice President of Development and Communication
29205 Lake View Lane
Highland, CA 92346

William Southworth
Treasurer
1305 Susan Ave.
Redlands, CA 92374

Alvin "Skip" Parrish
Corporate Secretary
1439 Clock Ave.
Redlands, CA 92374

Jennifer Johnson
Assistant Corporate Secretary
3329 Erwin Ave.
San Bernardino, CA 92404

MISSION AVIATION FELLOWSHIP BOARD OF DIRECTORS 09/05

Dr. David Bixby
Executive VP for Advancement, Azusa Pacific University
220 Grand Oaks Drive
Glendora, CA 91741
626-815-5334

Jan Carlson
President, Trust Financial Group
P.O. Box 130875
Roseville, MN 55113
651-633-4530

Dr. Laura Mae (Larrie) Gardner
VP, Int'l Personnel Consultant & Trainer, SIL/Wycliff
63899 E. Loma Bonita Road
Tucson, AZ 85739
520-825-9741

David Jones
Business Administrator, Peninsula Bible Church
4173 Samson Way
San Jose, CA 95124
408-366-6690

Ted Ludlow
President/Owner of Flair Flexible Packaging, Corp. (USA)
129 Crystal Springs Drive
Georgetown TX 78628
512-869-3525

Dr. William (Bill) Locke
Retired Dean of College of Extended College Studies at
San Diego University
211 W. Laurel St.
San Diego, CA 92101
619-795-7770

Dr. Ronald H. Pritz
Board Chairman
Vice President for Field Ministries
OC International
P.O. Box 36900
Colorado Springs, CO 80936-6900
(Ofc.) 719 592-9292

Dr. R. Daniel Shaw
Professor, Fuller Theological Seminary
940 E. Athens
Altadena, CA 91001
626-584-5283

Dr. Julie Shimer
Vice Chairman
CEO, Vocera Communications
18453 Las Cumbres Road
Los Gatos, CA 95033
408-790-4182

Karl Stoltzfus, Sr.
CEO, Dynamic Aviation
P.O. Box 7
Bridgewater, VA 22812
(Ofc.) 540-828-6070

Dennis Sturdevant
President, Precision Helicopter Service
17770 N. E. Aviation Way
Newberg, OR 97132
(Ofc.) 503-537-0108

Kevin Swanson (Linda)
President/CEO, MAF
P.O. Box 3202
Redlands, CA 92373
909-794-1151

Robert (Bob) Swanson
Attorney
Boutin, Dentino, Gibson, Di Giusto, Hodell & West
555 Capitol Mall, Suite 1500
Sacramento, CA 95814
916-321-4444

Anthony G. (Jerry) Van Schaick
Vice President & Treasurer, Lockheed Martin Corporation
11622 Highland Farm Rd.
Potomac, MD 20854
301-897-6453

State of California
Secretary of State

**CERTIFICATE OF STATUS
DOMESTIC CORPORATION**

I, **BRUCE McPHERSON**, Secretary of State of the State of California, hereby certify:

That on the **4TH day of JUNE, 1945, MISSION AVIATION FELLOWSHIP** became incorporated under the laws of the State of California by filing its Articles of Incorporation in this office; and

That said corporation's corporate powers, rights and privileges are not suspended on the records of this office; and

That according to the records of this office, the said corporation is authorized to exercise all its corporate powers, rights and privileges and is in good legal standing in the State of California; and

That no information is available in this office on the financial condition, business activity or practices of this corporation.

IN WITNESS WHEREOF, I execute this certificate and affix the Great Seal of the State of California this day of September 13, 2005.



BRUCE McPHERSON
Secretary of State

RC

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32242 ✓ *SK*

MISSION AVIATION FELLOWSHIP
1849 N WABASH AVE
REDLANDS CA 92374

Point(s) of Diversion SWSENE S24 T03N R02W CANYON County

Source GROUND WATER

Use: HEATING	01/01 To 12/31	0.6 CFS
Use: COOLING	01/01 To 12/31	0.6 CFS
		0.6 CFS

Total Diversion:
Date Filed: 02/10/2006

Place Of Use: HEATING
T03N R02W S24 SENE

Place Of Use: COOLING
T03N R02W S24 SENE

Remark: Water bearing zone to be appropriated is from 60 to 200 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code. Any protest against the approval of this application must be filed with the Director, Dept. of Water Resources, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 03/20/2006. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

04528342

March 2, 9, 2006




AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) **SS.**
County of Canyon)


Amanda K. McCollum
of Nampa, Canyon County, Idaho, being
first duly sworn, deposes and says:


e0100285 04528342
1 Idaho Dept. of Water Resourc
2735 Airport Way
BOISE ID 83705

1. That I am a citizen of the United States, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of this notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper 2 time(s) in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.
4. That said notice was published the following:
03/02/2006,03/09/2006


STATE OF IDAHO)
County of Canyon)

On the 9 day of March in the year of 2006
before me, a Notary Public, personally appeared.
Amanda K. McCollum,
known or identified to me to be the person
whose name is subscribed to the within
instrument, and being by me first duly sworn,
declared that the statements therein are true, and
acknowledge to me that he/she executed the same.




Notary Public for Idaho
Residing at Nampa
My commission expires April 19, 2008

IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE ID 83705

February 22, 2006

Legal Notice Department
PRESS-TRIBUNE
PO BOX 9399
NAMPA ID 83652

RE: Application for Permit No. 63-32242, 63-32244 and 63-32246

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 03/20/2006. Your cooperation is appreciated.

Sincerely,

Sue Kreger
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32242

MISSION AVIATION FELLOWSHIP
1849 N WABASH AVE
REDLANDS CA 92374

Point(s) of Diversion SWSENE S24 T03N R02W CANYON County Source GROUND WATER

Use: HEATING 01/01 To 12/31 0.6 CFS

Use: COOLING 01/01 To 12/31 0.6 CFS

Total Diversion: 0.6 CFS

Date Filed: 02/10/2006

Place Of Use: HEATING

T03N R02W S24 SENE

Place Of Use: COOLING

T03N R02W S24 SENE

Remark: Water bearing zone to be appropriated is from 60 to 200 feet.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 03/20/2006. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Press Tribune on March 2 and 9, 2006.