

**STARTING
LEFT
SIDE OF
FILE**

State of Idaho
Department of Water Resources

Permit to Appropriate Water

NO. 63-32246

Priority: January 18, 2006

Maximum Diversion Rate: 0.08 CFS

This is to certify, that **MARVIN BLOUGH**
8292 TUT LN
MELBA ID 83641

has applied for a permit to appropriate water from:

Source: GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COOLING	01/01 to 12/31	0.04 CFS
HEATING	01/01 to 12/31	0.04 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SE $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 10, Twp 01S, Rge 02W, B.M., CANYON County

PLACE OF USE: DOMESTIC, HEATING, AND COOLING

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S 02W 10		X															

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **April 1, 2011**.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which the permit holder had no control.
4. Domestic use is for 1 home.
5. The domestic use authorized under this right shall not exceed 13,000 gallons per day.
6. The irrigation occurring under this domestic use shall not exceed 1/2 acre.
7. Heating and cooling uses are for a closed-loop heat exchanger for one home.
8. Use of water for heating and/or cooling purposes under this right shall be non-consumptive.
9. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

State of Idaho
Department of Water Resources
Permit to Appropriate Water
NO. 63-32246

CONDITIONS OF APPROVAL CONTINUED

10. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 7th day of April, 2006.


for KARL J DREHER, Director

ISRM-202
1299

Ident. No. 63-32246

JAN 18 2006

WATER RESOURCES
WESTERN REGION

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of Applicant MARVIN E. BLOUGH Phone 208-466-8132
Mailing address 2001 PRIMROSE DR NAMPA ID 83684
2. Source of water supply ground which is a tributary of _____
3. Location of point of diversion is Township 1S Range 2W Sec. 10, in the _____
NW $\frac{1}{4}$, NE $\frac{1}{4}$, Govt. Lot _____, B.M., CANYON County;
additional points of diversion if any: _____
4. Water will be used for the following purposes:
 Amount 0.04 for domestic purposes from Jan 1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount 0.04 for heating/cooling purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
 Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.08 cubic feet per second and/or (b) _____ acre feet per annum
6. Proposed diverting works:
 - a. Describe type and size of devices used to divert water from the source well to house to closed loop heating system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet
 - c. Proposed well diameter is 6 inches; proposed depth of well is 120 feet
 - d. Is ground water with a temperature of greater than 85°F being sought? NO
 - e. If well is already drilled, when? _____; Drilling firm _____;
Well was drilled for (well owner) _____; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 5 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
 - a. Hydropower; show total feet of head and proposed capacity in kW. _____
 - b. Stockwatering; list number and kind of livestock. _____
 - c. Municipal; show name of municipality. _____
 - d. Domestic; show number of households. _____
 - e. Other; describe fully. 1 domestic home and yard and closed loop heating system

3. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
15	24	10	✓	X															

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. a portion of 638189

11. a. Who owns the property at the point of diversion? MARVIN E BLOUGH Sept

b. Who owns the land to be irrigated or place of use? _____

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: System is completely non consumptive.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Marvin E Blough
Signature of Applicant (and title, if applicable)

Received by DAN Date 1-18-06 Time 10:00AM Preliminary check by DAN
 Fee \$ \$100.00 Received by DAN # W033755 Date 1-18-06
 Publication prepared by sk Date 3-24-06 Published in PRESS TRIBUNE
 Publication approved sk Date 3-21-06



T01S R02WS10 NWNE

POSSIBLE INJECTION SITE

PEOPOSED HOME SITE

POINT OF DIVERSION

REQUEST TO PROCESS

COMPLETE REQUEST IF YOU WANT YOUR APPLICATION TO BE PROCESSED
USING ONE OF THE THREE ALTERNATIVES BELOW

Name of Applicant

MARVIN E. BLOUGH

Mailing Address

2001 PRIMROSE DR
NAMPA, ID 83686

Application No.
(if known)

___ IN LOCAL PUBLIC INTEREST

Yes, I want my application processed and before it is advertised, I will amend my application to demonstrate that the proposed appropriation is in the local public interest including the need to preserve flows in the Snake River during the migration periods of anadromous fish.

___ PROPOSE MITIGATION NOW

Yes, I want my application processed and before it is advertised, I will amend my application to include proposed mitigation to offset anticipated depletions in the Snake River during periods of anadromous fish migration.

☒ WILL AGREE TO MITIGATION IN THE FUTURE IF NECESSARY

Yes, I want my application processed at this time, and I will accept a condition of approval that will require mitigation should the Director of the Idaho Department of Water Resources determine that mitigation is necessary to offset depletions from this appropriation to flows in the Snake River during periods of anadromous fish migration. I understand that mitigation is not required now but may be needed in the future. I also understand that the Director will not require mitigation until I have an opportunity to review the process by which the need for mitigation is established and the amount of water required is quantified.

Signature

Marvin E. Blough

Date

Jan 18, 2006

Please return this form to:

Idaho Department of Water Resources
Western Regional Office
2735 Airport Way
Boise, ID 83705-5082

RESIDENTIAL SPACE HEATING/COOLING REQUIREMENTS FOR COLD OR GEOTHERMAL SOURCES

Worksheet created by Cindy Hodges, 11/93.

Data entered by: Dan Nelson
Exam Date: 01/18/06
File No: Marvin Blough
Computations for: heating

REQUIRED DATA:

Area of livable floor space, ft² (A) 2300
2 story? (N=1, Y=2) 2
House efficiency factor (e) * 0.28
Inside design temperature (Ti) 72
Average outside temperature (To) ** 4
Heating/cooling days per season (D) 58
Heating/cooling days per season (D) 182
Hours/day system operates (H) 24

* c values are as follows:

0.28 Best energy efficiency - extra insulation, caulked and weatherstripped, with storm windows and doors
0.44 Better energy efficiency - standard insulation, caulked and weatherstripped, with storm windows and/or doors
0.67 Average residence - standard insulation, no weatherproofing but with storm windows or double panes
1.11 Poor energy efficiency - minimal insulation, no weatherproofing or storm windows (older homes, shops or greenhouses)

** Suggested average outside temperatures:

WINTER
4 deg F Boise
6 deg F Grand View
-8 deg F Cascade
SUMMER
80 deg F Boise
90 deg F Grand View
70 deg F Cascade

CALCULATED DATA:

DESIGN HEAT LOAD (BTU/hr required)

Formula: $E = [e \times (Ti - To)] A$

Applies factor of 0.8 for two-story dwelling

E = 35,034 BTU/hour

TEMPERATURE DROP ACROSS SYSTEM

Formula: $Ts = 0.3 \times [S - Ti]$

Ts = 4.2 degrees F

FLOW RATE REQUIRED (at given source temperature)

Formula: $Q = E / (500 \times Ts) \times 448.8$

Q = 0.04 cfs

DIVERTED VOLUME OVER SEASON

Formula: $Vdiv = Q \times D \times H / 24 \times 1.9835$

Vdiv = 13.4 AFA

RESIDENTIAL SPACE HEATING/COOLING REQUIREMENTS FOR COLD OR GEOTHERMAL SOURCES

Worksheet created by Cindy Hodges, 11/93.

Data entered by: Dan Nelson
Exam Date: 01/18/06
File No: Marvin Blough
Computations for: cooling

REQUIRED DATA:

Area of livable floor space, ft² (A) 2300
2 story? (N=1, Y=2) 2
House efficiency factor (e) * 0.28
Inside design temperature (Ti) 72
Average outside temperature (To) ** 80
Average outside temperature, degrees F (S) 58
Heating/cooling days per season (D) 183
Hours/day system operates (H) 24

* e values are as follows:

0.28 Best energy efficiency - extra insulation, caulked and weatherstripped, with storm windows and doors
0.44 Better energy efficiency - standard insulation, caulked and weatherstripped, with storm windows and/or doors
0.67 Average residence - standard insulation, no weatherproofing but with storm windows or double panes
1.11 Poor energy efficiency - minimal insulation, no weatherproofing or storm windows (older homes, shops or greenhouses)

** Suggested average outside temperatures:

WINTER SUMMER
4 deg F Boise 80 deg F Boise
6 deg F Grand View 90 deg F Grand View
-8 deg F Cascade 70 deg F Cascade

CALCULATED DATA:

DESIGN HEAT LOAD (BTU/hr required)

Formula: $E = [e \times (T_i - T_o)] \times A$

Applies factor of 0.8 for two-story dwelling

E = 4,122 BTU/hour

TEMPERATURE DROP ACROSS SYSTEM

Formula: $T_s = 0.3 \times [S - T_i]$

Ts = 4.2 degrees F

FLOW RATE REQUIRED (at given source temperature)

Formula: $Q = E / (500 \times T_s) \times 448.8$


Q = 0.00 cfs

DIVERTED VOLUME OVER SEASON

Formula: $V_{div} = Q \times D \times H / 24 \times 1.9835$

Vdiv = 1.6 AFA

PROPOSED DIAGRAM OF HEATING SYSTEM



Idaho Department of Water Resources Receipt


Receipt ID W033755

Payment Amount Date Received Region Status
Payment Type Check Number

Payer Comment

Fee Detail

Amount Description Fund FD PCA SO
\$100.00 PERMITS 0229 21 62103 1155



Signature Line (Dept. Representative)

**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov.

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

April 11, 2006

MARVIN BLOUGH
8292 TUT LN
MELBA ID 83641

RE: Permit No. 63-32246

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed.


The Department will send you a 'Proof Due Notice' approximately 60 days prior to the above referenced date requesting you to file either a Proof of Beneficial Use form or a Request for Extension of Time form.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-287-4947.

Sincerely,

A handwritten signature in black ink that reads "Shelley W. Keen". The signature is written in a cursive style with a large, stylized 'S' and 'K'.

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)


CERTIFICATE OF SERVICE

I hereby certify that on April 11, 2006 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

63-32246

**MARVIN BLOUGH
8292 TUT LN
MELBA ID 83641**



**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of, or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

Date: April 06, 2006
To: Water Right File 63-32246
From: Shelley Keen *SK*
Re: Annual Volume

The permitted uses are domestic use and heating/cooling use. The domestic component of the right must be limited to 13,000 gpd because the use is in a restricted area. Because the heating/cooling use will be non-consumptive, it may exceed the 13,000 gpd. In other words, the annual volume can be up to 13,000 gpd for domestic use plus the volume needed for heating or cooling.

IDAHO DEPARTMENT OF WATER RESOURCES

Water Application Report 63-32246

WATER RIGHT NUMBER: 63-32246

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	MARVIN BLOUGH 2001 PRIMROSE DR NAMPA, ID 83686 (208) 466-8132

Priority Date: 01/18/2006

Basis:

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.040 CFS	
HEATING	01/01 to 12/31	0.040 CFS	
COOLING	01/01 to 12/31	0.040 CFS	
	<u>Total Diversion:</u>	0.080 CFS	

Location of Point(s) of Diversion

GROUND WATER	NW1/4NE1/4	Sec. 10, Twp 01S, Rge 02W, B.M.
CANYON County		

Place of Use

DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	02W	10		X															

HEATING

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	02W	10		X															

COOLING

Twp	Rge	Sec	NE	NW	SW	SE

IDAHO DEPARTMENT OF WATER RESOURCES

Water Application Report 63-32246

	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
01S 02W 10		X															

Conditions of Approval:Remarks:Comments:

1. dnelson 2/14/2006 Comment/Analysis

Comment: This application is for domestic, heating, and cooling uses for a single home with a yard. The heating and cooling system will run through a heat exchanger and injected back into the aquifer. The domestic use will be taken from the same home. The property is already covered for irrigation under water right 63-8189, but this well will be considered a separate source, so its processing is acceptable. A heating worksheet was done that shows that 0.04 cfs will be required to properly heat and cool this home. Therefore, processing of this permit should continue.

Dates and Other Information:

Application Received Date: 1/18/2006

Application Denied Date:

Last Date of Beneficial Use:

Extension End Date:

Protest Deadline Date:

Number of Protests: 0

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Application Type: New Appropriation

Applicant Remarks: System is completely non-consumptive

Other Water Rights: 63-8189

Time to Complete Works: 5

Transfer Affected Description:

Transfer Affected Contracts:

Old Transfer Number:

Transfer Reason:

Transfer Return Flows:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

Combined Use Limits:

LEGAL NOTICE

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32246

sk

MARVIN BLOUGH

8292 TUT LN

MELBA ID 83641

Point(s) of Diversion NWNE S10 T01S R02W CANYON County

Source GROUND WATER

Use: HEATING 01/01 To 12/31 0.04 CFS

Use: COOLING 01/01 To 12/31 0.04 CFS

Use: DOMESTIC 01/01 To 12/31 0.04 CFS

Total Diversion: 0.08 CFS

Date Filed: 01/18/2006

Place Of Use: DOMESTIC

T01S R02W S10 NWNE

Place Of Use: HEATING

T01S R02W S10 NWNE

Place Of Use: COOLING

T01S R02W S10 NWNE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 03/20/2006. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

March 2, 9, 2006

04528402



RECEIVED
MAR 10 2006
WATER RESOURCES
WESTERN REGION

e0100285 04528402
1 Idaho Dept. of Water Resourc
2735 Airport Way
BOISE ID 83705

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO)
) SS.
County of Canyon)


Amanda K. McCollum
of Nampa, Canyon County, Idaho, being
first duly sworn, deposes and says:

1. That I am a citizen of the United States, and at all times hereinafter mentioned was over the age of eighteen years, and not a party to the above entitled action.
2. That I am the Principal Clerk of the Idaho Press-Tribune, a daily newspaper published in the City of Nampa, in the County of Canyon, State of Idaho; that the said newspaper is in general circulation in the said County of Canyon, and in the vicinity of Nampa and Caldwell, and has been uninterruptedly published in said County during a period of seventy-eight consecutive weeks prior to the first publication of this notice, a copy of which is hereto attached.
3. That the notice, of which the annexed is a printed copy, was published in said newspaper 2 time(s) in the regular and entire issue of said paper, and was printed in the newspaper proper, and not in a supplement.
4. That said notice was published the following:
03/02/2006,03/09/2006

Amanda K McCollum
STATE OF IDAHO)
County of Canyon)

On the 9 day of March in the year of 2006
before me, a Notary Public, personally appeared,
Amanda K. McCollum,
known or identified to me to be the person
whose name is subscribed to the within
instrument, and being by me first duly sworn,
declared that the statements therein are true, and
acknowledge to me that he/she executed the same.

Vicki C Bass
Notary Public for Idaho
Residing at Nampa
My commission expires April 19, 2008



IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 AIRPORT WAY
BOISE ID 83705

February 22, 2006

Legal Notice Department
PRESS-TRIBUNE
PO BOX 9399
NAMPA ID 83652

RE: Application for Permit No. 63-32242, 63-32244 and 63-32246

Dear LEGAL NOTICE DEPARTMENT:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 03/20/2006. Your cooperation is appreciated.

Sincerely,

Sue Kreger
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

63-32246

MARVIN BLOUGH
8292 TUT LN
MELBA ID 83641

Point(s) of Diversion NWNE S10 T01S R02W CANYON County Source GROUND WATER

Use: HEATING 01/01 To 12/31 0.04 CFS

Use: COOLING 01/01 To 12/31 0.04 CFS

Use: DOMESTIC 01/01 To 12/31 0.04 CFS

Total Diversion: 0.08 CFS

Date Filed: 01/18/2006

Place Of Use: DOMESTIC

T01S R02W S10 NWNE

Place Of Use: HEATING

T01S R02W S10 NWNE

Place Of Use: COOLING

T01S R02W S10 NWNE

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Western Region, 2735 Airport Wy, Boise ID 83705 together with a protest fee of \$25.00 for each application on or before 03/20/2006. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Published in the Press Tribune on March 2 and 9, 2006.