

**STARTING
LEFT
SIDE OF
FILE**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

NOV - 5 2004

DEPARTMENT OF
WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 96-9142 Telephone No. 509 891-0159
2. Name of Permit Holder(s): STEPHEN O. WOODARD
3. Mailing Address: 4814 SOUTH SPENCER LANE
City SPOKANE State WA Zip 99206
4. Source of Water: Pond Oreille River If GROUNDWATER (well), Date Drilled: mo. _____ / yr. _____
Well Driller: _____ Drilling Permit Number: _____
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Garden Irrigation (No. of acres): 0.5 acres Other: _____
6. Total rate of diversion and/or volume for which proof is submitted: 0.02 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not** optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No X
Has the measuring device been installed? Yes _____ or No X
8. Fee Enclosed: \$ 50.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: STEPHEN O. WOODARD Telephone Number: 509 891-0159
Address: 4814 S. SPENCER LN SPOKANE, WA 99206
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.
Signature of permit holder: [Signature] Date: 11/2/04
(include your title, if on behalf of company or organization)

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 96-09142

Priority: June 16, 2003

Maximum Diversion Rate: 0.02 CFS

This is to certify, that STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206

has applied for a permit to appropriate water from:

Source: PEND OREILLE RIVER **Tributary:** COLUMBIA RIVER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.02 CFS

LOCATION OF POINT OF DIVERSION:

PEND OREILLE RIVER L4 (SE $\frac{1}{4}$ SE $\frac{1}{4}$) Sec. 27, Twp 57N, Rge 03W, B.M., BONNER County

PLACE OF USE: DOMESTIC

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
57N 03W 27																	X L 4

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before **January 01, 2005**.
2. Subject to all prior water rights.
3. Domestic use is for external use for 1 home.
4. Point of diversion and place of use are located within Lot 12, Blk. 1, Gypsy Bay Addition.
5. A fish screen of $\frac{1}{4}$ inch or smaller mesh shall be installed and maintained at the point of diversion.
6. The approach velocity at the point of diversion shall not exceed 0.5 feet per second.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature of the Director, affixed at Boise, this 22nd day of January, 20 04.



Acting for KARL J DREHER, Director

FORM 202
1/2009
RECEIVED
OCT 30 2003

Department of Water Resources

10686
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Ident. No. 96-9142

RECEIVED
JUN 16 2003

IDWR/North

1. Name of Applicant STEVE WOODARD Phone 509 891-0159

Mailing address 4814 S. SPENCER LN SPOKANE WA 99206

2. Source of water supply PEND ORIELLE RIVER which is a tributary of COLUMBIA RIVER

3. Location of point of diversion is Township 57N Range 3W Sec. 27 in the SE 1/4, SE 1/4, Govt. Lot 26/27/34-57N-3W, BLK 1 LOT 12 Book 2 of PLATS
County, BONNER IDAHO PAGE 143

additional points of diversion if any: GLWA 4

4. Water will be used for the following purposes:

Amount 0.06 for DOMESTIC purposes from June 1 to Sept 30 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) _____ and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Describe type and size of devices used to divert water from the source 1 horse power pump

@ 25 gal/min

b. Height of storage dam N/A feet; active reservoir capacity N/A acre-feet; total
reservoir capacity N/A acre-feet

c. Proposed well diameter is N/A inches; proposed depth of well is N/A feet

d. Is ground water with a temperature of greater than 85°F being sought? NO

e. If well is already drilled, when? N/A; Drilling firm N/A

Well was drilled for (well owner) N/A; Drilling Permit No. _____

7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in kW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. Irrigation of small grass and garden area

on a lot 100' x 200' which will have approx. 1/8 acre
irrigated. in the summer months only June - Sept.

for a recreational use summer use.

The use intended will be minimal for grass and garden.
I do not know the cfs but the amt is much less than the
examples. The size of the area is 1/8 acre.

- APPLICANT SEEKING A HIGHER DIVERSION RATE THAN
STANDARD 0.03 CFS PER ACRE TO WATER A LAWN/GARDEN
AT HIGHER RATE AND SHORTER DURATION -

3. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols. *I have described the lot by the tax into I have and do not know the NE NW SE etc. The use is for Domestic use.*

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
5N	3W	27																D	
																		GLH	

Total number of acres to be irrigated ~~26/27/34-57~~

26/27/34-57 N-3W BLK 1 Lot 12 Book 2 of Plats page 143 Gypsy Bay Addition to Bonner County, Idaho.

10. Describe any other water rights used for the same purposes as described above.

11. a. Who owns the property at the point of diversion? Stephen O. Woodard

b. Who owns the land to be irrigated or place of use? Stephen O. Woodard

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing:




12. Remarks: The irrigation purpose is for grass/lawn and expected to be minimal. I just wanted a permit to be legal and not just pump out of the river without the proper permitting.

13. **MAP OF PROPOSED PROJECT REQUIRED** - Attach an 8 1/2"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.



Stephen O. Woodard 6/12/03
Signature of Applicant (and title, if applicable)

Received by AB Date 6-16-03 Time 2:00 Preliminary check by AS
Fee \$ 150 Receipted by AB # 1015727 Date 6-16-03
Publication prepared by AB Date 7/30/03 Published in Bonner Co Daily Bee 8/21+28/03
Publication approved AB Date 9/3/03



26/27/34-57N-3W
 BLK 1 LOT 12
 BOOK 2 OF PLATS PAGE 143
 GYPSY BAY ADDITION TO
 BONNER COUNTY IDAHO

- PROPOSED DOCK**
1. PEND ORIELLE RIVER
 2. BONNER COUNTY IDAHO
 3. APPLICATION BY :
 STEPHEN O. WOODARD
 4814 SOUTH SPENCER LANE
 SPOKANE, WA 99206
 4. SHEET 1 OF 1
 5. DATE JUNE 8, 2003



**NOW
STARTING
RIGHT
SIDE OF
FILE**



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 East Front Street, P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 287-4800 Fax: (208) 287-6700 Web Site: www.idwr.idaho.gov

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

February 21, 2006

STEPHEN O WOODARD
4814 SOUTH SPENCER LANE
SPOKANE WA 99206

PROOF ACKNOWLEDGMENT LETTER

Re: Permit No. 96-9142

Dear Permit Holders:

The department acknowledges receipt of the proof of beneficial use ("proof") form submitted for the above-referenced permit. The next step in the process of developing a water right is for the department to conduct the field examination to determine and confirm the use of the water, and that it meets the permitted beneficial use.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office, or at the department's website at: www.idwr.idaho.gov

The fee for your permit is \$50.00. The overpayment will be submitted to our accounting and a refund will be issued.

If you have questions about the field examination, please contact the **Northern** Regional Office of the department in Coeur d'Alene at (208) 769-1450.

Sincerely,

Christine Roberts
Technical Records Specialist

Encl.

October 31, 2004

STEPHEN WOODARD
4814 S SPENCER LN
SPOKANE, WA 99206

PROOF DUE NOTICE

RE: PERMIT NO. 96-9142

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 01, 2005. (See last page of your approval permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

Deborah J. Gibson, Administrative Assistant
Water Allocation Bureau

Enclosures





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

January 22, 2004

STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206

RE: Permit No. 96-9142

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.


Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

Please note that a separate stream channel alteration permit must be obtained from the Department prior to any activity in the stream channel other than construction or maintenance of the diversion structure for your water right(s). Applications for stream channel alteration permits must be filed a least sixty days prior to the commencement of work in the stream.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen

Water Rights Supervisor

SWK:klf

Enclosure(s)


CERTIFICATE OF SERVICE

I hereby certify that on January 22, 2004 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO.

96-9142

**STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206**



**Kari Lynn Townsend
Secretary**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

(To be used in connection with actions when a hearing was not held)

(Required by Rule of Procedure 730.02)

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources ("department") unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below.

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the Department or the Water Resource Board is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the Department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report

96-9142

1. dball 7/15/2003 Legal Notice Remarks

Comment: Domestic use is for small lawn and garden area.

2. dball 7/15/2003 Comment/Analysis

Comment: Applicant is seeking a higher diversion rate than standard 0.03 cfs per acre to water a lawn and garden at higher rate and shorter duration.

3. dball 8/21/2003 4:00:42 PM Comment Letter Notes

Comment: WHO: RAY HENNEKEY - IDF&G

RESPONSE: Conditional Recommendation

DATE RECEIVED: 7/17/2003

Applicant should obtain necessary encroachment permits from IDL before installing diversion structures, lines, etc. in state waters.

If a line and pump are placed in the creek and excavation is necessary, we recommend that applicants be required to install lines during low water when underwater excavation will be minimized.

Dug materials should be sidecast to only one side and the bottom contour and substrate restored. Pump should be screened to prevent entrainment of fish; maximum screen mesh size should be 0.25 inches.

Pump approach velocities should not exceed 0.5 ft per second to prevent losses of juvenile fish.

It would be preferable to place pumps on land rather than in the water.

We do not object to a diversion for irrigating lawn as requested, but we do recommend that the allocation should be at the standard diversion rate of 0.03 cfs per acre for irrigation, calculated for the area to be irrigated.

4. kwalker 1/21/2004 Permit Approval

Comment: In review of this application and the comments received from IDF&G I solicited a reason from the applicant why so much water was needed for his lawn. He did not respond to my request for information. I had mentioned in my letter that we would approve the application for only 0.02 cfs if he did not respond. Recommend approval for 0.02 cfs.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 15, 2003

STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206

RE: Application for Permit No. 96-9142

Dear Mr. Woodard:

Upon review of the above referenced application for permit we noticed that the Department of Fish and Game has some concerns about the amount of water you have applied for. Enclosed, for your information, is a copy of their letter.

Please note that the normal amount of water for irrigation purposes is 0.03 cfs per acre for acreages under 5 acres. Your water right application has been filed for the use of 0.06 cfs for domestic purposes which will be applied to about 1/8 acre of lawn and garden. The Department is required to protect the "local public interest" whether an application has been protested or not. An application that will adversely affect fish and wildlife is not in the public interest. Please submit a detailed description of why you need more than about 0.02 cfs of water for your 1/8 acre of lawn and garden area. You are also welcome to describe any measures that can be taken to address the concerns of the Department of Fish and Game.

The Department will hold further processing of your application for 30 days to allow submittal of the required information. Additional time may be granted by the Department upon receipt of a written request and sufficient justification for an extension. After that time, if adequate information is not received, the Department will issue the permit for 0.02 cfs for your domestic purposes.

If you have any questions in regard to this matter, please feel free to contact me at (208)327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosure

RECEIVED

AUG 29 2003

State of Idaho

ss.

IDWR/North

County of Bonner,

Shirley Jones

being first duly sworn on oath

deposes and says that he/she is Book Keeper

of the Bonner County Daily Bee, a newspaper printed and

published at Sandpoint, Bonner County, Idaho; that the

said newspaper has been continuously and uninterruptedly

published in said Bonner County during a period of 12

months prior to the first publication of the hereto attached

notice of publication in the case of:

Notice of App

as it was published in the regular and entire issue of the

said paper for a period of 2 consecutive weeks,commencing on 21 day of Aug, 2003and ending on the 28 day of Aug, 2003

and that said notice was published in said newspaper.

On this 28 day of Aug in the yearof 2003, before me, a Notary Public, personallyappeared Shirley Jones

known or identified to me to be the person whose name

subscribed to the within instrument, and being by me

first duly sworn, declared that the statements therein are

true, and acknowledged to me that he executed the same.

Carolyn K. Inge
 Notary Public for Idaho

Residing at Sandpoint

My Commission expires: 8/06

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9141

ROBERT J BAKER

624 WHISKEY JACK RD

SANDPOINT ID 83864

Point(s) of Diversion NENWS7 T57N R01W BONNER County
 Source PEND OREILLE LAKE Tributary To PEND OREILLE RIVER
 Use: IRRIGATION 03/15 To 11/15 0.03 CFS

Total Diversion:

Date Filed: 05/07/2003

Place Of Use: IRRIGATION

T57N R01W S7 NENW

Number of Acres 0.4

96-9142

STEVE WOODARD

4814 S SPENCER LN

SPOKANE WA 99206

Point(s) of Diversion L4 (SESE) S27 T57N R03W BONNER County
 Source PEND OREILLE RIVER Tributary To COLUMBIA RIVER
 Use: DOMESTIC 01/01 To 12/31 0.06 CFS

Total Diversion:

Date Filed: 06/16/2003

Place Of Use: DOMESTIC

T57N R03W S27 SESE Lot 4

Remark: Domestic use is for small lawn and garden area.

96-9144

IRIS A DE MAURO

PO BOX 433

CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
 Source GROUND WATER

Use: HEATING

01/01 To 12/31

0.08 CFS

Use: COOLING

01/01 To 12/31

0.08 CFS

Use: DOMESTIC

01/01 To 12/31

0.04 CFS

Total Diversion:

0.12 CFS

Date Filed: 12/12/2002

Place Of Use: HEATING, COOLING and DOMESTIC

T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

96-9145

IRIS A DE MAURO

PO BOX 433

CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
 Source GROUND WATER

Use: HEATING

01/01 To 12/31

0.04 CFS

Use: COOLING

01/01 To 12/31

0.04 CFS

Use: DOMESTIC

01/01 To 12/31

0.04 CFS

Total Diversion:

0.08 CFS

Date Filed: 12/12/2002

Place Of Use: HEATING, COOLING and DOMESTIC

T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

96-9146

IRIS A DE MAURO

PO BOX 433

CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
 Source GROUND WATER

Use: HEATING

01/01 To 12/31

0.06 CFS

Use: COOLING

01/01 To 12/31

0.06 CFS

Use: DOMESTIC

01/01 To 12/31

0.04 CFS

Total Diversion:

0.1 CFS

Date Filed: 12/12/2002

Place Of Use: HEATING, COOLING and DOMESTIC

T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D'Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 08/25/2003. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director

Legal SNP#4546

Aug. 21, 28, 2003

0500



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 Fax (208) 769-1454

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

August 14, 2003

SHERI JONES
LEGAL NOTICE DEPARTMENT
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

E-MAILED TO SHERI 8/14/03

PLEASE FAX PROOF PRIOR TO PUBLICATION

RE: Application for Permit No. 96-9141, 96-9142, 96-9144, 96-9145 and 96-9146
RE-DO of Legal Notice that didn't get into paper as previously scheduled

Dear Sheri:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated, August 21 and 28, 2003, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 09/08/2003. Your cooperation is GREATLY appreciated, as always.

Have a simply marvelous day.

Sincerely

A handwritten signature in cursive script, appearing to read 'Dianne Ball'.

Dianne Ball
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9141

ROBERT J BAKER
624 WHISKEY JACK RD
SANDPOINT ID 83864

Point(s) of Diversion NENW S7 T57N R01W BONNER County
Source PEND OREILLE LAKE Tributary To PEND OREILLE RIVER
Use: IRRIGATION 03/15 To 11/15 0.03 CFS
Total Diversion: 0.03 CFS

Date Filed: 05/07/2003
Place Of Use: IRRIGATION
T57N R01W S7 NENW
Number of Acres 0.4

96-9142

STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206

Point(s) of Diversion L4 (SESE) S27 T57N R03W BONNER County
Source PEND OREILLE RIVER Tributary To COLUMBIA RIVER
Use: DOMESTIC 01/01 To 12/31 0.06 CFS
Total Diversion: 0.06 CFS

Date Filed: 06/16/2003
Place Of Use: DOMESTIC
T57N R03W S27 SESE Lot 4

Remark: Domestic use is for small lawn and garden area.

96-9144

IRIS A DE MAURO
PO BOX 433
CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
Source GROUND WATER

Use: HEATING 01/01 To 12/31 0.08 CFS
Use: COOLING 01/01 To 12/31 0.08 CFS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Total Diversion: 0.12 CFS

Date Filed: 12/12/2002
Place Of Use: HEATING, COOLING and DOMESTIC
T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

96-9145

IRIS A DE MAURO
PO BOX 433
CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
Source GROUND WATER

Use: HEATING 01/01 To 12/31 0.04 CFS
Use: COOLING 01/01 To 12/31 0.04 CFS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Total Diversion: 0.08 CFS

Date Filed: 12/12/2002
Place Of Use: HEATING, COOLING and DOMESTIC
T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

96-9146

IRIS A DE MAURO
PO BOX 433
CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
Source GROUND WATER

Use: HEATING	01/01 To 12/31	0.06 CFS
Use: COOLING	01/01 To 12/31	0.06 CFS
Use: DOMESTIC	01/01 To 12/31	0.04 CFS
Total Diversion:		0.1 CFS

Date Filed: 12/12/2002

Place Of Use: HEATING, COOLING and DOMESTIC
T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 08/25/2003. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director Published in Bonner County Daily Bee on August 21 and 28, 2003.



State of Idaho

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615

(208) 769-1450

Fax (208) 769-1454

July 30, 2003

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206

RE: Application for Permit No 96-9142

Dear Applicant(s):

The Department of Water Resources acknowledges receipt of your water right application. Please refer to the above referenced number in all future correspondence regarding this application.

A legal notice of the application has been prepared and is scheduled for publication in the Bonner County Daily Bee on August 7 and 14, 2003. Submittal of protests to this application will be allowed for a period ending ten days after the second publication.

If the application is protested you will be sent a copy of the protest(s). All protests must be resolved before the application can be considered for approval. If the protest(s) cannot be resolved voluntarily, the Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our State Office in Boise for final processing. The State Office will notify you of any action taken on the application and will send you a copy of the permit if approved. A typical processing time for an unprotested application is about eight to twelve weeks.

Please feel free to contact this office if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads 'Allen Beardslee'.

Allen Beardslee
Senior Water Resource Agent



RECEIVED

OCT 30 2003

Department of Water Resources

IDAHO FISH AND GAME

2750 Kathleen Avenue
Coeur d'Alene, Idaho 83815

Dirk Kempthorne/Governor
Steven Huffaker/Director

July 17, 2003

Idaho Department of Water Resources
Northern Region
1910 Northwest Blvd, S 210
Coeur d'Alene, ID 83814

Com computer

RECEIVED
JUL 17 2003
IDWR/North

Via email to Diane Ball:

REFERENCE: Water Right Application # 96-9142 – WOODARD

We have reviewed the above named application to withdraw 0.06 cfs from Pend Orielle River for irrigation of a 1/8th-acre lawn during the summer.

The application is for a higher diversion rate than the standard 0.03 cfs per acre. We do not object to a diversion for irrigating the lawn as requested, but we do recommend that the allocation should be at the standard diversion rate of 0.03 cfs/acre for irrigation, calculated for the area to be irrigated.

The applicant should obtain necessary encroachment permits from Idaho Department of Lands before installing water lines and pumps in state waters.

If a line and pump are placed in the creek and excavation is necessary, we recommend that applicants be required to install the lines during low water when underwater excavation will be minimized. Dug materials should be sidecast to only one side and the bottom contour and substrate restored. The pump should be screened to prevent entrainment of fish; the maximum screen mesh size should be 0.25 inches. In addition, pump approach velocities should not exceed 0.5 ft/second to prevent losses of juvenile fish. It would be preferable to place pumps on land rather than in the water.

Thank you for the opportunity to comment.

Ray Hennekey
Environmental Staff Biologist

C: IDFG NRPB, Boise; Steve Agte, IDFG, Cd'A; Applicant; File



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 15, 2003

RAY HENNEKEY
STATE OF IDAHO
DEPT OF FISH & GAME
2750 KATHLEEN AVE
COEUR D ALENE, ID 83814

FAXED TO RAY 7/15/03
6 PAGES TOTAL

Application to Permit No. 96-9142

Dear Ray:

Enclosed is a copy of the above referenced application. Please review the application, complete the enclosed recommendation form, and submit it to this office within two weeks of receipt of this request, by July 31.2003. If you prefer to reply by e-mail, my e-mail address is dball@idwr.state.id.us.

Please feel free to contact this office if you have any questions regarding the application.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Dianne', is written in black ink.

Dianne Ball
Administrative Assistant

Enclosure(s)

Ball, Dianne

From: Ball, Dianne
Sent: Wednesday, July 30, 2003 2:03 PM
To: Legal Notices-Bonner Co Daily Bee (E-mail)
Subject: Cover Letter, and Legal Notice for publication August 7 and 14, 2003

Good afternoon, Sheri,

Attached you will find my Cover Letter of request to publish on August 7 and 14, 2003, the Legal Notice, also attached.

Again, I will need a proof prior to publication.

Thanks for all your help - always a pleasure to work with you.



May your day be filled with beauty and wonder.

Dianne

7/30/2003



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

July 30, 2003

SHERI JONES
LEGAL NOTICE DEPARTMENT
BONNER COUNTY DAILY BEE
PO BOX 159
SANDPOINT ID 83864

E-MAILED TO SHERI 7/30/03

PLEASE FAX PROOF PRIOR TO PUBLICATION

RE: Application for Permit No. 96-9141, 96-9142, 96-9144, 96-9145 and 96-9146

Dear Sheri:

Enclosed you will find a legal notice which we wish to have published in your newspaper on the dates indicated, August 7 and 14, 2003, (once a week for two consecutive weekly issues). If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Please send the affidavit and bill to this office before 08/25/2003. Your cooperation is GREATLY appreciated, as always.

Have a simply marvelous day.

Sincerely

Dianne Ball
Administrative Assistant

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

96-9141

ROBERT J BAKER
624 WHISKEY JACK RD
SANDPOINT ID 83864

Point(s) of Diversion NENW S7 T57N R01W BONNER County
Source PEND OREILLE LAKE Tributary To PEND OREILLE RIVER
Use: IRRIGATION 03/15 To 11/15 0.03 CFS
Total Diversion: 0.03 CFS

Date Filed: 05/07/2003
Place Of Use: IRRIGATION
T57N R01W S7 NENW
Number of Acres 0.4

96-9142

STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206

Point(s) of Diversion L4 (SESE) S27 T57N R03W BONNER County
Source PEND OREILLE RIVER Tributary To COLUMBIA RIVER
Use: DOMESTIC 01/01 To 12/31 0.06 CFS
Total Diversion: 0.06 CFS

Date Filed: 06/16/2003
Place Of Use: DOMESTIC
T57N R03W S27 SESE Lot 4

Remark: Domestic use is for small lawn and garden area.

96-9144

IRIS A DE MAURO
PO BOX 433
CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
Source GROUND WATER

Use: HEATING 01/01 To 12/31 0.08 CFS
Use: COOLING 01/01 To 12/31 0.08 CFS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Total Diversion: 0.12 CFS

Date Filed: 12/12/2002
Place Of Use: HEATING, COOLING and DOMESTIC
T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

96-9145

IRIS A DE MAURO
PO BOX 433
CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
Source GROUND WATER

Use: HEATING 01/01 To 12/31 0.04 CFS
Use: COOLING 01/01 To 12/31 0.04 CFS
Use: DOMESTIC 01/01 To 12/31 0.04 CFS
Total Diversion: 0.08 CFS

Date Filed: 12/12/2002
Place Of Use: HEATING, COOLING and DOMESTIC
T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

*Didn't run as originally
scheduled - re done
w/ new dates 8/14*
①

96-9146

IRIS A DE MAURO
PO BOX 433
CLARK FORK ID 83811

Point(s) of Diversion SWNW S23 T56N R02E BONNER County
Source GROUND WATER

Use: HEATING	01/01 To 12/31	0.06 CFS
Use: COOLING	01/01 To 12/31	0.06 CFS
Use: DOMESTIC	01/01 To 12/31	0.04 CFS
Total Diversion:		0.1 CFS

Date Filed: 12/12/2002

Place Of Use: HEATING, COOLING and DOMESTIC
T56N R02E S23 SWNW

Remark: Domestic use is for 1 home.

Permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec 42-203A, Idaho Code.

Any protest against the approval of this application must be filed with the Director, Dept. of Water Resource, Northern Region, 1910 Northwest Blvd, Suite 210, Coeur D' Alene ID 83814 together with a protest fee of \$25.00 for each application on or before 08/25/2003. The protestant must also send a copy of the protest to the applicant.

KARL J DREHER, Director Published in Bonner County Daily Bee on August 7 and 14, 2003.

Receipt Details for ID N015727

Status	Adjustment Type	Version
		1

General Information:

Date Received	Date Deposited	Region	Total Amount	Payment Type
6/20/2003 1:36:47 PM	6/20/2003 1:39:21 PM	NORTHERN	\$100.00	Check
Payer		STEPHEN D WOODARD		

Account Information:

Check #	Account #	Credit Card Name	Authorization #
8284			
Card Expiration Date	Credit Card Transaction #		

Comment WR App Fee

Fee Detail:

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$100.00	PERMITS	65103	0229	21		1155

Refund(s):

Amount	Payee	Date	Document Number
--------	-------	------	-----------------

File Info

Replacement ok for \$100 (to replace other ok dated 6/14/03 \$150.)

Show References

Next Step

Previous Steps:

Select Receipt
View Detail

Screen ID 394



State of Idaho
DEPARTMENT OF WATER RESOURCES

NORTHERN REGION, Suite No. 210 • 1910 Northwest Blvd. • Coeur d'Alene, Idaho 83814-2615
(208) 769-1450 **Fax (208) 769-1454**

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

June 16, 2003

STEVE WOODARD
4814 S SPENCER LN
SPOKANE WA 99206

Re: Water Right Application

Dear Mr. Woodard:

This acknowledges receipt of your application and your check in the amount of \$150.00.

We are returning your check because the amount of the fee for the water you will be using is only \$100.00.

If we deposit your check and request the state office to refund the \$50.00 overpayment it would take a while to process. Instead we are requesting that you void this check and issue a check to Department of Water Resources (or to simplify it make the check payable to **IDWR**), and return same to our office in the enclosed self-addressed envelope.

Upon receipt of your check in the amount of \$100.00, we will continue processing your application.

Thank you.

Sincerely,

Dianne Ball
Administrative Assistant

Enclosure - Check No. 8277 in the amount of \$150.00

Ohio Department of Water Resources Receipt

Receipt ID N015708

Payment Amount Date Received Region Status
 Payment Type Check Number

Payer

Comment

Fee Detail

Amount	Description	Fund	FD	PCA	SO
\$150.00	PERMITS	0229	21	65103	1155

Save for file -

Use 6/16 as priority date

Signature Line (Dept. Representative)

6/16/03

*Returned to Mr Woodard peral -
(by mail) overpayment -*

*requested check for \$100⁰⁰
to be sent to us.*

b