

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-13457

RECEIVED

FEB 10 2006

DEPARTMENT OF
WATER RESOURCES

Date of Priority: December 29, 1982

Maximum Diversion Rate: 5.88 CFS
Maximum Diversion Volume: 1,810.0 AF

Comes now JOHN H SMITH
PO BOX 805
REXBURG ID 83440

and represents to the Director of the Idaho Department
of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 22-13457, and requests that the permit be changed as follows:

Source: GROUND WATER


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	5.88 CFS	1,810.0 AF

LOCATION OF POINT OF DIVERSION:GROUND WATER L4 (SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$) Sec. 7, Twp 05N, Rge 41E, B.M., MADISON County**PLACE OF USE:** IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N 40E 12													36.0	34.0	39.0	40.0	149.0
05N 40E 13	7.1																7.1
05N 41E 7									36.0	34.0	40.0	40.0	35.0	32.0	29.0	37.0	283.0
										L 3	L 4						
05N 41E 18					39.0	39.0											78.0
						L 1											

Total Acres: 517.1

Permit holder asserts that no one will be injured by such change and that such change will be made at
permit holder's own risk. Signed this 5 day of February, 2006.



(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 22-13457

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = 50.00 Received by mm # 080293 Date 2/10/2006

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 22-13457 with the following:

CONDITIONS OF APPROVAL

1. This right does not grant any right-of-way or easement across the land of another.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 3.5 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 14th day of February, 2006.

for 
KARL J. DREHER
Director