

SCALE 2 IN. = 1 MILE

FOR SALE BY
METSKER MAPS


111 SOUTH 10TH ST., TACOMA, WASHINGTON
1020 THIRD AVE., SEATTLE, WASHINGTON

TOWNSHIP 49N

KOOTENAI CO

24


To Coeur D'Alene



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Everett Bosanko
(Applicant)

MICROFILMED




TWP. 49N RGE. 3W SEC. 4 MAP # F-55 MAP SCALE _____
 DATE OF EXAM 5/23/86 PERMIT # 95-80611

SALE BY

TACOMA, WASHINGTON
SEATTLE, WASHINGTON

TOWNSHIP 49 N., RANGE 3 E.
KOOTENAI COUNTY, IDAHO
To Coeur D'Alene



TWP. 49N RGE. 3W SEC. 4 MAP # _____ MAP SCALE _____
DATE OF EXAM _____ PERMIT # 95-8664



MICROFILMED

MAR 20 1987

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-8064 Priority December 29, 1980 Amount 0.04 cfs

THIS IS TO CERTIFY, that Everett L. Bosanko
of Coeur d'Alene, Idaho, has complied with the terms and conditions of Permit
No. 95-8064 issued pursuant to Application for Permit dated December 29, 1980,
and has submitted proof to the Department of Water Resources on December 23, 1985,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.09 cfs of water from Coeur d'Alene Lake,
tributary to Spokane River, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u> <u>(1 Unit)</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>0.6</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1.2 acre feet per year, said waters to be diverted within the Gov. Lot 3 (NW $\frac{1}{4}$ NW $\frac{1}{4}$)
Section 4, Twp 49N, Rge 3W in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
49N	3W	4						GL3											

Total number of acres irrigated _____

RECORDED
MAR 20 1986

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22nd day of

DECEMBER, 19 86

Director

[Signature]

RECORDED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Everett L. Bosanko Phone 664-9015
Post office address 706 Spruce Ave Coeur d'Alene, Id.
2. Source of water supply Coeur d'Alene Lake which is a tributary of Spokane River
3. Location of point of diversion is (NWNW) 1/4 of G.L. 3 1/4 of Section 4 Township 49N
Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.04 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Pump & pipeline

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation: (NWNW)
(1) Give the place of use of water: 1/4 of G.L. 3 1/4 of Section 4 Township 49N
Range 3W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered _____
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.
(5) If water is to be used for other purposes describe: _____

MICROFILMED

MICROFILMED

Total number of acres to be irrigated

10037 Jdy

Applicant

applicant to make this filing.

FOR SALE BY
METSKER MAPS

TOWNSHIP 49N
KOOTENAI CO



Everett L. Bosanko
(Applicant)

MICROFILMED

MICROFILMED

Proposed Priority 12/29/80

Received by TS Date 12/29/80 Time 9:40 AM
Preliminary check by TS Fee \$ 30.00
Received by TS Date 12/25/80 (15502)
Publication prepared by TS Date 12/31/80
Published in Carol & Allen Jones
Publication dates 1/8 & 1/15/81
Publication approved TS Date 1/19/81
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8064, and said application is hereby approved _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 86.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 3 day of February, 19 81.

David R. T. Smith Acting

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-0063

**OHIO MATCH ROAD WATER
DISTRICT**

P. O. BOX 523, HAYDEN LAKE,
ID 83835

Source: GROUNDWATER

Date Filed: 12/4/1980

Amount: 0.45 CFS

Diversion Point: SENW Sec 24 T
52N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.45 CFS) from
01/01 to 12/31

Place of Use: SWSW NWSW

NESW Sec 18 T 52N R 03W SWSW

NWSW NESW SESW SWSE

NWSE NESE SESE Sec 13 T 52N

R 04W NWSE SWSE NESE SESE

Sec 14 T 52N R 04 W NWNE

SWNE NENE SENE Sec 23 T 52N

R 04W NWNW SWNW NENW

SENW NWNE SWNE NENE

SENE Sec 24 T 52N R 04W

Diversion Means: WELL AND
PUMP.

95-0064

BOSANKO, EVERETT L.

706 SPRUCE AVE., COEUR D
ALENE, ID 83814

Source: COEUR D ALENE
LAKE tributary to SPOKANE
RIVER

Date Filed: 12/29/1980

Amount: 0.04 CFS

Diversion Point: LOT 03 Sec 04 T
49N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31

Place of Use: LOT 03 Sec 04 T 49N
R 03W

Diversion Means: PUMP AND
PIPELINE.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before JANUARY 26, 1981.

C. STEPHEN ALLRED
Director

Legal 602

Jan. 8, 1981

25-70
JAN 10 1981

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO,
County of Kootenai,

} ss.

Jenna Exum being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Application for Water Rights

of which the annexed is a printed copy, was published in the regular 1 issue of said newspaper for 2 consecutive weeks commencing on the 5th day of Jan, 1981, and ending on the 15th day of Jan, 1981 and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Jenna Exum
Subscribed and sworn to before me this 15th day of Jan, 1981.

Roberta Manley
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

NOT FILMED

Jackie
Form 204-p
6/82

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

COMMENCEMENT OF WORKS

95-8064

Permit No. 1656

Name(s) of Permit Holder(s): Everett Bosanko

Post Office Address: 706 SPRUCE AVE

Coeur d'Alene, Ida 83814 Tel. No. 664-9015

☒ I hereby certify that construction of diversion works for the above referenced permit began on April 15, 1982 (date) I understand that I must continue to develop the water system with due diligence to maintain a valid permit.


☐ I hereby certify that construction of diversion works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

7-19-82
Date

Everett Bosanko
Signature of Permit Holder

Everett L. Bosanko
706 Spruce Ave.
Coeur d'Alene, Ida
83814



MICROFILMED

DEC 22 1988



RECEIVED

JUL 22 1982

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 24, 1986

RE: Permit No. 95-8064

Everett L. Bosanko
1207 Penn Ave.
Coeur d'Alene, ID 83814

Dear Mr. Bosanko:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 20 1987

RECOMMENDED AMOUNTS

Lic

3.	Permit No. ✓	Priority	Amount ✓	App. Date	Date Proof Submitted	System Capacity
	95-8064	12-29-1980	0.04cfs	12-29-1980	12-23-1985	0.09cfs

4. Permit Holder: EVERETT L. BOSANKO ✓

Address: 1207 PENN AVE. COEUR D'ALENE, ID. 83814 ✓

5. Source: COEUR D'ALENE Lake ✓ tributary to Spokane River ✓

6.	Beneficial Use	Period of Use From	To	Rate of Diversion Q (cfs)	Annual Volume V (afa)
	✓ DOMESTIC (1)	1-1	12-31	0.04cfs	0.6 AF

Allowable Maximums: 0.04cfs 0.6 AF

7. Point(s) of Diversion: ✓

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
	3		NW	NW	4	49N	3W	KOOTENAI

8. Place(s) of Use ✓

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
49N	3W	4						D											
								6											
								L											
								3											
Total Acres _____																			

Total Acres _____

9. Recommended Conditions/Remarks: _____

MACROFILMED
MAR 20 1987

10. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature [Signature]

Date 5-27-86

Checked in Regional Office by [Signature]

Date 6/12/86

Approved in State Office by K. Walker

Date 12-9-86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
JUN 19 1986

95-80641
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

ONE HOME = 0.04 cfs MEMO 5/13/81

$$\frac{8.8(1.75) 80\%}{2.33(20) + 15} = 1.09 \text{ cfs} \checkmark$$

- b) Volume Calculations for Irrigation:

$$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{IR} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

- c) Volume Calculations for Other Uses:

ONE HOME .6

(NO LAWN)

2. Overlap Review

- a) Other water rights with same place of use: NONE

- b) Other water rights with same point of diversion: NONE

- c) Analysis:

FILMED
MAR 20 1987

RECEIVED

JUN 19 1986

Department of Water Resources

Permit No. 95-8064

Phone No. _____

1. Owner: EVERETT L. BOSANKO Phone No. _____
Current Address: 1207 PENN AVE COEUR D'ALENE ID 83814
2. Accompanied by: E. BOSANKO EXAM. DATE: 5/23/86
Address: _____ Phone No. _____
Relationship to Permit Holder: SAME
3. Source: COEUR D. ALENE LAKE tributary to SPURANE R.

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	JACUZZI	3/4	607023226	JACUZZI	1"

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 1/4" ~~IN~~ SECTION, 3/4 HP PUMP, 1" ~~TO~~ LINE TO PRESSURE TANK
 & CL2 THEN TO HOME.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

7. Measurements NAVE ☐ Additional data/computation sheets attached

8. Point(s) of Diversion: Indicate Method of Determination *MAP*

[illegible]


9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination MAP

[illegible]

Total Acres _____

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature [Signature]
Consultant's License Number _____
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____
Date _____
CONSULTANT SEAL

25° 30' N E
(COEUR D'ALENE)

116°
47°37'30"

HARRISON 20 MI.

42°30"
COEUR D'ALENE

5270000 N

5272

5271

5270

TWP. 49N RGE. 3W SEC. 4 MAP # F-65 MAP SCALE 1"=1 MI.
DATE OF EXAM 5/23/80 PERMIT # 95-90611

1 MILE


SALE BY
ER MAPS

TACOMA, WASHINGTON
SEATTLE, WASHINGTON

TOWNSHIP 49N., RANGE 3 KOOTENAI COUNTY, IDAHO

24

To Coeur D'Alene



TWP, 49N RGE, 3E SEC, 11 MAP # _____ MAP SCALE _____
DATE OF EXAM _____ PERMIT # 95-8064



UNRECORDED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JANUARY 29, 1986

EVERETT L. BOSANKO
1207 PENN AVE.
COEUR D ALENE ID 83814

RE: Permit No. 95-8064

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
DEC 23 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 95-8064

Name(s) of Permit Holder: EVERETT L. BOSANKO

Post Office Address: 1207 PENN. AVE.

COEUR D'ALENE, IDAHO 83814 Telephone No. 664-9015 Home.

Source of Water: COA Lake 765-9589 Lake cabin

Extent of Use:

Domestic 1 (number of households)

Stockwater (number and type of stock)

Irrigation (acres)

Other/Remarks

Indicate the date water was first diverted and beneficially used under this permit: May 3 - 1981

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Everett Bosanko (Name)
1207 Penn. ave. Coeur d'Alene, Ida. 83814 (Address)
ph. 664-9015 Home 765-9589 cabin. (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

12-18-85 Date Everett L. Bosanko Signature of Permit Holder (and Title, if appropriate)

Note on Reverse side.

MICROFILMED

1-23-80
RJ

~~1207~~ Everett Bosanko
1207 Penn Ave
Coeur d'Alene, Ida 83814

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

MICROFILMED

I talked to Ray Walker by long distance from Geneva
avg. on 12-18-85. I will be back in Northern
County about 4-15-86. Please contact me after
that date for this request as requested.
Everett Bosanko

CONVERSATION MEMORANDUM

DATE 12-18-85FILE 95-8064NAME OF PARTY Everett BosankoEMPLOYEE Ray Walker

RE: _____

Mr. Bosanko called to say he had received his proof due notice and that he would be sending his proof in immediately. He was concerned that he would not be home when the field examiner went out to look at his system. I told him I would contact Northern and let them know he wants to be present when the exam is being conducted.

Mr. Bosanko gave me his new mailing address, as follows:

1207 Penn Ave.

Coeur d'Alene, ID 83814

phone at home: 664-9015

phone at lake: 765-9589

The address correction has been coded for data entry —

cc: Northern - Attn: Tom King

MICROFILMED

fw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
NOVEMBER 30, 1985

BOSANKO, EVERETT L.
706 SPRUCE AVE.
COEUR D'ALENE, ID 83814

138571

PROOF DUE NOTICE

RE: PERMIT NO. 95-8064

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BOSANKU, EVERETT L.
706 SPRUCE AVE.
COEUR D'ALENE, ID 83814

FEBRUARY 11, 1981

RE: PERMIT NO. 95-8064

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TOTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: RJA

APPLICATION NUMBER: 95-8064

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☒ Idaho Department of Lands. pm 12/31/80
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/26/81 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/16/81 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
✓ 12/29/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

MICROFILMED

By: RJA Date: 1/26/81

STATE OFFICE REVIEW:

Con item 3 & 8A1
sub cond

- ☐ See attached sheet for more information.

By: Robyn Date: 2/3/81



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUP'T OF PUBLIC INSTRUCTION

January 6, 1981

Robert Haynes, P.E.
Department of Water Resources
Northern District
4055 Government Way
Coeur d'Alene, ID 83814

RE: 95-8064
Basanko, E.

Dear Bob:

Thank you for the opportunity to review the above numbered diversion permit application.

The applicant will be required to make application for an encroachment permit and temporary permit, in addition to your permit.

The applicant is being advised.

Very truly yours,

WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:by

RECEIVED
JAN 10 1981
Water Resources
Office

EQUAL OPPORTUNITY EMPLOYER

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

December 31, 1980

Mr. William Scribner
Idaho Dept. of Lands
Statehouse
Boise, Idaho 83720

RE: 95-8064

Dear Bill:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED

95-8064

BOSANKO, EVERETT L.

706 SPRUCE AVE., COEUR D ALENE, ID 83814

Source: COEUR D ALENE LAKE tributary to SPOKANE RIVER

Date Filed: 12/29/1980

Amount: 0.04 CFS

Diversion Point: LOT 03 Sec 04 T 49N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: LOT 03 Sec 04 T 49N R 03W

Diversion Means: PUMP AND PIPELINE.

MICROFILMED