

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

93-7018

LACY, TED

RT. 2 WORLEY, ID 83876

Source: GROUNDWATER

Date Filed: 08/05/1980

Amount: 0.20 CFS

Diversion Point: NWNE Sec 12 T

47N R 06W, KOOTENAI Co.

Use: IRRIGATION (0.05 CFS)

from 03/15 to 11/15; STOCK-

WATER (0.02 CFS) from 01/01 to

12/31; COMMERCIAL (0.20 CFS)

from 03/15 to 11/15; DOMESTIC

(0.04 CFS) from 01/01 to 12/31

Place of Use: NWNE Sec 12 T 47N

R 06W LOT 01 NENE Sec 12 T

47N R 06W FOR 2 ACRES

Diversion Means: WELL, PUMP

AND PIPELINE.

93-7019

LACY, WILLARD

RT. 2, WORLEY, ID 83876

Source: GROUNDWATER

Date Filed: 08/05/1980

Amount: 0.20 CFS

Diversion Point: NWNE Sec 12 T

47N R 06W, KOOTENAI Co.

Use: IRRIGATION (0.05 CFS)

from 03/15 to 11/15; STOCK-

WATER (0.02 CFS) from 01/01 to

12/31; COMMERCIAL (0.20 CFS)

from 03/15 to 11/15; DOMESTIC

(0.04 CFS) from 01/01 to 12/31

Place of Use: NWNE Sec 12 T 47N

R 06W LOT 01 NENE Sec 12 T 47N

R 06W FOR 2 ACRES

Diversion Means: WELL, PUMP

AND PIPELINE.

95-8044

JONES, REASEL M. &/or BET-

TY S.

11202 FALLON ST., NORWALK,

CA, 90650

Source: GROUNDWATER

Date Filed: 08/01/1980

Amount: 0.08 CFS

Diversion Point: SESW Sec 35 T

52N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS)

from 01/01 to 12/31; DOMESTIC

(0.04 CFS) from 01/01 to 12/31

Place of Use: SESW Sec 35 T 52N

R 05W

Diversion Means: WELL AND

PUMP.

95-8045

BERG, DAVID E.

624 W. 15TH ST., SPOKANE, WA

99203

Source: SPRINGS

Date Filed: 08/05/1980

Amount: 0.04 CFS

Diversion Point: LOT 01 Sec 35 T-

50N R 04W, KOOTENAI CO.

Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31

Place of Use: LOT 01 Sec 35 T 50N

R 04W

Diversion Means: CISTERNS

AND PIPELINE.

95-8046

GAGLIANO, MICHAEL &/ or

KAREN SUE

Rt. 3 BOX 47, RATHDRUM, ID

83858

Source: GROUNDWATER

Date Filed: 08/01/1980

Amount: 0.10 CFS

Diversion Point: SESE Sec 34 T

52N R 05W, KOOTENAI Co.

Use: STOCKWATER (0.02 CFS)

from 01/01 to 12/31; COM-

MERCIAL (0.04 CFS) from 01/01-

to 12/31; DOMESTIC (0.04 CFS)

from 01/01 to 12/31

Place of Use: SESE Sec 34 T 52N

R 05W

Diversion Means: WELL AND

PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814, on or before SEPTEMBER 2, 1980.

C. STEPHEN ALLRED

Director

Legal 232

Aug. 14, 21, 1980

45.36

STATE OF IDAHO,

County of Kootenai,

ss.

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 19 and ending on the day of 19, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 19.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

[Handwritten signature]
LEADER
8/25/80

FILED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
AUG 4 1986

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Betty & Reasel Jones Permit No. 95-8044
Current Address: W. 2445 Hidden Vly Rd, Rathdrum, Id, 83854 Phone No. 687-0531
2. Accompanied by: SAME EXAM. DATE: 7/17/86
Address: SAME Phone No. _____
Relationship to Permit Holder: SAME
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS


2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).
☐ Aerial Photo Attached (required for irrigation of 10 acres or more).

MAR 20 1987



MICROFILMED

MAR 20 1987



MICROFILMED
MAR 20 1961

TWP. 52N RGE. 5W SEC. 35 MAP # E53 MAP SCALE _____
DATE OF EXAM _____ PERMIT # 95-8044

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-8044

Priority: August 1, 1980 Amount: .04 CFS 1.2 AF

This is to certify, that REASEL M. JONES
BETTY S. JONES

W. 2445 HIDDEN VALLEY RD.

RATHDRUM, ID 83858

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated August 1, 1980, and has submitted proof to the Department of Water Resources on July 22, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .04 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.04 cfs	1.2 af

LOCATION OF POINT OF DIVERSION(S): SESW, Sec. 35, Township 52N, Range 5W
Kootenai County

PLACE OF USE: Domestic

TWN RGE SEC

52N 5W 35 SESW

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

MAR 20 1987

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of FEBRUARY, 1987.

Acting Director



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant REAZEL M. OR BETTY S. JONES Phone _____
Post office address 11202 FALLON, NORWALK, CA. 90650
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 52N
Range 5W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 400 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 35 Township 52N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 5 HEAD

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water ONE.

(5) If water is to be used for other purposes describe: _____

RECORDED

TWP	RANGE	SEC.	NE%						NW%				SW%				SE%			
			NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%		
TOTALS			NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%	NEX	NW%	SW%	SE%		

c. Describe any other water rights used for the same purposes as described above.


b. Who owns the land to be irrigated or place of use

applicant to make this filing

10. Remarks

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Reuel M Jones
(Applicant)

Proposed Priority 8/1/80

Received by KK Date 8/1/80 Time 10:15 A
Preliminary check by JK Fee \$ 30.00
Received by KK Date 8/1/80 # 6339
Publication prepared by JK Date 8/1/80
Published in Council Bluffs News
Publication dates 8/14 + 21/80
Publication approved JK Date 8/25/80
Protests filed by: None
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RA

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8044, and said application is hereby approved _____

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 85.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 11th day of September, 1980.

J. Allen Gayton
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

93-7018

LACY, TED
RT. 2 WORLEY, ID 83878
Source: GROUNDWATER
Date Filed: 08/05/1990
Amount: 0.20 CFS
Diversion Point: NWNE Sec 12 T
47N R 06W, KOOTENAI Co.
Use: IRRIGATION (0.05 CFS)
from 08/15 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; COMMERCIAL (0.10 CFS)
from 08/15 to 11/15; DOMESTIC
(0.04 CFS) from 01/01 to 12/31
Place of Use: NWNE Sec 12 T 47N
R 06W LOT 01 NENE Sec 12 T
47N R 06W FOR 2 ACRES
Diversion Means: WELL, PUMP
AND PIPELINE.

93-7019

LACY, WILLARD
RT. 2, WORLEY, ID 83878
Source: GROUNDWATER
Date Filed: 08/05/1990
Amount: 0.20 CFS
Diversion Point: NWNE Sec 12 T
47N R 06W, KOOTENAI Co.
Use: IRRIGATION (0.05 CFS)
from 08/15 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; COMMERCIAL (0.10 CFS)
from 08/15 to 11/15; DOMESTIC
(0.04 CFS) from 01/01 to 12/31
Place of Use: NWNE Sec 12 T 47N
R 06W LOT 01 NENE Sec 12 T 47N
R 06W FOR 2 ACRES
Diversion Means: WELL, PUMP
AND PIPELINE.

95-8044

JONES, REABEL M. &/or BET-
TY S.
11203 FALLON ST., NORWALK,
CA 90650
Source: GROUNDWATER
Date Filed: 08/01/1990
Amount: 0.05 CFS
Diversion Point: SESE Sec 36 T
52N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; DOMESTIC
(0.04 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 36 T 52N
R 05W
Diversion Means: WELL AND
PUMP.

95-8045

BERG, DAVID E.
624 W. 18TH ST., SPOKANE, WA
99208
Source: SPRINGS
Date Filed: 08/05/1990
Amount: 0.04 CFS
Diversion Point: LOT 01 Sec 36 T-
50N R 04W, KOOTENAI CO.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31
Place of Use: LOT 01 Sec 36 T 50N
R 04W
Diversion Means: CISTERNS
AND PIPELINE.

95-8046

GAGLIANO, MICHAEL, &/ or
KAREN SUE
Rt. 2 BOX 47, RATHDRUM, ID
83858
Source: GROUNDWATER
Date Filed: 08/01/1990
Amount: 0.10 CFS
Diversion Point: SESE Sec 34 T
52N R 05W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)
from 01/01 to 12/31; COM-
MERCIAL (0.04 CFS) from 01/01
to 12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31
Place of Use: SESE Sec 34 T 52N
R 05W
Diversion Means: WELL AND
PUMP.

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 605 Gov't
Way, Coeur d'Alene, Id. 83814, on
or before SEPTEMBER 2, 1990.

C. STEPHEN ALLARD
Director

STATE OF IDAHO,
County of Kootenai,

} ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The _____
_____ of which the annexed is a printed copy, was published in the regular _____ issue of said newspaper for _____ consecutive _____, commencing on the _____ day of _____, 19____, and ending on the _____ day of _____, 19____, and such publication was made as often during said period as said _____ newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this _____ day of _____, 19____.

Roberta Zander
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8044
Name(s) of Permit Holder(s): Reasel or Betty Jones
Post Office Address: ~~1824~~ W 2445 Hidden Valley Rd
Rathdrum, Id Tel. No. _____

☒ I hereby certify that construction of diversion works on the above referenced permit began on July, 1980 (date) and understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason, beyond my control:

*Note: A financing difficulty is not an acceptable reason.

4/13/83
Date

Betty Jones
Signature of Permit Holder

MICROFILMED

PLACE
STAMP
HERE

DEC 22 1988

RECEIVED

APR 18 1983



RECEIVED

APR 13 1983

Northwest District Office
Department of Water Resources

Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 23, 1987

RE: Permit No. 95-8044

Reasel M. & Betty S. Jones
W. 2445 Hidden Valley Rd.
Rathdrum, ID 83858

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 20 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 28, 1987

RE: Permit No. 95-8044

Reasel M. & Betty S. Jones
W. 2445 Hidden Valley Rd.
Rathdrum, ID 83858

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

95-8044
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED

AUG 4 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☐ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index J.A. 7/18/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index J.A. 7/18/86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Jennifer Argraves (Signature of examiner and date) 7/18/86

Exam Reviewed by Senior Water Resource Agent E. 7/29/86 (Initial and date)

Exam Reviewed by Manager of Regional Office RJA 7/20/86 (Initial and date)

Exam Date Entered in Computer 7/30/86 (Initial and date)

Exam sent to State Office 7/31/86 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

FILED
MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

AUG 4 1986

Department of Water Resources

A. GENERAL INFORMATION


1. Owner: Betty & Reasel Jones Permit No. 95-8044
Current Address: W. 2445 Hidden Vly Rd, Rathdrum, Id. 83854 Phone No. 687-0531
2. Accompanied by: SAME EXAM. DATE: 7/17/86
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached
2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NTS

MAR 20 1987

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement, indicate pressure, number of sprinklers, etc.)

Submersible in well to holding tank 1800 gal. 1 1/2" PVC to pump to 2" PVC to 2" take off to reduced to 1" to 8 gal press tank ~~one for over~~ to one home and 2" take off to 82 gal press tank to another home
 Only one home on permit

Wad pump 40psi

Submersible 140psi (once a day for 1hr)

4. Yes - 1/2 ac lawn/garden + for both ☐ See Remarks on page 4 for continuation

Well or Division Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible	Wards	3/4	OM809	Wards	2"

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					SE 35	SW 35	SW 35	Madison	Map

6. Place(s) of Use:

Twp.	Rge.	Sec.	NE 1/4	NE 1/4 NW 1/4	SE 1/4 NW 1/4	SE 1/4	NW 1/4	NW 1/4 NE 1/4	SE 1/4 NW 1/4	SE 1/4	SW 1/4	SW 1/4 NE 1/4	SE 1/4	SW 1/4	SW 1/4 NE 1/4	SE 1/4	Totals
52N	5W	35															1/2

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(1.8)(\frac{3}{4})}{2.23(40) + 7} = 0.8 \text{ cfs}, 0.6 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = .04 \text{ cfs, a permit}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{Dom + \text{Eac lawn \& garden}} = 1.2 \text{ AF} = 2.4 \text{ AF} - 1.8 \text{ AF}$$

[illegible]

1. Recommended Amounts

12cm + $\frac{1}{2}$ ac. lawn
of garden

Period of Use
From
To

12/31

Rate of Diversion
Q (cts)

04/15

Annual Volume

(b)(3)

~~15/24~~ $\rightarrow$ 40

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

2. Recommended Amendments

Totals:

☐ Add P.D. as reflected above

☒ None

☐ Add P.U. as reflected above

☐ Other

~~1875~~

Field Examiner's Name

Signature

Certification Date

Field Report Preparation Date

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

CONSULTANT SEAL

John: Der Affen
Jenny: Der Affen

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{8.8(8)(\frac{3}{4})}{2.23(40) + 7} = 0.8 \text{ cfs}, 0.6 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

$$Q = .04 \text{ cfs} \text{ per m.t.}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{Dom + \text{bal lawn \& garden}} = 1.2 \text{ AF} = 2.4 \text{ AF} - 1.8 \text{ AF}$$

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Field Examiner's Name

John. Fer. Ar. 2005
Jennifer Ar. 2005

☐ Add P.D. as reflected above ☒ None

1.045 ok $\rightarrow$ 1.27 $\rightarrow$ 1.84

वर्ष १९७१

$$\frac{1}{2} \text{ cm} + \frac{1}{2} \text{ ac, lawn}$$


Period of Use
From 11/1
To 12/31

Rate of Diversion
Q (cfs)
04 cfs


Annual Volume
V (afa)
124

1. RECOMMENDATIONS

[illegible]



RECEIVED
MAR 20 1987



TWP. 52N RGE. 50W SEC. 35 MAP # E 53 MAP SCALE
DATE OF EXAM PERMIT # 95-6044

Jim Menro 687-0136

- Submersible

4/86

RECEIVED

APR 23 1986

Department of Water Resources
Northern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received _____
Date _____
Receipt # _____
Receipt by _____
Sent to S.O. 4/23/86

RECEIVED

APR 25 1986

no rec'd

1. Permit No. 95-8044

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: JONES, REASEL M. OR BETTY S.

3. Post Office Address: W. 2445 Hidden Vly. Rd.
RATHDRUM, Id. 83858 Telephone No. 687-0531

4. Source of Water: _____

5. Extent of Use:

Domestic 2 (No. of households) Stockwater 5 pigs or 2 cats (No. and type of stock)

Irrigation NONE (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 04 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

MID-JUNE 1981

8. Person to contact to accompany the department representative during field examination:

REASEL or Betty JONES
(Name)

W. 2445 HIDDEN VLY. RD., RATHDRUM, Id. - 687-0531
(Address) (Telephone Number)

MICROFILMED

MAR 20 1981

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

4-23-86
Date

Reasel Maf Jones
Signature of Permit Holder (and title, if appropriate)



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

Mailing address:
Statehouse
Boise, Idaho 83720

A. KENNETH DUNN

95-8044
JONES, REASEL M.
JONES, BETTY S.
W. 2445 HIDDEN VALLEY ROAD
RATHDRUM, ID 83858

138403

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

MAR 20 1987

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 20 1981

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

NOVEMBER 18, 1985

REASEL M. JONES
W. 2445 HIDDEN VALLEY RD.
RATHDRUM ID 83858

RE: Permit No. 95-8044

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUL 22 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 95-8044

Name(s) of Permit Holder: JONES, REASEL M. + Betty S.

Post Office Address: W. 2445 HIDDEN VALLEY RD.
RATHDRUM, ID. 83858 Telephone No. 208-687-0531

Source of Water: UNDERGROUND / WELL + PUMP

Extent of Use:

Domestic TWO (number of households)

Stockwater 4 PIGS + 4 COWS (number and type of stock) ^{in future}

Irrigation NONE (acres)

Other/Remarks WE HAVE A CISTERN
HOLDING 1,900 GAL.

Indicate the date water was first diverted and beneficially used under this permit: JUNE 20-1981

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

REASEL M. JONES OR Betty S. Jones
(Name)

W. 2445 HIDDEN VALLEY RD. RATHDRUM 208-687-0531
(Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-17-85
Date

Betty S. Jones
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Reasel M. or Betty S. Jones
W. 2445 Hidden Vly. Rd.
Rathdrum, Id. 83858



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138174

JONES, REASEL M. & BETTY S.
W. 2445 HIDDEN VALLEY RD.
RATHDRUM, ID 83858

PROOF DUE NOTICE

JUNE 30, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8044 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

JONES, REASEL M. & BETTY S.
11202 FLALLON ST.
NORWALK, CA 90650

SEPTEMBER 24, 1980

RE: PERMIT NO. 95-8044

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

UNRECORDED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: IK APPLICATION NUMBER: 95-8044

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
- | | | |
|---|--|----------------------------|
| ☐ Yes | ☒ No | Field check required. |
| ☐ Yes | ☒ No | Critical groundwater area. |
| ☐ Yes | ☒ No | Request dam safety info. |
| ☒ Yes | ☐ No* | In form to receipt. |

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
- ☐ Idaho Fish and Game Department.
- ☐ Idaho Department of Lands.
- ☐ U.S. Bureau of Land Management.
- ☐ U.S. Forest Service.
- ☐ Other _____
- Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
-
- ☒ Yes ☐ No * In form for advertising.
Final date for protests: 9/2/80 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8/25/80 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 8/1/80 Date of priority recommended.
☒ Special conditions of approval or cover letter.

MICROFILM

By: [Signature] Date: 9/2/20

STATE OFFICE REVIEW:

SLW/acord

- ☐ See attached sheet for more information.
By: Robyn Date: 9/10/80

95-8044

JONES, REASEL M. &/or BETTY S.

11202 FLALLON ST., NORWALK, CA 90650

Source: GROUNDWATER

Date Filed: 08/01/1980

Amount: 0.06 CFS

Diversion Point: SESW Sec 35 T 52N R 05W, KOOTENAI Co.

Use: STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: SESW Sec 35 T 52N R 05W

Diversion Means: WELL AND PUMP.

RECEIVED
AUG 11 1980