




TWP. 52N RGE. 4W SEC. 29 MAP # 654 MAP SCALE
DATE OF EXAM 3/17/86 PERMIT # 95-8014

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-08014

Priority: July 6, 1980

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.09 CFS
4.8 AF

This is to certify, that CRYSTAL WATER CORP.
108 KING ST.

WALLACE, ID 83873

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 2, 1980; and has submitted Proof of Beneficial Use on August 5, 1985. An examination indicates that the works have a diversion capacity of .090 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.09 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 29, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 29

NESW

NWSW

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6th day of FEBRUARY, 1990.

MICROFILMED

MAR 23 1990

Acting for


R. Keith Higginson, Director

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08014

Date of Priority: July 6, 1980

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 4.8 AF

Comes now CRYSTAL WATER CORP.
E. 1895 MALLORY RD.
RATHDRUM, ID 83858

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-08014, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.09 CFS	4.8 AF

LOCATION OF POINT(S) OF DIVERSION: NWSW , Sec. 29, Township 52N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

52N 04W 29 NESW NWSW

MICROFILMED

MAR 23 1990

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 1 day of JANUARY, 1990.

Chester D. Cozick
(Signature)
Homeowner

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-08014

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 ✓ Received by C Wong Date # 0013830
1/5/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-08014 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 4 homes.

Witness my hand this 6TH day of FEBRUARY, 1990.

R. Keith Higginson
R. Keith Higginson, Director

MICROFILMED

MAR 25 1990

2007

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 95-8014 IN THE
NAME OF CRYSTAL WATER CORP.

} ORDER OF REINSTATEMENT
}

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before June 1, 1985; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on August 5, 1985;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 95-8014 be REINSTATED and the priority advanced to July 6, 1980.

Dated this 7th day of November, 1985.

MICROFILMED


L. GLEN SAXTON
Chief, Operations Bureau

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Orginial Permit	95-8014	Chester D. or Dorothy L. Coziah	.20 cfs
Full Assignment	95-8014	Crystal Water Corporation	.20 cfs

100

706ym
RECEIVED
MAY 19 1983

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

RECEIVED
MAY 16 1983
Department of Water Resources
Northern District Office
OK
Process
5/23/83

I, Chester D or Dorothy L. Coziah, hereby assign to Crystal Water Corporation
of E. 1895 Mallory Rd., Rathdrum, Id. 83858
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 95-8014
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 16th day of May, 19 83.

Chester D. Coziah
Permit Holder

Dorothy L. Coziah
Spouse of Permit Holder

State of Idaho)
County of Kootenai) ss.

On this 16th day of May, 19 83, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that ~~he~~ they (they) executed the same.

seal

[Signature]
Notary Public residing at
Rathdrum

My commission expires:
Life

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant CHESTER DALE OR DOROTHY LOUISE COZIAN Phone _____
Post office address RT 3 Box 392F, RATHDRUM, ID 83858
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 29 Township 52N
Range 4W B.M. KOOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.20 for DOMESTIC purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.

- c. Proposed well diameter is 38 inches; proposed depth of well is 350 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
- (1) Give the place of use of water: NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 29 Township 52N
Range 4W B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water 6.
- (5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

10

None

Applicant

APPLICANT & OTHERS

Applicant Has Verbal Acknowledgment

BE SHARING COSTS

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

29 T-52N
① P.D.
PLACE
OF
USE
R-4L

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chester D. Coziah
(Applicant)

(Applicant)

Proposed Priority 5/2/80 Received by KIC Date 5/2/80 Time 3:00p Fee \$ 20.00 Received by JK

Preliminary check by JK Date 5/2/80 #16757

Received by KK Date 5/2/80
Publication prepared by Mr. Grand Allen Date 5/8/80
Published in Grand Allen
Publication dates 5/15/80
Publication approved pro Date 6/10/80
Protests filed by: none

Copies of protests forwarded by

Hearing held by Date
Recommended for approval denial by JWB

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-8014, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1985.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: (1) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 27th day of June, 1980.

D. Allen Saylor

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-8013

MINZGHOR, DENNIS &/or
JUDY,

P. O. BOX 1191, COEUR D
ALENE, ID 83814

Source: UNNAMED STREAMS
tributary to COEUR D ALENE
LAKE

Date Filed: 05/06/1980

Amount: 20.0 AC-FT

Diversion Point: SENW Sec 17 T
49N R 03W, KOOTENAI Co.

Use: IRRIGATION STORAGE
(20.0 AC-FT) from 01/01 to 12/31;

IRRIGATION FROM STORAGE
(20.0 AC-FT) from 03/15 to 11/15;

STOCKWATER STORAGE (5.0
AC-FT) from 01/01 to 12/31;

STOCKWATER FROM
STORAGE (5.0 AC-FT) from

01/01 to 12/31; WILDLIFE
STORAGE (20.0 AC-FT) from
01/01 to 12/31.

Place of Use: SENW Sec 17 T 49N
R 03W FOR 10 ACRES

Diversion Means: 2 DAMS.

95-8014

COZIAH, CHESTER DALE &/or
DOROTHY LOUISE

RT. 3 BOX 302F, RATHDRUM,
ID 83858

Source: GROUNDWATER

Date Filed: 05/08/1980

Amount: 0.20 CFS

Diversion Point: NWSW Sec 29 T
52N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.20 CFS) from
01/01 to 12/31

Place of Use: NWSW Sec 29 T 52N
R 04W

Diversion Means: WELL AND
PUMP.

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JUNE 2, 1980.

C. STEPHEN ALLRED
Director

STATE OF IDAHO,

County of Kootenai,

} ss.

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 1980, and ending on the day of 1980, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

19 80

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

February 7, 1990

CRYSTAL WATER CORP.
108 KING ST.
WALLACE, ID 83873

RE: PERMIT NO. 95-08014

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 23 1990

DEPARTMENT OF WATER RESOURCES


STATEHOUSE

BOISE IDAHO 83720

RECEIVED

MAR 23 1990

Rec'd to
108 King &
Wallace &
83873



12-8 NOV 20 1989

Department of Water Resources

CRY3895 838182014 1888 11/17/89
FLUORIDATING TIME EXPIRED
CRYSTAL WATER CORP
108 KING ST
WALLACE ID 83873
RETURN TO SENDER

November 8, 1989

CRYSTAL WATER CORP.
E. 1895 MALLORY RD.
RATHDRUM, ID 83858

RE: PERMIT NO. 95-08014

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
MAY 23 1986

95-8014
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{8.8(5)80\%}{2.33(20)+350} = 0.09 \text{ cfs}$$

4 HOMES : 0.10 PER MEMO 5-13-81

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}} \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}} \end{aligned}$$

- c) Volume Calculations for Other Uses:

$$4 \text{ HOMES} @ 1.2 = \textcircled{4.8}$$

$$0.09(365)1.9835 = \underline{65}$$

2. Overlap Review

- a) Other water rights with same place of use: none
- b) Other water rights with same point of diversion: none
- c) Analysis:

MICROFILMED

MAR 23 1990

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
95-8014		9.09			309

Address: E. 1895 MALLORY RD. FAITHORUM, ID. 83858

tributary to

Period of Use
From To

Annual Volume (a)

60.0

4. 82

[illegible][illegible]

MICROFILMED

MAR 23 1990

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None

☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Checked in Regional Office by Beddowma

Approved in State Office by _____

Date _____

Date _____

Date _____

RECEIVED
MAY 22 1982

Department of Water Resources

Permit No. 95-8014

Phone No. 687-1396

1. Owner: CRYSTAL WATER CORP. Phone No. 687-1396
 Current Address: E. 1895 MALLORY RD RATHDRUM, ID. 83858
 2. Accompanied by: NONE EXAM. DATE: 3/17/86
 Address: 2 Phone No. _____
 Relationship to Permit Holder: _____
 3. Source: GW tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
34B		5			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

- 5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)**

8" x 350' WELL W/STATIC W/L @ 240', 5HP SUBMERSIBLE PUMP
WITH PIPE LINE TO 3 HOMES & 1 STUB.

6.	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
	none						

7. Measurements 4 amps 2 (4) ☐ Additional data/computation sheets attached


8. Point(s) of Diversion: Indicate Method of Determination *MAD*

[illegible]

9. PLACE OF USE 5470 & 5050
5000
Place(s) of Use: 5670
3 ACRE PARCEL S. OF 5020
- Irrigation - give acres served by system at time of exam. ASSESS
Indicate Method of Determination MAP / COURT HOUSE

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. Diversion and Delivery System Diagram: Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
14. Remarks PHOTO DID NOT DEVELOP
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☒ Add P.U. as reflected above
16. Examiner's/Consultant's Signature _____ Date 3/17/86

Consultant's License Number _____


IDWR Director's Authorization to Conduct _____

Beneficial Use Examination _____

CONSULTANT SEAL

MICROFILMED

MAR 23 1990



TWP. 52N/RGE. 4W SEC. 29 MAP # E54 MAP SCALE 1"=1 MI.
DATE OF EXAM 3/17/86 PERMIT # 95-8014

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

NOVEMBER 18, 1985

CRYSTAL WATER CORP.
E. 1895 MALLORY RD.
RATHDRUM ID 83858

RE: Permit No. 95-8014

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Enclosed please find a copy of an order involving your permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

ENCLOSURE

MICROFILMED

MAR 23 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8014

Name(s) of Permit Holder(s): CRYSTAL WATER CORP

Post Office Address: E 1890 N. PARK RD -

RATHDRUM ID 83852 687-1396

☒ I hereby certify that construction of diversion works for the above referenced permit began on April 1989. I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is
not an acceptable reason.

5/27/83
Date

Louise Coziah Sec. Treasurer
Signature of Permit Holder



Crystal Lake
E 1895 Malheur Rd
Rathdrum Id 83858

MICROFILMED



MAR 3 1990

RECEIVED

JUN 8 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-8014

Name(s) of Permit Holder(s): Crystal Water Corp.

Post Office Address: E. 1895 Mallory Rd.

Rathdrum, Id. 83858 Phone No. 687-1396

☒ I hereby certify that construction of diverting works for the above referenced permit began on April of 1980 ^(date). I understand that I must continue to develop the water system with due diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

5/16/83

Date

Dorothy L. Coziah
Signature of Permit Holder

Secretary/Treasurer

PLACE
STAMP

HERE

MICROFILMED

Department of Water Resources
Northern District Office



MAY 16 1983

RECEIVED

MAY 19 1983

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 95-8014

DATE: Nov. 6, 1985

Date proof received

217

Aug 5, 1985

Proof due

-152

June 1, 1985

Number of day proof late

65

Priority date

+122

May 2, 1980

New priority date

187

July 6, 1980

Remarks:

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
AUG 5 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 95-8014

Name(s) of Permit Holder: CRYSTAL WATER CORP.

Post Office Address: E 1895 MALLORY RD RATHDRUM ID. 83858

Telephone No. 208-687-1396

Source of Water: WELL

Extent of Use:

Domestic 4 (number of households)

Stockwater _____ (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: _____

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

LOUISE COZIAH

(Name)

E 1895 MALLORY RD. RATHDRUM ID. 83858

(Address)

208-687-1396

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

7-30-85
Date

Louise Coziah - Sec. Treasury - Crystal Water Corp.
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

✓
Crystal Water Corp.
E 1295 Mallory Rd.
Rethdun, Id 83858



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

July 16, 1985

Chester D. and Dorothy L. Coziah
E. 1895 Mallory Dr.
Rathdrum, ID 83855

Dear Mr. and Mrs. Coziah:

Re: Permit No. 95-8014

Enclosed is the proof of beneficial use form submitted to this office on June 19, 1985. Please be advised that the permit is in the name of Crystal Water Corporation.

From the information indicated in the file, I am unable to determine if you have an association with Crystal Water Corporation. If you are a representative for this corporation, please return the proof with the corporation's name indicated at the top of the page under "Name(s) of Permit Holder" and indicate your title with the corporation under your signature.

If, however, you have no association with the corporation, but you still have an interest in the water right, you will need to have a corporate representative assign the permit back to you. Enclosed is an assignment form for your use.

The permit has lapsed. To have the permit reinstated with a timely advance in priority, the Department must receive the assignment from you along with a proof of beneficial use or a proof of beneficial use form from Crystal Water Corporation.

If you have any questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CRYSTAL WATER CORP.
E. 1895 MALLORY RD.
RATHDRUM, ID 83858

LAPSE NOTICE

JUNE 04, 1985

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 95-8014 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE NOTICE THAT YOU HAVE COMPLETED THE PROJECT (PROOF OF BENEFICIAL USE) BY THE DATE REQUIRED ON YOUR PERMIT OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED MARCH 31, 1985.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE FORM OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED FORM OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST AND THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING

I hereby certify that on 6-19-1985
a copy of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

Dita Shank

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

128889

CRYSTAL WATER CORP.
E. 1895 MALLORY RD.
RATHDRUM, ID 83858

PROOF DUE NOTICE

MARCH 31, 1985

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-8014 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED

May 23, 1983

RE: Permit No. 95-8014

Crystal Water Corporation
E. 1895 Mallory Rd.
Rathdrum, ID 83858

Dear Sir:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

The 1982 Idaho Legislature added a requirement to your permit. Because of the change, you must commence the excavation and construction of the diverting works for your permit no later than July 1, 1983. The statute further requires that you then proceed with due diligence in completing the diverting works and applying the water to beneficial use.

To maintain the validity of your permit, you must return the Commencement of Works postcard for your permit subject to the requirement. Note that on the card you can indicate that either (1) you have commenced construction or (2) you have been prevented from initiating development due to a factor beyond your control, such as the Idaho Power Moratorium, a required approval of the Federal Government, or litigation which prevents development of the project. Please note the recent purchase of the land is not considered a reason for prevention from initiating development under this permit. Enclosed you will find the Commencement of Works postcard. Please return this card to our office no later than July 1, 1983.

If you have any questions on this matter, please feel free to contact us.

Sincerely,

ROBYN CARLSON
Chief Clerk

RC:sc
Enclosures

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

COZIAH, CHESTER DALE & DOROTHY LOUISE
RT. 3 BOX 392F
RATHDRUM, ID 83858

JULY 10, 1980

RE: PERMIT NO. 95-8014

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TOTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-8014

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☐ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 6/2/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6/2/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6/5/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: SLW Date: 6/16/80

STATE OFFICE REVIEW:

SL
S.L. w/o conc
☐ See attached sheet for more information.
By: SLW Date: 6/23/80

95-8014

COZIAH, CHESTER DALE &/or DOROTHY LOUISE

RT. 3 BOX 392F, RATHDRUM, ID 83858

Source: GROUNDWATER

Date Filed: 05/02/1980

Amount: 0.20 CFS

Diversion Point: NWSM Sec 29 T 52N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.20 CFS) from 01/01 to 12/31

Place of Use: NWSM Sec 29 T 52N R 04W

Diversion Means: WELL AND PUMP.