




TWP. 50N RGE. 5W SEC. 14 MAP # F-3 MAP SCALE Q
 DATE OF FIELD EXAM 3/13/86 FIELD REPORT MAP PERMIT # 95-7993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07993

Priority: January 2, 1980

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.10 CFS
8.3 AF

This is to certify, that JOSEPH MURPHY
DIANE MURPHY

S. 2121 GREENS FERRY
COEUR D ALENE, ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 2, 1980; and has submitted Proof of Beneficial Use on November 23, 1984. An examination indicates that the works have a diversion capacity of .100 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.04 CFS	7.0 AF
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.10 CFS	8.3 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 14, Township 50N, Range 05W
KOOTENAI County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	05W	14	NENE	2		2

Total number of acres irrigated: 2

PLACE OF USE: STOCKWATER, same as IRRIGATION use

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

MICROFILMED

NOV 24 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 95-07993

CONDITIONS/REMARKS:

6. The maximum combined rate of diversion under this right & Right 95-4259 shall not exceed 0.10 cfs.
7. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24TH day of OCTOBER, 1989.

Acting for


R. Keith Higginson, Director

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Joseph or Diane Murphy Phone 773-4612

Post office address Rt. 1 Box 56, Coeur d'Alene, Idaho 83814

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 14 Township 50N

Range 5W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.02 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____
Dreb irrigation, pump & pipeline.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 447 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 14 Township 50N
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 10-25 head beef cattle
2-5 pigs, 40-50 chickens

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____
Irrigation of 50 fruit trees.

NOT RECORDED

[illegible]

2

See 95-4259

b. Who owns the land to be irrigated or place of use

applicant to make this filing

This image shows a single sheet of white paper with horizontal blue or grey ruling lines. The lines are evenly spaced and run across the width of the page. There are approximately 20 lines visible. The paper appears to be a standard notebook page or a sheet of stationery. There is no handwriting or other markings on the page.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

50N 5W

[illegible]

Proposed Priority 1/2/80

Received by Date 1/2/80 Time 9:30am
Preliminary check by JK Fee \$ 25.88
Received by Date 1/2/80 (15177)
Publication prepared by Date 1/3/80
Published in Courier & Press
Publication dates 1/10 & 17/80
Publication approved Date 1/23/80
Protests filed by:
Copies of protests forwarded by
Hearing held by Date
Recommended for approval denial by

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7993, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 85.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Witness my hand this 31st day of January, 19 80.

D. Alan Gayton

AFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7993

MURPHY, JOSEPH &/or DIANE
RT. 1 BOX 56, COEUR
D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 01/02/1980

Amount: 0.10 CFS

Diversion Point: NENE Sec 14 T
50N R 05W, KOOTENAI Co.

Use: IRRIGATION (0.04 CFS)
from 04/01 to 11/01; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: NENE Sec 14 T 50N
R 05W FOR 2 ACRES

Diversion Means: DREB IR-
RIGATION, PUMP & PIPE

95-7992

TAYLOR, RICHARD
12903 E. 25TH ST., SPOKANE,
WA 99216

Source: UNNAMED SPRING
tributary to HAYDEN LAKE,
HAYDEN LAKE

Date Filed: 12/27/1979

Amount: 0.20 CFS

Diversion Point: LOT 03 Sec 11 T
51N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.20 CFS)
from 03/15 to 11/15; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31; DOMESTIC (0.04 CFS)
from 01/01 to 12/31

Place of Use: LOT 03 (NWNW)
Sec 11 T 51N R 03W FOR 10
ACRES

Diversion Means: COLLECTION
BOX & PUMP

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id. 83814 on
or before JANUARY 28, 1980.

C. STEPHEN ALLRED
Director

Legal 534

Jan. 10, 17, 1980

STATE OF IDAHO,
County of Kootenai,

ss.

being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for consecutive commencing on the day of 1980, and ending on the day of 1980, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this day of 1980.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

October 24, 1989

JOSEPH MURPHY
DIANE MURPHY
S. 2121 GREENS FERRY
COEUR D ALENE, ID 83814

RE: PERMIT NO. 95-07993

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED

NOV 24 1989

POINT OF DIVERSION OVERLAP REVIEW

WR-NUMBER	TWP	RNG	SC	TRACT	LT	#SOURCE	#NAME
				1\4 1\4 1\4			
9507993	50N	05W	14	NE NE		GROUNDWATER	MURPHY, JOSEPH

MICROFILMED

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAY 23 1986

95-7993
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

$$\frac{8.8(3) 80\%}{2.33(20)+160} = 0.10 \text{ cfs}$$

- b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{3.5(2)}{1} = 7.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .04(243) 1.9835 = 19.4769$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.0$$

- c) Volume Calculations for Other Uses:

$$\begin{aligned} \text{ONE HOME} & 0.6 \text{ AF} \\ \text{STOCK (30 RANG)} & = 0.7 \text{ AF} \end{aligned}$$

2. Overlap Review

- a) Other water rights with same place of use: None 95-4259

- b) Other water rights with same point of diversion: None

- c) Analysis: 95-4259 IS STAND BY FOR ONE ACRE,
ONE HOME & 7 RANG
∴

95-7993 SHALL NOT EXCEED 0.10 CFS WHEN COMBINED
WITH 95-4259

MICROFILMED

NOV 24 1989

RECOMMENDED AMOUNTS

Permit Holder: Joseph D. Murphy

4. Permit Holder: Joseph D. Murphy

Address: 5. 0101 ARENAS FERRY RD. LOREDALE, I.D. 9775 83814

5. Source: GROUNDWATER tributary to

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (ata)

~~DOUGLAS / RIGGALL~~

1-11 1-12

0.04

22

57064

12-31

200

10

5702 DAMESTIC

15-21 1-

40'0

9.

Allowable Maximums:

0.0

2.5

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks:

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Checked in Regional Office by _____

Approved in State Office by

Date _____

28/2/16

Date _____

20/11/19

Date _____

10/11/22

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 95-7993

Phone No. 773-0987

1. Owner: JOSEPH D. MURPHY Phone No. 773-0987
Current Address: 52121 GREENFERRY RD, CDA, 1083814

2. Accompanied by: none EXAM. DATE: 3/13/86
Address: _____ Phone No. _____
Relationship to Permit Holder: _____

3. Source: GW tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
54B	604LD	3			

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
6" x 447' WELL, PUMP & PIPELINE (HOSES W/ SOAKER
& DRIP IRR.) SWL 160'

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>nm</i>						

7. Measurements ONE HOME ☐ Additional data/computation sheets attached
2 ACRES 1 1/2" PVC DRIP + 3/4" SOAKER HOSES

8. Point(s) of Diversion: Indicate Method of Determination *MAP*

[illegible]


9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination *MAP*

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
50 N	50 W	14	29															2	
Total Acres																		2	

10. Other water rights on these lands 95-4259-SPRING

11. Other water right diverted from same p.d. None

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☐ None

☐ Other

16. Examiner's/Consultant's Signature [Signature] Date 5/13/86


Consultant's License Number _____

IDWR Director's Authorization to Conduct _____

Beneficial Use Examination _____

Date

CONSULTANT SEAL



TWP. 50N RGE. 5W SEC. 14 MAP # F-3 MAP SCALE Q
DATE OF FIELD EXAM 3/13/86 FIELD REPORT MAP PERMIT # 95-7993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JANUARY 3, 1985

JOSEPH D. MURPHY
S. 2121 GREENFERRY RD.
COEUR D'ALENE ID 83814

RE: Permit No. 95-7993

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

ENCLOSURE

NOV 24 1989

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7993

Name(s) of Permit Holder: Joseph D. Murphy

Post Office Address: 52121 Greenleaf, Coeur d'Alene

Idaho 83814 Tel. No. 723-0987

Source of Water: Well

Extent of Use: ☒ Domestic 1 (number of household(s))
☒ Stockwater 12-Beef (number and type of stock)
☒ Irrigation 5 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

11/19/84
Date

MICROFILMED

Joseph D. Murphy
Signature of Permit Holder



RECEIVED

NOV 28 1984

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138433

MURPHY, JOSEPH & DIANE
RT. 1 BOX 56
COEUR D'ALENE, ID 83814

PROOF DUE NOTICE

OCTOBER 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7993 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JANUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

February 1, 1980

Joseph & Diane Murphy
Rt. 1 Box 56
Coeur d'Alene, Idaho 83814

Dear Mr. & Mrs. Murphy,

RE: Permit No. 95-7992

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-7993

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☒ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use. Rain from for water from
different source
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1/28/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 1/25/80
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
1/2/80 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RST Date: 1/28/80

STATE OFFICE REVIEW:

Short letter w/o cond.

- ☐ See attached sheet for more information.

By: Jan Date: 1/31/80

RECEIVED

95-2993-

MURPHY, JOSEPH &/or DIANE

RT. 1 BOX 56, COEUR D ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 01/02/1980

Amount: 0.10 CFS

Diversion Point: NENE Sec 14 T 50N R 05W, KOOTENAI Co.

Use: IRRIGATION	(0.04 CFS)	from 04/01 to 11/01
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
DOMESTIC	(0.04 CFS)	from 01/01 to 12/31

Place of Use: NENE Sec 14 T 50N R 05W FOR 2 ACRES

Diversion Means: DREB IRRIGATION, PUMP & PIPE

MICROFILMED