




HAYDEN QUADRANGLE
IDAHO-KOOTENAI CO.
2.5 MINUTE SERIES (TOPOGRAPHIC)
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

47°30' ATHOL 6.5 MI.

250 000 FEET R. 4 W. R. 3 W.

116°45' 519000m E.

SANDPOINT 32 MI. ATHOL 5.4 MI.

TS2N

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Allan J. Throck

(Applicant)

pres., Hopeful Valley Water
Assoe.

95-7989
1/12/46



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7989 Priority December 7, 1979 Amount .20 cfs

THIS IS TO CERTIFY, that HOPEFUL VALLEY WATER DISTRICT
of Athol, Idaho, has complied with the terms and conditions of Permit
No. 95-7989 issued pursuant to Application for Permit dated December 7, 1979,
and has submitted proof to the Department of Water Resources on January 7, 1981,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .20 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>October 15</u>	at <u>10</u> cfs and	<u>17.5</u> acre feet
Stockwater	from <u>January 1</u> to <u>December 31</u>	at <u>.01</u> cfs and	<u>.7</u> acre feet
Domestic (9 units)	from <u>January 1</u> to <u>December 31</u> (both dates inclusive)	at <u>.09</u> cfs and	<u>10.8</u> acre feet

Subject, however, to the condition that no more than .20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
29 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 18, Twp. 52N,
Rge. 3W, B.M. in the County of Kootenai

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
52N	3W	18						3	2										5

Total number of acres irrigated 5

MICROFILMED

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 22 day of
July, 19 81.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 95-7989

RECEIVED

APPROVED

To appropriate the public waters of the State of Idaho

Department of Water Resources
Northern District Office

1. Name of applicant Hopeful Valley Water District Phone 772-5984
Post office address P.O. Box 111 B, Athol, Idaho 83801
2. Source of water supply Ground Water which is a tributary of --
3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 18 Township 52 N
Range 3W B.M. Kootenai County, additional points of diversion if any: --

4. Water will be used for the following purposes:

Amount .09 cfs for domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .01 cfs for stock purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .10 cfs for irrigation purposes from April 1 to Oct. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. .20 cubic feet per second and/or b. -- acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 102' well with 3 HP pump, which pumps into 6,000 gal. reservoir, hence into 4 pressure tanks. Can pump either from well or reservoir.*

- b. Height of storage dam -- feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage Jan. 1 to Dec. 31 inclusive.
(Month/Day) (Month/Day)

- c. Proposed well diameter is 8" inches; proposed depth of well is 102 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:

(1) Give the place of use of water: S $\frac{1}{2}$ of NW $\frac{1}{4}$ of Section 18 Township 52 N
Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 12 horses, 15 beef cattle, 5 dairy cattle

(4) Name of municipality to be served Hopeful Valley, or number of families to be supplied with domestic water 9.

(5) If water is to be used for other purposes describe: --

*reservoir has 2 HP Pump.

[illegible]

5

Figure 1


Hopeful Valley Water District

Hopeful Valley Water Dist. Members

By a person other than the applicant, describe the arrangement enabling the

Chairman of Hopeful Valley Water Dist.

Remarks 5 irrigated acres are allowed under this permit.



HAYDEN QUADRANGLE
IDAHO-KOOTENAI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC) DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SE 1/4 SPIRIT LAKE 15' QUADRANGLE
116°45' 519000m E
SANDPOINT 32 MI. AT 101 5.4 MI.
ATHOL 6.5 MI.
ATHOL 5.4 MI.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Allan J. Throck

(Applicant)

pres., Hopeful Valley Water
Assoe.

Proposed Priority 12/7/79

Received by MB Date 12-7-79 Time 4:30
Preliminary check by JK Fee \$ 20.00
Received by MB Date 12-7-79 [15149]
Publication prepared by me Date 12/13/79
Published in Coeur d'Alene Press
Publication dates 12/20-27/79
Publication approved MB Date 12-27-79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval by MB denial JK

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7989, and said application is hereby approved _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 81.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 15th day of February, 19 80.

J. Allen Saylor

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION OF WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7989

HOPEFUL VALLEY WATER DISTRICT

P.O. BOX 111B, ATHOL, ID 83801

Source: GROUNDWATER

Date Filed: 12/07/1979

Amount: 0.20 CFS

Diversion Point: SENW Sec 18 T

52N R 03W, KOOTENAI Co.

Use: IRRIGATION (0.10 CFS)

from 04/01 to 10/15; STOCK-

WATER (0.01 CFS) from 01/01 to

12/31; DOMESTIC (0.09 CFS)

from 01/01 to 12/31.

Place of Use: SWNW SENW Sec

18 T 52N R 03W FOR 4 ACRES.

Diversion Means: WELL, PUMP,

RESERVOIR, PRESSURE

TANKS & PIPE.

95-7990

JENSEN, HARRY E.

3231 W. BOONE #10, SPOKANE,

WA 99201

Source: HAYDEN LAKE

Date Filed: 12/11/1979

Amount: 0.02 CFS

Diversion Point: LOT 03 Sec 11 T

51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.02 CFS) from

01/01 to 12/31

Place of Use: Lot 03-Sec 11 T 51N

R 03W

Diversion Means: PUMP & PIPE

If issued, the permit(s) will be

subject to all prior water rights.

Protests against the granting of

any permit must be filed with the

Director of the Idaho Department

of Water Resources, 4055 Gov't

Way, Coeur d'Alene, Id., 83814 on

or before JANUARY 7, 1980.

C. STEPHEN ALLRED

Director

Legal 483

Dec. 20, 27, 1979

STATE OF IDAHO,

County of Kootenai,

ss.

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 3 consecutive weeks commencing on the 20 day of Dec, 1979, and ending on the 27 day of Dec, 1979, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 27 day of Dec

1979

Roberta Smalley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

~~STEPHEN K. LUTEX~~

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 29, 1981

Hopeful Valley Water District
P.O. Box 111 B
Athol, ID 83801

Dear Sirs,

RE: Permit No. 95-7989

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure

ENCLOSURE

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Department of Water Resources

95-7989

Permit No.

28-1

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	6-26-81	JK	712-4941 - Bad Number
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6-30-81 Accompanied by Total Q measured
 If source is surface water, estimate total flow of source
 Methods of measurement Calc Meets Permit requirements? yes

Measurement calculations: 9 homes = 0.09 cfs & 10.8 AF
32hd stock 0.01 cfs & 1.7 AF
5 Acres Irr 0.10 cfs & 17.5 AF
9 x 1.2 = 10.8

EFF
8.8(3) 80%
2.33() +40

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	3							Sub

System Description 8" X 102' Well, 3HP pump with pipe to 8,000 gal concrete reservoir
Then by 2HP pump to Pressure tanks, then to place of use

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Irrigation requirement = <u>3.5</u>		AFA/Acre	
	Q (cfs)	V (afa)	FROM	TO
<u>Domestic</u>	<u>0.09</u> ✓	<u>10.8</u> ✓	<u>1-1</u>	<u>12-31</u>
<u>Irrigation</u>	<u>0.10</u> ✓	<u>17.5</u> ✓	<u>4-1</u>	<u>10-15</u>
<u>Stock</u>	<u>0.01</u> ✓	<u>.7</u>	<u>1-1</u>	<u>12-31</u>
Total	<u>0.20</u>	<u>29.0</u>		

Remarks Pitless adaptor - Entire system subsurface &
Closed - No method of measurement - Unable to contact
Res.

Examiner's Signature _____
Checked by _____
Approved by _____

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Change P.U. as reflected above

☐ Add P.D. as reflected above

☐ Add P.U. as reflected above

☒ None

☐ Other

[illegible]

Place(s) of Use

Point(s) of diversion: 5E NW, 18, T52N, 3W

(Include distance from pump to measuring device, if applicable.)


SCHEMATIC DIAGRAM OF SYSTEM

[illegible]

MAP (Attach Aerial Photo)

SECRET

95-7989
1/26/66



2 260 000
FEET

ATHOL 6.6 MI.
SANDPOINT 3.3 MI

Approx location
of house

P.D.

MICROFILMED

DAYDEN LAKE

WATER RIGHT NUMBER 95-7989

OWNER LAST NAME - HOPEFUL VALLEY WATER DISTRICT

FIRST NAME -

ORIG OWNER -

ADDRESS LINE 1 - P.O. BOX 1118

ADDRESS LINE 2 -

ADDRESS LINE 3 -

CITY - ATHOL

STATE - ID ZIP CODE - 83801

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - LICENSE

STATUS -

PRIORITY - 12-07-1979

COUNTY - KOOTENAI

TOTAL DIV. RATE -

.2000 -CFS

TOTAL DIV. VOLUME - 29 .00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - SENW 18 52N 03W LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 04-01 TO - 10-15 USE - IRRIGATION

USE DIV. RATE - .1000 CFS USE DIV. VOLUME - 17.5 .00 AFA

FROM - 01-01 TO - 12-31 USE - STOCKWATER

USE DIV. RATE - .0100 CFS USE DIV. VOLUME - .7 .00 AFA

FROM - 01-01 TO - 12-31 USE - DOMESTIC

USE DIV. RATE - .0900 CFS USE DIV. VOLUME - 10.8 .00 AFA

USE - IRR.

PLACE OF USE - TWN 52N RNG 3W SEC 18

SW NW 3

SE NW 2

DECREE NAME -

DATE -

TOTAL ACRES

0

REMARKS - AC. IRR.=5.

NON IRRIG USE - S/VARIABLE AMOUNTS, D/9 HOMES

OTHER RIGHTS FOR SAME USE -

PROOF DUE - 03-01-1981 PERMIT/DENIED - 02-15-1980 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - CONDU. OF APPROVAL -

DIVERSION MEANS - WELL, PUMP, RESERVOIR, PRESSURE TANKS & PIPE

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

January 20, 1981

Hopeful Valley Water Dist.
Rt. 1 Box 111B
Athol, Id. 83801

RE: 95-7989

Gentlemen:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

RECEIVED
JAN 21 1981

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7989

Name(s) of Permit Holder: HOPEFUL VALLEY WATER DISTRICT

Post Office Address: Route #1, Box 111B ATHOL, IDAHO 83801

Tel. No. 772-4941

Source of Water: WELL

Extent of Use:

- ☒ Domestic 9 Homes (number of households)
☒ Stockwater 8 Horses & cattle (number and type of stock)
☐ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No

Access Port:

Required?

☐ Yes ☒ No

Installed?

☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

01-03-80

Date

Larry E. Johnson president
 Signature of Permit Holder

Johnson
Rt. 1 Box 111c
Athol, Ida.
83801



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

HOPEFUL VALLEY WATER DISTRICT
P.O. BOX 111B
ATHOL, ID 83801

138337

DECEMBER 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7989 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MARCH 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 15, 1980


Hopeful Valley Water District
P.O. Box 111 B
Athol, Idaho 83801

Dear Sirs,

RE: Permit No. 95-7989

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,



DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7989

Name(s) of Permit Holder: Hopeful Valley Water District

Post Office Address: P.O. Box 111-B

Athol, Idaho 83801

Source of Water: ground water

Extent of Use: ☒ Domestic 9 (number of households)
☒ Stockwater 12 horses / 15 cattle (number and type of stock)
☒ Irrigation 5 (acres) (lawns, gardens)
☐ Other —

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Dec. 5, 1979
Date

Allan J. Truck
Signature of Permit Holder

**PLACE
TEN CENT
STAMP
HERE**



**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: JK

APPLICATION NUMBER: 95-7989

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☐ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

3,000 gal = 0.02 ac

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☐ Other _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 1-7-80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12-27-79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
☒ 12-7-79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: RJA Date: 1-8-80

STATE OFFICE REVIEW:

Add comment shown on memo of 2/8/80 to Remarks

SHORT LETTER w/o cond.

- ☐ See attached sheet for more information.

By: Jim Date: 2/8/80

MICROFILM

95-7989

HOPEFUL VALLEY WATER DISTRICT

P.O. BOX 111B, ATHOL, ID 83801

Source: GROUNDWATER

Date Filed: 12/07/1979

Amount: 0.20 CFS

Diversion Point: SENW Sec 18 T 52N R 03W, KOOTENAI Co.

Use: IRRIGATION	(0.10 CFS)	from 04/01 to 10/15
STOCKWATER	(0.01 CFS)	from 01/01 to 12/31
DOMESTIC	(0.09 CFS)	from 01/01 to 12/31

Place of Use: SWNW SENW Sec 18 T 52N R 03W FOR 4 ACRES

Diversion Means: WELL, PUMP, RESERVOIR, PRESSURE TANKS & PIPE

MICROFILMED

January 29, 1980

Hopeful Valley Water District
P. O. Box 111 B
Athol, Idaho 83808

Re: Application for Permit No. 95-7989

Gentlemen:

While reviewing your Application, we discovered that it was not signed. Before we can process the Application for approval, it must be signed by the Chairman of the Board.

Your early attention in this matter will be greatly appreciated.

Sincerely,

TOM D. KING, JR.
Senior Water Resource Agent

TDK/pms

RECEIVED
JAN 30 1980
FEDERAL
BUREAU OF
SURVEYING