

AFFIDAVIT OF PUBLICATION

NOTICE OF CLAIMS TO WATER RIGHTS

Notice is hereby given that the following claim(s) to water right(s) have been established by diversion and application to beneficial use: 95-4425

WATTS, JOSEPH W.
917 E. 7TH, MOSCOW, ID 83843
Source: LAKE COEUR
D'ALENE tributary to
SPOKANE RIVER
Priority Date: 01/01/1959
Amount: 0.02 CFS
Diversion Point: SWNE Sec 19 T
47N R 03W, KOOTENAI Co.
Use: IRRIGATION (0.02 CFS)
from 05/01 to 10/01
Place of Use: SWNE Sec 19 T 47N
R 03W FOR 1 ACRES
Diversion Means: PUMP, PIPE
& SPRINKLER

Any exception to any claim of water right may be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814.

C. STEPHEN ALLRED
Director

July 12, 19, 1979

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7949

THAYER, GEORGE E.
RT. 1 BOX 2, RATHDRUM, ID
83858

Source: GROUNDWATER
Date Filed: 06/28/1979
Amount: 3.00 CFS
Diversion Point: NWSW LOT 04
Sec 05 T 51N R 04W NENE NWNE
Sec 06 T 51N R 04W, KOOTENAI
Co
Use: IRRIGATION (3.00 CFS)
from 03/15 to 10/31
Place of Use: NESW NWSW
SWSW SESW Sec 06 T 51N R 04W
FOR 150 ACRES
Diversion Means: 4 WELLS &
PIPELINES

95-7950

KRAFT, CHRIS &/or LINDA
RT. 3 BOX 156, HAYDEN LAKE,
ID 83835

Source: RUNOFF UNNAMED
SPRING

Date Filed: 06/29/1979
Amount: 0.12 CFS 10.0 AC-FT
Diversion Point: SWNE Sec 29 T
52N R 03W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15
IRRIGATION STORAGE (10.0
AC-FT) from 01/01 to 12/31
IRRIGATION FROM STORAGE
(10.0 AC-FT) from 03/15 to 11/15
STOCKWATER (0.02 CFS) from
01/01 to 12/31
STOCKWATER STORAGE (0.7
AC-FT) from 01/01 to 12/31
STOCKWATER FROM
STORAGE (0.7 AC-FT) from
01/01 to 12/31
Place of Use: SWNE Sec 29 T 52N
R 03W FOR 5 ACRES
Diversion Means: DAM &
STORAGE POND

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JULY 30, 1979.

C. STEPHEN ALLRED
Director

Legal 952

July 12, 19, 1979

STATE OF IDAHO,
County of Kootenai,

ss.

_____ being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The _____

of which the annexed is a printed copy, was published in the regular _____ issue of said newspaper for _____ consecutive _____ commencing on the _____ day of _____, 19____, and ending on the _____ day of _____, 19____, and such publication was made as often during said period as said _____ newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this _____ day of _____, 19____.

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

JUL 25 1979
33.84
DEPT. of Water Resources
Northern District Office

MICROFILMED

SEP 20 1989

MICROFILMED

CONSULTANT SEAL

Date

Beneficial Use Examination

IDWR Director's Authorization to Conduct

Consultant's License Number

16. Examiner's/Consultant's Signature

☐ Change P.U. as reflected above

☐ Change P.D. as reflected above

15. Recommended Amendments

☐ Add P.U. as reflected above

☐ Add P.D. as reflected above


☐ Other

☒ None

Date

4/10/85

13. ☒ Photo of Diversion & System Attached
☐ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached



12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

11. Other water right diverted from same p.d.

10. Other water rights on these lands

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07950

Priority: June 29, 1979

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.02 CFS
0.7 AF

This is to certify, that CHRIS KRAFT
LINDA KRAFT

RT. 3 BOX 156

HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 29, 1979; and has submitted Proof of Beneficial Use on September 6, 1984. An examination indicates that the works have a diversion capacity of .020 cfs of water from:

UNNAMED STREAM
SPRING

tributary to SINKS
tributary to SINKS

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
STOCKWATER STORAGE	01/01 to 12/31		0.7 AF
STOCKWATER FROM STORAGE	01/01 to 12/31		0.7 AF
	Totals	0.02 CFS	0.7 AF

LOCATION OF POINT(S) OF DIVERSION:

SESWNE , Sec. 29, Township 52N, Range 03W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

52N 03W 29

SWNE

PLACE OF USE: STOCKWATER STORAGE, same as STOCKWATER use

PLACE OF USE: STOCKWATER FROM STORAGE, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

SEP 25 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07950

CONDITIONS/REMARKS:

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 3rd
day of AUGUST, 1989.

Acting for Norm Young
K. Keith Higginson, Director

SEP 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant CHRIS OR LINDA KRAFT Phone _____
Post office address RT 3 BOX 156, HAYDEN LAKE, ID 85835
2. Source of water supply ~~Runoff~~ unnamed stream 10-26-79 J.J. UNNAMED SPRING which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 52N
Range 3W B.M. KDOTENAI County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.7 AF for STORAGE FOR STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 10 AF for STORAGE FOR IRRIGATION purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 c for STOCKWATER purposes from JAN 1 to DEC 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.10 for IRRIGATION purposes from MAR 15 to NOV 15 (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated: 10 AF STORAGE FROM STORAGE MAR 15 - NOV 15
0.7 AF STOCKWATER FROM STORAGE JAN 1 - DEC 31
a. 0.12 cubic feet per second and/or b. 10 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. DAM & STORAGE POND
b. Height of storage dam 5 feet, active reservoir capacity 10 AF acre-feet; total reservoir capacity 10 acre-feet, materials used in storage dam: EARTH
Period of year when water will be diverted to storage JAN 1 to DEC 31 inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

- (1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 29 Township 52N
Range 3W B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered 20 HEAD OF CATTLE
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

[illegible]

5

Nov 5


APPENDIX

/

applicant to make this filing.

This image shows a single page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Chris J. Kraft
(Applicant)

Proposed Priority 6/29/79

Received by HK Date 6/29/79 Time 11:30
Preliminary check by Paul Fee \$ 20.00
Received by AK Date 6/29/79 #14070
Publication prepared by me Date 7/5/79
Published in Coeur d'Alene Press
Publication dates 7/12-19/79
Publication approved me Date 7/6/79
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Paul John

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7950, and said application is hereby approved _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: _____

Witness my hand this 29th day of October, 19 79.

A. Allen Gayton
Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF CLAIMS TO WATER RIGHTS

Notice is hereby given that the following claim(s) to water right(s) have been established by diversion and application to beneficial use: 95-4425

WATTS, JOSEPH W.
917 E. 7TH, MOSCOW, ID 83843
Source: LAKE COEUR
D'ALENE tributary to
SPOKANE RIVER
Priority Date: 01/01/1959
Amount: 0.02 CFS
Diversion Point: SWNE Sec 19 T
47N R 03W, KOOTENAI Co.
Use: IRRIGATION (0.02 CFS)
from 05/01 to 10/01
Place of Use: SWNE Sec 19 T 47N
R 03W FOR 1 ACRES
Diversion Means: PUMP, PIPE
& SPRINKLER

Any exception to any claim of water right may be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814.

C. STEPHEN ALLRED
Director

July 12, 19, 1979

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7949

THAYER, GEORGE E.
RT. 1 BOX 2, RATHDRUM, ID
83858
Source: GROUNDWATER
Date Filed: 06/28/1979
Amount: 3.00 CFS
Diversion Point: NWSW LOT 04
Sec 05 T 51N R 04W NENE NWNE
Sec 06 T 51N R 04W, KOOTENAI
Co
Use: IRRIGATION (3.00 CFS)
from 03/15 to 10/31
Place of Use: NESW NWSW
SWSW SESW Sec 06 T 51N R 04W
FOR 150 ACRES
Diversion Means: 4 WELLS &
PIPELINES

95-7950

KRAFT, CHRIS &/or LINDA
RT. 3 BOX 156, HAYDEN LAKE,
ID 83835
Source: RUNOFF UNNAMED
SPRING
Date Filed: 06/29/1979
Amount: 0.12 CFS 10.0 AC-FT
Diversion Point: SWNE Sec 29 T
52N R 03W, KOOTENAI Co.
Use: IRRIGATION (0.10 CFS)
from 03/15 to 11/15
IRRIGATION STORAGE (10.0
AC-FT) from 01/01 to 12/31
IRRIGATION FROM STORAGE
(10.0 AC-FT) from 03/15 to 11/15
STOCKWATER (0.02 CFS) from
01/01 to 12/31
STOCKWATER STORAGE (0.7
AC-FT) from 01/01 to 12/31
STOCKWATER FROM
STORAGE (0.7 AC-FT) from
01/01 to 12/31
Place of Use: SWNE Sec 29 T 52N
R 03W FOR 5 ACRES
Diversion Means: DAM &
STORAGE POND

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id, 83814 on or before JULY 30, 1979.

C. STEPHEN ALLRED
Director

Legal 952

July 12, 19, 1979

STATE OF IDAHO,
County of Kootenai,

} ss.

Coral Hedges being first duly sworn
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The Notice

of which the annexed is a printed copy, was published in the regular Issue issue of said newspaper for 2 consecutive Weeks commencing on the 12 day of July, 1979, and ending on the 19 day of July, 1979, and such publication was made as often during said period as said Daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 19 day of July, 1979.

LEADER

Coral Hedges
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

August 3, 1989

CHRIS KRAFT
LINDA KRAFT
RT. 3 BOX 156
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 95-07950

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 25 1989

April 17, 1989

CHRIS KRAFT
LINDA KRAFT
RT. 3 BOX 156
HAYDEN LAKE, ID 83835

RE: PERMIT NO. 95-07950

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 25 1989

WR-NUMBER	TWP	RNG	SC	TRACT			LT	#SOURCE	#NAME
				1\4	1\4	1\4			
9507950	52N	03W	29		SW	NE		UNNAMED STREAM	KRAFT, CHRIS

1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

1991

RECEIVED

AUG 8 1985

Department of Water Resources

Permit No. 95-7950

Phone No. 772-2394

1. Owner: CHRIS OR LINDA KRAFT Phone No. 772-2324
Current Address: RT 3 BOX 136, HAYDEN LAKE, ID 83835
2. Accompanied by: NONE EXAM. DATE: 4/12/85
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: SPRING & UNNAMED STREAM tributary to SINKS

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

EXCAVATED POND WITH 5' DIKE (180' X 150' X 11' = 6.8 AF)

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PACED PERIMETER						

7. Measurements ☐ Additional data/computation sheets attached

180' x 150' x 11'

NO IRR - LETTER ATTACHED

30 Hd 0,7 AF

8. Point(s) of Diversion: Indicate Method of Determination *MAD*


[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination MAP

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks *1/10/85 AFTER REVIEW I DETERMINED THAT C.Y.A.F. IS EXCESSIVE FOR 30 H.O.F. STEEL. RECOMMEND ONE YEAR SUPPLY OF STORAGE - 7*

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Add P.D. as reflected above
☐ Change P.U. as reflected above
☐ Add P.U. as reflected above
☐ Other
☒ None
16. Examiner's/Consultant's Signature *2/10/85* Date *1/10/85*

Consultant's License Number _____
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____
Date _____

CONSULTANT SEAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

AUG 8 1985

95-7950
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

740

216 43 500

11/11/85

b) Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{IR} \text{ and } V_{DR} =$ _____

c) Volume Calculations for Other Uses:

$$\frac{180 \times 150 \times 11}{43560} = 6.8 \text{ AF}$$

30 Hd 2.7 AF

2. Overlap Review

a) Other water rights with same place of use: None

b) Other water rights with same point of diversion: None

c) Analysis:

MICROFILMED
SEP 25 1989

RECOMMENDED AMOUNTS

Permit No.	95-7950	Amount	0.02	App. Date		Date Proof Submitted		System Capacity	6.84
------------	---------	--------	------	-----------	--	----------------------	--	-----------------	------

4. Permit Holder: *Chris O'Leary*

Address: Rt 2 Box 156, Haystack Lake, Id.

5. Source: Spring & Diamond Stream tributary to Atkins

5. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cts)

Annual Volume
V (ata)

Storage for Stock

12-31

12-31

2010

0.7

56064707

Allowable Maximums:

Asil

Point(s) of Diversion:

[illegible]

g. Place(s) of Use

[illegible]

Recommended Conditions/Remarks:

Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature

Checked in Regional Office by

Approved in State Office by

Date _____

Date _____

Date _____


7/25/85

8/5/55,

3/7/99

~~SEP 25 1989~~

MICROFILMED



MICROFILMED

SEP 25 1989

TWP. 52 N. RGE. 3 W. SEC. 29 MAP # E-55 MAP SCALE 2 1/2"
DATE OF FIELD EXAM 4/12/85 FIELD REPORT MAP PERMIT # 95-7950



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

April 15, 1985

Mr. Chris Kraft
Rt. 3 Box 156
Hayden Lake, Id. 83835

Dear Mr. Kraft:

When you submitted your proof of beneficial use in August of 1984, you indicated 30 head of stock and no irrigation. Based on this, I conducted the required examination of the pond and I can now recommend 6.8 AF of storage for stockwater.

If you are satisfied with these findings, you need take no further action. A license will be issued for this amount.

If you are irrigating from the pond, please contact this office prior to May 17, 1985 to schedule a time when you or your appointee can demonstrate the irrigation system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

OCTOBER 2, 1984

CHRIS OR LINDA KRAFT
RT 3 BOX 156
HAYDEN LAKE ID 83835

RE: Permit No. 95-7950

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 765-4639 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

SEP 25 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-7950
Name(s) of Permit Holder(s): Chris or Linda Kraft
Post Office Address: Rt 3 Box 156
Hayden Lake Idaho 83835 Tel. No. 778-2394

☒ I hereby certify that construction of diversion works for the above referenced permit began on April 1980 (date) and that I must continue to develop the water system with diligence to maintain a valid permit.

☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

July 15 1982
Date

Linda Kraft
Signature of Permit Holder

Chris T. Wright
Rt 3 Box 156
Hayden Lake Idaho
83835



MICROFILMED

SEP 25 1989

**IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720**



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7950.

Name(s) of Permit Holder: CHRIS OR LINDA KRAFT

Post Office Address: Rt 3 Box 156

HAYDEN LAKE, ID 83835 Tel. No. 772-2394

Source of Water: UNNAMED STREAM & SPRING

Extent of Use: ☐ Domestic ☒ Stockwater ☐ Irrigation ☐ Other

(number of households)
(number and type of stock)
(acres)

30

RECEIVED

AUG 31 1984

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/31/84

Date

Chris J. Kraft

Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

SEP 6 1984



IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720

CENTRAL

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138126

KRAFT, CHRIS & LINDA
RT. 3 BOX 156
HAYDEN LAKE, ID 83835

PROOF DUE NOTICE

JULY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7950 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE OCTOBER 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
JUL 31 1984



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

November 3, 1979

Chris & Linda Kraft
Rt. 3 Box 156
Hayden Lake, Idaho 83835

Dear Mr. & Mrs. Kraft,

RE: Permit No. 95-7950

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill, Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

95-7950

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. ☒ Source *change runoff to unnamed stream*
3. ☒ Point of Diversion
4. ☒ Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. ☒ Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. ☒ Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map
11. 20⁰⁰ Fee & Rec't. No.

Copies Sent To:

☒ Idaho Health Department
☒ Idaho Fish & Game Dept.
☒ Bureau of Land Management

☒ U.S.F.S.
☒ Dept. of Lands
☒ Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land None planned

Withdrawals of all protests received ☐ yes ☒ no

Conditions:

ID Power Co. Letter - Snake R. ☒

ID Power Co. Letter - G.W. & Tribs. ☒

Snake River Condition ☒

Payette River Letter ☒

Priority Date 6/29/79

Water Quality #16 ☒

Water Quality #10 ☒

intrastate ☒ interstate ☐

Meas. Dev. or Sc. Meas. ☒

Totalizing meter ☒

Supplemental ☒

Right-of-Way Cond. ☒

Watermaster Cond. ☒

Wtr. Dist No. ☒

Meas. Dev. Cond. for apps within a Water Dist. ☒

*Short letter w/o conditions
Type correction on item 2*

J. J. J. Reviewer

10/26/79
Date



DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7950 Kraft

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☐ Fee

(1) RJA 6-29-79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) RJA 6-29-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pmo 7/26/79

Affidavit of Publication received(date) 7/25/79

(12) pmo 7/26/79

Final date for protests 7/30/79
Protests received: yes _____ no ☒

(13) pmo 7/30/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

6-29-79 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

RECEIVED
OCT 25 1979

Department of Water Resources

(15) District Northern By Bob Haynes Date 1-30-79

KRAFT, CHRIS &/or LINDA

RT. 3 BOX 156, HAYDEN LAKE, ID 83835

Source: ~~RUNOFF~~ UNNAMED STREAM
UNNAMED SPRING

Date Filed: 06/29/1979

Amount: 0.12 CFS 10.0 AC-FT

Diversion Point: SWNE Sec 29 T 52N R 03W, KOOTENAI Co.

Use: IRRIGATION	(0.10 CFS) from 03/15 to 11/15
IRRIGATION STORAGE	(10.0 AC-FT) from 01/01 to 12/31
IRRIGATION FROM STORAGE	(10.0 AC-FT) from 03/15 to 11/15
STOCKWATER	(0.02 CFS) from 01/01 to 12/31
STOCKWATER STORAGE	(0.7 AC-FT) from 01/01 to 12/31
STOCKWATER FROM STORAGE	(0.7 AC-FT) from 01/01 to 12/31

Place of Use: SWNE Sec 29 T 52N R 03W FOR 5 ACRES

Diversion Means: DAM & STORAGE POND