



(4-675a.)

North, Range No 3 West of the Boise



51 North Range N^o 3 West of the Boise.





TWP. 51N RGE. 3W SEC. 3
DATE OF FIELD EXAM _____

MAP #

E-55

MAP SCALE

7 1/2

FIELD REPORT MAP PERMIT # 95-7937

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7937

Priority: June 6, 1979

Amount: .08 CFS

3.6 AF

This is to certify, that SUNNY HILLS WATER DIST.

RT. 2 BOX 196

HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 6, 1979, and has submitted proof to the Department of Water Resources on July 27, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .24 cfs of water from;

HAYDEN LAKE

tributary to SINKS

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Domestic	01/01 to 12/31	.08 cfs	3.6 af

LOCATION OF POINT OF DIVERSION(S): LOT 4(SWNW), Sec. 3, Township 51N, Range 3W
Kootenai County

PLACE OF USE: Domestic

TWN RGE SEC

51N 3W 4 SENE

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Use of water under this license is subject to control by the watermaster of State Water District No. 95A.
5. Domestic use is for 3 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of FEBRUARY, 1987.

MICROFILMED

Director

MAR 20 1987

WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	95-7937	Terry Sayler	0.09 cfs
Full Assignment	95-7937	Sunny Hills Water Dist.	0.09 cfs

RECEIVED
JUL 30 1984

JUL 30 1984

Department of Water Resources

CHECK ONE

 The following described portion of my right, title, and interest in and to Permit No. to appropriate the public waters of the State of Idaho.

Made this 27 day of July, 19 84

RECEIVED

JUL 27 1984

Permit Holder

Department of Water Resources
Northern District Office

Spouse of Permit Holder

State of Idaho)
County of Portland) ss.

On this 27th day of July, 1984, personally appeared before me the signer (s) of the above instrument, who duly acknowledged to me that he ~~(she)~~ ~~(they)~~ executed the same.

seal

Notary Public residing at

My commission expires:

12/10/89

10-11-68

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Terry Sayler Phone 772-5871

Post office address Rt. 2 Box B48 Hayden Lake, Idaho 83835

2. Source of water supply Hayden Lake which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 3 Township 51N

Range 3W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount .09 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .09 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 5 HP 28 GPM series DC Red Jacket
30 GPM at 400 feet lift 2" Class 200 PVC "O" ring pipe

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 4 Township 51N

Range 3W B.M.

(2) Amount of power to be generated: 5 horsepower under 396 feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 6.

(5) If water is to be used for other purposes describe: _____


MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)

Received by HK Date 6/6/79 Time 1:30 P
Preliminary check by PKB Fee \$ 20.00
Received by KL Date 6/6/79 # 14008
Publication prepared by Carol Miller Jones Date 4/23/79
Published in _____
Publication dates 6/21-28/79
Publication approved pro Date 7/10/79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by U.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7937, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 1984.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: The issuance of this permit in no way grants any right-of-way or easement across the land of another. (2) Use of water under this permit is subject to control by the watermaster of State Water District No. 95-A.

Hayden Lake. (3) A lockable device, subject to the approval of the Department, shall be installed on the diverting works in a manner that will provide the watermaster suitable control of the diversion.

Witness my hand this 31 day of July, 1979.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO.

NOTICE OF APPLICATIONS FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

94-7144

REESE, BENJAMIN C. &/or
ELIZABETH H.
HCR 66 BOX 531, SANDPOINT,
ID 83364

Source: UNNAMED SPRING
Date Filed: 06/07/1979

Amount: 0.04 CFS
Diversion Point: SWSE Sec 07 T

48N R 01E, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from

11/01 to 12/31
Place of Use: SWSE Sec 07 T 48N

R 01E
Diversion Means: SPRING BOX

& PIPELINE
94-7145

RICH, RALPH D. &/or JUYNE
T.

P.O. BOX 867, COEUR
D'ALENE, ID 83314

Source: GROUNDWATER
Date Filed: 06/06/1979

Amount: 0.03 CFS
Diversion Point: LOT 01 SEC 11

T 48N R 02W, KOOTENAI Co.
Use: STOCKWATER (0.02 CFS)

from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01

to 12/31
Place of Use: LOT 01 Sec 11 T 48N

R 02W
Diversion Means: WELL &

PUMP
95-7933

COWAN, GEORGE W.
1405 ST. MARIES AVE., COEUR

D'ALENE, ID 83814
Source: GROUNDWATER

Date Filed: 06/07/1979
Amount: 0.01 CFS

Diversion Point: NWNW Sec 30 T

49N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31
Place of Use: NWNW Sec 30 T

49N R 03W
Diversion Means: WELL, PUMP

& PIPE
95-7937

SAYLER, TERRY
RT. 2 BOX B48, HAYDEN LAKE,

ID 83335
Source: HAYDEN LAKE

Date Filed: 06/03/1979
Amount: 0.03 CFS

Diversion Point: SWNW Sec 03 T

51N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.09 CFS) from

01/01 to 12/31
Place of Use: SENE Sec 04 T 51N

R 03W
Diversion Means: PUMP & PIPE

95-7938

MC MILLAN, M.D., JOHN C.
9020 N.E. 15TH ST., BELLEVUE,

WA 98004
Source: COEUR D'ALENE

LAKE tributary to SPOKANE
RIVER

Date Filed: 06/06/1979
Amount: 0.04 CFS

Diversion Point: LOT 03 Sec 13 T

49N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from

01/01 to 12/31
Place of Use: LOT 03 Sec 13 T 49N

R 04W
Diversion Means: PIPE

95-7939

JACKLIN SEED CO.
RT. 2 BOX 402, 17300 JACKLIN

AVE., POST FALLS, ID 83854
Source: GROUNDWATER

Date Filed: 06/04/1979
Amount: 2.40 CFS

Diversion Point: SWNE Sec 01 T

50N R 06W, KOOTENAI Co.
Use: IRRIGATION (2.40 CFS)

from 03/15 to 11/15
Place of Use: NENE NWNE

SWNE SENE Sec 01 T 50N R 06W
FOR 120 ACRES

Diversion Means: WELL, PUMP

& PIPE
95-7940

ARVESON, ALDEN K. &/or

JEANNETTE
RT. 3 BOX 75D, HAYDEN LAKE,

ID 83835
Source: GROUNDWATER

Date Filed: 06/12/1979
Amount: 0.04 CFS

Diversion Point: N WNW

Source: BELLGROVE CREEK
tributary to COEUR D'ALENE
LAKE

Date Filed: 06/11/1979
Amount: 0.01 CFS 0.25 AC-FT

Diversion Point: NWSW Sec 07 T

48N R 04W, KOOTENAI, Co.
Use: IRRIGATION (0.25 AC-FT)

from 01/01 to 12/31
IRRIGATION FROM STORAGE

(0.07 CFS) from 04/01 to 10/31
FIRE PROTECTION (0.25 AC-

FT) from 01/01 to 12/31
DIVERSION TO STORAGE (0.01

CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N

R 04W FOR 5 ACRES
Diversion Means: WATER

WHEEL & STORAGE PUMP
95-7942

WATSON, ROCKY
STAR RT., COEUR D'ALENE,

ID 83814
Source: GROUNDWATER

Date Filed: 06/11/1979
Amount: 0.10 CFS

Diversion Point: NWSW Sec 07 T

48N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.07 CFS)

from 04/01 to 10/31
DOMESTIC: (0.03 CFS) from

01/01 to 12/31
Place of Use: NWSW Sec 07 T 48N

R 04W FOR 5 ACRES
Diversion Means: WELL &

PUMP
96-7793

DURR, DAVID A. &/or ALICE
M.

P.O. BOX 412, SPIRIT LAKE, ID

83869
Source: UNNAMED SPRING

tributary to BUTTERWORTH
CREEK

Date Filed: 06/12/1979
Amount: 0.04 CFS

Diversion Point: SENE Sec 01 T

53N R 05W, KOOTENAI Co.
Use: IRRIGATION (0.04 CFS)

from 04/01 to 11/01
DOMESTIC: (0.04 CFS) from

01/01 to 12/31
Place of Use: SENE Sec 01 T 53N

R 05W FOR 4 ACRES
Diversion Means: GRAVITY

FEED PIPELINE TO STORAGE
TANK.

If issued, the permit(s) will be
subject to all prior water rights.

Protests against the granting of
any permit must be filed with the

Director of the Idaho Department
of Water Resources, 4065 Gov't

Way, Coeur d'Alene, Id, 83814 on
or before JULY 9, 1979.

C. STEPHEN ALLRED
Director

Legal 874
June 21, 28, 1979

} ss.

Coral Nedge being first duly sworn

and says:

and at all times hereinafter mentioned was a citizen of the United
the State of Idaho, over the age of twenty-one years and not a
entitled action.

and at all times hereinafter mentioned was the printer (principal
ur d'Alene Press," a newspaper printed and published daily except
d'Alene, Kootenai County, Idaho, and having a general circulation

Notice

exed is a printed copy, was published in the regular *Idaho*

wspaper for *2* consecutive *Weeks*

the *21* day of *June*, 19*79*, and

28 day of *June*, 19*79*, and such

made as often during said period as said *Daily*

regularly issued.

said newspaper has been continuously and uninterruptedly published in

County, during a period of more than seventy-eight consecutive weeks

prior to the first publication of said notice.

Coral Nedge

and sworn to before me this *28* day of *June*

19*79*

Roberts Stanley

Notary Public for the State of Idaho,

residing at Coeur d'Alene, Idaho.

68.76

RECEIVED
JUL 9 1979

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 23, 1987

RE: Permit No. 95-7937

Sunny Hills Water Dist.
Rt. 2, Box 196
Hyden Lake, ID 83835

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MicroFILMED

MAR 20 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 28, 1987

RE: Permit No. 95-7937

Sunny Hills Water Dist.
Rt. 2, Box 196
Hayden Lake, ID 83835

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 20 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAY 23 1986

95-7937
Permit No.

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

should be $\frac{8.8(5) 80\%}{2.33(20) + 100} = .24 \text{ cfs CAPACITY } \checkmark \text{ OK}$
2.31

3 HOMES 0.09 cfs - per Admin. Memorandum
22 - 3 homes should
be allowed 0.08 cfs.

b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

c) Volume Calculations for Other Uses:

3 HOMES 3.6 AF $\checkmark \text{ OK}$

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

RECORDED
MAR 20 1987

RECOMMENDED AMOUNTS

10 day

Permit No.	96-7937	Priority	6-6-1979	Amount	0.05 cfs	App. Date	6-10-1979	Date Proof Submitted	7-27-1984	System Capacity	0.24 cfs
------------	---------	----------	----------	--------	----------	-----------	-----------	----------------------	-----------	-----------------	----------

4. Permit Holder: SUNNY HILLS WATER DIST.

Address: RT 2 Box 196, HAYDEN LAKE, ID. 83835

5. Source: HAYDEN LAKE tributary to SINKS

6. Beneficial Use

Period of Use
From To

Rate of Diversion
Q (cfs)

Annual Volume
V (afa)

Dom. (3) 1-1 12-31

0.08 cfs 3.6 AF

Allowable Maximums:

0.08 cfs 3.6 AF

7. Point(s) of Diversion:

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
	4		SW	3		51N	3W	ROOTEN

8. Place(s) of Use

Twp.	Rge.	Sec.	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	Totals
51N	3W	4													
Total Acres															

9. Recommended Conditions/Remarks:

804 (95-A, Hayden Lake)

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature

Joe King

Checked in Regional Office by

K. Wallden

Approved in State Office by

Date


12/9/86


Date

4/23/87

MICROFILMED
MAR 20 1987

Range No 3 West of the





SECRET - SECURITY INFORMATION - NO FORN DISSEM



Sec. 3

Sec. 4

Sec. 2

Sec. 1

Sec. 5

Sec. 6


MICROFILMED

MAR 28 1966

[illegible]

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
14. Remarks PHOTO DID NOT DEVELOPE

☒ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

15. Recommended Amendments
☐ Change P.D. as reflected above
☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature [Signature]
Consultant's License Number _____
IDWR Director's Authorization to Conduct _____
Beneficial Use Examination _____
Date _____

☐ Add P.D. as reflected above
☐ Add P.U. as reflected above
☒ None
☐ Other
Date 3/13/86



TWP. 51N RGE. 3W SEC. 3 MAP # E-55 MAP SCALE 7 1/2
 DATE OF FIELD EXAM FIELD REPORT MAP PERMIT # 95-7937



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

NORTHERN REGION

A. Kenneth Dunn
Director

Suite No. 9
4055 Government Way
Coeur d'Alene, Idaho 83814
(208) 667-6484

October 24, 1984

Sunny Hills Water District
Rt. 2 Box 196
Hayden Lake, Id. 83835

Re: 95-7937

Gentlemen:

I would like to conduct the required field examination of your water system this fall.

In order to accomplish this, please contact me at this office to schedule a date and time when you or your appointee can meet with me to demonstrate the system.

Sincerely,

TOM D. KING
Senior Water Resource Agent

TDK/pms

MICROFILMED

MAR 20 1987

August 26, 1984

Sunny Hills Water District
Rt. 2, Box 196
Hayden Lake, ID 83835

Gentlemen:

Re: Permit No. 95-7937

This office acknowledges receipt of the assignment conveying a portion of this permit to you. The assignment has been entered into the department's records. A copy of the permit is enclosed for your records.

Also, this office acknowledges receipt of the statement of beneficial use submitted for your portion of the permit. Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will contact you to schedule the exam at a convenient time.

If you have any questions regarding the field examination, please contact our Northern Regional office at 765-4639.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

cc: Northern Regional Office

11 SEP 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7937

Name(s) of Permit Holder:

Sunny Hills Water Dist.

Post Office Address:

RT 2 Box 196, Hayden Lake, ID

83835

Tel. No. 772-5871

Source of Water:

Hayden Lake

Extent of Use:

☒ Domestic

3

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐

Yes

☐

No

Installed?

☐

Yes

☐

No

Access Port:

Required?

☐

Yes

☐

No

Installed?

☐

Yes

☐

No

The above information is a true statement of the extent to which the above numbered permit has been developed.

7/27/84

Date

Signature of Permit Holder

PLACE
13 CENT

STAMP
Department of Water Resources
Northern District Office

JUL 27 1984



Department of Water Resources

RECEIVED

JUL 30 1984

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ✓
2. Notary? ✓
3. a. Full Assign?
b. Partial Assign?
4. "No assignment" condition on permit? NO
5. Commencement of works received? *proof submitted-*
6. Affidavit of Residency required? NO

1. Type Permit Summary sheet ✓
2. Coding sheet ✓
3. Acknowledgement letter type - *acknowledge w/proof
correspondence*
4. Copy to region ✓

Date: 8-7-84

Employee: R. Walker

INTER-DEPARTMENT MEMO — 1

FROM

Rita Fleck

DATE

7-23-84

TO

File 95-7937

SUBJECT

Returned B/U Notice

The envelope indicates the letter was "unclaimed." The envelope shows an address change from Rt. 2, Box 848 to Rt. 2, Box 196.

I'm forwarding the notice to the new address.

RECEIVED

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

 **Returned to Sender**

REASON CHECKED

Undelivered _____ Refused _____

Address unknown _____

Moved, left no address _____

Insufficient Address _____

Moved, not forwardable _____

No such street _____ number _____

CLAIM CHECK
NO.
397258

☐ HOLD

DATE

6/4
1ST NOTICE

9
2ND NOTICE

19
RETURN

Detached from
PS Form 3849-A
Oct. 1980

RECEIVED
JUN 22 1984

Department of Water Resources

NO. **138849**

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138849

SAYLER, TERRY
RT. 2 BOX B48
HAYDEN LAKE, ID 83835

PROOF DUE NOTICE

MAY 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7937 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE AUGUST 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MAIL ROOM



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

August 16, 1979

Terry Sayler
Rt. 2 Box B48
Hayden Lake, Idaho 83835

Dear Mr. Sayler,

RE: Permit No. 95-7937

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. ✓ Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. ✓ Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. Place of Use for irrigation (add acres)
9. ✓ Property Owner at Pt. of Div. & ^{other} Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>N/A</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u> </u> Idaho Fish & Game Dept.	<u>yes</u> Dept. of Lands
<u> </u> Bureau of Land Management	<u>NO</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ noOther rights on same land N/AWithdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NOID Power Co. Letter - G.W. & Tribs. Snake River Condition Payette River Letter Priority Date 6/6/79Water Quality #16 NOWater Quality #10 intrastate interstate Meas. Dev. or Sc. Meas. NOTotalizing meter Supplemental Right-of-Way Cond. yes 04Watermaster Cond. yes 05Wtr. Dist No. 95-AMeas. Dev. Cond. for apps within a Water Dist. NO

C 010

Short letter w/o conditions

Juni

Reviewer

MICROFILMED

7/31/79

Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7937 Sayler

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) ReyA 6-7-79

In form to receipt

(2) ReyA 6-7-79

Send Copies to:

☐ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management
☒ lands

(3) _____

☐ Request Special Use Permit from U.S.F.S.
☐ Request Easement from B.L.M.
☐ Request Information from Applicant
☐ Request Dam Safety Information

(4) ReyA 6-7-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) ReyA 6-7-79

Located within Water District No. 95-A

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) ReyA 7/10/79

Affidavit of Publication received(date) 7/9/79

(12) ReyA 7/18/79

Final date for protests 7/9/79

Protests received: yes _____ no ☒

(13) ReyA 7/18/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

6-6-79 Proposed Priority

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval

Subject to control of Watermaster of 95A
No special conditions for approval

(15) District Northern

By Bob Haynes 7/18/79

MICROFILMED



Manner

STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUP'T OF PUBLIC INSTRUCTION

June 25, 1979

Robert Haynes
Dept. of Water Resources
Northern District
Rt. 5, Box 203, Suite 1
Coeur d'Alene, ID 83814

RE: 95-7938
John C. McMillan

Dear Bob:

Thank you for the copy of the above numbered diversion permit application. The applicant will be required to make application for an easement or temporary permit from the Department of Lands, in addition to your diversion permit.

The applicant is being notified.

Very truly yours,

William A. Scribner

WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

RECEIVED
JUN 26 1979

Department of Water Resources
Northern District Office



STATE OF IDAHO

DEPARTMENT OF LANDS

STATEHOUSE, BOISE, IDAHO 83720

GORDON C. TROMBLEY
DIRECTOR

STATE BOARD OF LAND COMMISSIONERS

JOHN V. EVANS
GOVERNOR AND PRESIDENT
PETE T. CENARRUSA
SECRETARY OF STATE
DAVID H. LEROY
ATTORNEY GENERAL
JOE R. WILLIAMS
STATE AUDITOR
JERRY L. EVANS
SUP'T OF PUBLIC INSTRUCTION

June 20, 1979

Robert Haynes
Dept. of Water Resources
Northern District
Rt. 2, Box 203, Suite 1
Coeur d'Alene, ID 83814

Please file

RE: 95-7937
Terry Saylor

Dear Bob:

Mr. Saylor has submitted an application for an encroachment permit. The Department of Lands has no objection to the proposed diversion.

Thank you for the opportunity to review this proposal.

Very truly yours,

William A. Scribner
WILLIAM A. SCRIBNER, Chief
Bureau of Navigable Waters

WAS:bv

cc: Recreation Section-CdA

ENCLOSURE

95-2932_

SAYLER, TERRY

RT. 2 BOX B48, HAYDEN LAKE, ID 83835

Source: HAYDEN LAKE

Date Filed: 06/06/1979

Amount: 0.09 CFS

Diversion Point: SWNW Sec 03 T 51N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.09 CFS) from 01/01 to 12/31

Place of Use: SENE Sec 04 T 51N R 03W

Diversion Means: PUMP & PIPE

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
C. STEPHEN ALLRED
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

June 14, 1979

Mr. William A. Scribner
Idaho Department of Lands
Statehouse
Boise, Idaho 83720

RE: 95-7937

Dear Bill:

Enclosed is information which may be of interest to your Agency relating to an application recently filed with the Department of Water Resources.

Very truly yours,

Robert G. Haynes, P.E.
Regional Supervisor

RGH/pms

Enclosure

MICROFILMED