


10. Other water rights on these lands 95-2171
11. Other water right diverted from same p.d. 95-8171

12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments
- ☒ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
16. Examiner's/Consultant's Signature John J. [Signature] Date 10/26/84

Consultant's License Number _____

IDWR Director's Authorization to Conduct _____

Beneficial Use Examination _____

Date _____


NOT REFILED
JUL 30 1990
CONSULTANT SEAL

POST FALLS QUADRANGLE
IDAHO-KOOTENAI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

2679 IV SE
(HAYDEN)



TWP. 51N RGE. 5W SEC. 25 MAP # E-3 MAP SCALE 1 1/2
DATE OF FIELD EXAM 10/20/84 FIELD REPORT MAP PERMIT # 95-7929



TWP. 51 N RGE. 5 W SEC. 25 MAP # MET MAP SCALE
DATE OF FIELD EXAM _____
FIELD REPORT MAP PERMIT # 95-7929

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 96-7929

Name(s) of Permit Holder: Prairie Water Assoc.

Post Office Address: POB 1183 Post Falls Id. 83854

Contact for Exam Richard Bath Tel. No. 773-3223

Source of Water: GW

Extent of Use: ☒ Domestic 34 (number of households)

☐ Stockwater _____ (number and type of stock)

☐ Irrigation _____ (acres)

☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Flow Meter Department of Water Resources

Access Port: Required? ☐ Yes ☒ No Installed Northern District Office

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/24/84 Date

Shirley Smalley Signature of Permit Holder

Sec/Pres.

RECEIVED MAY 24 1984

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07929

Priority: May 15, 1979

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.23 CFS
21.1 AF

This is to certify, that PRAIRIE WATER ASSN.

C/O SUSAN MYERS, SEC/TREAS.

P.O. BOX 1183

POST FALLS, ID 83854

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 15, 1979; and has submitted Proof of Beneficial Use on May 24, 1984. An examination indicates that the works have a diversion capacity of .230 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.23 CFS	20.4 AF
	Totals	0.23 CFS	21.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 25, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: STOCKWATER

TWN RGE SEC

51N 05W 25.	SWNW	SENW	NESW
	NWSW	SWSW	SESW
26	SENE		

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

JUL 30 1980

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 95-07929

CONDITIONS/REMARKS:

5. Stockwater use is for 50 head; domestic use is for 34 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of JULY, 1990.

Acting for R. Keith Higginson, Director

RECORDED

JUL 30 1990

State of Idaho
Department of Water Resources

RECEIVED
JUL 17 1990

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-07929

Department of Water Resources

Date of Priority: May 15, 1979

Maximum Diversion Rate: 0.23 CFS
Maximum Diversion Volume:¹ 21.1 AF

Comes now PRAIRIE WATER ASSN.
C/O ~~SHIRLEY SMALLEY~~, SEC/TREAS
P.O. BOX 1183
POST FALLS, ID 83854

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 95-07929, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.02 CFS	0.7 AF
DOMESTIC	01/01 to 12/31	0.23 CFS	20.4 AF
	Totals	0.23 CFS	21.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW, Sec. 25, Township 51N, Range 05W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

51N 05W 25	SWNW	SENW	NESW
	NWSW	SWSW	SESW
26	SENE		

PLACE OF USE: STOCKWATER, same as DOMESTIC use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at 2851 Shugrass Lane this 10 day of July, 1990.

Susan C Myers
(Signature) Sec/Treas

RECEIVED

JUL 30 1990

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-07929

Preliminary check by 1 FOR DEPARTMENT USE ONLY #0017690
Fee = \$20.00 Received by Lawson Date 7/17/90

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-07929 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 34 homes.

Witness my hand this 24TH day of July, 19 90.

Norm C. Young
Acting for R. Keith Higginson, Director

RECORDED
JUL 20 1990

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF REMOVING THE ACCESS PORT)
REQUIREMENT FOR PERMIT NO. 95-7929 IN THE NAME) ORDER
OF PRAIRIE WATER ASSN.)

WHEREAS, on June 20, 1979, the Department of Water Resources issued Permit No. 95-7929 in the name of Prairie Water Assn. with the requirement that:

An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

and,

WHEREAS, on November 5, 1984, the Department received a request from the permit holder to remove the access port requirement; and,

WHEREAS, the permit holder has indicated that the rate of flow developed under this permit does not exceed 0.23 cubic feet per second; and,

WHEREAS, the Department does not require that an access port be installed for a permit of this type with rate of flow less than 0.70 cubic feet per second;

NOW, THEREFORE, the condition of approval requiring an access port is REMOVED.

Dated this 20th day of February, 1985.


L. GLEN SAXTON
Chief, Operations Bureau

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Prairie Water Assn. Phone _____
C/O TOM BRICKERT

Post office address RT 1 BOX 222, COEUR D'ALENE, ID 83814

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 25 Township 51N

Range 5W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.00 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for Irrigation purposes from Nov 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.13 for Stock purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 2.00 for Fire Protection purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.00 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, 150 hp pump, 15,000 gal reservoir with auxiliary pumps & pipe line to homes, irrigation systems, stock tanks and Fire hydrants.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 18 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: All SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 25 Township 51N
SE NE 26
Range 5W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered 100-200 AD stock

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 34.

(5) If water is to be used for other purposes describe: Fire Protection via fire Hydrants.

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Ellen E. Hanigan
(Applicant)
SECRETRES OF WATER ASSOCIATION

Received by KK Date 5/15/79 Time 10:15
Preliminary check by KK Fee \$ 45.00
Received by KK Date 5/15/79 # 13574
Published in GD Publication dates 5/24 & 5/31/79
Publication approved me Date 6/4/79
Protests filed by: me
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by SS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7929, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 84.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
- (2) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 30 day of June, 19 79.

J. Allen Saylor
Chief, Operations Bureau

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7927
COLLINS, JOHN M. &/or
CHERYL O.
ROUTE 1, BOX 280, HAYDEN
LAKE, ID 83835
Source: GROUNDWATER
Date Filed: 05/09/1979
Amount: 0.20 CFS
Diversion Point: NESE Sec 34 T
52N R 05W KOOTENAI Co.
Use: DOMESTIC (0.05 CFS) from
01/01 to 12/31; IRRIGATION (0.20
CFS) from 03/15 to 11/15
Place of Use: SENE Sec 34 T 52N
R 05W FOR 10 ACRES
Diversion Means: WELL

95-7928
GNAGY, ROLLA &/or MARION
&/or SHIRLEY
P.O. BOX 581, COEUR
D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 05/09/1979
Amount: 0.20 CFS
Diversion Point: SWNE Sec 22 T
50N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from
01/01 to 12/31; STOCKWATER
(0.02 CFS) from 01/01 to 12/31;
IRRIGATION (0.20 CFS) from

03/15 to 11/15
Place of Use: SWNE Sec 22 T 50N
R 03W FOR 15 ACRES
Diversion Means: WELL &
PUMP

95-7929
PRAIRIE WATER ASSOCIA-
TION
c/o TOM BRACKET, ROUTE 1
BOX 222, COEUR D'ALENE, ID
83814
Source: GROUNDWATER
Priority Date: 05/15/1979
Amount: 2.00 CFS
Diversion Point: NWSW Sec 25 T
51N R 05W, KOOTENAI Co.
Use: DOMESTIC (2.00 CFS) from
01/01 to 12/31; STOCKWATER
(0.13 CFS) from 01/01 to 12/31;
FIRE PROTECTION (2.00 CFS)
from 01/01 to 12/31
Place of Use: NESW NWSW
SWSW SESW SWNW Sec 25 T 51N
R 05W SENE Sec 26 T 51N R 05W
Diversion Means: WELL &
PUMP

95-7930
JOHNSON, D. A.
ROUTE 3 BOX 505, COEUR
D'ALENE, ID 83814
Source: WOLF LODGE CREEK
tributary to LAKE COEUR
D'ALENE
Date Filed: 05/15/1979
Amount: 0.20 CFS
Diversion Point: NWSW Sec 21 T
50N R 02W, KOOTENAI Co.
Place of Use: NESW Sec 21 T 50N
R 02W
Use: FIRE PROTECTION (0.20
CFS) from 01/01 to 12/31; STOCK-
WATER (0.02 CFS) from 01/01 to
12/31
Diversion Means: PUMP &
PIPELINE

If issued, the permit(s) will be
subject to all prior water rights.
Protests against the granting of
any permit must be filed with the
Director of the Idaho Department
of Water Resources, 4055 Gov't
Way, Coeur d'Alene, Id, 83814 on
or before JUNE 11, 1979.

C. STEPHEN ALLRED
Director

Legal 755
May 24, 31, 1979

STATE OF IDAHO,
County of Kootenai,

ss.

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

of which the annexed is a printed copy, was published in the regular issue of said newspaper for 2 consecutive weeks commencing on the 24 day of May, 1979, and ending on the 31 day of May, 1979 and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this 31 day of May, 1979

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

REC-1

Department

Idaho

MICROFILMED

July 24, 1990

PRAIRIE WATER ASSN.
C/O SUSAN MYERS, SEC/TREAS.
P.O. BOX 1183
POST FALLS, ID 83854

RE: PERMIT NO. 95-07929

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 30 1990

June 25, 1990

PRAIRIE WATER ASSN.
C/O SHIRLEY SMALLEY, SEC/TREAS
P.O. BOX 1183
POST FALLS, ID 83854

RE: PERMIT NO. 95-07929

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

JUL 30 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 95-7929

Phone No. _____

1. Owner: Prairie Water Assn Phone No. _____
Current Address: POB 1183 Post Falls ID 83854
2. Accompanied by: Richard Bath EXAM. DATE: 10/26/84
Address: _____ Phone No. 773-3223
Relationship to Permit Holder: Pres.
3. Source: Groundwater tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	150	EBJ504158	Perkins	250302

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)
18" Well x 290', SWL @ 260' with pump & 6" line to 44,000 gal res.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Hand						

Measurements

☐ Additional data/computation sheets attached
$$\frac{8.8(150) 70\%}{2.33(20) + 260} = 3.01 \text{ cfs}$$

Point(s) of Diversion:

Indicate Method of Determination *Survey by MECKEL ENG.*

[illegible]


Place(s) of Use:

Irrigation - give acres served by system at time of exam.

Indicate Method of Determination Survey By MECKEL ENG

[illegible]

10. Other water rights on these lands 95-2171
11. Other water right diverted from same p.d. 95-2171
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks

15. Recommended Amendments
- ☒ Change P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Add P.D. as reflected above
- ☐ None
- ☐ Other
16. Examiner's/Consultant's Signature John J. [Signature] Date 10/26/84
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct _____
- Beneficial Use Examination _____
- Date _____

CONSULTANT SEAL

10/26/84

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED
MAY 2 1985

95-7929
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

SEE 219A#7

34 homes ~~0.15~~ = 0.23 cfs ~~0.15~~

50 head stock 0.102 cfs

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

34 home without irrigation 0.6 AF (34) = 20.4 AF
50 head stock 0.7 AF

2. Overlap Review

- a) Other water rights with same place of use: 95-2171

- b) Other water rights with same point of diversion: 95-2171

- c) Analysis: 95-2171 is irrigation right & system has been changed since this license was issued. Some of the acreage has been deleted ~ homes, roads out buildings

2.08
1.25
2.33 cfs

MICROFILMED

JUL 30 1990

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
					5.01

- Address: _____

- | 6. Beneficial Use | Period of Use | Rate of Diversion | Annual Volume |
|-------------------|---------------|-------------------|---------------|
|-------------------|---------------|-------------------|---------------|

- [illegible]

7. Point(s) of Diversion:

[illegible]

- [illegible]

-

-

-

- _____

- _____

- 0661 00700

10. Recommended Amendments

- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

- ☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other


11. Examiner's Signature _____
- Date 10/29/84

- Checked in Regional Office by Dec 14/85
Date 11/26/85

- Approved in State Office by _____
Date _____

POST FALLS QUADRANGLE
IDAHO-KOOTENAI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)
NW/4 COEUR D'ALENE 15' QUADRANGLE

2879 14 SE
(HAYDEN)



FILMED

1990

TWP. 51N RGE. 5W SEC. 25 MAP # E-3 MAP SCALE 1 1/2
DATE OF FIELD DATA 10/26/84 FIELD REPORT MAP PERMIT # 95-7929

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 95-7929
Name(s) of Permit Holder(s): VRAIRE WATER ASSN.
Post Office Address: E. 2670 HUCKLEBERRY
POST FALLS Tel. No. _____

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on 1979 (date) and I understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control*:

*Note: A financing difficulty is not an acceptable reason.

Date

Signature of Permit Holder

MICROFILMED

JUL 8 1980

5/25/83 Joe Heller
Pres.

PLACE
STAMP
HERE

RECEIVED

MAY 25 1993

Department of Water Resources
Northern District Office

RECEIVED

JUN 2 1993

Letter dated 07 April 1993

RECEIVED

JUL 30 1990



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

February 20, 1985

Prairie Water Assn.
c/o Richard Bath
P. O. Box 1182
Post Falls, ID 83854

Gentlemen:

Re: Permit No. 95-7929

Enclosed is a copy of the order removing the access port requirement on the above-referenced permit.

If I can be of further assistance, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
FEB 22 1985

RECEIVED

NOV 5 1984

Department of Water Resources

Prairie Water Assn.
P. O. Box 1183
Post Falls, Id. 83854

October 30, 1984

Idaho Dept. of Water Resources
Statehouse
Boise, Id. 83720

Re: 95-7929

Gentlemen:

We have determined that the domestic needs of our water system do not exceed 0.23 cfs and would like to request the removal of the measuring device requirement on Permit No. 95-7929.

Sincerely,



Richard Bath
(PRESIDENT)

pms

RECEIVED
OCT 31 1984

Department of Water Resources
Northern District Office

MICROFILMED

Prairie Water Association
PO Box 1183
Post Falls, Idaho 83854
October 30, 1984

State of Idaho
Tom King
4055 Government Way
Coeur d'Alene, Id 83814

Dear Sir:

I am writing this letter to inform you that Prairie Water Association has only ten families who live on the property. Richard Bath called me to tell me you had been out to the property to inspect it and found our system does not have a flow meter in the line. If I can be of any help, please contact me.

Sincerely,

Shirley Smalley
Shirley Smalley, Sec/Treas
Prairie Water Association

765-2237

RECEIVED
OCT 30 1984

Department of Water Resources
Northern District Office

MACROFILMED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

JULY 31, 1984

PRAIRIE WATER ASSN
P.O. BOX 1183
POST FALLS ID 83854

RE: Permit No. 95-7929

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MAILED
JUL 31 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7929

Name(s) of Permit Holder: Prairie Water Assoc.

Post Office Address: POB 1183 Post Falls Id 83854

Contact: Mr. Edam Richard Bath Tel. 477-3223

Source of Water: GW

Extent of Use: ☒ Domestic 34 (number of households)

☐ Stockwater _____ (number and type of stock)

☐ Irrigation _____ (acres)

☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/24/84 Date

Shirley Smalley Signature of Permit Holder

RECEIVED

RECEIVED

MAY 24 1984

FLOW METER Department of Water Resources

Installed Northern District Office

Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE

RECEIVED

MAY 29 1984



Department of Water Resources

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

BOISE, IDAHO 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138635

PRAIRIE WATER ASSOCIATION
C/O TOM BRICKET
ROUTE 1 BOX 222
COEUR D'ALENE, ID 83814

PROOF DUE NOTICE

MARCH 31, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7929 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
MARCH 31 1984



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

June 22, 1979

Re: Permit No. 95-7929

Prairie Water Assn.
c/o Tom Brickert
Rt. 1, Box 222
Coeur d'Alene, ID 83814

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

MICROFILMED

95-7929

STAFF REVIEW - STATE OFFICE

1. sw Name vs. Signature
2. W Source
3. ✓ Point of Diversion
4. ✓ Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. OK Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 45 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>✓</u> Idaho Fish & Game Dept.	<u>✓</u> Dept. of Lands
<u>✓</u> Bureau of Land Management	<u>✓</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. NO

ID Power Co. Letter - G.W. & Tribs. ✓

Snake River Condition ✓

Payette River Letter ✓

Priority Date 5/15/79

Water Quality #16 NO

Water Quality #10 intrastate interstate

Meas. Dev. or Sc. Meas. yes OK

Totalizing meter NO

Supplemental ✓

Right-of-Way Cond. yes OK

Watermaster Cond. NO
Wtr. Dist No. ✓

Meas. Dev. Cond. for apps within a Water Dist. ✓

J. Mai
Reviewer
6/19/79
Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-1929 Prairie Water Ass

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RyA 5-16-79

In form to receipt

(2) RyA 5-16-79

Send Copies to:

☒ Idaho State Health Department
☐ Idaho Fish and Game Department
☐ Bureau of Land Management

(3) _____

☐ Request Special Use Permit from U.S.F.S.

☐ Request Easement from B.L.M.

☐ Request Information from Applicant

☐ Request Dam Safety Information

(4) RyA 5-16-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pm 6/4/79

Affidavit of Publication received(date) 6/1/79

(12) pm 6/1/79

Final date for protests June 11, 1979

Protests received: yes _____ no _____

(13) pm 6/1/79

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

5-15-79 Proposed Priority

_____ Reason for Reduction _____

☒ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Northern

By Bob Haynes Date 7-1-79

Department of Water Resources

RECEIVED

PRAIRIE WATER ASSOCIATION

c/o TOM BRICKET, ROUTE 1 BOX 222, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Priority Date: 05/15/1979

Amount: 2.00 CFS

Diversion Point: NWSW Sec 25 T 51N R 05W, KOOTENAI Co.

Use: DOMESTIC	(2.00 CFS)	from 01/01 to 12/31
STOCKWATER	(0.13 CFS)	from 01/01 to 12/31
FIRE PROTECTION	(2.00 CFS)	from 01/01 to 12/31

Place of Use: NESW NWSW SWSW SESW SWNW Sec 25 T 51N R 05W SENE
Sec 26 T 51N R 05W

Diversion Means: WELL & PUMP

MICROFILMED