

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7915

Priority: April 6, 1979 Amount: .08 CFS 7.6 AFA

This is to certify, that DION L. MC POLAND
W. 6460 HIGHLAND DR.

COEUR D ALENE, ID 83814 has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated April 6, 1979, and has submitted proof to the Department of Water Resources on August 6, 1981, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .08 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 10/31	.04 cfs	7.0 afa
Domestic	01/01 to 12/31	.04 cfs	.6 afa
Totals		.08 CFS	7.6 AFA

LOCATION OF POINT OF DIVERSION(S): NENE , Sec. 18, Township 50N, Range 4W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	4W	18	NENE	2			2

Total number of acres irrigated: 2

PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of SEPTEMBER, 1987.

NOT FILMED

SEP 29 1987

Director

State of Idaho
Department of Water Resources

RECEIVED
SEP 03 1987

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-7915

Department of Water Resources

Date of Priority: April 6, 1979

APPROVED

Comes now DION L. MC POLAND
W. 6460 HIGHLAND DR.
COEUR D ALENE, ID 83814

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 95-7915 , and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	04/01 to 10/31	.04 cfs	7.0 afa
Domestic	01/01 to 12/31	.04 cfs	.6 afa
	Totals	.08 CFS	7.6 AFA

LOCATION OF POINT OF DIVERSION(S):

NENE , Sec. 18, Township 50N, Range 4W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
50N	4W	18	NENE	2			2

Total number of acres irrigated: 2

PLACE OF USE: Domestic, same as Irrigation use

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at CdA , this 28 day of August , 1987 .

MICROFILMED

SEP 29 1987

Dion L. McPoland
(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-7915

FOR DEPARTMENT USE ONLY

Preliminary check by kw Fee = \$20.00 Received by Ryk Date 8/28/87 [#] 91690

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. Kenneth Dunn, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-7915 with the following;

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

Witness my hand this 24th day of SEPTEMBER, 1987.

Norm C. Young
(Director)
Acting for the

MICROFILMED
SEP 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Dion L. McPoland Phone 664-2716

Post office address Rt 1, Box 62 M Coeur d'Alene, Idaho 83814

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is 2 POINTS IN NE $\frac{1}{4}$
NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 18 Township 50N

Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Irrigation purposes from 4/1 to 10/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.12 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

2 wells and pumps

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 220 & 175 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 18 Township 50N

Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

9. a. Who owns the property at the point of diversion _____
Applicant

b. Who owns the land to be irrigated or place of use _____
Applicant

applicant to make this filing

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

[illegible]

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lion J. McDaniel
(Applicant)

Proposed Priority 4/6/79

Received by Quiff Date 4-6-79 Time 2:00 PM
Preliminary check by JK Fee \$ 20.00
Received by Quiff Date 4-6-79 # 13510
Publication prepared by Quiff Date 4/1/79
Published in Journal of Idaho State
Publication dates 4/19-26/79
Publication approved Quiff Date 4/27/79
Protests filed by: Quiff
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Quiff 35.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7915, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 16 day of May, 19 79.

Chief, Operations Bureau

D. Allen Saylor

AFFIDAVIT OF PUBLICATION

NOTICE OF CLAIMS TO WATER RIGHTS

Notice is hereby given that the following claim(s) to water right(s) have been established by diversion and application to beneficial use:

95-4407
STONERIDGE PINES ASSN., INC.
ROUTE 2, BOX 103, HARRISON, ID. 83833
Source: LAKE COEUR D'ALENE, tributary to SPOKANE RIVER.
Priority Date: 05/01/1971
Amount: 0.08 CFS
Diversion Point: LOT 03 Sec 18 T 49N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
Place of Use: LOT 03 (SWNW) LOT 02 Sec 18 T 49N R 03W
Diversion Means: PUMP & STORAGE TANK

95-4408
HANKS, EARL EUGENE &/or VIRGINIA
ROUTE 1, BOX 13, RATHDRUM, ID 83858
Source: GROUNDWATER
Priority Date: 01/01/1905
Amount: 0.20 CFS
Diversion Point: NWSW Sec 17 T 51N R 04W, KOOTENAI Co.
Use: IRRIGATION (0.16 CFS) from 05/01 to 10/01
DOMESTIC (0.04 CFS) from 01/01 to 12/31
Place of Use: NWSW Sec 17 T 51N R 04W FOR 4 ACRES
Diversion Means: WELL & PUMP

95-4409
PERRY, GEORGE E.
ROUTE 1, BOX 259, COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Priority Date: 01/01/1954
Amount: 0.10 CFS
Diversion Point: NENE Sec 10 T 50N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
COMMERCIAL (0.04 CFS) from 01/01 to 12/31
STOCKWATER (0.02 CFS) from 01/01 to 12/31
Place of Use: NENE Sec 10 T 50N R 04W
Diversion Means: WELL & PUMP

95-4410
BOEKEL, EVELYN E &/or WILLIAM H.
RR # 1, BOX 101, RATHDRUM, ID 83858
Source: GROUNDWATER
Priority Date: 09/01/1928
Amount: 2.00 CFS
Diversion Point: NWNW Sec 02 T 51N R 04W, KOOTENAI Co.
Use: IRRIGATION (1.00 CFS) from 03/01 to 11/01
DOMESTIC (0.20 CFS) from 01/01 to 12/31
STOCKWATER (0.80 CFS) from 01/01 to 12/31
Place of Use: NENW NWNW Sec 02 T 51N R 04W FOR 5 ACRES
Diversion Means: PUMP, PIPELINE & PRESSURE TANK
Any exception to any claim of

water right may be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id. 83814.

C. STEPHEN ALLRED
Director

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7913
LUCAS, THOMAS B. &/or SERENA
ROUTE 1, BOX 25, COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 04/06/1979
Amount: 0.20 CFS
Diversion Point: SWNE Sec 20 T 50N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from 01/01 to 12/31
STOCKWATER (0.02 CFS) from 01/01 to 12/31
Place of Use: SWNE Sec 20 T 50N R 04W
Diversion Means: WELL & PUMP

95-7914
STONERIDGE PINES ASSN., INC.
ROUTE 2, BOX 103, HARRISON, ID 83833
Source: LAKE COEUR D'ALENE tributary to SPOKANE RIVER
Date Filed: 04/04/1979
Amount: 0.20 CFS
Diversion Point: LOT 03 Sec 18 T 49N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from 01/01 to 12/31
FIRE PROTECTION (0.20 CFS) from 01/01 to 12/31
Place of Use: LOT 02 LOT 03 Sec 18 T 49N R 03W
Diversion Means: PUMP & STORAGE TANK

95-7915
MCPOLAND, DION L.
ROUTE 1, BOX 62 M, COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 04/06/1979
Amount: 0.12 CFS
Diversion Point: NENE NENE Sec 18 T 50N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31
IRRIGATION (0.04 CFS) from 04/01 to 10/31
Place of Use: NENE Sec 18 T 50N R 04W FOR 2 ACRES
Diversion Means: 2 WELLS & PUMPS

95-7916
WARD, WILLIAM P.
ROUTE 2, BOX 160, HARRISON, ID 83833
Source: UNNAMED SPRING
Date Filed: 04/06/1979
Amount: 0.16 CFS 20.0 AC-FT
Diversion Point: SESE Sec 32 T 49N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
STOCKWATER (0.02 CFS) from 01/01 to 12/31
IRRIGATION (0.10 CFS) from

03/15 to 11/15
DOMESTIC STORAGE (20.0 AC-FT) from 01/01 to 12/31
STOCKWATER STORAGE (20.0 AC-FT) from 01/01 to 12/31
IRRIGATION STORAGE (20.0 AC-FT) from 01/01 to 12/31
IRRIGATION FROM STORAGE (20.0 AC-FT) from 03/15 to 11/15
DOMESTIC FROM STORAGE (1.60 CFS) from 01/01 to 12/31
STOCKWATER FROM STORAGE (0.40 CFS) from 01/01 to 12/31
Place of Use: SESE Sec 32 T 49N R 03W FOR 8 ACRES
Diversion Means: COLLECTION BOX, STORAGE TANK & PIPELINE

95-7917
MUNDT, ELMER &/or EVELYN
ROUTE 1 BOX 28, COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 04/06/1979
Amount: 0.20 CFS
Diversion Point: SWSW Sec 21 T 50N R 04W, KOOTENAI Co.
Use: DOMESTIC (0.20 CFS) from 01/01 to 12/31
STOCKWATER (0.02 CFS) from 01/01 to 12/31
Place of Use: SWSW Sec 21 T 50N R 04W
Diversion Means: WELL & PUMP

95-7918
EMERALD INVESTORS, INC.
BOX 907, COEUR D'ALENE, ID 83814
Source: GROUNDWATER
Date Filed: 04/09/1979
Amount: 1.20 CFS
Diversion Point: NESE Sec 11 T 51N R 04W, KOOTENAI Co.
Use: DOMESTIC (1.20 CFS) from 01/01 to 12/31
Place of Use: NESW SENW NWNW Sec 12 T 51N R 04W
Diversion Means: WELL, PUMP & PIPELINE

95-7919
DECKER, A. N.
ROUTE 2, BOX 139, HARRISON, ID 83833
Source: GROUNDWATER
Date Filed: 04/09/1979
Amount: 0.14 CFS
Diversion Point: NWNE Sec 09 T 49N R 03W, KOOTENAI Co.
Use: DOMESTIC (0.04 CFS) from 01/01 to 12/31
IRRIGATION (0.08 CFS) from 03/15 to 11/15
STOCKWATER (0.02 CFS) from 01/01 to 12/31
Place of Use: NWNE Sec 09 T 49N R 03W FOR 15 ACRES
Diversion Means: WELL, PUMP & PIPELINE

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 4055 Gov't Way, Coeur d'Alene, Id. 83814 on or before May 7, 1979.

C. STEPHEN ALLRED
Director

Legal 677
April 19, 26, 1979

edg being first duly sworn

mentioned was a citizen of the United States, of the age of twenty-one years and not a

mentioned was the printer (principal author) printed and published daily except Sundays, Idaho, and having a general circulation

Notice
published in the regular *Thurs* consecutive *weeks* of *April* 19 *79*, and such *period* as said *daily*

continuously and uninterruptedly published in the State of Idaho for more than seventy-eight consecutive weeks

said notice in District Office *Shoshone* 26 day of *April*

Robert M. Hedges
Notary Public for the State of Idaho, residing at Coeur d'Alene, Idaho.

RECORDED

September 28, 1987

DION L. MC POLAND
W. 6460 HIGHLAND DR.
COEUR D ALENE, ID 83814

RE: Permit No. 95-7915

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
SEP 29 1987

August 25, 1987

DION L. MC POLAND
W. 6460 HIGHLAND DR.
COEUR D ALENE, ID 83814

RE: Permit No. 95-7915

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
SEP 29 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

30 DAY

95-7915
Permit No.

1. **Measurement Calculations**

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

Exam Est cap 25 0.09 cfs

- b) Volume Calculations for Irrigation:

$$\begin{aligned} V_{I.R.} &= (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2 \times 3.5 = 7.0 \text{ AF} \\ V_{D.R.} &= [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \\ V &= \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.0 \text{ AF} \end{aligned}$$

- c) Volume Calculations for Other Uses:

2. **Overlap Review**

- a) Other water rights with same place of use: _____

- b) Other water rights with same point of diversion: _____

- c) Analysis:

RECORDED

SEP 29 1987

RECOMMENDED AMOUNTS

3.	Permit No.	95-215	Priority	4-6-79	Amount	0.08	App. Date	4-6-79	Date Proof Submitted	8-6-81	System Capacity	0.08
----	------------	--------	----------	--------	--------	------	-----------	--------	----------------------	--------	-----------------	------

- | | |
|-------------------|---|
| 4. Permit Holder: | Dion L. McPoland |
| Address: | W. 6460 Highland Dr. - Coeur d'Alene, Id. 83814 |
| 5. Source: | Groundwater |
| | tributary to |

- | 6. Beneficial Use | Period of Use
From To | Rate of Diversion
Q (cfs) | Annual Volume
V (afa) |
|-------------------|--------------------------|------------------------------|--------------------------|
| IRRIGATION | 4-1 | 0.04 | 7.0 |
| DOMESTIC | 1-1 | 0.04 | 0.6 |

7. Point(s) of Diversion:

[illegible]

- [illegible]

9. Recommended Conditions/Remarks: _____

10. Recommended Amendments
- ☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other
- SEP 29 1987

- | | | | |
|-------------------------------|-------|-------|-------|
| 11. Examiner's Signature | _____ | _____ | _____ |
| Checked in Regional Office by | _____ | _____ | _____ |
| Approved in State Office by | _____ | _____ | _____ |
| Date | _____ | _____ | _____ |
| Date | _____ | _____ | _____ |
| Date | _____ | _____ | _____ |

SEP 4 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Department of Water Resources

95-7915

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6/28/84 Accompanied by App Total Q measured 25 PSI
If source is surface water, estimate total flow of source _____
Methods of measurement Dissimul Meets Permit requirements? Yes

Measurement calculations:

$$7(5/32 @ 25 \text{ PSI}) = 7(3.5) \text{ } 0.05 \text{ IRR.}$$

$$0.04(1.9835) \text{ } 213 = 16.9 \text{ AF}$$

$$2 \text{ Acres } @ 3.5 = 7.0 \text{ AF}$$

One home 0.04 & 0.6 AF

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
1-EAST	1 1/2							Sub
2-West	3/4							Sub

System Description 6" X 225' Well (East) with a 1 1/2 hp submersible motor
& pump plumbed into 6" X 175' Well (West) with a 3/4 HP " " & pump
jointly with a " with pipe to bladder tank then to home & 3/4" pvc
*Code with map on reverse side. Disregard code if only one. Egarden Lake & 7 RB 200 approx 5/32
(@ 25 PSI or 12) RB 200 X 5/32

RECOMMENDED AMOUNTS

Irrigation requirement = 3.5 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
<u>Irrigation</u>	<u>0.04</u>	<u>7.0</u>	<u>4/1</u>	<u>10/31</u>
<u>Domestic</u>	<u>0.04</u>	<u>0.6</u>	<u>1-1</u>	<u>12-31</u>
Total	<u>0.08</u>	<u>7.6</u>		

Remarks

MICROFILMED

SEP 29 1987

Doc Hastings
Zell King

Date _____

5/20/87

1787-87-8

☐ Other☒ None

☐ Add P.U. as reflected above

☐ Add P.D. as reflected above

☐ Change P.U. as reflected above

☐ Change P.D. as reflected above

Recommended Amendments:

[illegible]

Place(s) of Use


Point(s) of diversion: NENE NE, Sec 18, T50N, R4W

(Include distance from pump to measuring device, if applicable.)

SCHEMATIC DIAGRAM OF SYSTEM

[illegible]

MAP (Attach Aerial Photo)



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
R. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

September 21, 1981

Mr. Dion McPoland
W. 6460 Highland Dr.
Coeur d'Alene, Id. 83814

RE. 96-7915

Dear Mr. McPoland:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. If you will not be available to show the system, please provide this office with the name and address of someone who will be able to do so. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office. Please be sure to use the above-referenced permit number in all future correspondence concerning this examination.

Very truly yours,

TOM D. KING
Senior Water Resource Agent

TDK/ems

cc: IDWR - State Office

MICROFILMED

SEP 29 1981

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7915

Name(s) of Permit Holder: Dion L. McPoland

Post Office Address: -Rt.-1-Box-62M Coeur d'Alene, Id. 83814

W. 6460 Highland Drive. Tel. No. 664-2716

Source of Water: Groundwater

Extent of Use: ☒ Domestic 1 (number of households)

☐ Stockwater (number and type of stock)

☒ Irrigation 2 (acres)

☐ Other

Measuring Device: Required? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

8/6/81 Date

RECEIVED
SEP 29 1981
6 1981

Department of Water Resources
Northern District Office

Dion L. McPoland
Signature of Permit Holder

PLACE
TEN CENT
STAMP

MICROFILMED

SEP 29 1981



RECEIVED

AUG 10 1981

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse
Boise, Idaho 83720
(208) 384-2215

May 18, 1979

Re: Permit No. 95-7915

Dion L. McPoland
Rt. #1, Box 62 M
Coeur d'Alene, ID 83814

Dear Mr. McPoland:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

95-7915

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. W Source
3. 2 Point of Diversion
4. 0.12 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. 2 Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>no</u> Idaho Health Department	<u>no</u> U.S.F.S.
<u>7</u> Idaho Fish & Game Dept.	<u>1</u> Dept. of Lands
<u>1</u> Bureau of Land Management	<u> </u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land None plotted

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. <u>NO</u>	Meas. Dev. or Sc. Meas. <u>NO</u>
ID Power Co. Letter - G.W. & Tribs. <u> </u>	Totalizing meter <u> </u>
Snake River Condition <u> </u>	Supplemental <u> </u>
Payette River Letter <u> </u>	Right-of-Way Cond. <u> </u>
Priority Date <u>4/6/79</u>	Watermaster Cond. <u> </u>
	Wtr. Dist No. <u> </u>
Water Quality #16 <u>NO</u>	Meas. Dev. Cond. for apps within a Water Dist. <u> </u>
Water Quality #10 <u> </u>	
intrastate <u> </u> interstate <u> </u>	

Jim Reviewer
5/15/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7915

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 4/9/79

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) KK 4/9/79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pro 4/27/79

Affidavit of Publication received (date) 4/24/79

(12) pro 5/9/79

Final date for protests May 7, 1979
Protests received: yes _____ no _____

(13) pro 5/9/79

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

4-6-79 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern By Bob Haynes Date 4-6-79

RECEIVED
MAY 15 1979

Department of Water Resources

95-2915_

MCPOLAND, DION L.

ROUTE 1, BOX 62 M, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 04/06/1979

Amount: 0.12 CFS

Diversion Point: NENE NENE Sec 18 T 50N R 04W, KOOTENAI Co.

Use: DOMESTIC	(0.08 CFS)	from 01/01 to 12/31
IRRIGATION	(0.04 CFS)	from 04/01 to 10/31

Place of Use: NENE Sec 18 T 50N R 04W FOR 2 ACRES

Diversion Means: 2 WELLS & PUMPS

MICROFILMED