

95-7910

Chilco

JEEP

RIM ROCK

17

16

15

Gravel Pit

2437

2436

20

21

22

GARWOOD

ROAD

Lancaster

29

28

27

Hayden

BM

2265

Sportsmens Park

34

32

33

MICROFILMED

APR 06 1988

Creek



MICROFILMED
APR 06 1988

KIS
PHOTO B



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7910

Priority: April 3, 1979 Amount: .03 CFS 7.8 AFA

This is to certify, that RONALD W. STONE
BONNIE J. STONE

P.O. BOX 284

HAYDEN LAKE, ID 83835

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated April 3, 1979, and has submitted proof to the Department of Water Resources on March 23, 1984, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .03 cfs of water from;

SPRING

tributary to SINKS

and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.02 cfs	7.0 afa
Stockwater	01/01 to 12/31	.01 cfs	.2 afa
Domestic	01/01 to 12/31	.02 cfs	.6 afa
Totals		.03 CFS	7.8 AFA

LOCATION OF POINT OF DIVERSION(S):

SESW , Sec. 21, Township 52N, Range 3W
Kootenai County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
52N	3W	21	SESW	2			2

Total number of acres irrigated: 2

PLACE OF USE: Stockwater, same as Irrigation use

PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

MICROFILMED

APR 06 1988


State of Idaho
Department of Water Resources

PAGE 2

WATER RIGHT LICENSE

WATER RIGHT NO. 95-7910

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 29th day
of March, 1988.


Director

RECORDED

APR 06 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Ronald W. Stone &/or Bonnie J. Stone Phone _____

Post office address 1704 North 9th Coeur d'Alene ID 83814

2. Source of water supply 5 Unnamed springs which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 21 Township 52N

Range 3W B.M. Routenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 04 cfs for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 02 cfs for Stockwater purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 20 cfs for Irrigation purposes from April 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. collection ^{box} with ^{pipeline} to place
of use

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 21 Township 52N

Range 3W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered 40 head of cattle

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

[illegible]

02

Done

1000

1000

applicant to make this filing

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

21

PD and Place & Use

598
FE

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald W Stone
(Applicant)

Proposed Priority 4-3-79

Received by DAH Date 4-3-79 Time 1:00 PM

Preliminary check by DAH Fee \$ 20

Received by DAH Date 4-3-79 # 13494

Publication prepared by DAH Date 4/4/79

Published in Idaho State Journal

Publication dates 4/12-4/19/79

Publication approved DAH Date 4/23/79

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by DAH 5.5.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State

of Idaho No. 95-7910, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or be-

fore May 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 7th day of May, 19 79.

Chief, Operations Bureau

D. Allen Gayton

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho.

95-7906
Browner, Judith M.
Box 576, Hayden Lake, ID 83835
Source: Hayden Lake
Date Filed: March 29, 1979
Amount: 0.09 cfs
Diversion Point: LOT 03 LOT 03
Sec 14 T 51N R 03W, Kootenai Co.
Use: Irrigation (0.05 cfs) from
April 1 to November 1; Domestic
(0.04 cfs) from January 1 to Dec-
ember 31.
Place of Use: LOT 03 Sec 14 T 51N
R 03W for 3 acres.
Diversion Means: Pump &
pipeline.

95-7906
Maland, John P.
Route 2, Box 178, Hayden Lake,
ID 83835
Source: Hayden Lake
Date Filed: April 2, 1979
Amount: 0.10 cfs
Diversion Point: LOT 01 Sec 16 T
51N R 03W, Kootenai Co.
Use: Domestic (0.08 cfs) from
January 1 to December 31.
Place of Use: LOT 01 Sec 16 T 51N
R 03W
Diversion Means: Pump & pipe
Use: Stockwater (0.02 cfs) from
January 1 to December 31.

95-7907
Zeuge, Herman F.
6916 W. 5th, Kennewick, WA.
99336
Source: Unnamed Spring tribu-
tary to Unnamed Stream
Date Filed: April 3, 1979
Amount: 0.04 cfs
Diversion Point: NENE Sec 02 T
49N R 04W, Kootenai Co.
Use: Domestic (0.04 cfs) from
Jan. 1 to Dec. 31
Place of Use: NENE Sec 02 T 49N
R 04W
Diversion Means: Collection Box
and Pipeline

95-7908
Harms, August R. &/or Anna P.
Route 3, Box 210, Rathdrum, ID
83858
Source: Groundwater
Date Filed: April 2, 1979
Amount: 0.14 cfs
Diversion Point: SWSW Sec 36 T
52N R 05W, Kootenai Co.
Use: Domestic (0.08 cfs) from
Jan. 1 to Dec. 31; Stockwater (0.02
cfs) from Jan. 1 to Dec. 31; Ir-
rigation (0.04 cfs) from March 15
to Nov. 15
Place of Use: SWSW Sec 36 T 52N
R 05W for 2 acres
Diversion Means: Well and Pump

95-7909
Brown, Fred &/or Billy
214 E. 3rd, Post Falls, ID 83854
Source: Groundwater
Date Filed: April 2, 1979
Amount: 0.08 cfs
Diversion Point: LOT 07 Sec 31 T
53N R 04 W, Kootenai Co.
Use: Domestic (0.08 cfs) from
Jan. 1 to Dec. 31.
Place of Use: LOT 07 Sec 31 T 53N
R 04W
Diversion Means: Well, Pump

and Pipeline

95-7910
Stone, Ronald W. &/or Bonnie J.
1704 North 9th, Coeur d'Alene, ID
83814
Source: 5 Unnamed Springs
Date Filed: April 3, 1979
Amount: 0.20 cfs
Diversion Point: SWSW Sec 21 T
52N R 03W, Kootenai Co.
Use: Domestic (0.04 cfs) from
Jan. 1 to Dec. 31; Stockwater (0.02
cfs) from Jan. 1 to Dec. 31; Ir-
rigation (0.20 cfs) from April 1 to
Nov. 1
Place of Use: SWSW Sec 21 T 52N
R 03W for 20 acres
Diversion Means: Collection Box
and Pipe

STATE OF IDAHO,
County of Kootenai,

ss.

Craig Hodge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular *Thursday* issue of said newspaper for *2* consecutive *publishes*

commencing on the *12* day of *April*, 19 *79*, and ending on the *19* day of *April*, 19 *79*, and such

publication was made as often during said period as said *daily* newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Craig Hodge

Subscribed and sworn to before me this

19 day of *April*

19 79

Rolita Stanley

Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

99.36

OK
pm
4/23/79

MICROFILMED

March 30, 1988

RONALD W. & BONNIE J. STONE
P.O. BOX 284
HAYDEN LAKE, ID 83835

RE: Permit No. 95-7910

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

APR 06 1988

March 4, 1988

RONALD W. & BONNIE J. STONE
P.O. BOX 284
HAYDEN LAKE, ID 83835

RE: Permit No. 95-7910

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

**RECEIVED
FILMED**

APR 06 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

MAY 2 1985

10-DAY

95-7910
Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

One home 0.04 cfs

standpipe & garden hose for stock $\frac{6 \text{ gpm}}{448.8} = 0.01 \text{ cfs}$

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = (2)(3.5) = 7.0$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (1.9835)(245)(0.02) = 9.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 7.0$$

c) Volume Calculations for Other Uses:

Domestic One home - no irr 0.6 AF

Stock - standpipe & garden hose (one at a time) $(365)(1.9835) = 514$ 0.2 AF

2. Overlap Review

a) Other water rights with same place of use: none

b) Other water rights with same point of diversion: none

c) Analysis:

MICROFILMED

APR 06 1988

Permit No.	4-3-79	Amount	4-3-79	Date Proof Submitted	0.03
System Capacity	0.03	App. Date	3-23-84		

- | Beneficial Use | Period of Use
From
To | Rate of Diversion
Q (cfs) | Annual Volume
V (afa) |
|----------------|-----------------------------|------------------------------|--------------------------|
| Irrigation | 3-15 | 0.02 | 7.0 |
| Stock | 1-1 | 0.01 | 0.2 |
| Domestic (1) | 1-1 | 0.02 | 0.6 |

- [illegible]

- | Twp. | Rge. | Sec. |
|-------------|------|---|
| S2N | 3W | 21 |
| | | NE 1/4 NW 1/4 SW 1/4 SE 1/4 NE 1/4 NW 1/4 SW 1/4 SE 1/4 NE 1/4 NW 1/4 SW 1/4 SE 1/4 |
| | | NE 1/4 |
| | | NW 1/4 |
| | | SW 1/4 |
| | | SE 1/4 |
| | | Totals |
| | | 2 |
| Total Acres | | 2 |

10. Recommended Amendments
- ☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- APR 06 1988
- RECORDED**

- | | | | |
|-------------------------------|---------------------|------|---------|
| 11. Examiner's Signature | <i>Julius</i> | Date | 11/5/84 |
| Checked in Regional Office by | <i>Robert Dumas</i> | Date | 4/29/85 |
| Approved in State Office by | <i>Ron Lewellen</i> | Date | 2-24-88 |

DECLASSIFIED

APR 06 1988

Date _____

Date _____

Date _____

Phone No. 772-4144

EXAM. DATE: 10/31/84

— 7 —

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

Developed spring with submersible pump & pipe line

☐ Additional data/computation sheets attached

two stand pipes ^{urgarden hose} 6 gpm each for stock & irr

Indicate Method of Determination *MAP / PERMIT HOLDER*


MAP / PERMIT
HOLDER

Irrigation - give acres served by system at time of exam.

Place(s) of Use: _____ Indicate Method of Determination MP

Total Acres 2

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached
- ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments
- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other
- ☒ None

16. Examiners/Consultant's Signature [Signature] Date 10/31/84

Consultant's License Number _____

IDWR Director's Authorization to Conduct _____


Beneficial Use Examination _____

CONSULTANT SEAL

ED _____ Date

APR 30 1988

95-7910



MICROFILMED

APR 6 1988



MICROFILMED
APR 06 1988



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

RONALD & BONNIE STONE
BOX 284
HAYDEN LAKE ID 83835

RE: Permit No. 95-7910

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/S/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MICROFILMED

APR 06 1988

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7910

Name(s) of Permit Holder: Ronald W &/or Bonnie L. Stone

Post Office Address: Box 284
Hayden Lake ID 83835 Tel. No. 772-4144

Source of Water: Springs

Extent of Use: ☒ Domestic 1 (number of households)
☒ Stockwater 2 horses (number and type of stock)
☒ Irrigation 2 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/16/84 Date
Ronald W Stone Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

MAR 23 1984



RECEIVED

MAR 16 1984

IDAHO DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Northern District Office

Department of Water Resources
STATE HOUSE

BOISE, IDAHO 83720

FROM

Rile

DATE

3-15-84

TO

95-7910

SUBJECT

Returned B/u Notice

*The Kootenai County Assessor's Office
shows:*

P.O. Box 284

Hayden Lake, Id 83835

MCROFT-MED

y

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

3

RETURN TO SENDER
FORWARDING ORDER ~~EXPIRED~~
DATED 5/5/88 CARRIEN *DR* 9

138527

CLAIM CHECK
NO.

384680

☐ HOLD


DATE

1ST NOTICE

2ND NOTICE

RETURN

Detached from
PS Form 3849-A
Oct 1980



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138527

STONE, RONALD W. & BONNIE J.
1704 NORTH 9TH
COEUR D'ALENE, ID 83814

PROOF DUE NOTICE

FEBRUARY 28, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7910 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

REPROFILING



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 10, 1979

Re: Permit No. 95-7910

Ronald W. &/or Bonnie J. Stone
1704 North 9th
Coeur d'Alene, Idaho 83814

Dear Mr. or Mrs. Stone:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

95-7900

STAFF REVIEW - STATE OFFICE

1. ☒ Name vs. Signature
2. 5 Spr Source
3. ☒ Point of Diversion
4. 0.2 Amnt. & Period of Use
5. ☒ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ☒ Place of Use for other than irrig.
8. 20 Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ☒ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>NO</u> Idaho Health Department	<u>NO</u> U.S.F.S.
<u>NO</u> Idaho Fish & Game Dept.	<u>NO</u> Dept. of Lands
<u>NO</u> Bureau of Land Management	<u>NO</u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area ☐ yes ☒ no

Other rights on same land None plotted

Withdrawals of all protests received N/A yes ☐ no

Conditions:

ID Power Co. Letter - Snake R. NO
ID Power Co. Letter - G.W. & Tribs. NO
Snake River Condition NO
Payette River Letter NO
Priority Date 4/3/79

Meas. Dev. or Sc. Meas. NO
Totalizing meter NO
Supplemental NO
Right-of-Way Cond. NO
Watermaster Cond. NO
Wtr. Dist No. NO
Meas. Dev. Cond. for apps within a Water Dist. NO

Water Quality #16 NO

Water Quality #10 NO
intrastate NO interstate NO

Jini Reviewer
5/4/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7910

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) KK 4/3/79

In form to receipt

(2) _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

(3) _____

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from B.L.M.
_____ Request Information from Applicant
_____ Request Dam Safety Information

(4) KK 4/3/79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pmo 4/23/79

Affidavit of Publication received(date) 4/20/79

(12) pmo 4/30/79

Final date for protests April 30, 1979

Protests received: yes _____ no _____

(13) pmo 4/30/79

All requested information received from agencies or applicant: yes ☒ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

4379 Proposed Priority

_____ Reason for Reduction _____

_____ Measuring device required

_____ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 4-30-79

RECEIVED
MAY 02 1979

Department of Water Resources

95-2910

STONE, RONALD W. &/or BONNIE J.

1704 NORTH 9TH, COEUR D'ALENE, ID 83814

Source: 5 UNNAMED SPRINGS

Date Filed: 04/03/1979

Amount: 0.20 CFS

Diversion Point: SESW Sec 21 T 52N R 03W, KOOTENAI Co.

Use: DOMESTIC	(0.04 CFS)	from 01/01 to 12/31
STOCKWATER	(0.02 CFS)	from 01/01 to 12/31
IRRIGATION	(0.20 CFS)	from 04/01 to 11/01

Place of Use: SESW Sec 21 T 52N R 03W FOR 20 ACRES

Diversion Means: COLLECTION BOX & PIPE

UNRECORDED