



TWIN LAKES ADJUDICATION

Drawn By	Date
Checked By	Date

Scale: 1 INCH = 100 FEET

TESN - RAW - MAP: 100

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 95-07909

Priority: April 2, 1979

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.04 CFS
1.2 AF

This is to certify, that FRED BROWN
BILLY BROWN

E. 850 TWINLOW RD.
RATHDRUM, ID 83858

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 2, 1979; and has submitted Proof of Beneficial Use on March 23, 1984. An examination indicates that the works have a diversion capacity of .040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 7 (SWSE), Sec. 31, Township 53N, Range 04W
KOOTENAI County

PLACE OF USE: DOMESTIC

TWN RGE SEC

53N 04W 31 LOT 7(SWSE)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20TH day of NOVEMBER, 1989.

RECORDED

NOV 24 1989

Noting File

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Fred & Billy Brown Phone 773-2972
Post office address 214 E 3rd Post Falls, Id. 83854
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is ~~1/4 of~~ GL 7 1/4 of Section 31 Township 53N
Range 4W B.M. Kootenai County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.08 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipeline

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: ~~1/4 of~~ GL 7 1/4 of Section 31 Township 53N
Range 4W B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 2.

(5) If water is to be used for other purposes describe: _____

RECORDED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

+ RD $\frac{1}{2}$ Plate of wire
 Sec 31
 T 33NR4W

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Billy Brown
(Applicant)

Received by VP Date 4-2-79 Time 8:30 AM
Preliminary check by RMT Fee \$ 20.00
Received by pm Date 4/3/79 # 13483
Publication prepared by pm Date 4/4/79
Published in Coeur d'Alene Press
Publication dates 4/12-19/79
Publication approved pm Date 4/23/79
Protests filed by: none
Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by RMT ss. _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7909, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 84.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: _____

Witness my hand this 7th day of May, 19 79.

Chief, Operations Bureau

J. Allen Gayton

AFFIDAVIT OF PUBLICATION

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7905
Brawner, Judith M.
Box 576, Hayden Lake, ID 83835
Source: Hayden Lake
Date Filed: March 29, 1979
Amount: 0.09 cfs
Diversion Point: LOT 03 LOT 03
Sec 14 T 51N R 03W, Kootenai Co.
Use: Irrigation (0.05 cfs) from
April 1 to November 1; Domestic
(0.04 cfs) from January 1 to De-
cember 31.
Place of Use: LOT 03 Sec 14 T 51N
R 03W for 3 acres.
Diversion Means: Pump &
pipeline.

95-7906
Maland, John P.
Route 2, Box 178, Hayden Lake,
ID 83835
Source: Hayden Lake
Date Filed: April 2, 1979
Amount: 0.10 cfs
Diversion Point: LOT 01 Sec 16 T
51N R 03W, Kootenai Co.
Use: Domestic (0.08 cfs) from
January 1 to December 31.
Place of Use: LOT 01 Sec 16 T 51N
R 03W
Diversion Means: Pump & pipe
Use: Stockwater (0.02 cfs) from
January 1 to December 31.

95-7907
Zeuge, Herman F.
6916 W. 5th, Kennewick, WA.
99336
Source: Unnamed Spring tribu-
tary to Unnamed Stream
Date Filed: April 3, 1979
Amount: 0.04 cfs
Diversion Point: NENE Sec 02 T
49N R 04W, Kootenai Co.
Use: Domestic (0.04 cfs) from
Jan. 1 to Dec. 31
Place of Use: NENE Sec 02 T 49N
R 04W
Diversion Means: Collection Box
and Pipeline

95-7908
Harris, August E. &/or Anna F.
Route 3, Box 210, Rathdrum, ID
83858
Source: Groundwater
Date Filed: April 2, 1979
Amount: 0.14 cfs
Diversion Point: SWSW Sec 36 T
52N R 05W, Kootenai Co.
Use: Domestic (0.08 cfs) from
Jan. 1 to Dec. 31; Stockwater (0.02
cfs) from Jan. 1 to Dec. 31; Ir-
rigation (0.04 cfs) from March 15
to Nov. 15
Place of Use: SWSW Sec 36 T 52N
R 05W for 2 acres
Diversion Means: Well and Pump

95-7909
Brown, Fred &/or Billy
214 E. 3rd, Post Falls, ID 83854
Source: Groundwater
Date Filed: April 2, 1979
Amount: 0.08 cfs
Diversion Point: LOT 07 Sec 31 T
53N R 04 W, Kootenai Co.
Use: Domestic (0.08 cfs) from
Jan. 1. to Dec. 31.
Place of Use: LOT 07 Sec 31 T 53N
R 04W
Diversion Means: Well, Pump

and Pipeline
95-7910
Stone, Ronald W. &/or Bonnie
1704 North 9th, Coeur d'Alene, ID
83814
Source: 5 Unnamed Springs
Date Filed: April 3, 1979
Amount: 0.20 cfs
Diversion Point: SWSW Sec 21 T
52N R 03W, Kootenai Co.
Use: Domestic (0.04 cfs) from
Jan. 1 to Dec. 31; Stockwater (0.02
cfs) from Jan. 1 to Dec. 31; Ir-
rigation (0.14 cfs) from April 1 to
Nov. 1
Place of Use: SWSW Sec 21 T 52N
R 03W for 20 acres
Diversion Means: Collection Box
and Pipe

STATE OF IDAHO,
County of Kootenai,

ss.

Craig Hodge

being first duly sworn

upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular issue of said newspaper for *2* consecutive *weeks* commencing on the *12* day of *April*, 19*79*, and ending on the *19* day of *April*, 19*79*, and such publication was made as often during said period as said newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Subscribed and sworn to before me this

19 day of *April*

1979

Roberta Mandy
Notary Public for the State of Idaho,
residing at Coeur d'Alene, Idaho.

LEADER

99.36

423

November 21, 1989

FRED BROWN
BILLY BROWN
E. 850 TWINLOW RD.
RATHDRUM, ID 83858

RE: PERMIT NO. 95-07909

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

NOV 24 1989

October 26, 1989

FRED BROWN
BILLY BROWN
E. 850 TWINLOW RD.
RATHDRUM, ID 83858

RE: PERMIT NO. 95-07909

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

NOV 24 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

95-7969
Permit No.

Staff Analysis Sheet
for
Beneficial Use Field Report

RECEIVED
SEP 24 1986

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index R 8-20-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index R 8-20-86 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? NO (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed JHK 8/25/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent J 8/25/86 (Initial and date)

Exam Reviewed by Manager of Regional Office RWR 9/22/86 (Initial and date)

Exam Date Entered in Computer 9/22/86 (Initial and date)

Exam sent to State Office _____ (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 24 1986

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 95-7909

1. Owner: FRED BROWN Phone No. 621-2313

Current Address: E. 850 TRINIDAD RD. RATHBURN, ID 83858

2. Accompanied by: NONE EXAM. DATE: 8-22-86

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GW tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE ☐ Copies Attached

2. Other water rights with same point of diversion: NONE ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

COPY OF AERIAL MAP ATTACHED

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

6" x 480' WELL w/ 500' @ 300' UNKNOWN HP. 11-1-55.
PUMP: WELL AND PUMP BY DESIGNER ATTILIO AN
WELL DRILLING

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

[illegible]

6. Place(s) of Use:

Indicate Method of Determination.

[illegible]

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
NONE						

2. Measurements:

NONE

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

NONE

ONE HOUR D104

2. Alternate Method for Checking Purposes:

NONE

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

ONE HOUR 1.2 CF

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO ON-SITE INSPECTION W/ 604 & 13533000 OFFICE

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (afa)
DOMESTIC	1-1 12-31	0.04	1.2

Totals:

2. Recommended Amendments
- ☐ Change P.D. as reflected above
 - ☐ Add P.D. as reflected above
 - ☐ Change P.U. as reflected above
 - ☐ Add P.U. as reflected above
 - ☒ None
 - ☐ Other

J. AUTHENTICATION


Field Examiner's Name Tom King
Signature [Signature]
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Bill Miller

NOV 14 1984
IDaho DEPARTMENT OF WATER RESOURCES



MICROFILMED
NOV 24 1989

LAKEVIEW AND LOWER TWIN LAKES

LAKEVIEW ADDITION TO LAKEVIEW
TO LOWER TWIN LAKES
BLOCK 1
Lot 1 - C. W. Ladd
Lot 2 - Ben Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 2
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 3
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 4
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 5
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 6
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 1
Lot 1 - C. W. Ladd
Lot 2 - Ben Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 2
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 3
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 4
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 5
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 6
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 1
Lot 1 - C. W. Ladd
Lot 2 - Ben Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 2
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 3
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 4
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 5
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 6
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 1
Lot 1 - C. W. Ladd
Lot 2 - Ben Ladd


LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 2
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 3
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 4
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 5
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd

LAKEVIEW ADDITION TO LAKEVIEW
BLOCK 6
Lot 1 - Ben Ladd
Lot 2 - C. W. Ladd



STATE OF IDAHO
DEPARTMENT OF LAND
TWIN LAKES ADDITION
TWIN LAKES - R&W - MAP 100

4/86

RECEIVED
APR 25 1986

Department of Water Resources
Northern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received N/A
Date 4/25/86
Receipt # 1
Receipt by 1
Sent to S.O. 4/25/86

RECEIVED
APR 28 1986

1. Permit No. 957909

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Fred D Brown

3. Post Office Address: E 850 Twinlow Rd Rathdrum Id
83858 Telephone No. 1687-2318

4. Source of Water: Well

5. Extent of Use:

Domestic 1 (No. of households) Stockwater (No. and type of stock)

Irrigation (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted .04 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

8. Person to contact to accompany the department representative during the field examination:

Billy Brown Have to contact Billy Brown before coming out. make appointment.
(Name)

E 850 Twinlow Rd Rathdrum Id 83858 1687-2318
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 4/25/86

Signature of Permit Holder (and title, if appropriate) Fred D Brown



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

95-7909
BROWN, FRED
BROWN, BILLY
E. 850 TWINLOW RD.
RATHDRUM, ID 83858

Mailing address:
Statehouse
Boise, Idaho 83720

138449

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

NOV 24 1989

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

UNRECORDED

NOV 24 1988

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Northern Region

JOHN V. EVANS
Governor
A. KENNETH DUNN
Director

4055 Government Way
Coeur d'Alene, ID 83814
(208) 667-6484

APRIL 24, 1984

FRED BROWN
E. 850 TWINLON RD.
RATHDRUM ID 83858

RE: Permit No. 95-7909

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a Water Right License can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 667-6484 or in person at our office.

Sincerely,

/s/
TOM D. KING
Senior Water Resource Agent

cc: IDWR - State Office

MAILED

NOV 24 1984

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7909.

Name(s) of Permit Holder: Fred or Billy Brown

Post Office Address: E. 850 Twinlow Rd.

Rathcliff, Id. 83858

Tel. No. 687-1769

Source of Water

GW

Extent of Use

☒ Domestic

2

(number of households)

☐ Stockwater

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

3/19/84

Date

Billy Brown
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED



MAY 25 1984

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of water Resources
BOISE, IDAHO 83720

INTER-DEPARTMENT MEMO — 1

FROM

Rita

DATE *3-15-84*

TO

95-7909

SUBJECT

Returned B/L Notice

REPRODUCTION

*The Kootenai County Assessor's Office
shows an address E. 850 Twin Row
Rathdrum, 83858*

[Signature]

SIGNATURE

STATE OF IDAHO
DEPARTMENT OF REVENUE
Statelhouse

Boise, Idaho 83720

3

83822

CLAIM CHECK
NO.

720898

☐ HOLD

DATE

MAR 20 1984

2ND NOTICE

RETURN
MAR 20 1984

Detached from
PS Form 3849-A
Oct. 1980

138526

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138526

BROWN, FRED & BILLY
214 E. 3RD
POST FALLS, ID 83854

PROOF DUE NOTICE

FEBRUARY 28, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7909 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1984. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

201-11-11



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 10, 1979

Re: Permit No. 95-7909

Fred &/or Billy Brown
214 E. 3rd
Post Falls, Idaho 83854

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosure

MICROFILMED

95-7909

STAFF REVIEW - STATE OFFICE

1. ✓ Name vs. Signature
2. W Source
3. ✓ Point of Diversion
4. 0.08 Amnt. & Period of Use
5. ✓ Descrip. of Diverting Wrks.
6. 5 Time req. for Proof of B/U
7. ✓ Place of Use for other than irrig.
8. N/A Place of Use for irrigation (add acres)
9. A Property Owner at Pt. of Div. & Pl. of Use
10. ✓ Map
11. 20 Fee & Rec't. No.

Copies Sent To:

<u>Nº</u> Idaho Health Department	<u>Nº</u> U.S.F.S.
<u>7</u> Idaho Fish & Game Dept.	<u>7</u> Dept. of Lands
<u> </u> Bureau of Land Management	<u> </u> Other

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ✓ no

Other rights on same land N/A

Withdrawals of all protests received yes no

Conditions:

ID Power Co. Letter - Snake R. N/A
ID Power Co. Letter - G.W. & Tribs.
Snake River Condition
Payette River Letter
Priority Date 4/2/79

Water Quality #16 N/A
Water Quality #10
intrastate interstate

Meas. Dev. or Sc. Meas. N/A
Totalizing meter
Supplemental
Right-of-Way Cond.
Watermaster Cond.
Wtr. Dist No.
Meas. Dev. Cond. for apps within a Water Dist.

 Reviewer
5/4/79 Date

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7909 Brown

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) RYS 4-2-79

In form to receipt

(2) _____

Send Copies to:

Idaho State Health Department

Idaho Fish and Game Department

Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.

Request Easement from B.L.M.

Request Information from Applicant

Request Dam Safety Information

(4) RYS 4-2-79

In form for advertising

(5) _____

Platted on Map No. _____

(6) _____

Located within Water District No. _____

(7) _____

Critical groundwater area: yes _____ no _____

(8) _____

Groundwater levels:

_____ Declining, _____ Stable, _____ Increasing

(comment) _____

(9) _____

Other rights on the same place of use

(10) _____

Comments: _____

(11) pmo 4/20/79

Affidavit of Publication received (date) 4/20/79

(12) pmo 4/30/79

Final date for protests April 30, 1979
Protests received: yes _____ no _____

(13) pmo 4/30/79

All requested information received from agencies or applicant: yes _____ no _____

(14) _____

Action recommended:

☒ Approve _____ Deny

RECEIVED
MAY 02 1979

Department of Water Resources

4-2-79 Proposed Priority

Reason for Reduction

Measuring device required

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern

By Bob Haynes Date 4-30-79

95-2909_

BROWN, FRED &/or BILLY

214 E. 3RD, POST FALLS, ID 83854

Source: GROUNDWATER

Date Filed: 04/02/1979

Amount: 0.08 CFS

Diversion Point: LOT 07 Sec 31 T 53N R 04W, KOOTENAI Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: LOT 07 Sec 31 T 53N R 04W

Diversion Means: WELL, PUMP & PIPELINE

MICROFILMED