

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN V. EVANS  
Governor  
C. STEPHEN ALLRED  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

July 13, 1979

Mr. C. E. Delavan  
Rt. 3 Box 432C  
Coeur d'Alene, Idaho 83814

RE: 95-7898

Dear Mr. Delavan:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING  
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

RECEIVED  
JUL 15 1979

State of Idaho  
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 95-7898 Priority March 27, 1979 Amount .08 cfs

THIS IS TO CERTIFY, that O. E. & JACK DELAVAN  
of Coeur d'Alene, Idaho, has complied with the terms and conditions of Permit  
No. 95-7898 issued pursuant to Application for Permit dated March 27, 1979,  
and has submitted proof to the Department of Water Resources on May 16, 1979,  
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a  
capacity for the diversion of .08 cfs of water from a groundwater source,  
tributary to \_\_\_\_\_, and that the permit holder has applied to a beneficial use and  
established a right to use water as follows:

| Beneficial Use                      | Period of Use                               | Rate of Diversion     | Annual Volume        |
|-------------------------------------|---------------------------------------------|-----------------------|----------------------|
| <u>Domestic</u><br><u>(2 units)</u> | from <u>January 1</u> to <u>December 31</u> | at <u>.08</u> cfs and | <u>2.4</u> acre feet |
|                                     | from _____ to _____                         | _____ cfs and         | _____                |
|                                     | from _____ to _____                         | _____ cfs and         | _____                |
|                                     | (both dates inclusive)                      |                       |                      |

Subject, however, to the condition that no more than .08 cfs of water be diverted at any one time, and  
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose  
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed  
2.4 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NW $\frac{1}{4}$  (Lot 2), Sec. 33,  
Twp. 50N, Rge. 3W, B.M. in the County of Kootenai

Description and location of place of use:


| Twp. | Range | Sec. | NE $\frac{1}{4}$ |                  |                  |                  | NW $\frac{1}{4}$ |                  |                  |                  | SW $\frac{1}{4}$ |                  |                  |                  | SE $\frac{1}{4}$ |                  |                  |                  | Totals |
|------|-------|------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|--------|
|      |       |      | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ | NE $\frac{1}{4}$ | NW $\frac{1}{4}$ | SW $\frac{1}{4}$ | SE $\frac{1}{4}$ |        |
| 50N  | 3W    | 33   |                  |                  |                  |                  |                  |                  |                  | L. 2<br>X        |                  |                  |                  |                  |                  |                  |                  |                  |        |
|      |       |      |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |        |
|      |       |      |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |        |
|      |       |      |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |        |
|      |       |      |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |                  |        |

Total number of acres irrigated \_\_\_\_\_

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 24 day of  
October, 19 80.

  
Director

UNRECORDED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant A.E. Dehman or Jack Dehman Phone 664-6167  
664-6162  
Post office address Rt 3 Bx 432C COEUR D'ALENE ID 83814
2. Source of water supply Groundwater which is a tributary of \_\_\_\_\_
3. Location of point of diversion is ~~1/4~~ GL 2 1/4 of Section 33 Township 50N  
Range 3W B.M. Kootenai County, additional points of diversion if any: \_\_\_\_\_

4. Water will be used for the following purposes:

- Amount 0.08 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)  
(cfs or acre-feet per annum)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)
- Amount \_\_\_\_\_ for \_\_\_\_\_ purposes from \_\_\_\_\_ to \_\_\_\_\_ (both dates inclusive)  
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

- a. 0.08 cubic feet per second and/or b. \_\_\_\_\_ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & pipe line
- b. Height of storage dam \_\_\_\_\_ feet, active reservoir capacity \_\_\_\_\_ acre-feet; total reservoir capacity \_\_\_\_\_ acre-feet, materials used in storage dam: \_\_\_\_\_  
Period of year when water will be diverted to storage \_\_\_\_\_ to \_\_\_\_\_ inclusive.  
(Month/Day) (Month/Day)
- c. Proposed well diameter is 6" inches; proposed depth of well is 180 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is **not** for irrigation:  
(1) Give the place of use of water: ~~1/4~~ GL 2 1/4 of Section 33 Township 50N  
Range 3W B.M.
- (2) Amount of power to be generated: \_\_\_\_\_ horsepower under \_\_\_\_\_ feet of head.
- (3) List number of each kind of livestock to be watered \_\_\_\_\_
- (4) Name of municipality to be served \_\_\_\_\_, or number of families to be supplied with domestic water 2.
- (5) If water is to be used for other purposes describe: \_\_\_\_\_

MICROFILMED

[illegible]

---

None

Who owns the property at the point of diversion Hydro Electric


Who owns the land to be irrigated or place of use Applicant

If the property is owned by a person other than the applicant, describe the arrangement enabling the

\_\_\_\_\_

marks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x O. E. Delavan  
(Applicant)

Proposed Priority 3/27/79

Received by JK Date 3-27-79 Time 2:25 PM  
Preliminary check by JK Fee \$ 20.00  
Received by pm Date 4/27/79  
Publication prepared by pm Date 8/28/79  
Published in County of Blaine, Idaho  
Publication dates 7/5-12/79  
Publication approved pm Date 4/29/79  
Protests filed by: none  
Copies of protests forwarded by \_\_\_\_\_  
Hearing held by \_\_\_\_\_ Date \_\_\_\_\_  
Recommended for approval denial by S.S.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 95-7898, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 80.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: \_\_\_\_\_

Witness my hand this 7<sup>th</sup> day of May, 19 79.

Chief, Operations Bureau

J. Allen Sayton

# AFIDAVIT OF PUBLICATION

## NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

95-7885

Travis, Clifton L. &/or Esther S.  
Route 1, Box 192, Coeur d'Alene,  
ID 83814

Source: Groundwater  
Date Filed: March 27, 1979  
Amount: 0.18 CFS  
Diversion Point: NWSW Sec 04 T  
50N R 04W, Kootenai, Co.  
Use: Domestic (0.12 CFS) from  
January 1 to December 31; Irriga-  
tion (0.02 CFS) from January 1 to  
December 31; Irrigation (0.04  
CFS) from March 15 to November  
15.

Place of Use: NWSW Sec 04 T 50N  
R 04W for 2 acres  
Diversion Means: Well & pump  
95-7896

Dickson, Reed &/or Rosemary  
Box 223, Post Falls, ID 83854

Source: Groundwater  
Date Filed: March 27, 1979  
Amount: 0.02 CFS  
Diversion Point: NENE Sec 17 T  
50N R 05W, Kootenai, Co.  
Use: Stockwater (0.02 CFS) from  
January 1 to December 31.  
Place of Use: NENE Sec 17 T 50N  
R 05W  
Diversion Means: Well, pump &  
pipeline.

95-7897

Dickson, Reed &/or Rosemary  
Box 223, Post Falls, ID 83854

Source: Groundwater  
Date Filed: March 27, 1979  
Amount: 0.20 CFS  
Diversion Point: SESE Sec 08 T  
50N R 06W, Kootenai Co.  
Use: Domestic (0.11 CFS) from  
January 1 to December 31; Stock-  
water (0.02 CFS) from January 1  
to December 31; Irrigation (0.11  
CFS) from March 15 to November  
15.

Place of Use: SESE Sec 08 T 50N  
R 06W for 7 acres  
Diversion Means: Well, pump &  
pipeline

95-7898

Delavan, O. E. &/or Jack  
Route 3, Box 432 C, Coeur d'Alene,  
ID 83814

Source: Groundwater  
Date Filed: March 27, 1979  
Amount: 0.08 CFS  
Diversion Point: LOT 02 Sec 33 T  
50N R 03W, Kootenai, Co.  
Use: Domestic (0.08 CFS) from  
January 1 to December 31.  
Place of Use: LOT 02 Sec 33 T 50N  
R 03W  
Diversion Means: Well, pump &  
pipeline

If issued, the permit(s) will be  
subject to all prior water rights.  
Protests against the granting of  
any permit must be filed with the  
Director of the Idaho Department  
of Water Resources, 4055 Gov't  
Way, Coeur d'Alene, Id, 83814 on  
or before April 23, 1979.

C. STEPHEN ALLRED  
Director

Legal 637

April 5, 12, 1979

STATE OF IDAHO,  
County of Kootenai,

ss.

Cheri Budvarson being first duly sworn  
upon oath deposes and says:

1. I am now and at all times hereinafter mentioned was a citizen of the United States, resident of the State of Idaho, over the age of twenty-one years and not a party of the above entitled action.

2. I am now and at all times hereinafter mentioned was the printer (principal clerk) of the "Coeur d'Alene Press," a newspaper printed and published daily except Sunday in Coeur d'Alene, Kootenai County, Idaho, and having a general circulation in said county.

3. The

Notice

of which the annexed is a printed copy, was published in the regular Thursday issue of said newspaper for 2 consecutive weeks commencing on the 5 day of April, 1975, and ending on the 12 day of April, 1975, and such publication was made as often during said period as said daily newspaper was regularly issued.

4. That said newspaper has been continuously and uninterruptedly published in said Kootenai County, during a period of more than seventy-eight consecutive weeks immediately prior to the first publication of said notice.

Cheri Budvarson

Subscribed and sworn to before me this

12 day of April

1975.

Notary Public for the State of Idaho,  
residing at Coeur d'Alene, Idaho.

LEADER



State of Idaho

# DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

October 30, 1980

O.E. & Jack Delavan  
Rt. 3, Box 432C  
Coeur d'Alene, Idaho 83814

Dear Mr. & Mrs. Delavan,

RE: License No. 95-7898

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON  
Water Distribution Supervisor

JJ:mr

Enclosure

MICROFILMED

# DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7898.

Name(s) of Permit Holder: O.E. Delavan & Jack

Post Office Address: Rt 3 Box 432C

Coeur d'Alene, Id O.E. 664-6162  
Tel. No. Jack 664-6167

Source of Water: Ground Water

Extent of Use: ☒ Domestic 2 (number of households)  
☐ Stockwater (number and type of stock)  
☐ Irrigation (acres)  
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No  
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

4/7/80  
Date

O.E. Delavan  
Signature of Permit Holder

RECEIVED

JUL 21 1980

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE  
BOISE, IDAHO 83720

PLACE  
TEN CENT  
STAMP  
HERE

Remarks *well close to sand Submersible pump*



STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

JOHN V. EVANS  
Governor  
C. STEPHEN ALLRED  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 567-6484

July 13, 1979

Mr. C. E. Delavan  
Rt. 3 Box 432C  
Coeur d'Alene, Idaho 83814

RE: 95-7898

Dear Mr. Delavan:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING  
Senior Water Resource Agent

TDK/pms

cc: IDWR - State Office

7/13/79

# DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7898

Name(s) of Permit Holder: C. E. Delavan

Post Office Address: Rt 3 Bx 432C

Coeur d'Alene

Source of Water: Ground Water

Extent of Use: ☒ Domestic 2 (number of households)  
☐ Stockwater (number and type of stock)  
☐ Irrigation (acres)  
☐ Other

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No  
 Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-16-79  
Date

C. E. Delavan  
Signature of Permit Holder

RECEIVED

MAY 16 1979

Department of Water Resources  
Northern District Office

Acknowledged  
Pete Smith

Pat on computer

MICROFILMED

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES  
Northern Region

---

JOHN V. EVANS  
Governor  
C. STEPHEN ALLRED  
Director

4055 Government Way  
Coeur d'Alene, ID 83814  
(208) 667-6484

May 21, 1979

O. E. Delavan  
Route 3, Box 432 C  
Coeur d'Alene, Idaho 83814

RE: 95-7898

Dear Mr. Delavan:

We acknowledge receipt of your statement of completion of water development and use for the above-referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We do not know at this time when he will be able to conduct the examination, however, the examiner will try to contact you at the time he makes the examination so that you may show him the system. Your permit will remain valid until the examination is made.

If you have any questions concerning the field examination, please contact this office.

Very truly yours,

TOM D. KING  
Senior Water Resource Agent

TDK/pms

MICROFILMED

# DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 95-7898

Name(s) of Permit Holder: O. E. Delavan

Post Office Address: Rt 3 Bx 432C

Coeur d'Alene

Source of Water: Ground Water

Extent of Use: ☒ Domestic 2

☐ Stockwater

☐ Irrigation

☐ Other

(number of households)

(number and type of stock)

(acres)

Department of Water Resources  
Northern District Office

Measuring Device: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No


The above information is a true statement of the extent to which the above numbered permit has been developed.

5-16-79

Date

X O. E. Delavan

Signature of Permit Holder



PLACE  
TEN CENT  
STAMP  
HERE



IDAHO DEPARTMENT OF WATER RESOURCES  
STATEHOUSE  
BOISE, IDAHO 83720

STATE OF IDAHO  
DEPARTMENT OF WATER RESOURCES

---

STATEHOUSE  
BOISE, IDAHO 83720  
(208) 334-4440

DELAVAN, O. E. & JACK  
ROUTE 3, BOX 432 C  
COEUR D'ALENE, ID 83814

101968

MARCH 31, 1980

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 95-7898 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 01, 1980. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK  
SR. SECRETARY

ENC: 1



State of Idaho

## DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 384-2215

May 11, 1979

Re: Permit No. 95-7898

O. E. or Jack Delavan  
Rt. 3, Box 432 C  
Coeur d'Alene, Idaho 83814

Gentlemen:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

*David R. Tuthill Jr.*

DAVID R. TUTHILL, JR.  
Supervisor, Water Allocations Section

DRT:lr

Enclosure

**MICROFILMED**

STAFF REVIEW - STATE OFFICE

- 95-7898
1. ☒ Name vs. Signature
  2. W Source
  3. ☒ Point of Diversion
  4. 0.08 Amnt. & Period of Use
  5. ☒ Descrip. of Diverting Wrks.
  6. 1 Time req. for Proof of B/U
  7. ☒ Place of Use for other than irrig.
  8. N/A Place of Use for irrigation (add acres)
  9. A Property Owner at Pt. of Div. & Pl. of Use
  10. ☒ Map
  11. 10 Fee & Rec't. No.

Copies Sent To:

|                                    |                         |
|------------------------------------|-------------------------|
| <u>no</u> Idaho Health Department  | <u>no</u> U.S.F.S.      |
| <u>7</u> Idaho Fish & Game Dept.   | <u>7</u> Dept. of Lands |
| <u>1</u> Bureau of Land Management | <u>1</u> Other          |

Dam Safety Information N/A (Goes to Permit Section)

Check:

Critical G.W. Area yes ☒ no

Other rights on same land N/A

Withdrawals of all protests received N/A yes no

Conditions:

ID Power Co. Letter - Snake R. no

ID Power Co. Letter - G.W. & Tribs. no

Snake River Condition no

Payette River Letter no

Priority Date 3/27/79

Water Quality #16 no

Water Quality #10 no

intrastate no interstate no

Meas. Dev. or Sc. Meas. no

Totalizing meter no

Supplemental no

Right-of-Way Cond. no

Watermaster Cond. no

Wtr. Dist No. no

Meas. Dev. Cond. for apps within a Water Dist. no

gmi Reviewer

5/7/79 Date

DEPARTMENT OF WATER RESOURCES  
- STAFF ANALYSIS -

Item Initial Date

Application No. 95-7898

☒ Source  
☒ Point of Diversion  
☒ County  
☒ Quantity of Water and Period of Use  
☒ Description of Diverting Works  
☒ Time required for B/U of water  
☒ Place of Use or Acres Irrigated  
☒ Map  
☒ Signature  
☒ Fee

(1) KK 3/27/79

In form to receipt

(2) \_\_\_\_\_

Send Copies to:

\_\_\_\_\_ Idaho State Health Department  
\_\_\_\_\_ Idaho Fish and Game Department  
\_\_\_\_\_ Bureau of Land Management

(3) \_\_\_\_\_

\_\_\_\_\_ Request Special Use Permit from U.S.F.S.  
\_\_\_\_\_ Request Easement from B.L.M.  
\_\_\_\_\_ Request Information from Applicant  
\_\_\_\_\_ Request Dam Safety Information

(4) KK 3/27/79

In form for advertising

(5) \_\_\_\_\_

Platted on Map No. \_\_\_\_\_

(6) \_\_\_\_\_

Located within Water District No. \_\_\_\_\_

(7) \_\_\_\_\_

Critical groundwater area: yes \_\_\_\_\_ no \_\_\_\_\_

(8) \_\_\_\_\_

Groundwater levels:

\_\_\_\_\_ Declining, \_\_\_\_\_ Stable, \_\_\_\_\_ Increasing

(comment) \_\_\_\_\_

(9) \_\_\_\_\_

Other rights on the same place of use

(10) \_\_\_\_\_

Comments: \_\_\_\_\_

(11) pm 4/19/79

Affidavit of Publication received(date) 4/16/79

(12) pm 4/23/79

Final date for protests April 23, 1979  
Protests received: yes \_\_\_\_\_ no ☒

(13) pm 4/23/79

All requested information received from agencies or applicant: yes ☒ no \_\_\_\_\_

(14) \_\_\_\_\_

Action recommended:

☒ Approve \_\_\_\_\_ Deny

**RECEIVED**  
MAY 02 1979

Department of Water Resources

327.79 Proposed Priority

\_\_\_\_\_ Reason for Reduction \_\_\_\_\_

\_\_\_\_\_ Measuring device required

\_\_\_\_\_ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District Northern By Bob Haynes Date 4-26-79

95-7898

DELAYAN, O. E. &/or JACK

ROUTE 3, BOX 432 C, COEUR D'ALENE, ID 83814

Source: GROUNDWATER

Date Filed: 03/27/1979

Amount: 0.08 CFS

Diversion Point: LOT 02 Sec 33 T 50N R 03W, KOOTENAI Co.

Use: DOMESTIC (0.08 CFS) from 01/01 to 12/31

Place of Use: LOT 02 Sec 33 T 50N R 03W

Diversion Means: WELL, PUMP & PIPELINE

MICROFILMED